



## Fortinet

### Exam Questions NSE7\_SDW-6.4

Fortinet NSE 7 - SD-WAN 6.4

#### NEW QUESTION 1

Which two statements describe how IPsec phase 1 main mode is different from aggressive mode when performing IKE negotiation? (Choose two )

- A. A peer ID is included in the first packet from the initiator, along with suggested security policies.
- B. XAuth is enabled as an additional level of authentication, which requires a username and password.
- C. A total of six packets are exchanged between an initiator and a responder instead of three packets.
- D. The use of Diffie Hellman keys is limited by the responder and needs initiator acceptance.

**Answer:** BC

#### NEW QUESTION 2

Refer to the exhibit.

Based on the exhibit, which statement about FortiGate re-evaluating traffic is true?

- A. The type of traffic defined and allowed on firewall policy ID 1 is UDP.
- B. FortiGate has terminated the session after a change on policy ID 1.
- C. Changes have been made on firewall policy ID 1 on FortiGate.
- D. Firewall policy ID 1 has source NAT disabled.

**Answer:** C

#### NEW QUESTION 3

An administrator is troubleshooting VoIP quality issues that occur when calling external phone numbers. The SD-WAN interface on the edge FortiGate is configured with the default settings, and is using two upstream links. One link has random jitter and latency issues and is based on a wireless connection. Which two actions must the administrator apply simultaneously on the edge FortiGate to improve VoIP quality using SD-WAN rules?

- A. Select the corresponding SD-WAN balancing strategy in the SD-WAN rule.
- B. Choose the suitable interface based on the interface cost and weight.
- C. Use the performance SLA targets to detect latency and jitter instantly.
- D. Place the troublesome link at the top of the interface preference list.
- E. Configure an SD-WAN rule to load balance all traffic without VoIP.

**Answer:** AC

#### NEW QUESTION 4

Refer to the exhibit.

Based on output shown in the exhibit, which two commands can be used by SD-WAN rules? (Choose two.)

- A. set cost 15.
- B. set source 100.64.1.1.
- C. set priority 10.
- D. set load-balance-mode source-ip-based.

**Answer:** CD

#### NEW QUESTION 5

Refer to the exhibit.

Which statement about the command route-tag in the SD-WAN rule is true?

- A. It enables the SD-WAN rule to load balance and assign traffic with a route tag.
- B. It tags each route and references the tag in the routing table.
- C. It uses route tags for a BGP community and assigns the SD-WAN rules with same tag.
- D. It ensures route tags match the SD-WAN rule based on the rule order.

**Answer:** D

#### NEW QUESTION 6

Which statement defines how a per-IP traffic shaper of 10 Mbps is applied to the entire network?

- A. FortiGate allocates each IP address a maximum 10 Mbps of bandwidth.
- B. Each IP is guaranteed a minimum 10 Mbps of bandwidth.
- C. A single user uses the allocated bandwidth divided by total number of users.
- D. The 10 Mbps bandwidth is shared equally among the IP addresses.

**Answer:** A

#### NEW QUESTION 7

Refer to the exhibit.

Based on the output shown in the exhibit, which two criteria on the SD-WAN member configuration can be used to select an outgoing interface in an SD-WAN rule? (Choose two.)

- A. Set priority 10.
- B. Set cost 15.
- C. Set load-balance-mode source-ip-ip-based.
- D. Set source 100.64.1.1.

**Answer:** D

#### NEW QUESTION 8

What would best describe the SD-WAN traffic shaping mode that bases itself on a percentage of available bandwidth?

- A. Per-IP shaping mode
- B. Reverse policy shaping mode
- C. Interface-based shaping mode
- D. Shared policy shaping mode

**Answer:** D

#### NEW QUESTION 9

Which two statements reflect the benefits of implementing the ADVPN solution to replace conventional VPN topologies? (Choose two )

- A. It creates redundant tunnels between hub-and-spokes, in case failure takes place on the primary links.
- B. It dynamically assigns cost and weight between the hub and the spokes, based on the physical distance.
- C. It ensures that spoke-to-spoke traffic no longer needs to flow through the tunnels through the hub.
- D. It provides direct connectivity between all sites by creating on-demand tunnels between spokes.

**Answer:** CD

#### NEW QUESTION 10

Refer to exhibits.

Exhibit B.

Exhibit A shows the traffic shaping policy and exhibit B show: the firewall policy  
FortiGate is not performing traffic shaping as expected based on the policies shown in the exhibits.  
To correct this traffic shaping issue on FortiGate, what configuration change must be made on which policy?

- A. The shaper mode must be applied per-IP shaper on the traffic shaping policy
- B. The application control profile must be enabled on the firewall policy.
- C. The web filter profile must be enabled on the firewall policy
- D. The URL category must be specified on the traffic shaping policy

**Answer:** C

#### NEW QUESTION 10

Refer to exhibits.

Exhibit A shows the source NAT global setting and exhibit B shows the routing table on FortiGate. Based on the exhibits, which two statements about increasing the port2 interface priority to 20 are true?  
(Choose two.)

- A. All the existing sessions that do not use SNAT will be flushed and routed through port1.
- B. All the existing sessions will continue to use port2, and new sessions will use port1.
- C. All the existing sessions using SNAT will be flushed and routed through port1.
- D. All the existing sessions will be blocked from using port1 and port2.

**Answer:** BC

#### NEW QUESTION 13

Refer to the exhibit.

Which two statements about the status of the VPN tunnel are true? (Choose two )

- A. There are separate virtual interfaces for each dial-up client.
- B. VPN static routes are prevented from populating the FortiGate routing table.
- C. FortiGate created a single IPsec virtual interface that is shared by all clients.
- D. 100.64.3.1 is one of the remote IP address that comes through index interface 1.

**Answer:** CD

#### NEW QUESTION 18

Refer to the exhibit.

FortiGate has multiple dial-up VPN interfaces incoming on port1 that match only FIRST\_VPN.

Which two configuration changes must be made to both IPsec VPN interfaces to allow incoming connections to match all possible IPsec dial-up interfaces? (Choose two.)

- A. Specify a unique peer ID for each dial-up VPN interface.
- B. Use different proposals are used between the interfaces.
- C. Configure the IKE mode to be aggressive mode.
- D. Use unique Diffie Hellman groups on each VPN interface.

**Answer:** BD

#### NEW QUESTION 21

Which statement reflects how BGP tags work with SD-WAN rules?

- A. BGP tags match the SD-WAN rule based on the order that these rules were installed.
- B. BGP tags require that the adding of static routes be enabled on all ADVPN interfaces
- C. Route tags are used for a BGP community and the SD-WAN rules are assigned the same tag
- D. VPN topologies are formed using only BGP dynamic routing with SD-WAN

**Answer:** D

#### NEW QUESTION 26

Which two reasons make forward error correction (FEC) ideal to enable in a phase one VPN interface? (Choose two )

- A. FEC transmits the original payload in full to recover the error in transmission.
- B. FEC improves reliability which overcomes adverse WAN conditions such as noisy links.
- C. FEC is useful to increase speed at which traffic is routed through IPsec tunnels.
- D. FEC transmits additional packets as redundant data to the remote device.
- E. FEC reduces the stress on the remote device jitter buffer to reconstruct packet loss

**Answer:** BD

#### NEW QUESTION 27

Refer to the exhibit.

Which statement about the trace evaluation by FomGate is true?

- A. Packets exceeding the configured maximum concurrent connection limit are denied by the per-IP shaper.
- B. The packet exceeded the configured bandwidth and was dropped based on the priority configuration.
- C. The packet exceeded the configured maximum bandwidth and was dropped by the shared shaper.
- D. Packets exceeding the configured concurrent connection limit are dropped based on the priority configuration.

**Answer:** A

#### NEW QUESTION 28

Which three parameters are available to configure SD-WAN rules? (Choose three.)

- A. Application signatures
- B. Type of physical link connection
- C. URL categories
- D. Source and destination IP address
- E. Internet service database (ISDB) address object

**Answer:** BDE

#### NEW QUESTION 31

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### NSE7\_SDW-6.4 Practice Exam Features:

- \* NSE7\_SDW-6.4 Questions and Answers Updated Frequently
- \* NSE7\_SDW-6.4 Practice Questions Verified by Expert Senior Certified Staff
- \* NSE7\_SDW-6.4 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* NSE7\_SDW-6.4 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
[Order The NSE7\\_SDW-6.4 Practice Test Here](#)