

EX294 Dumps

Red Hat Certified Engineer (RHCE) exam

<https://www.certleader.com/EX294-dumps.html>



NEW QUESTION 1

Create a file called packages.yml in /home/sandy/ansible to install some packages for the following hosts. On dev, prod and web servers install packages httpd, mod_ssl, and mariadb. On dev only install the development tools package. Also, on dev host update all the packages to the latest.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Solution as:

**** NOTE 1** a more acceptable answer is likely 'present' since it's not asking to install the latest

state: present

**** NOTE 2** need to update the development node

- name: update all packages on development node

yum:

name: '*'

state: latest

NEW QUESTION 2

Create a file called requirements.yml in /home/sandy/ansible/roles to install two roles. The source for the first role is geerlingguy.haproxy and geerlingguy.php. Name the first haproxy-role and the second php-role. The roles should be installed in /home/sandy/ansible/roles.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

in /home/sandy/ansible/roles vim requirements.yml

Run the requirements file from the roles directory:

ansible-galaxy install -r requirements.yml -p /home/sandy/ansible/roles

NEW QUESTION 3

Create an empty encrypted file called myvault.yml in /home/sandy/ansible and set the password to not safe pw. Rekey the password to iwej fj2221.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

ansible-vault create myvault.yml
Create new password: notsafepw Confirm password: notsafepw
Current password: notsafepw New password: iwejfj2221 Confirm password: iwejfj2221

NEW QUESTION 4

Create a file called `adhoc.sh` in `/home/sandy/ansible` which will use `adhoc` commands to set up a new repository. The name of the repo will be 'EPEL' the description 'RHEL8' the baseurl is 'https://dl.fedoraproject.org/pub/epel/epel-release-latest-8.noarch.rpm' there is no `gpgcheck`, but you should enable the repo.
* You should be able to use an `bash` script using `adhoc` commands to enable repos. Depending on your lab setup, you may need to make this repo "state=absent" after you pass this task.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```
chmod 0777 adhoc.sh
vim adhoc.sh
#!/bin/bash
ansible all -m yum_repository -a 'name=EPEL description=RHEL8 baseurl=https://dl.fedoraproject.org/pub/epel/epel-release-latest-8.noarch.rpm
gpgcheck=no enabled=yes'
```

NEW QUESTION 5

Install and configure `ansible`
User `bob` has been created on your control node. Give him the appropriate permissions on the control node. Install the necessary packages to run `ansible` on the control node.

Create a configuration file `/home/bob/ansible/ansible.cfg` to meet the following requirements:

- The roles path should include `/home/bob/ansible/roles`, as well as any other path that may be required for the course of the sample exam.
- The inventory file path is `/home/bob/ansible/inventory`.
- `Ansible` should be able to manage 10 hosts at a single time.
- `Ansible` should connect to all managed nodes using the `bob` user.

Create an inventory file for the following five nodes: `node1.example.com`

```
node2.example.com
node3.example.com
node4.example.com
node5.example.com
```

Configure these nodes to be in an inventory file where `node1` is a member of group `dev`, `node2` is a member of group `test`, `node3` is a member of group `proxy`, `node4` and `node 5` are members of group `prod`. Also, `prod` is a member of group `webserver`.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```
In /home/sandy/ansible/ansible.cfg
[defaults]
inventory=/home/sandy/ansible/inventory
roles_path=/home/sandy/ansible/roles
remote_user= sandy
host_key_checking=false
[privilege_escalation]
become=true
become_user=root
become_method=sudo
become_ask_pass=false
In /home/sandy/ansible/inventory
[dev]
node 1 .example.com
[test]
node2.example.com
[proxy]
node3 .example.com
[prod]
node4.example.com
node5 .example.com
[webserver:children]
prod
```

NEW QUESTION 6

Create a file called `specs.empty` in `home/bob/ansible` on the local machine as follows: `HOST=`

`MEMORY=` `BIOS=`

`VDA_DISK_SIZE=` `VDB_DISK_SIZE=`

Create the playbook `/home/bob/ansible/specs.yml` which copies `specs.empty` to all remote nodes' path `/root/specs.txt`. Using the `specs.yml` playbook then edit `specs.txt` on the remote machines to reflect the appropriate `ansible` facts.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Solution as:

NEW QUESTION 7

Create a playbook called timesync.yml in /home/sandy/ansible using rhel system role timesync. Set the time to use currently configured ntp with the server 0.uk.pool.ntp.org. Enable burst. Do this on all hosts.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

See the explanation for complete Solution below.

Explanation

Solution as:

NEW QUESTION 10

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your EX294 Exam with Our Prep Materials Via below:

<https://www.certleader.com/EX294-dumps.html>