

Microsoft

Exam Questions PL-400

Microsoft Power Platform Developer



NEW QUESTION 1

- (Exam Topic 1)

You need to address the user interface issues.

What should you do? To answer, drag the appropriate actions to the correct issues. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Actions	Requirement	Action
Add &ribbondebug=true to the end of the application URL.	Resolve rendering issue for New and Save buttons.	
Export the XML file.		
Modify the RibbonWSS.xsd file.	Add email button for registration form.	
Use Ribbon Workbench.		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Add &ribbondebug=true to the end of the application URL.

Scenario: The captions for the New and Save buttons do not render properly on the form.

You can use the an in-app tool called the Command Checker to inspect the ribbon component definitions to help us determine why the button is not rendered correctly.

To enable the Command Checker, you must append a parameter &ribbondebug=true to your D365 application URL. For example:

<https://yourorgname.crm.dynamics.com/main.aspx?appid=9ab590fc-d25e-ea11-a81d-000d3ac2b3e6&ribbondeb>

Box 2: Use the Ribbon Workbench Adding Buttons to Ribbons

- > Download and install Ribbon Workbench.
- > Select a suitable ICON for your button.
- > Create a solution.
- > Edit the button in Ribbon Workbench.
- > Publish and test.

Reference:

<https://support.microsoft.com/en-us/help/4552163/ribbon-troubleshooting-guide> <https://neilparkhurst.com/2015/10/19/adding-buttons-to-ribbons/>

NEW QUESTION 2

- (Exam Topic 2)

You need to improve warehouse counting efficiency. What should you create?

- A. a flow that updates the warehouse counts as the worker performs the count
- B. a model-driven app that allows the user to key in inventory counts
- C. A Power BI dashboard that shows the inventory counting variances
- D. a canvas app that scans barcodes to allow a warehouse worker to select inventory counts

Answer: D

Explanation:

Scenario: Warehouse counting is performed manually by using a counting journal. All warehouse boxes and items are barcoded.

NEW QUESTION 3

- (Exam Topic 2)

You need to replace the bicycle inspection forms.

Which two solutions should you use? Each answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a flow that maps inspection data to Dynamics 365 Field Service
- B. a logic app that guides the technician through the inspection
- C. a canvas app that guides the technician through the inspection
- D. a model-driven app based on customer service entities

Answer: AD

Explanation:

Scenario: The Adventure Works Cycles retail location performs bicycle inspections and performance tune-ups. Technicians use paper forms to document the bicycle inspection performed before a tune-up and any additional work performed on the bicycle.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/field-service/overview> <https://us.hitachi-solutions.com/blog/canvas-vs-model-driven-apps/>

NEW QUESTION 4

- (Exam Topic 2)

You need to identify the execution mode that is being used for the ISV solution reported by User5. Which type of execution mode is in use?

- A. asynchronous
- B. atomicity
- C. transfer
- D. synchronous

Answer: D

Explanation:

User5 receives the error message: 'Endpoint unavailable' during a test of the technician dispatch ISV solution. When you choose to use a synchronous execution mode any failure will be reported back to the user of the application with an Endpoint unavailable error dialog informing the user that the webhook service endpoint may be configured incorrectly or is not available.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/use-webhooks>

NEW QUESTION 5

- (Exam Topic 2)

You need to ensure that Adventure Works Cycle can track information from visitors to bike fairs. What should you create?

- A. A workflow in Dynamics 365 Sales Engagement for capabilities leads
- B. A flow to capture customer data from the bike fair Power Apps in SharePoint and create a lead in Microsoft Teams.
- C. A flow that connects with the bike fair Power Apps to create a lead in Dynamic 365 Sales
- D. A Microsoft flow that generates a new customer record in SharePoint

Answer: C

Explanation:

By using a Dynamics 365 connector, you can create flows that initiate when an event occurs in Dynamics 365, or some other service, which then performs an action in Dynamics 365, or some other service.

Reference:

<https://docs.microsoft.com/en-us/power-automate/connection-dynamics365>

NEW QUESTION 6

- (Exam Topic 4)


You need to complete a PowerApps component framework (PCF) control.

How should you define the order in the manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```

<resources>
  <code path="scripts/HelloWorldControlWave.js" order="1"/>
  <code path="scripts/HelloWorldControlRandom.js" order="2"/>
  <css path="style/HelloWorldControl.css" order="
  <html path="HelloWorldControlWaveRandom.htm" order="
</resources>
  
```



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The order property specifies the order of a flexible item relative to the rest of the flexible items inside the same container.

Reference: https://www.w3schools.com/jsref/prop_style_order.asp

NEW QUESTION 7

- (Exam Topic 4)

A company is building a new model-driven app.

The app must integrate with a number of on-premises and cloud solutions. No VPNs are in place. You need to determine the method for each integration.

Which methods should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Integration

Method

Outbound synchronous calls to a third-party Web API service

Webhook
Microsoft Flow
Azure Event Hub
Azure Service Bus

Calls to and from a website hosted in Azure with high peak loads

Plug-in
Webhook
Azure Event Hub
Azure Service Bus

Outbound calls to multiple on-premises and cloud systems to notify of customer address changes

Plug-in
Azure Event Hub
Webhook

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Webhook

With Dataverse, you can send data about events that occur on the service to a web app by using webhooks. A webhook is a lightweight HTTP pattern for connecting web APIs and services with a publish-and-subscribe model. Webhook senders notify receivers about events by making requests to receiver endpoints with some information about the events.

Webhooks enable developers and ISVs to integrate Dataverse data with their own custom code hosted on external services.

Box 2: Azure Service Bus

Service Bus provides a secure and reliable communication channel between Dataverse runtime data and external, cloud-based line-of-business apps. This capability is especially useful in keeping disparate Dataverse systems or other Dataverse servers synchronized with business data changes.

Box 3: Azure Event hub

Azure Event Hubs is a big data streaming platform and event ingestion service. It can receive and process millions of events per second. Data sent to an event hub can be transformed and stored by using any real-time analytics provider or batching/storage adapters.

Note: The most popular approaches in Dataverse involve webhooks, Azure messaging (Service Bus, Event Hubs), Azure Logic Apps, or Power Automate.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/why-cds-any-type-app>

NEW QUESTION 8

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A university has implemented Dynamics 365 Customer Engagement. Several departments use opportunity records to bid for funding for projects within their own departments.

Each department's opportunities are not visible to other departments. However, there are times when two departments need to work together on an opportunity.

You need to configure the security to meet the business requirements.

Solution: Use access team templates and give access to members in the two departments. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Access Team template

The privileges assigned to the access team through Access Team Templates. Access Team template allows you to create a template for the entities on which "Access Teams" option is enabled. You can grant or restrict access to the entity records through "Access Rights". Essentially, this is like a record-based security model on an entity record for specific users.

Once the access team template is created and added to the entity form, you can start adding users. For example, on an opportunity record add a new user in the Access Team Template sub-grid.

Reference:

<https://community.dynamics.com/crm/b/crmdevmigrationconfigandcustomization/posts/access-teams-and-acces>

NEW QUESTION 9

- (Exam Topic 4)

You are researching integrations with several external systems. Each integration has different requirements.

You need to determine which data sources to use to meet each requirement.

What should you use? To answer, drag the appropriate data sources to the correct requirements. Each data source may be used once, more than one, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

Objects	Requirement	Object
Virtual entity	Support records that use an integer as a primary key.	
Custom connector	Ensure that data can be read and updated.	
	Ensure that data is available to all Common Data Service clients.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

answer is Virtual Entity

You cannot change the Entity primaryid field to some other field. CRM using GUID as the Primary key for each record.

If you definitely want to make some other field as Primary key, you could consider using Alternate Keys. Source:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/define-alternate-key>

The caveat being that Alternate Keys can be created for Virtual Entity

B. Answer is: Custom Connector All virtual entities are read-only. Source:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/create-edit-virtual-e>

C. Answer is: Virtual Entity

Rows based on virtual tables are available in all clients including custom clients developed using the Dataverse web services.

Source: <https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-edit-virtual-entities>

NEW QUESTION 10

- (Exam Topic 4)

A company manages capital equipment for an electric utility company. The company has a SQL Server database that contains maintenance records for the equipment.

Technicians who service the equipment use the Dynamics 365 Field Service mobile app on tablet devices to view scheduled assignments. Technicians use a canvas app to display the maintenance history for each piece of equipment and update the history.

Managers use a Power BI dashboard that displays Dynamics 365 Field Service and real-time maintenance data.

Due to increasing demand, managers must be able to work in the field as technicians. You need to design a solution that allows the managers to work from one single screen. What should you do?

- A. Add the maintenance history app to the Field Service Mobile app.
- B. Add the manager Power BI dashboard to the Field Service mobile app.
- C. Create a new maintenance canvas app from within the Power BI management dashboard.
- D. Add the maintenance history app to the Power BI dashboard.

Answer: D

Explanation:

Power BI enables data insights and better decision-making, while Power Apps enables everyone to build and use apps that connect to business data. Using the Power Apps visual, you can pass context-aware data to a canvas app, which updates in real time as you make changes to your report. Now, your app users can derive business insights and take actions from right within their Power BI reports and dashboards.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/powerapps-custom-visual>

NEW QUESTION 10

- (Exam Topic 4)

A fine arts school uses a custom canvas application based on the Common Data Service (CDS) platform.

Artists experience errors on their Artist canvas app and delays when switching pages. You need to identify the root causes of these issues.

Which troubleshooting methods should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Issue

Troubleshooting method

Artist canvas app has errors.

- PowerApp Checker
- Solution Checker
- Site Map validation

Application runs slowly.

- PowerApps Admin Center
- Service Performance in PowerApps Analytics
- Dynamics 365 Service Health
- PowerApps client session details

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Site Map validation

When you validate the app, the app designer canvas shows you details about the assets that are missing. In the app designer, select Validate.

A notification bar appears and shows you whether the app has any errors or warnings. The notification bar shows warnings in cases where, for example, an entity has no forms or views, or the app doesn't contain any components. An error might appear if a site map isn't configured for the app.



Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/validate-app>


<https://community.dynamics.com/crm/b/crmthefield/posts/monitoring-the-power-platform-canvas-driven-apps>

NEW QUESTION 11

- (Exam Topic 4)

You have a model-driven app that uses the Common Data Service (CDS). You create three custom entities that are in many-to-one parental relationships with the Account entity.

You run a real-time workflow that assigns an account you own to another user. You receive the error message as shown in the Error Message exhibit. (Click the Error Message tab.)



You check the security roles for the user as shown in the Manage User Roles exhibit. (Click the Manage User Roles tab.)

You also check the privileges for that role as shown in the Common Data Service User Security Role exhibit. (Click the Security Role tab.)

Entity	Create	Read	Write	Delete	Append	Append To	Assign	Share
Account	<input checked="" type="radio"/>							
Asset	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Building	<input type="radio"/>							
Job	<input checked="" type="radio"/>							

You need to prevent the error from recurring.
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
Changing the Append To privilege on the Account entity to Organization prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>
Adding the Environment Maker role to the user prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>
Adding the System Customizer role to the user prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>
Setting all the privileges for the Building entity to User prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
 There is a read error. Box 2: No
 Note: The Environment Maker role can create resources within an environment including apps, connections, custom connectors, gateways, and flows using Power Automate.
 Box 3: Yes
 The System Customizer role is similar to the System Administrator role which enables non-system administrators to customize Dynamics 365. A Customizer is a user who customizes entities, attributes and relationships.
 Box 4: Yes

NEW QUESTION 12

- (Exam Topic 4)
 You are developing a Web API for a company.
 You need to implement the appropriate operations to meet the company's requirements. What should you implement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Requirement	Operation
Implement operations that do not have side effects and may support further composition	<div style="border: 1px solid black; padding: 5px;"> <input type="checkbox"/> Functions <input type="checkbox"/> Actions <input type="checkbox"/> Entities </div>
Implement operations that allow side effects, such as data modification	<div style="border: 1px solid black; padding: 5px;"> <input type="checkbox"/> Functions <input type="checkbox"/> Actions <input type="checkbox"/> Entities </div>
Implement keyless named structured types that consist of a set of properties	<div style="border: 1px solid black; padding: 5px;"> <input type="checkbox"/> Complex types <input type="checkbox"/> Entity types <input type="checkbox"/> Enumeration types </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Functions

Box 2: Actions

Box 3: Complex types

Complex types are keyless named structured types consisting of a set of properties. Complex types are commonly used as property values in model entities, or as parameters or return values for operations.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/webapi/web-api-types-operations#>

NEW QUESTION 17

- (Exam Topic 4)

An organization implements Dynamics 365 Sales.

You need to trigger a business rule when the main form is saved. What should you do?

- A. Write a business rule to trigger on a change of ModifiedOn field.
- B. Set the scope of the business rule to one specific form where business rule triggers.
- C. Set the scope of the business rule to All Forms.
- D. Set the scope of the business rule to Entity.

Answer: D

Explanation:

Set scope of business rule to "Entity" instead of "All Form". This will trigger it on server side. Reference:

[https://docs.microsoft.com/en-us/previous-versions/dynamicscrm-2016/developers-guide/dn481574\(v=crm.8\)](https://docs.microsoft.com/en-us/previous-versions/dynamicscrm-2016/developers-guide/dn481574(v=crm.8))

NEW QUESTION 19

- (Exam Topic 4)

You are developing an app that uses Common Data Service.

You must integrate Common Data Service with a new web application. You must allow the new web application to display data from Common Data Service.

You build a single-page web application using the Web API. You need to authenticate your app using OAuth.

What should you use?

- A. Windows Communication Foundation (WCF)
- B. Cross-Origin Resource Sharing (CORS)
- C. Microsoft Authentication Library (MSAL)
- D. Kerberos authentication
- E. Active Directory Authentication Library (ADAL)

Answer: E

Explanation:

Ref: <https://docs.microsoft.com/en-us/azure/active-directory/develop/msal-overview>

NEW QUESTION 23

- (Exam Topic 4)

A developer must register a step using the Plug-in registration tool.

You need to associate the correct Event Pipeline Stage of Execution with its purpose.

Which stage should you associate with each description? To answer, drag the appropriate stages to the correct descriptions. Each stage may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Stages	Answer Area	
	Description	Stage
PreValidation	Cancel the operation before the database transaction.	Stage
PreOperation	Change any values for an entity within the database transaction.	Stage
MainOperation	Modify any properties of the message before it returns to the caller.	Stage
PostOperation		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The event pipeline allows you to configure when in the event the plug-in code will execute. The event pipeline is divided into the following events and stages: Box 1: PreValidation

Pre-event/Pre-Validation

This stage executes before anything else, even before basic validation if the triggering action is even allowed based on security. Therefore, it would be possible to trigger the plug-in code even without actually having permission to do so and great consideration must be used when writing a pre-validation plug-in. Also, execution in this stage might not be part of the database transaction.

Examples:- security checks being performed to verify the calling or logged on user has the correct permissions to perform the intended operation.

Box 2: PreOperation Pre-event/Pre-Operation

This stage executes after validation, but before the changes has been committed to database. This is one of the most commonly used stages.

Example uses:

If and "update" plug-in should update the same record, it is best practice to use the pre-operation stage and modify the properties. That way the plug-in update is done within same DB transaction without needing additional web service update call.

Box 3: PostOperation

Plug-ins which are to execute after the main operation. Plug-ins registered in this stage are executed within the database transaction.

This stage executed after changes have been committed to database. This is one of the most used stages. Example uses:

Most of the "Create" plugins are post-event. This allows access to the created GUID and creation of relationships to newly created record.

Reference:


<https://community.dynamics.com/crm/f/microsoft-dynamics-crm-forum/216569/ms-crm-plugin-execution-pipeli>

NEW QUESTION 26

- (Exam Topic 4)

A university manages grant applications using a model-driven app.

Users report that the message on the Grant Application screen is outdated. The screen shows the following:



Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Which Power Platform capability does the app use to display the message?

Business rule
 Logic app
 Flow
 Plug-in

What should the app maker do to prevent the message from displaying?

Update the field calculation.
 Update the rollup field.
 Update the automated flow.
 Update the business rule.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://www.loganconsulting.com/blog/how-use-power-automate-trigger-workflows-microsoft-dynamics-crm/>

NEW QUESTION 31

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 An organization has an Azure SQL Database instance that must be synchronized daily with data from Dynamics 365 Sales. A large amount of data might need to be synchronized on some days.

You need to reduce the time required to synchronize data. Solution:

Enable change tracking for entities that will be synchronized.

Use the Data Export Service to sync data between the database and Dynamics 365 Sales. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Large organizations that synchronize their data with external data sources can now enable entities for change tracking. You can export or retrieve a selected set of data, and then keep the external data warehouse in sync.

The Data Export Service is an add-on service made available on Microsoft AppSource that adds the ability to replicate data from Common Data Service database to an Azure SQL Database store in a customer-owned Azure subscription.

The Data Export Service intelligently synchronizes the entire data initially and thereafter synchronizes on a continuous basis as changes occur (delta changes) in the system.

You can use the Data Export Service with model-driven apps in Dynamics 365, such as Dynamics 365 Sales and Dynamics 365 Customer Service.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/enable-change-tracking-control-data-synchronization> <https://docs.microsoft.com/en-us/power-platform/admin/replicate-data-microsoft-azure-sql-database>

NEW QUESTION 35

- (Exam Topic 4)

An organization uses Dynamics 365 Sales. The organization has accounting and customer service departments. You must restrict users in customer service from being able to change the value of the balance field on the Contact records. The accounting team must be the only team able to edit this field.

You need to create the appropriate solution without any customizations. What should you do first?

- A. Enable field security for the balance field and grant the customer service team read and update permissions.
- B. Create a customer service form and role and make the balance field read-only.
- C. Enable field security for the balance field and grant the accounting team read permissions.
- D. Enable field security for the balance field and grant the customer service team read permissions.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customer-service/create-design-forms-customer-service-hub>

NEW QUESTION 39

- (Exam Topic 4)

You are synchronizing company data from a SQL Server-based .NET application into a Common Data Service (CDS) environment. The data is entered in both the SQL Server and CDS systems. You have a program that includes the following code:

```
var account = new Entity("account", "accountnumber", "CO-555");
account["name"] = "Contoso";
account["creditlimit"] = new Money(100000);
var request = new UpsertRequest() { Target = account };
var response = (UpsertResponse)_serviceProxy.Execute(request);
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

	Yes	No
Creating a new field to store the record identifier from the database resolves the error: The specified key attributes are not a defined key for the account entity.	<input type="radio"/>	<input type="radio"/>
Creating an alternate key that uses the accountnumber field resolves the error: The specified key attributes are not a defined key for the account entity.	<input type="radio"/>	<input type="radio"/>
If an account exists with only the account name entered as Contoso and all other fields empty, a new account record is created.	<input type="radio"/>	<input type="radio"/>
If an account exists that uses the account number CO-555, a new account record is created.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No.

An alternate key is needed, not a new field for the record identifier. Box 2: Yes

The specified key attributes are not a defined key for the account entity. Name: EntityKeyNotDefined

Message: The specified key attributes are not a defined key for the {0} entity Box 3: Yes

One way to create an entity is by using the UpsertRequest class. An upsert will create a new entity when there is no existing record that has the unique identifiers included in the entity passed with the request.

Box 4: No Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/org-service/web-service-error-cod> <https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/org-service/entity-operations-upda>

NEW QUESTION 40

- (Exam Topic 4)

You work for a multinational company that has Azure and Common Data Service environment in the United States (UTC-7) and Japan (UTC+9).

You create Azure Functions for each location to update key data.

You need to configure the functions to run at 4:00 AM on weekdays at each location.

Which schedule formats should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Location	Timer schedule
United States	<input type="text" value="00 4 ** 1-5"/> <input type="text" value="00 7 ** 0-4"/> <input type="text" value="00 11 ** 1-5"/> <input type="text" value="00 19 ** 0-4"/>
Japan	<input type="text" value="00 19 ** 0-4"/> <input type="text" value="00 4 ** 1-5"/> <input type="text" value="00 7 ** 1-5"/> <input type="text" value="00 11 ** 0-4"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 0 0 4 ** 1-5

Azure Functions uses the NCronTab library to interpret NCRONTAB expressions.

An NCRONTAB expression is similar to a CRON expression except that it includes an additional sixth field at the beginning to use for time precision in seconds: {second} {minute} {hour} {day} {month} {day-of-week} NCRONTAB time zones

The numbers in a CRON expression refer to a time and date, not a time span. For example, a 5 in the hour field refers to 5:00 AM, not every 5 hours.

The default time zone used with the CRON expressions is Coordinated Universal Time (UTC).

To have your CRON expression based on another time zone, create an app setting for your function app named WEBSITE_TIME_ZONE.

1-5 is weekdays

Box 2: 0 0 4 ** 1-5 Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-bindings-timer?>

NEW QUESTION 45

- (Exam Topic 4)

A company uses five different shipping companies to deliver products to customers. Each shipping company has a separate service that quotes delivery fees for destination addresses.

You need to design a custom connector that retrieves the shipping fees from all the shipping companies by using their APIs.

Which three elements should you define for the custom connector? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Authentication model
- B. Address parameter
- C. OpenAPI definition
- D. Fee parameter
- E. Fee reference

Answer: ABC

Explanation:

C: You can create a custom connector using an OpenAPI definition file or a URL to OpenAPI definition. B: On the Security page you get to choose how to authenticate to the API.

← Connector Name Trefle

1. General > 2. Security > 3. Definition > 4. Test ✓ Create connector ✕ Cancel

Security

Choose the authentication type and fill in the required fields to set the security for your custom connector. [Learn more](#)

Authentication type

Choose what authentication is implemented by your API *

API Key

[Edit](#)

API Key

Users will be required to provide the API Key when creating a connection

Parameter label *

API Key

Parameter name *

API-nyckel

Parameter location *

Header

[Edit](#)

← General Definition →

A: If you were to create a Custom Connector from scratch, then you would have to study the API you have chosen and type in the URL manually here.

Request
+ Import from sample

Verb *
The verb describes the operations available on a single path.

GET

URL *
This is the request URL.

`https://trefle.io/api/plants/{id}`

Path
Path is used together with Path Templating, where the parameter value is actually part of the operation's URL.

* id ...

Query
Query parameters are appended to the URL. For example, in /items?id=####, the query parameter is id.

* token ...

Headers
These are custom headers that are part of the request.

Body
The body is the payload that's appended to the HTTP request. There can only be one body parameter.

Reference:

<https://carinaclaesson.com/2019/09/06/setting-up-a-custom-connector-from-an-openapi-file-and-utilizing-it-in-p>

NEW QUESTION 50

- (Exam Topic 4)

A financial services company uses the Common Data Service (CDS) to develop solutions. The company uses development and production instances.

You need to move solutions from the development instance to the production instance.

What are two possible ways to achieve this goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. In the development instance, make changes to the solutions that are deployed in the production instance, export the solutions as managed solutions, and import the managed solutions into the production instance.

B. In the development instance, highlight the solution you want to make changes to, select Clone a Patch, make changes, export the solution, and import the solution into the production instance.

C. Export all managed solutions from the development instance and import the solutions into the production instance.

D. In the production instance, import solutions with the same version number or higher when updating solutions.

Answer: AB

Explanation:

A: When you import a managed solution, all component changes will be brought into the environment in a published state.

B: You can apply patches to either managed or unmanaged solutions and include only changes to entities and related entity assets. Patches do not contain any non-customized system components or relationships that it depends upon because these components already exist in the deployed-to organization. At some point in your development cycle, you can roll up all the patches into a new solution version to replace the original solution that the patches were created from.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/import-update-export-solutions> <https://docs.microsoft.com/en-us/power-platform/alm/create-patches-simplify-solution-updates>

NEW QUESTION 51

- (Exam Topic 4)

You fix a bug in the code of your application, which is currently on version 10.0.2.1. You need to publish an updated version of the solution.

Which version identifier should you use?

A. 10.0.3.1

B. 10.0.2.2

C. 10.1.0.2

D. 11.0.0

Answer: A

Explanation:

The version number are <major>.<minor>.<build>.<revision>.

When we create patches in Dynamics 365, the system will automatically increment the build version (you can overwrite the chosen number when you create the patch). For example, if our solution starts at 1.0.0.0, we export it to become 1.0.0.1. We then create a patch, and the version of the patch is 1.0.1.1. If we export it now, it might become 1.0.1.2. In all cases, the build or version number has been incremented. Patches require the build or version number to increment, but not the major or minor version.

Reference:

<https://carldesouza.com/how-solution-version-numbers-work-in-the-microsoft-power-platform/>

NEW QUESTION 55

- (Exam Topic 4)

An organization plans to set up a secure connector for Power Apps. The App will capture tweets from Twitters about the organization's upcoming product for sales follow-up.

You need to configure security for the app. Which authentication method should you use?

A. OAuth

B. API key

C. Windows authentication

D. Kerberos authentication

E. Basic authentication

Answer: A

Explanation:

Configure OAuth2 provider settings for portals.

The OAuth 2.0 based external identity providers involve registering an "application" with a third-party service to obtain a "client ID" and "client secret" pair.

The supported providers are:

➤ Microsoft Account

➤ Twitter

➤ Facebook

➤ Google

➤ LinkedIn

➤ Yahoo

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/portals/configure/configure-oauth2-settings>

NEW QUESTION 58

- (Exam Topic 4)

A company uses Common Data Service (CDS) and manages their engineers using a model-driven app. You create a new reusable custom component using the PowerApps component framework (PCF).

You need to package the custom component to be deployed into the model-driven app.

Which three commands should you run in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
npm install	
msbuild /t:build /restore	
npm start	<div style="display: flex; flex-direction: column; align-items: center;"> ⏪ ⏩ </div>
npm run build	<div style="display: flex; flex-direction: column; align-items: center;"> ⏪ ⏩ </div>
pac solution add-reference -path <control path>	
pac solution init -publisher-name <publisher> --publisher-prefix <prefix>	
pac pcf init --namespace <namespace> --name <control name> --template field	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: npm install Install Npm

Step 2: pac pcf init ..

Commands for working with Power Apps component framework. It has the following parameters:

- > init: Initializes the code component project. It has the following parameters
- > namespace: Namespace of the code component.
- > name: Name of the code component.
- > template: Field or dataset

Step 3: pac solution add-reference

Commands for working with Common Data Service solution projects. It has the following parameters: add-References:

Sets the reference path to the component project folder by passing the path parameter.

Syntax: pac solution add-reference --path <path to your Power Apps component framework project> Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/powerapps-cli>

NEW QUESTION 61

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

PL-400 Practice Exam Features:

- * PL-400 Questions and Answers Updated Frequently
- * PL-400 Practice Questions Verified by Expert Senior Certified Staff
- * PL-400 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * PL-400 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PL-400 Practice Test Here](#)