

Exam Questions 1Y0-204

Citrix Virtual Apps and Desktops 7 Administration

<https://www.2passeasy.com/dumps/1Y0-204/>



NEW QUESTION 1

Which tool should a Citrix Administrator use to monitor the overall daily performance of a Citrix Virtual Apps and Desktops Site?

- A. Citrix Studio
- B. HDX Monitor
- C. Citrix Director
- D. CDF Traces

Answer: C

NEW QUESTION 2

Scenario: A Citrix Administrator has made changes to the Citrix ADC, deleting parts of the configuration, and then saved the new configurations. The changes caused an outage which needs to be resolved as quickly as possible. There is no Citrix ADC backup.

What does the administrator need to do to recover the configuration quickly?

- A. Restore from revision history.
- B. Restart the Citrix ADC.
- C. Run HA file synchronization.
- D. Run Save v/s Running configuration.

Answer: A

NEW QUESTION 3

Scenario: A Citrix Administrator has executed the following command:

What will be the outcome of this configuration?

- A. The users trying to access HTTP://SERVER.CITRIX.LAB will NOT be connected to the Vserver MYVPN_http.
- B. The users trying to access HTTP://SERVER.CITRIX.LAB will be connected to the Vserver MYVPN_http.
- C. The users trying to access http://server.citrix.lab will be connected to CS Vserver Vserver-CS-1.
- D. The users trying to access HTTP://SERVER.CITRIX.LAB will be connected to CS Vserver Vserver-CS-1.

Answer: B

NEW QUESTION 4

A Citrix Administrator needs to match the host name 'www.example.com' in all HTTP requests. Which expression, when used, meets this requirement?

- A. HTTP.REQ.HOSTNAME.EQ("www.example.com")
- B. HTTP.REQ.HOSTNAME("example.com")
- C. HTTP.RES.HOSTNAME.CONTAINS("www.example.com")
- D. HTTP.RES.HOSTNAME.EQ("www.example.com")

Answer: A

NEW QUESTION 5

Which account is used by FlexCast Management Architecture (FMA) services to access the Citrix Virtual Apps and Desktops SQL databases?

- A. Delivery Controller's machine account
- B. Local System account
- C. Network Service account
- D. Domain user account

Answer: A

NEW QUESTION 6

Scenario: A Citrix Administrator needs to reduce costs by limiting users' printing sources. The administrator needs to stop automatic creation of all client printers in a session and map printers based on the floor of the building from which the user's session connects.

Which two policies should the administrator configure to complete this task? (Choose two.)

- A. Printer properties retention
- B. Auto-create client printers
- C. Direct connections to print servers
- D. Session printers

Answer: CD

NEW QUESTION 7

A user complains to a Citrix Administrator that application load time is long when they log on at the beginning of the work day. Which feature can the administrator enable to reduce the perceived start time of the user's application?

- A. Application Limits
- B. Application Keyword
- C. Application Lingering
- D. Application Prelaunch

Answer: D

NEW QUESTION 8

Which log records detailed information such as statistics, metrics and debug information on the Citrix ADC in a proprietary binary format?

- A. Syslog
- B. Nstrace
- C. Nsconfig
- D. Nslog

Answer: D

NEW QUESTION 9

Which tool can a Citrix Administrator utilize to verify that a policy is bound and showing the number of hits?

- A. nstcpdump.sh
- B. nstrace.sh
- C. nsconmsg
- D. nscollect

Answer: C

NEW QUESTION 10

Scenario: A Citrix Administrator is performing a disaster recovery test and decided to fail over the Citrix ADC high availability (HA) pair appliances. The administrator noticed that the failover is NOT working as expected in item text, and the Secondary Citrix ADC is NOT taking over as Primary. The administrator suspects that networking issues may be causing the failure.

What could be the cause of this issue with the Citrix ADCs?

- A. HA hertbeats are only seen on some enabled interfaces of the Secondary Node.
- B. HA monitoring is enabled on an interface of the Secondary Node that shows as ENABLED, DOWN.
- C. The Independent network configuration (INC) mode is enabled on the Primary Node.
- D. HA monitoring is enabled on a disabled interface of the Primary Node.

Answer: D

NEW QUESTION 10

Scenario: A Citrix Administrator would like to grant access to a Junior Administrator on the Citrix ADC. The administrator would like to grant full access to everything except the following:

- Shell Access
- User Configuration access
- Partition Configuration access

Which pre-existing command policy would meet the needs of the scenario?

- A. Operator
- B. Sysadmin
- C. Network
- D. Superuser

Answer: A

NEW QUESTION 15

A Citrix Administrator is in the process of installing Citrix Cloud Connector, but the installation fails. What could be causing the Citrix Cloud Connector installation to fail on the machine?

- A. It is in sync with UTC time instead of local time.
- B. Enhanced Security Configuration (ESC) is set to 'off'.
- C. It cannot run on a machine template cloned across multiple machines.
- D. It is NOT joined to the domain.

Answer: D

NEW QUESTION 17

Scenario: A Citrix Administrator has executed the following command:

```
set httpcallout httpcallout1 -cacheForSecs 120
```

What will be the effect of this command?

- A. The cache duration of the HTTP request is set to 120 seconds.
- B. The cache duration of the HTTP callout request is set to 120 seconds.
- C. The cache duration of the HTTP response is set to 120 seconds.
- D. The cache duration of the HTTP callout response is set to 120 seconds.

Answer: D

NEW QUESTION 20

Which component can optionally be hosted in Citrix Cloud or in a customer-controlled resource location, when using the Citrix Virtual Apps and Desktops service?

- A. Citrix License Server
- B. Citrix Gateway
- C. Site database
- D. Virtual Delivery Agent (VDA) machines

Answer: B

NEW QUESTION 24

Scenario: A Citrix ADC MPX is using one of four 10G ports available in an environment. A Citrix Administrator found a traffic bottleneck at the Citrix ADC. What can the administrator do to increase bandwidth on the Citrix ADC?

- A. Add another 10G Citrix ADC port to the switch and configure Link Aggregation Control Protocol (LACP).
- B. Purchase another Citrix ADC MPX appliance.
- C. Add two more 10 Citrix ADC ports to the network and configure VLAN.
- D. Plug another 10G Citrix ADC port into the router.

Answer: A

NEW QUESTION 26

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site with a large number of Windows users running various locally attached client printers. No network printers are being used. The administrator has enabled the HDX printer mapping policy to 'Auto-create all client printers', which has resulted in a large number of drivers being loaded onto the Virtual Delivery Agent (VDA) machines. New standards are requiring the administrator to limit these Windows drivers on the VDA machines.

Which printing feature can the administrator enable to meet the new standards?

- A. The Auto-create PDF universal printer policy
- B. The Auto-create local (non-network) client printers only policy
- C. The Citrix Universal Print Server
- D. The Citrix Universal Printer Driver

Answer: C

NEW QUESTION 29

Which command should a Citrix Administrator use to configure a Content Switching virtual server for implementing the Citrix Secure Web Gateway in the transparent proxy mode?

- A. `add cs vserver swgVS PROXY * 21 -Authn401 on -authnVsName transparent-auth-vs`
- B. `add cs vserver swgVS PROXY** -Authn401 on -authnVsName explicit-auth-vs`
- C. `add cs vserver swgVS PROXY 192.168.10.1 -Authn401 on -authnVsName transparent-auth-vs`
- D. `add cs vserver swgVS PROXY 192.168.10.1 80 -Authn401 on -authnVsName transparent-auth-vs`

Answer: C

NEW QUESTION 31

Which feature can a Citrix Administrator use to create a consistent set of front-end SSL parameters across multiple SSL virtual servers?

- A. SSL Profile
- B. SSL Bridge
- C. SSL Offload
- D. SSL Policy

Answer: A

NEW QUESTION 34

Which Citrix ADC Access Control List (ACL) command can a Citrix Administrator use to bridge traffic originating from 192.168.10.200?

- A. `add ns simpleacl6`
- B. `add ns acl6`
- C. `add ns acl`
- D. `add ns simpleacl`

Answer: C

NEW QUESTION 39

Which utility can a Citrix Administrator use to resolve the Domain Name System (DNS) request being looked up frequently?

- A. nslookup
- B. dig +trace
- C. curl -K -d
- D. ping

Answer: B

Explanation:

<https://www.citrix.com/blogs/2019/05/31/dig-into-gslb-dns-problems-with-citrix-adc-no-shovel-required/>

NEW QUESTION 40

Scenario: A Citrix Administrator is required to maximize the usage of the Citrix Virtual Apps and Desktops Site by enabling users to access the Site from external devices and reducing the cost and the effort required to maintain the infrastructure. The desktops for the users are provisioned using Citrix Provisioning. Which set of resources will enable the administrator to achieve the objective?

- A. Citrix Virtual Apps and Desktops service, Citrix Gateway service, on-premises resources
- B. Citrix Virtual Apps and Desktops service, Citrix Gateway, public cloud
- C. Citrix Virtual Apps and Desktops service, Citrix Gateway, on-premises resources
- D. Citrix Virtual Apps and Desktops service, Citrix Gateway service, public cloud

Answer: A

NEW QUESTION 41

Which port does a Citrix Administrator need to open for Cloud Connector to communicate with the internet?

- A. 80
- B. 3389
- C. 8080
- D. 443

Answer: D

NEW QUESTION 46

A user calls the help desk and states that launching a pooled random desktop takes as long as five minutes. Which Citrix Director report can a Citrix Administrator review to find out what might be causing the delay?

- A. Resource Utilization
- B. Connection Failures
- C. Logon Performance
- D. Load Evaluators

Answer: C

NEW QUESTION 51

A Citrix Administrator needs to block all the DNS requests from subnet 10.107.149.0/24. Which expression can the administrator use to match the required traffic?

- A. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24)&& client UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53)
- B. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24)&& (client UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))
- C. CLIENT.IP.SRC(10.107.149.0) && (client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))
- D. CLIENT.IP.SRC(10.107.149.0) && client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53)

Answer: B

NEW QUESTION 56

Scenario: A Citrix Administrator has configured the Citrix ADC as a DNS Proxy Server. The administrator executed the commands in the screenshot on the Citrix ADC using the command-line interface.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

What will be the effect of this configuration?

- A. Create a DNS Request with TC bit set and rcode as NOERROR
- B. Create a DNS Response with TC bit set and rcode as NOERROR
- C. Set TC bit and rcode as NOERROR in the DNS Request from Client
- D. Set TC bit and rcode as NOERROR in the DNS Response from DNS server

Answer: B

NEW QUESTION 60

Scenario: A Citrix Administrator has been advised that additional Windows users will need to access the on-premises Citrix Virtual Apps and Desktop Site. The Site utilizes Citrix Profile Management for all users. The new users have been using Windows Roaming Profiles and will need their existing profile information when they use the Citrix Site. The administrator enables the Profile Management policy setting for 'Enable Migration of Existing Profiles'.

At which stage will the new users' Roaming Profiles be migrated to the existing Profile Management store?

- A. When the new policy is updated automatically in Active Directory after 90 minutes

- B. When the new users initiate their first domain authentication
- C. When the Virtual Delivery Agent (VDA) machines configured with the new policy are restarted
- D. When the new users initiate their first logon to a Virtual Delivery Agent (VDA) machine

Answer: A

NEW QUESTION 61

Scenario: Client connections to certain virtual servers are abnormally high. A Citrix Administrator needs to be alerted whenever the connections pass a certain threshold.

How can the administrator use Citrix Application Delivery Management to accomplish this requirement?

- A. Configure TCP Insight on the Citrix Application Delivery Management.
- B. Configure specific alerts for virtual servers using Citrix Application Delivery Management.
- C. Configure SMTP Reporting on the Citrix Application Delivery Management by adding the threshold and email address.
- D. Configure Network Reporting on the Citrix Application Delivery Management by setting the threshold and email address.

Answer: D

NEW QUESTION 65

Scenario: A Citrix Administrator needs to review the current state of specific machine sessions and application instances that are running in a Citrix Virtual Apps and Desktops Site. The administrator also needs to power-manage sessions. The Site is a premium licensed Site.

Where should the administrator navigate to within Citrix Director to obtain this information?

- A. Filters
- B. Trends
- C. Dashboard
- D. Alerts

Answer: A

NEW QUESTION 68

Scenario: A Citrix Administrator is configuring the Citrix Workspace app to allow users to access their applications and desktops. Users should NOT be able to migrate their application sessions between devices throughout the work day.

The administrator needs to modify the Citrix Workspace Control settings to prevent users from migrating their sessions between devices. (Choose the correct option to complete the sentence.)

- A. in the Site configuration within Citrix Studio
- B. in the StoreFront console
- C. through a Group Policy object
- D. in the Citrix Workspace app

Answer: B

NEW QUESTION 71

Scenario: A Citrix Administrator is in the process of migrating a Citrix Virtual Apps and Desktops on-premises deployment to Citrix Cloud with an on-premises resource location. StoreFront and Citrix ADC machines are located on premises. The administrator notices that application enumeration is working, but application launch is failing with an error for resources managed by the Citrix Cloud Site.

What does the administrator need to change in order to get application launch working?

- A. Add the Citrix Cloud Connectors as Secure Ticket Authority (STA) servers on Citrix ADC and StoreFront.
- B. Remove the Citrix policies on the old Citrix Delivery Controllers.
- C. Add the Citrix Cloud Connectors as XML servers to the existing StoreFront servers.
- D. Decommission the old Citrix Delivery Controllers and Databases.

Answer: A

NEW QUESTION 76

Scenario: A Citrix Administrator received reports from users regarding published applications freezing and crashing randomly within their Virtual Delivery Agent (VDA) machine sessions. The administrator would like to review the history of applications that have crashed recently.

Which step can the administrator take to gather the necessary information from within Citrix Director?

- A. Review Failed Server OS Machines under Dashboard.
- B. Configure Application Faults under Trends.
- C. Configure Application Errors under Trends.
- D. Review Citrix Alerts under Alerts.

Answer: B

NEW QUESTION 79

On which two components must the Secure Ticket Authority (STA) server locations be configured if a Citrix Administrator wants to configure secure external access to a Citrix Virtual Apps and Desktops Site? (Choose two.)

- A. Citrix Workspace app
- B. Citrix Gateway
- C. Delivery Controller
- D. StoreFront
- E. Virtual Delivery Agent (VDA)

Answer: BD

NEW QUESTION 83

Which three database high availability features are supported for on-premises deployments of Citrix Virtual Apps and Desktops? (Choose three.)

- A. Always On Availability Groups
- B. Automatic Storage Management
- C. Mirroring
- D. Clustered Instances
- E. Flashback

Answer: ACD

NEW QUESTION 87

Scenario: A Citrix Administrator is in the process of creating a new machine catalog. The administrator discovers that the option to power-manage the catalog is NOT available.

What is causing this issue?

- A. The Site database is offline.
- B. The Virtual Delivery Agent (VDA) is NOT installed on the master image.
- C. The master image has a version older than 7.6 installed on the Virtual Delivery Agent (VDA).
- D. No resource connection is defined in Citrix Studio.

Answer: D

NEW QUESTION 92

Scenario: A Citrix Administrator is configuring a Citrix ADC high availability (HA) pair with an existing Primary Citrix ADC with all resources configured. The administrator added the Secondary Citrix ADC in high availability and found that the configuration on the existing primary was removed. It is now the Secondary Citrix ADC in the HA pair.

Which two configurations could the administrator have made to prevent this from happening? (Choose two.)

- A. Enable HA monitoring on all the interfaces of the SECONDARY device.
- B. Set the Secondary Citrix ADC to STAY SECONDARY in the Configure HA Node settings.
- C. Set the Primary Citrix ADC to STAY PRIMARY in the Configure HA Node settings.
- D. Enable HA monitoring on all the interfaces of the PRIMARY device.

Answer: CD

NEW QUESTION 95

Scenario: A Citrix Administrator is configuring the Workspace Experience to provide users with access to their applications and desktops. The administrator deployed Microsoft Azure Active Directory (AD) already and wants to leverage it to support user access to the Workspace Experience.

Which two steps does the administrator need to take to enable users to authenticate using Azure AD to the Workspace Experience? (Choose two.)

- A. Add Cloud Connector information to the Azure AD console.
- B. Enable Azure AD authentication under Workspace Configuration in Citrix Cloud.
- C. Add Azure AD Account under Identity Providers in Citrix Cloud.
- D. Deploy Cloud Connectors to support Azure AD authentication.

Answer: BC

NEW QUESTION 97

What is the first thing a Citrix Administrator should create when creating a Server Certificate for Citrix ADC to secure traffic?

- A. A Private Key
- B. A Certificate key-pair
- C. A Certificate Signing Request
- D. A Certificate Revocation list

Answer: C

NEW QUESTION 100

Scenario: A Citrix Administrator has enabled an HDX Session printers policy within a Citrix Virtual Apps and Desktops Site. The administrator added a printer to a print server and assigned the printer to all users through a session printer policy. In addition, several local client printers are auto-created within HDX sessions. No other printing policies are configured.

How will print jobs be routed when users send print jobs to a printer managed by the print server?

- A. Directly to the network print server and then to the specified printer.
- B. Over the HDX virtual channel to the specified printer attached to the print server.
- C. Directly from the session Virtual Delivery Agent (VDA) machine to the printer.
- D. Over the HDX virtual channel, through the endpoint, and then to the print server.

Answer: A

NEW QUESTION 102

Scenario: A Citrix Administrator is configuring load balancing on a Citrix ADC appliance for the company web servers. The administrator needs to create a custom

monitor that will look for a specific keyword response from the website and will be used to keep the services in an UP state. Which type of monitor can the administrator create to accomplish this scenario?

- A. HTTP-ECV monitor with the keyword in the Special Parameters – Receive String field.
- B. A HTTP monitor with the keyword in the Special Parameters – Response Codes field.
- C. A TCP monitor with the keyword in the Special Parameters – Response Code field.
- D. An UDP-ECV monitor with the keyword in the Special Parameters – Receive String field.

Answer: A

NEW QUESTION 107

Scenario: A Citrix Administrator has received complaints from published application users. They report that it takes a long time to relaunch an application after they close it by mistake.

The administrator needs a solution that will reduce application launch times in these situations. Which feature should the administrator enable?

- A. Session Sharing
- B. Session Reliability
- C. Application Lingering
- D. Application Prelaunch

Answer: D

NEW QUESTION 109

Scenario: A Citrix Administrator configured the following policies in a Citrix Virtual Desktops Site environment, in descending priority order.

1. "Marketing Office A" has a filter on Marketing users. 'Client Network Drives' is disabled; 'Client Fixed Drives' is enabled.
2. "Marketing Office B" has a filter on Marketing users' internal IP. 'Client Network Drives' is disabled; 'Client Fixed Drives' is enabled.
3. "Accounting" has a filter on Accounting Users. 'Client Network Drives' is enabled; 'Client Fixed Drives' is NOT configured.
4. "Baseline" is configured without a filter. 'Client Network Drives' and 'Client Fixed Drives' are both disabled.

Based on these policies, what will Accounting users be able to access?

- A. Client network drives only
- B. Neither the client network drive nor the client fixed drive
- C. Client fixed drives only
- D. Client fixed and network drives

Answer: A

NEW QUESTION 114

Scenario: A Citrix Administrator has configured an Authentication, Authorization, and Auditing (AAA) action policy to allow users access through the Citrix ADC. The Administrator bound the policy to a specific vServer.

Which policy expression will allow all users access through the vServer?

- A. ns_disallow
- B. ns_false
- C. ns_true
- D. ns_allow

Answer: D

NEW QUESTION 118

Scenario: A Citrix Administrator is concerned about the amount of health checks the Citrix ADC is sending to the backend resources. The administrator would like to find a way to remove health checks from specific bound services.

How can the administrator accomplish this?

- A. Use reverse condition monitoring.
- B. Use the No-Monitor option.
- C. Unbind the current monitor.
- D. Use Service Groups to minimize health checks.

Answer: B

NEW QUESTION 123

How can a Citrix Administrator guarantee the availability of resource locations in a Citrix Cloud deployment?

- A. Deploy at least two Cloud Connectors for each resource location and load-balance them using Citrix ADC.
- B. Deploy at least two Cloud Connectors for each resource location.
- C. Convert one Cloud Connector to a template and deploy it when another Cloud Connector goes down.
- D. Deploy one Cloud Connector in each resource location.

Answer: B

NEW QUESTION 125

A Citrix Administrator executed the following command in the Global Server Load Balancing (GSLB) environment:

```
set gslb site SiteB -triggerMonitor MEPDOWN
```

What will be the effect of this command to the default service monitoring behavior on the remote site?

- A. The service monitor will take precedence over Metric Exchange Protocol (MEP)

- B. The service monitor is invoked only when Metric Exchange Protocol (MEP) has marked the service as DOWN for any reason.
- C. The state of the GSLB service will always be controlled by Metric Exchange Protocol (MEP).
- D. The service monitor is invoked only when Metric Exchange Protocol (MEP) connectivity has been lost between SiteA and SiteB.

Answer: B

NEW QUESTION 127

Which two features within Citrix Director can a Citrix Administrator use to view historical resource utilization for a machine running the Virtual Delivery Agent (VDA)? (Choose two.)

- A. Alerts
- B. Dashboard
- C. Applications
- D. Search
- E. Trends

Answer: CE

NEW QUESTION 128

Which scenario will cause automatic high availability (HA) synchronization to fail?

- A. Manually forced synchronization
- B. A configuration change to the primary Citrix ADC
- C. Different build versions
- D. A force failover

Answer: C

NEW QUESTION 129

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1Y0-204 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1Y0-204 Product From:

<https://www.2passeasy.com/dumps/1Y0-204/>

Money Back Guarantee

1Y0-204 Practice Exam Features:

- * 1Y0-204 Questions and Answers Updated Frequently
- * 1Y0-204 Practice Questions Verified by Expert Senior Certified Staff
- * 1Y0-204 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1Y0-204 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year