

MS-203 Dumps

Microsoft 365 Messaging

<https://www.certleader.com/MS-203-dumps.html>



NEW QUESTION 1

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwid>

NEW QUESTION 2

- (Exam Topic 5)

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All users use an email address suffix of @contoso.com.

You migrate 200 mailboxes from Server1 to Exchange Online by using Exchange PowerShell cmdlets. Users hosted on Server1 can send email messages to the migrated mailboxes.

In Microsoft 365, you create a new mailbox that uses an email address of user1@contoso.com.

When email is sent from the mailboxes hosted on Server1 to user1@contoso.com, the senders receive a non-delivery report (NDR) that contains the following text: "550 5.1.10 RESOLVER.ADR.RecipientNotFound; Recipient not found by SMTP address lookup."

You verify that Microsoft 365 mailboxes can send email to user1@contoso.com successfully. You delete the user account and mailbox of User1.

You need to ensure that when new mailboxes are created, all the users at your company can exchange email successfully

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From Azure AD Connect, modify the synchronization settings
- B. From Server1, run the New-RemoteMailbox cmdlet
- C. From Server1, run the Enable-Mailbox cmdlet
- D. From the on-premises network, create new mailboxes, and then migrate the mailboxes to Microsoft 365
- E. From the Exchange admin center, modify the properties of the Outbound connector

Answer: BD

Explanation:

The problem happens because the on-premise Exchange server is not aware of the existence of the mailbox created in Exchange Online. To prevent this happening, new mailboxes need to be created from the on-premise Exchange server.

You can create on Exchange Online mailbox from the on-premise server by running New-RemoteMailbox cmdlet. Alternatively, you can create a local mailbox on the on-premise server and then migrate the mailbox to Exchange Online.

NEW QUESTION 3

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that legitimate email messages are delivered to their Junk Email folder.

You plan to use the Microsoft Remote Connectivity Analyzer to identify the cause of the issue. Which test should you run?

- A. Outlook Connectivity
- B. Inbound SMTP Email
- C. Outbound SMTP Email
- D. Message Analyzer

Answer: D


NEW QUESTION 4

- (Exam Topic 5)

You are migrating mailboxes from a Microsoft Exchange Server 2016 organization to Exchange Online. The mailbox migrations are configured to suspend, and you plan to perform a coordinated cutover.

Which PowerShell command should you run to complete all the suspended mailbox migrations? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Get-MoveRequest

The Get-MoveRequest cmdlet gets the status of an ongoing asynchronous mailbox move that was initiated by using the New-MoveRequest cmdlet.

Box 2: Resume-MoveRequest

The Resume-MoveRequest cmdlet is used to resume a move request that has been suspended or has failed.

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/get-moverequest?view=exc> <https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/resume-moverequest?view=>

NEW QUESTION 5

- (Exam Topic 5)

HOTSPOT

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription that uses a domain named contoso.com.

Contoso works with a partner company named A.Datum Corporation. A.Datum has an Exchange Server 2016 organization that uses a domain named adatum.com.

You need to ensure that users at Contoso can share their free/busy information with the users at A.Datum. What should you do for each company? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

A.Datum:	<div><div></div><div>▼</div><div>Configure Microsoft Azure Active Directory Connect</div><div>Create a federation trust between Exchange and Microsoft Office 365</div><div>Establish identity federation by using Active Directory Federation Services</div><div>Create a sharing policy</div></div>
Contoso:	<div><div></div><div>▼</div><div>Establish identity federation by using Active Directory Federation Services</div><div>Configure Microsoft Azure Active Directory Connect</div><div>Create an organization relationship</div><div>Create a federation trust between Exchange and Microsoft Office 365</div></div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

NEW QUESTION 6

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization. You plan to migrate all mailboxes to Exchange Online.

You need to provide a user with the ability to perform the mailbox migrations. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A. Recipient Management
B. Server Management
C. Help Desk
D. Organization Management

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions/feature-permissions/recipient-permissions?view=exchse>

NEW QUESTION 7

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- > Adatum.com
- > Contoso.com
- > Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Microsoft 365 portal, you set fabrikam.com as the default domain. Does this meet the goal?

- A. Yes

B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/setup/domains-faq?view=o365-worldwide#how-do-i-set>

NEW QUESTION 8

- (Exam Topic 5)

HOTSPOT

You have a Microsoft Exchange Online tenant.

The Exchange organization has the following configurations.


```
PS C:\> Get-OrganizationConfig | Format-list Name,Oauth*,Activity*,Basic*,Is*
```

```
Name: M365x643293.onmicrosoft.com
OAuth2ClientProfileEnabled           : False
ActivityBasedAuthenticationTimeoutEnabled : True
ActivityBasedAuthenticationTimeoutInterval : 06:00:00
ActivityBasedAuthenticationTimeoutWithSingleSignOnEnabled : True
BasicAuthBlockedApps                 : None
IsProcessEhaMigratedMessagesEnabled  : False
IsAgendaMailEnabled                  : True
IsMixedMode                          : True
IsAddressListPagingEnabled           : True
IsLicensingEnforced                  : True
IsTenantAccessBlocked                 : False
IsDualWriteEnabled                   : True
IsTenantInGracePeriod                 : False
IsDehydrated                         : True
IsValid                              : True
```

The Azure Active Directory (Azure AD) Sign-ins report is shown in the following table.

User	Application	Status	Client app	Conditional access	Authentication requirement
User1	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication
User1	Office 365 Exchange Online	Success	Offline Address Book	Not Applied	Single-factor authentication
User1	Office 365 Exchange Online	Success	MAPI Over Http	Not Applied	Single-factor authentication
User3	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication
User3	Office 365 Exchange Online	Success	Offline Address Book	Not Applied	Single-factor authentication
User3	Office 365 Exchange Online	Success	Autodiscover	Not Applied	Single-factor authentication
User2	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication

The Outlook Connection Status for User1 is shown in the following exhibit.



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Microsoft Outlook connection of User1 uses Basic authentication	<input type="radio"/>	<input type="radio"/>
Modern Authentication is enabled	<input type="radio"/>	<input type="radio"/>
User3 uses the Microsoft Authenticator App to authenticate the Exchange Online	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Yes

The authentication in the Outlook Connection Status exhibit is “Clear”. This means that Basic authentication is being used.

Box 2: No

In the first exhibit, the OAuth2ClientProfileEnabled parameter is False. This means that Modern

Authentication is not enabled. A value of True means that Modern Authentication is enabled. Box 3: No

The Authentication Requirement for User3 in the second exhibit is Single-factor authentication. This means that the Microsoft Authenticator App is not being used.


NEW QUESTION 9

- (Exam Topic 5)

You have a Microsoft 365 subscription that contains a Microsoft Exchange Online tenant.

An named App1 emails files to a group named App1support. The files are sent in a file that has the jar extension.

You have tie anti-malware policy shown in following exhibit.



- A. Mastered
B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 10

- (Exam Topic 5)

You have a Microsoft 365 subscription.

A safe attachments policy that uses Dynamic Delivery is applied to all recipients who match your SMTP domains.

You need to prevent attachments from being scanned when internal users send email to one another. What should you do?

- A. From the Security & and Compliance admin center, modify the safe attachments policy.
- B. From the Security & and Compliance admin center, modify the Service assurance settings.
- C. From the Exchange admin center, create a transport rule.
- D. From the Exchange admin center, modify the malware filter.

Answer: C

Explanation:

Create a transport rule (or mail flow rule as they are called nowadays) to configure the message header: X-MS-Exchange-Organization-SkipSafeAttachmentProcessing.

Reference:

<https://docs.microsoft.com/en-gb/archive/blogs/office365labs/eo-atp-considerations-reports-demonstrations>

NEW QUESTION 10

- (Exam Topic 4)

You need to ensure that Allan Deyoung can create a new public folder for the sales department. Which two actions should you perform first? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add Allan Deyoung to the Organization Management role group
- B. Create a new public folder mailbox
- C. Add Allan Deyoung to the Recipient Management role group
- D. Create a new shared mailbox
- E. Modify Sales Policy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/feature-permissions> <https://docs.microsoft.com/en-us/exchange/collaboration-exo/public-folders/setup-public-folders>

NEW QUESTION 12

- (Exam Topic 4)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The Safe Attachments 1 policy applies to Alex Wilber	<input type="radio"/>	<input type="radio"/>
If an email message that contains detected malware is sent to Megan Bowen, the attachment will be removed, and the message will be delivered	<input type="radio"/>	<input type="radio"/>
For Lynne Robbins, to block both email messages and attachments that have detected malware, the priority of Safe Attachments 2 must be increased	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, letter, email Description automatically generated

Box 1: Yes

The Safe Attachments 1 policy applies to Group1. Alex Wilber is in Group1. Box 2: No

Megan Bowen is in Group2. The Safe Attachments 2 policy applies to Group2. The Safe Attachments 2 policy will block the email rather than remove the attachment and deliver the email.

Box 3: No

Lynne Robbins is in the Sales department which means she is a member of Group3. She is also a member of Group2 and Group4.

The Safe Attachments 2 policy blocks emails and applies to Group2. There are no other Safe Attachments policies that apply to Group3 or Group4. Therefore, Safe Attachments 2 is the only policy that applies to Lynne Robbins so you do not need to increase the priority of the policy to block the emails.

NEW QUESTION 14

- (Exam Topic 4)

Joni Sherman reports that the Microsoft Outlook client on her Windows 10 device fails to start. You need to troubleshoot the issue.

From the device, you start the Microsoft Remote Connectivity Analyzer. What should you run next?

- A. the Exchange ActiveSync test
- B. the Outlook Connectivity test
- C. the Service Account Access test
- D. the Microsoft Support and Recovery Assistant for Office 365 client

Answer: D

Explanation:

Reference:

<https://www.sherweb.com/blog/office-365/microsoft-support-and-recovery-assistant/>

NEW QUESTION 15

- (Exam Topic 4)

You need to ensure that Alex Wilbur can recover deleted items when using Outlook on the web. Which two actions should you perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Assign Sales Policy to Alex Wilbur.
- B. Modify Marketing Policy.
- C. Remove Alex Wilbur from all groups.
- D. Assign Policy2 to Alex Wilbur.
- E. Modify Policy1

Answer: D

NEW QUESTION 16

- (Exam Topic 3)

You need to configure the new smartboard to support the planned changes.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Booking options

Assign settings for the booking policy that defines when this resource can be scheduled

☐ Allow repeating meetings

☐ Allow scheduling only during work hours

☐ Auto-accepts meeting request

Set to "Off" if you want to specify users who want to accept meetings manually

Booking delegates

Search a mail or email

☐ Automatically decline meetings outside of limits below

Booking window (days)

Maximum duration (hours)

If the organizer needs a reply enter message below

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients-in-exchange-online/manage-resource-mailboxes>

NEW QUESTION 17

- (Exam Topic 3)

You need to identify which users clicked the links in the phishing emails. What should you do?

- A. Run a message trace and review the results.
- B. Query the mailbox audit log.
- C. Use the URL trace reporting feature.
- D. Review the quarantine mailbox.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-maildetailatpreport?view=exchange-ps>

NEW QUESTION 19

- (Exam Topic 3)

You need to generate a report for the mobile devices that meets the technical requirements. Which PowerShell cmdlet should you use?

- A. Get-DevicePolicy
- B. Get-MobileDevice
- C. Get-MobileDeviceStatistics
- D. Get-DeviceTenantPolicy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mobiledevice?view=exchange-ps>

NEW QUESTION 20

- (Exam Topic 3)

You need to modify FilesPolicy to prevent users from downloading ASPX files. The solution must meet the technical requirements.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Set-SafeLinksPolicy

Set-OwaMailboxPolicy

Set-ActiveSyncMailboxPolicy

Set-HostedContentFilterPolicy

-id FilesPolicy -BlockedFileTypes

.aspx

*.aspx

@{Add = ".aspx"}

@{Remove = ".aspx"}

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

NEW QUESTION 21

- (Exam Topic 2)

You need to resolve the issue for the transport department users.

What is the best way to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Move the public folder mailbox that contains TransportPF to a server in the main office.
- B. Move TransportPF to a public folder mailbox hosted in the main office.
- C. Modify the default public folder mailbox for all the transport department users.
- D. Instruct the transport department users to add TransportPF to their Favorites list in Outlook.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/recipients/mailbox-moves?view=exchserver-2019>

NEW QUESTION 23

- (Exam Topic 2)

You need to resolve the issue for the customer service department users. What should you modify?

- A. a transport rule
- B. the Send connector to the Internet
- C. the tarpit interval
- D. the global throttling policy

Answer: D

NEW QUESTION 24

- (Exam Topic 1)

You need to recommend a solution for the public folders that supports the planned changes and meets the technical requirements.

What should you recommend?

- A. Microsoft SharePoint site mailboxes
- B. Office 365 groups
- C. Resource mailboxes
- D. Public folder replicas

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-office-365-groups?view=exchserver-2019>

NEW QUESTION 27

- (Exam Topic 1)

You need to configure the environment to support the planned changes for email addresses.

How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/email-addresses-and-address-books/new-emailad> <https://docs.microsoft.com/en-us/Exchange/email-addresses-and-address-books/email-address-policies/email-ad>

NEW QUESTION 28

- (Exam Topic 1)

You need to recommend an Office 365 solution that meets the technical requirements for email from adatum.com.

Which two components should you recommend configuring from the Exchange admin center in Exchange Online? Each correct presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. DKIM signatures
- B. a spam filter
- C. a malware filter
- D. data loss prevention (DLP) policies
- E. a connection filter

Answer: BE

NEW QUESTION 30

- (Exam Topic 1)

You must prevent HelpDeskUser1 from repeating the same mistake.

You need to identify which management role provided HelpDeskUser1 with the necessary permissions to make the mistake identified in the problem statement.

Which two cmdlets should you run? Each correct answer presents part of the solution.

- A. Get-RoleGroup
- B. Get-ManagementRoleEntry
- C. Get-RoleGroupMember
- D. Get-ManagementRoleAssignment
- E. Get-ManagementRole

Answer: BD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/exchange/find-exchange-cmdlet-permissions?view=exchange-ps>

NEW QUESTION 33

- (Exam Topic 1)

You need to resolve the email delivery delay issue. What should you do?

- A. From the Security & Compliance admin center, modify the safe attachments policy
- B. From the Security & Compliance admin center, create a supervision policy.
- C. From the Exchange admin center in Exchange Online, modify the antimalware policy.
- D. From the Exchange admin center in Exchange Online, modify the spam filter policy.

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/dynamic-delivery-and-previewing>

NEW QUESTION 37

- (Exam Topic 5)

You recently migrated all the on-premises mailboxes from Microsoft Exchange Server 2019 to Exchange Online.

You decommission the on-premises Exchange Server 2019 servers.

The finance department at your company reports that email delivery from several printers fails after Exchange Server 2019 is decommissioned.

You need to ensure that the printers can deliver email successfully to the users in the finance department. What should you do?

- A. Create a resource mailbox for each printer.
- B. Create an Inbound connector that has certificate validation disabled.
- C. Create an Inbound connector that is configured to allow SMTP relay.
- D. Create an Office 365 group for each printer.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/use>

NEW QUESTION 38

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes to Exchange Online by using remote mailbox move requests.

A recent security breach at the company required that the passwords of all privileged accounts be changed. Since the password change, mailbox move requests are failing.

You need to ensure that the mailbox migration can resume. What should you do first?

- A. From Exchange on-premises, run Set-MigrationEndpoint.
- B. From Exchange on-premises, run Set-MigrationConfig.
- C. From Exchange Online, run Set-MigrationConfig.
- D. From Exchange Online, run Set-MigrationEndpoint.
- E. Run iisreset /noforce on all the Exchange servers that have MRSPProxy enabled.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/set-migrationendpoint?view>

NEW QUESTION 41

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 organization.

The company has 10,000 mailboxes. Each department at the company has 1,000 mailboxes.

You need to ensure that when users query the global address list (GAL), they can view only the list of the users in their department.

What should you create?

- A. One GAL, 10 offline address books (OABs), 10 address lists, 10 address policies (ABPs), and one email address policy
- B. 10 GALs, 10 offline address books (OABs), 10 address lists, 10 room lists, and 10 address book policies (ABPs)
- C. One GAL, 10 offline address books (OABs), 10 address lists, 10 room lists, and one address book policy (ABP)
- D. 10 GALs, 10 offline address books (OABs), 10 address lists, and 10 email address policies

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/address-books/address-lists/create-global-address-list> <https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION 43

- (Exam Topic 5)
You have a Microsoft 365 subscription that uses a default domain named contoso.com.
Users report that email messages from a domain named fabrikam.com are identified as spam even though the messages are legitimate.
You need to prevent messages from fabrikam.com from being identified as spam. What should you do?

A. Enable the Zero-hour auto purge (ZAP) email protection feature.
B. Enable the safe list on a connection filter.
C. Edit the default mail flow rule to bypass the spam filter.
D. Modify the IP Allow list of a connection filter policy.

Answer: D

Explanation:
Reference:
<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-the-connection-filter-poli>

NEW QUESTION 45

- (Exam Topic 5)
Your company named ADatum Corporation has a Microsoft 365 subscription. ADatum acquires a company named Contoso, Ltd.
In the subscription, you create a new mailbox for each user at Contoso.
You need to provide the Contoso users with a global address list (GAL) that contains only their email addresses.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Create an address book policy (ABP) named Contoso-AB that uses the GAL.

Create an address book policy (ABP) named Contoso-AB that uses the new set of address lists.

Create a new set of address lists for the Contoso users.

Assign Contoso-AB to all the mailboxes of the Contoso users.

Create a new GAL named Contoso GAL.

Answer Area

>

<

↑

↓

- A. Mastered
B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/exchange/address-books/address-lists/create-global-address-list> <https://docs.microsoft.com/en-us/exchange/address-books/address-lists/address-lists>

NEW QUESTION 49

- (Exam Topic 5)
You have a Microsoft Exchange Online tenant.
Users report that they cannot view attachments from Outlook on the web from their home computer. The Outlook Web App policy has the following settings.

ClassicAttachmentsEnabled	: True
ReferenceAttachmentsEnabled	: True
SaveAttachmentsToCloudEnabled	: True
MessagePreviewDisabled	: False
ForceWebReadyDocumentViewingFirstOnPublicComputers	: False
ForceWebReadyDocumentViewingFirstOnPrivateComputers	: False
ActionForUnknownFileAndMIMETypes	: Block
OWALightEnabled	: False
ForceSaveAttachmentFilteringEnabled	: False
ConditionalAccessPolicy	: ReadOnlyPlusAttachmentsBlocked

You need to ensure that the users can view attachments when they access Outlook on the web from their home computer.
How should you complete the command? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Set-OwAMailboxPolicy -identity OwaMailboxPolicy-Default

-ActionForUnknownFileAndMIMETypes	Allow
-ConditionalAccessPolicy	False
-ForceWebReadyDocumentViewingFirstOnPublicComputers	ForceSave
-MessagePreviewsDisabled	ReadOnly
-OWALightEnabled	True

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

NEW QUESTION 51

- (Exam Topic 5)

You deploy a Microsoft Exchange Server 2019 organization.

You need to ensure that users of all new mailboxes are prevented from editing their personal information. What should you do?

- A. From the Exchange admin center, create a new role assignment policy.
- B. From PowerShell, run the New-Ro1eAssignmentPolicy cmdlet and specify the-isDefault parameter.
- C. From the Exchange admin center, create a new role group and assign the role group to Domain Users.
- D. From PowerShell, run the New-RoleGroup cmdlet and specify the-CustomRecipientWriteScope parameter.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/role-based-access-control/newroleassignmentpol>

NEW QUESTION 55

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains several thousand users. Most users connect to their mailbox by using a mobile device.

A new corporate security policy requires that when connecting from a mobile device, all users on devices that run iOS must use the Outlook mobile app only.

You need to modify the organization to meet the security requirement.

What should you do?

- A. From the Exchange Management Shell, run the New-DeviceConditionalAccessPolicy cmdlet.
- B. From the Exchange admin center, create a mobile device access rule.
- C. From the Exchange Management Shell, run the New-DeviceConfigurationRule cmdlet.
- D. From the Exchange admin center, modify the default mobile device mailbox policy.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=e>

NEW QUESTION 58

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a retention policy named Policy1 and a user named User1.

Policy1 is assigned to all users and contains the retention tags shown in the following table.

Name	Type	Retention period	Retention action
Tag1	Default mailbox	1826 days	Permanently Delete
Tag2	Default folder	365 days	Move to Archive
Tag3	Personal	730 days	Move to Archive

Tag3 is applied to an email message in the inbox of User1. You remove Tag3 from Policy1.

What will occur to the message?

- A. The existing retention tag will be retained.
- B. The existing retention tag will be removed.
- C. The default mailbox retention tag will apply.
- D. The default folder retention tag will apply.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-t>

NEW QUESTION 60

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You have the policies shown in the following table.

Name	Type
Standard Preset Security Policy	Preset security policy
Policy1	Anti-malware

You need to track any modifications made to Policy1 by the identifying following:

- The name of the user that modified the policy
- The old and new values of settings modified in Policy1
- How the modifications compare to the baseline settings of Standard Preset Security Policy What should you use in the Microsoft 365 Defender portal?

- A. Threat tracker
- B. Threat analytics
- C. Audit
- D. Configuration analyzer

Answer: D

NEW QUESTION 65

- (Exam Topic 5)

Your network contains an Active Directory domain named fabrikam.com.

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers in a database availability group (DAG).

You plan to implement a hybrid deployment by using the Exchange Modern Hybrid connection option. Which three configurations will be transferred automatically from the on-premises organization to Exchange

Online? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the device access rules
- B. the address book policies (ABPs)
- C. the Messaging Records Management (MRM) settings
- D. the mail flow rules
- E. the address lists

Answer: ACE

Explanation:

Reference:

<https://practical365.com/hybrid-exchange-making-it-easier-and-faster-to-move-to-the-cloud/>

NEW QUESTION 68

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user recently sent an email message that was never received by a recipient on the internet. From the Exchange admin center, you successfully run a message trace but cannot see the message in the trace.

What is the most likely reason why the message fails to appear in the message trace?

- A. The user addressed the message to multiple internal and external receipts
- B. The user encrypted the email message.
- C. Your administrative user account requires additional rights.
- D. The message is in the user's Outbox folder.

Answer: D

NEW QUESTION 71

- (Exam Topic 5)

You have a Microsoft Exchange Online subscription.

You need to generate a CSV file containing all the email messages that failed to send from the user1@contoso.com email address during the last 30 days.

What are two possible ways to achieve the goal? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From Exchange Online PowerShell, run the Get-MessageTrace cmdlet.
- B. From the Exchange admin center, run a message trace.
- C. From the Security & Compliance admin center, export the mailbox audit logs.
- D. From Exchange Online PowerShell, run the Get-MessagetraceDetail cmdlet.
- E. From the Security & Compliance admin center, run a message trace.

Answer: BD

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-re> <https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/get-messagetracedetail?view=exchang>

NEW QUESTION 74

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security administrator role to User1. Does this meet the goal?

A. Yes

B. No

Answer: A**Explanation:**

Security Administrator can view the audit reports but cannot create a message trace.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

NEW QUESTION 77

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential.

What should you do?

- A. Add User1 to the Organization Management management role group.
- B. Add User1 to the Records Management management role group.
- C. Assign the mailbox Search and Mailbox Import Export
- D. Assign the Mailbox Search and Legal Hold management roles to User1.

Answer: D**Explanation:**

References:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

NEW QUESTION 79

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 user mailboxes and 10 main enabled users. The mail-enabled users have email addresses in two SMTP domains named fabrikam.com and contoso.com.

You need to convert the mail-enabled users into user mailboxes. What should you do first?

- A. Add the users to an Office 365 group.
- B. Assign a license to each user.
- C. Remove the remote domains of fabrikam.com and contoso.com
- D. Modify the email forwarding settings of each user.

Answer: C**Explanation:**

You need to remove the remote domains first then assign a license to the user account.

NEW QUESTION 81

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com. Your company has a partnership with another company named fabrikam.com.

You need to ensure that all email messages sent to and received by the users at fabrikam.com are encrypted by using TLS.

What should you create in the Exchange admin center?

- A. one connector and one remote domain
- B. one remote domain and one accepted domain
- C. one connector and one accepted domain
- D. two connectors

Answer: D**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/setu>

NEW QUESTION 86

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

A compliance manager plans to create retention policies for the mailboxes of executive users. The policies will move specific emails to an archive mailbox.

You need to create an archive mailbox for each executive user. What should you do?

- A. Run the New-Mailbox cmdlet
- B. Enable mailbox journaling.
- C. Enable In-Place Archiving for each mailbox.
- D. Run the set-Mailbox cmdlet.

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/in-place-archiving/in-place-archiving?view=>

NEW QUESTION 90

- (Exam Topic 5)

You have a Microsoft 365 E5 tenant that contains two Azure Active Directory (Azure AD) security groups named Finance and Marketing. The tenant contains the users and devices shown in the following table.

Name	Azure AD group membership	Device
User1	Finance	Device1
User2	Marketing	Device2
User3	Finance	Device3

The devices are configured as shown in the following table.

Device	Azure AD-joined	Microsoft Intune-enrolled
Device1	No	No
Device2	Yes	Yes
Device3	Yes	Yes

A conditional access policy is configured as shown in the following exhibit.

Name *
Outlook on the Web Policy

Include

Exclude

☐ None
☐ All users
☒ Select users and groups

☐ All guest and external users ⓘ
☐ Directory roles ⓘ
☒ Users and groups

Assignments

Users and groups ⓘ

Specific users included >

Cloud apps or actions ⓘ

1 app included >

Conditions ⓘ

0 conditions selected >

Access controls

Select

1 group >

Grant ⓘ

0 controls selected >

Session ⓘ

Use app enforced restrictions >

A Finance ...

From Microsoft Exchange Online PowerShell, you run the following cmdlet. Set-OwaMailboxPolicy -Identity OwaMailboxPolicy-Default -ConditionalAccessPolicy ReadOnly

All the users connect to Exchange Online by using Outlook on the web.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When using Outlook on the web, User1 can only view email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User2 can only view and print email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User3 can view, download, and print email attachments.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

NEW QUESTION 94

- (Exam Topic 5)

Your company has a Microsoft 365 subscription. All users are assigned Microsoft 365 E5 licenses.

The users receive email messages that appear to come from managers at the company. However, the messages are not from the managers and often include links to malicious websites.

You need to provide a solution to protect the mailboxes of the managers and to inform the users when phishing occurs.

Which two settings should you modify in the anti-phishing policy? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Priority	1
Status	On
Last modified	December 10, 2018

Policy setting	Policy name Description Applied to	Test
		If the recipient domain is: M365x051451.onmicrosoft.com
Impersonation	Users to protect	<input type="text" value="Off"/>
	Protect all domains I own	<input type="text" value="Off"/>
	Protect specific domains	<input type="text" value="Off"/>
	Action > User impersonation	<input type="text" value="Don't apply any action"/>
	Action > Domain impersonation	<input type="text" value="Don't apply any action"/>
	Safety tips > User impersonation	<input type="text" value="Off"/>
	Safety tips > Domain impersonation	<input type="text" value="Off"/>
	Safety tips > Unusual characters	<input type="text" value="Off"/>
	Mailbox intelligence	<input type="text" value="On"/>
Spoof	Enable antispoofting protection	<input type="text" value="On"/>
	Action	<input type="text" value="Move message to the recipients' Junk Email folders"/>

Advanced settings	Advanced phishing thresholds	1 - Standard
-------------------	------------------------------	--------------

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-anti-phishing-policies?view=>

NEW QUESTION 98

- (Exam Topic 5)

You have an address book policy named Contoso-US that contains an address list named Contoso-Finance. You need to add an address list named Contoso-Marketing to Contoso-US without removing Contoso-Finance. How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

New-AddressList
Set-AddressList
New-AddressBookPolicy
Set-AddressBookPolicy

-Identity

"Contoso-Marketing"
"Contoso-Marketing", "Contoso-Finance"
"Contoso-Finance"
"Contoso-US"

-AddressLists

"Contoso-Marketing"
"Contoso-Marketing", "Contoso-Finance"
"Contoso-Finance"
"Contoso-US"

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/change-the-settings-of-an-addr>

NEW QUESTION 100

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains the Mailbox servers shown in the following table.

Name	Member of	Database
EX1	Site1	Mail1
EX2	Site2	Mail2
EX3	Site3	Mail3

The organization contains the mailboxes shown in the following table.

Name	Database
User1	Mail1
User2	Mail2
User3	Mail3

You create the public folder mailboxes shown in the following table.

Mailbox	Database	Hierarchy
PF1	Mail1	Primary
PF2	Mail2	Secondary
PF3	Mail3	Secondary

You set the DefaultPublicFolderMailbox property of each user mailbox to the public folder mailbox closest to the user.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If User3 creates a public folder, the folder hierarchy will be updated first on EX3.	<input type="radio"/>	<input type="radio"/>
When User2 views the folder hierarchy, the user will use EX2.	<input type="radio"/>	<input type="radio"/>
If User3 accesses a public folder from PF1, and then EX1 goes offline, User3 can still access the content in the public folder.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated with low confidence

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/public-folders?view=exchserver-2019>

NEW QUESTION 105

- (Exam Topic 5)

You manage a Microsoft Exchange Server 2019 organization that contains several thousand users. All the users connect to their mailbox by using a mobile device and Exchange ActiveSync.

You need to prevent the users from syncing email messages that are older than 14 days to the mobile devices. What should you use?

- A. an Outlook Web App mailbox policy
- B. a mobile device mailbox policy
- C. an ActiveSync device access rule
- D. a conditional access policy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=e>

NEW QUESTION 107

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the content filtering settings. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o3>

NEW QUESTION 109

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the public folders shown in the following table.

Name	Structure	Mail-enabled
PF1	Hierarchical	Yes
PF2	Flat	No
PF3	Flat	Yes

You plan to migrate the public folders to Exchange Online to improve the collaboration options available to users.

Which public folders can be migrated to Office 365 groups without losing the folders' existing functionality?

- A. PF2 and PF3 only
- B. PF2 only
- C. PF1 and PF2 only
- D. PF1 only
- E. PF3 only

Answer: A

Explanation:

Not PF1. Office 365 groups are 'flat' so you would lose the folder hierarchy. Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-microsoft-365-groups?view=>

NEW QUESTION 111

- (Exam Topic 5)

Your company has an Exchange Server 2019 organization that has servers deployed in two Active Directory forests named adatum.com and contoso.com. The organization contains five Mailbox servers and two Edge Transport servers. You deploy Microsoft 365 and configure Exchange Online.

You plan to configure hybrid mail transport.

You need to identify the number of third-party CA certificates that must be used in the deployment. What is the minimum number of certificates?

- A. 1
- B. 2
- C. 4
- D. 5

Answer: A

NEW QUESTION 112

- (Exam Topic 5)

You run several PowerShell commands as shown in the following exhibit.

PS C:\> Get-AddressListPolicy | Format-Table

Name	GlobalAddressList	AddressLists	OfflineAddressBook	RoomList
Fabrikam-ABP	\Fabrikam	\Fabrikam	\Fabrikam-OAB	\All Rooms
Contoso-ABP	\Contoso	\Contoso-IT, \Contoso-Marketing	\Contoso-OAB	\All Rooms

PS C:\> Get-GlobalAddressList | Format-Table

Name	RecipientFilter
Contoso	((Company -eq 'Contoso'))
Fabrikam	((Company -eq 'Fabrikam'))

PS C:\> Get-AddressList | Format-Table

Name	DisplayName	RecipientFilter
Contoso-Marketing	Contoso-Marketing	((Company -eq 'Contoso') -and (Department -eq 'Marketing'))
Fabrikam	Fabrikam	((Company -eq 'Fabrikam'))

PS C:\> Get-ADUser | Where Name -eq "James Smith" | Select Name, UserPrincipalName, Company, Department

Name	UserPrincipalName	Company	Department
James Smith	jsmith@contoso.com	Contoso	Marketing

PS C:\> Get-Mailbox | Where Name -eq "Executive Conference Room" | Select Name, Alias, Office, Database

Name	Alias	Office	Database
Executive Conference Room	executiveconferenceroom	Contoso	DB1

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

James Smith will appear on the [answer choice] address list.

Contoso-IT
Contoso-Marketing
Fabrikam

The Executive Conference Room will appear in [answer choice].

Contoso-ABP only
Fabrikam-ABP only
Contoso-ABP and Fabrikam-ABP
none of the policies

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION 116

- (Exam Topic 5)

You have a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019. All user mailboxes are in Microsoft 365.

A user named User1 leaves your company.

You delete the user account of User1 from the on-premises Active Directory domain. Two weeks later, User1 returns to the company.

You need to ensure that User1 can connect to his mailbox and access all his old email messages.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From the on-premises Active Directory Recycle Bin, recover the user account	
Run the New-MailboxRestoreRequest cmdlet	
Assign a Microsoft 365 license to User1	
From the on-premises Active Directory domain, create a new user named User1	
Run the New-Mailbox -InactiveMailbox cmdlet	
Run the Restore-MsolUser cmdlet	
Force a synchronization from Azure AD Connect	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://techcommunity.microsoft.com/t5/exchange-team-blog/common-mailbox-recovery-scenarios-for-hybrid-e>

NEW QUESTION 119

- (Exam Topic 5)

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox.

Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application.

You need to ensure that all the event notifications sent by the applications are retained in the service account mailboxes so that new developers can review older notifications. The developers must be able to view only the notifications for their respective application.

What should you do?

- A. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.
- B. Replace the service account mailboxes with a single user mailbox that contains Power Automate rules.
- C. Convert the service account mailboxes into shared mailboxes.
- D. Convert the service account mailboxes into mail-enabled users.

Answer: C

NEW QUESTION 120

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to reduce the likelihood that malicious links contained in emails received by mailboxes in @lab.CloudCredential(1).TenantName are opened.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

➤ Navigate to the Exchange Admin Center, and then choose the Advanced Threats section of the EAC.

➤ Click the Safe Links tab to examine all existing Safe Links policies:

➤ After navigating to the Safe Links policy page, choose the Add button (+) to create a new policy. The New Safe Links Policy window opens.

- In the resulting window we'll be presented with the options available for creating our new Safe Links policy.

➤ In Name enter an appropriate, unique, name that describes this policy. In the description enter some text that provides a little more detail for anyone trying to make sense of the options selected here.

➤ Next we'll choose the action to take for URLs. We can leave this Off, if for example we are creating a policy to exclude a group of users that would otherwise be affected by another Safe Links policy.

➤ The checkbox Do not track user click can be selected if you do not wish to use the reporting functionality available at a later date. This is a key feature when understanding which users clicked a link that was later found to be a threat, so be careful about choosing to disable user click tracking.

➤ Our final check box provides options for click-through is a link is found to be dangerous. In some circumstances you may trust users to click-through links, or they may request the ability to do so. In most circumstances you will not want a user to click-through the malicious link.

➤ Some URLs, such as those for internal addresses or even trusted partners, may not require re-writing. Enter these URLs here.

➤ Finally, we will select the scope for the rule under the Applied to

section.

➤ Using similar conditions to transport rules we can select who this rule applies to including:

- Individual recipients
- Recipient domains
- Members of distribution groups

➤ The same conditions can be used for exceptions. When you have configured your rule, choose Save.

After saving the new Safe Links rule it will be shown in the EAC list. Just like Transport Rules, you can use the Enabled column to enable or disable the Safe Links policy.

Reference:

<https://techgenix.com/implementing-exchange-online-advanced-threat-protection-part2/>

NEW QUESTION 122

- (Exam Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019 and Microsoft 365 that contains three servers.

All email received from the Internet is sent directly to the servers. You run the following command.

Get-MalwareFilterPolicy | FL Name,BypassInboundMessages,BypassOutboundMessages,Action,IsDefault You receive the output shown in the following exhibit.

```
Name : Default
BypassInboundMessages : False
BypassOutboundMessages : False
Action : DeleteAttachmentAndUseDefaultAlertText
IsDefault : True
EnableInternalSenderNotifications : True
EnableExternalSenderNotifications : True
```

You run the Get-TransportAgent cmdlet and receive the output shown in the following exhibit.

Identity	Enabled	Priority
-----	-----	-----
Transport Rule Agent	True	1
DLP Policy Agent	True	2
Retention Policy Agent	True	3
Supervisory Review Agent	True	4
Malware Agent	False	5
Text Messaging Routing Agent	True	6
Text Messaging Delivery Agent	True	7
System Probe Drop Smtplib Agent	True	8
System Probe Drop Routing Agent	True	9

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If an email message sent from the Internet contains malware, the message will be delivered successfully to the recipient's mailbox	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the default antimalware policy must be modified	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the priority of the malware agent must be modified	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

NEW QUESTION 125

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the email messages in mailboxes and the documents in Microsoft OneDrive folders of all the users in your organization are retained for only five years.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

➤ From the Microsoft 365 compliance center, select Policies > Retention.

➤ Select New retention policy retention policy.

to start the create retention policy configuration, and name your new

➤ For the Choose the type of retention policy to create page, select Static. Adaptive policies don't support the locations for Exchange public folders or Skype for Business.

➤ Depending on your selected scope:

- On the Choose locations

page, toggle on or off any of the locations except the locations for Teams and

Yammer. For each location, you can leave it at the default to apply the policy to the entire location.

➤ Information specific to locations:

- Exchange email and Exchange public folders

- SharePoint sites and OneDrive accounts

- Microsoft 365 Groups

- Skype for Business

➤

For Decide if you want to retain content, delete it, or both retaining and deleting content.
page, specify the configuration options for
You can create a retention policy that just retains content without deleting, retains and then deletes after a specified period of time, or just deletes content after a specified period of time.

➤ Complete the configuration and save your settings. Reference:
<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide> <https://docs.microsoft.com/en-us/microsoft-365/compliance/create-retention-policies?view=o365-worldwide>

NEW QUESTION 129

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of the sales@contoso.com group.

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix>

NEW QUESTION 131

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

Email messages from a remote domain named fabrikam.com are received from a server that uses a wildcard certificate for fabrikam.com and are encrypted by using TLS.

Fabrikam.com is switching to a third-party cloud filtering service for inbound and outbound email. The IP address used by the third-party service is 131.107.200.10.

You need to reconfigure the connector to only accept messages from fabrikam.com that are encrypted and received from the third-party service.

Which two settings should you modify for the connector? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Edit Connector

What security restrictions do you want to apply?

☒ Reject email messages if they aren't sent over TLS.

☒ And require that the subject name on the certificate that the partner uses to authenticate with Office 365 matches this domain name

*.fabrikam.com

☒ Reject email messages if they aren't sent from within this IP address range

+ -

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 136

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.
Several users report that email messages sent to the users at another company named fabrikam.com contain a Winmail.dat attachment.
You need to prevent the fabrikam.com users from receiving Winmail.dat attachments. What should you do?

- A. Configure a remote domain that has the TNEFEnabled parameter set to \$False.
- B. Create an Outbound connector that has the validationRecipients parameter set to contoso.com.
- C. Create an Outbound connector that has the validationRecipients parameter set to fabrikam.com.
- D. Configure a remote domain that has the TrustedMailoutboundEnabled parameter set to \$False.

Answer: A

Explanation:

Reference:

<https://gcits.com/knowledge-base/how-to-fix-the-winmail-dat-attachment-issue/>

NEW QUESTION 141

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You plan to migrate to Exchange Online incrementally during a 12-month period.

You need to ensure that during the migration, the following features continue to work for all users:

- Free/Busy synchronization
- Microsoft Teams calendar integration
- The Microsoft Outlook mobile app for Android

Which hybrid configuration should you implement?

- A. Modern Hybrid Configuration
- B. Minimal Hybrid Configuration
- C. Classic Hybrid

Answer: C

Explanation:

Reference:

<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

NEW QUESTION 144

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a resource mailbox named ConferenceRoom1. ConferenceRoom1 is configured as shown in the following exhibit.

ConferenceRoom1

general	Booking requests:
• booking delegates	<input checked="" type="checkbox"/> Use customized setting to accept or decline booking requests
booking options	<input type="checkbox"/> Accept or decline booking requests automatically
contact information	<input type="checkbox"/> Select delegates who can accept or decline booking requests
email address	
MailTip	Delegates:
mailbox delegation	+ -
	<div>User4</div>
	<div>Save Cancel</div>

You need to review the customized setting for booking requests. Which cmdlet should you run?

- A. Get-ResourceConfig
- B. Get-Mailbox
- C. Get-MailboxCalendarFolder
- D. Get-CalendarProcessing

Answer: D

Explanation:

Reference:

<https://itpro.outsidesys.com/2017/11/06/exchange-configuring-the-resource-booking-attendant-with-powershell/> <https://docs.microsoft.com/en-us/powershell/module/exchange/get-calendarprocessing?view=exchange-ps>

NEW QUESTION 147

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam. You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You enable a DKIM signature. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 148

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

The recovery options for a user named User1 are configured as shown in the following exhibit.

```
[PS] C:\Windows\system32>Get-Mailbox User1 | fl RetainDeletedItemsFor,
RetainDeletedItemsUntilBackup, SingleItemRecoveryEnabled, Database

RetainDeletedItemsFor           : 14.00:00:00
RetainDeletedItemsUntilBackup   : False
SingleItemRecoveryEnabled       : False
Database                        : MD001

[PS] C:\Windows\system32>Get-MailboxDatabase MD001 | fl
DeletedItemRetention, RetainDeletedItemsUntilBackup

DeletedItemRetention            : 30.00:00:00
RetainDeletedItemsUntilBackup   : False
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Email messages that are soft deleted by User1 will

be available for the user to recover [answer choice].

	▼
for 14 days	
for 30 days	
until a backup occurs 14 days after the deletion	
until a backup occurs 30 days after the deletion	

When email messages are hard deleted by User1,

[answer choice] restoring from a backup.

	▼
only an administrator can recover the messages without	
an administrator or User1 can recover the messages without	
the messages can be recovered only by	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps> <https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailboxdatabase?view=exchange-ps>

NEW QUESTION 151

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email messages received from an organization named contoso.com are encrypted by using TLS.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

➤ Navigate to Mail flow in the Exchange Admin Center, > Connectors. The Connectors screen appears.

➤ Click +Add a connector. The New connector screen appears.

Graphical user interface, text, application, email Description automatically generated

New connector

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

Connection from

- ☐ Office 365
- ☐ Your organization's email server
- ☐ Partner organization

Connection to

➤ Under Connection from, choose Partner organization.

Graphical user interface, text, application, email Description automatically generated

New connector

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

Connection from

- ☐ Office 365
- ☐ Your organization's email server
- ☒ Partner organization

Connection to

- ☒ Office 365

➤ Click Next. The Connector name screen appears.

➤ Provide a name for the connector and click Next. The Authenticating sent email screen appears.

➤ Choose one of the two options between By verifying that the sender domain matches one of the following domains and By verifying that the IP address of the sending server matches one of the following IP addresses, which belong to your partner organization.

➤ Click Next. The Security restrictions screen appears.

➤ Check the check box for Reject email messages if they aren't sent over TLS.

➤ Check the check box for Reject email messages if they aren't sent from within this IP address range, and provide the IP address range.

➤ Click Next. The Review connector screen appears.

➤ Review the settings you have configured, and click Create connector.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set->

NEW QUESTION 156

- (Exam Topic 5)

You have an Exchange Online tenant.

You need to ensure that the users in your company's finance department can select email messages that will be deleted automatically one year later. The solution must apply only to the finance department users.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Publish a label to the finance department.
- B. Create a data loss prevention (DLP) policy that uses the sensitive information type.
- C. For each mailbox in the finance department, configure the retention policy settings.
- D. Create a label that has a retention setting of one year.
- E. For each mailbox in the finance department, configure Message Delivery Restrictions.

Answer: AD

Explanation:

Create a retention label and publish it to the finance department users. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

NEW QUESTION 160

- (Exam Topic 5)

You have a Microsoft Exchange Online subscription for an email domain named contoso.com.

A partner company has an Exchange Online subscription for an email domain named fabrikam.com. You need to prevent out-of-office messages sent by users in contoso.com from being sent to users in fabrikam.com.

What is the best way to achieve the goal from the Exchange admin center? More than one answer choice may achieve the goal. (Choose the best answer.)

- A. Create a connector
- B. Create a mail flow rule
- C. Create a remote domain
- D. Create an accepted domain

Answer: C

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 164

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2013 organization. The deployment contains the public folders shown in following table.

Name	Location
PF1	Exchange Server 2013
PF2	Exchange Online

You need to configure the deployment to meet the following requirements:

- Exchange Server 2013 mailboxes must be able to access PF2.
- Exchange Online mailboxes must be able to access PF1.

Which PowerShell script should you run from an Exchange Server 2013 server to meet each requirement? To answer, drag the appropriate scripts to the correct requirements. Each script may be used once, more than once, or at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

PowerShell Scripts

Import-PublicFolderMailboxes.ps1

Sync-MailPublicFolders.ps1

Sync-MailPublicFoldersCloudToOnprem.ps1

Sync-ModernMailPublicFolders.ps1

Answer Area

Enable Exchange Server 2013 mailboxes to access PF2:

Enable Exchange Online mailboxes to access PF1:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:
<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/set-up-exo-hybrid-public-folders> <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/set-up-modern-hybrid-public-folders>

NEW QUESTION 166

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant as shown in the following exhibit.

Exchange admin center

rules message trace url trace accepted domains remote domains **connectors**

Connectors help control the flow of email messages to and from your Office 365 organization. However, because most organizations don't need to use connectors, we recommend that you first [check to see if you should create a connector](#).

Want to help us improve connectors? Just [send us feedback](#) and let us know what you liked, didn't like, or what we can do to make your experience better.

STATUS	NAME	FROM	TO
On	Connector to Server1	Office 365	Partner organization

Connector to Server1

Mail flow scenario
From: Office 365
To: Partner organization

Description
None

Status
On
[Turn it off](#)

Validation
[Validate this connector](#)
Last validation result: Failed
Last validation time: 4/7/2020 4:04 PM

When to use the connector
Use only for email sent to these domains: *

Routing method
Route email messages through these smart hosts:
131.107.100.200

Security restrictions
Always use Transport Layer Security (TLS) and connect only if the recipient's email server certificate is issued by a trusted certificate authority (CA) and the subject names matches this domain: server1.contoso.com

All email recipients have an email address that uses an SMTP suffix of @contoso.com.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

131.107.100.200 will route

▼

all email messages from Exchange Online to any contoso.com recipients.

all email from Exchange Online to any external recipients

all email messages from Exchange Online to recipients hosted on Server1 only

The Exchange Online tenant

▼

cannot receive email messages from the internet

can receive email messages from server1.contoso.com only

can receive email messages from any email host on the internet

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:

Under “When to use this connector”, it says “Use only for email sent to these domains: *” The asterisk means all domains so any external email will use the connector.

Box 2:

With Exchange Online, you don't need to configure a receive connector as you would with on-premises Exchange. Therefore, the server by default will be able to receive emails from any email host.

NEW QUESTION 169

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. Users report that emails sent from Exchange Online mailboxes to the on-premises Exchange Server mailboxes are undelivered.

You need to review the non-delivery report (NDR) for each undelivered email. What should you use?

- A. message trace in the Exchange admin center
- B. auditing in the Exchange admin center
- C. the SMTP protocol logs in Exchange Server
- D. the transport logs in Exchange Server

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-faq>

NEW QUESTION 174

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

The company has two departments that have the mailboxes configured as shown in the following table.

Department	Mailbox location	License
Accounting	On-premises	Exchange Server 2019 Standard CAL
Marketing	Exchange Online	Microsoft 365 E5

All the accounting department mailboxes reside in a database named ACCT-DB01. You create the mailboxes shown in the following table.

Name	Location
JRNL-MBX01	On-premises
JRNL-MBX02	Exchange Online

You need to record all the email communication of the users in each department. The solution must minimize costs.

What should you use for each department? To answer, drag the appropriate options to the correct departments. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options

Answer Area

- Database journaling
- A journal rule that uses JRNL-MBX01
- A journal rule that uses JRNL-MBX02

Accounting:

Marketing:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://www.microsoft.com/en-gb/microsoft-365/exchange/microsoft-exchange-server-licensing-licensing-overv>

NEW QUESTION 176

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses a namespace of contoso.com. Email address policies for contoso.com are configured as shown in the Address Policies exhibit.

rules delivery reports accepted domains **email address policies**

receive connectors

+ ✎ 🗑️ ⬆️ ⬇️ ↻

NAME	PRIORITY	STATUS
Marketing	1	Applied
Sales	2	Applied
Default Policy	Lowest	Applied

The Marketing email address policy is shown in the Marketing Policy exhibit.

Marketing

Email Address Format

SMTP

Primary: John.Smith@contoso.com

Address 2: John.Smith@marketing.contoso.com

Includes

Users with Exchange mailboxes,
in the following departments: Marketing

This email address policy has been applied.

The Sales email address policy is shown in the Sales Policy exhibit.

Sales

Email Address Format

SMTP

Primary: %1g.%s@contoso.com

Includes

Users with Exchange mailboxes,
in the following departments: Sales

This email address policy has been applied.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The user mailboxes of the marketing department will have an additional email address that uses a SMTP suffix of @marketing.contoso.com.	<input type="radio"/>	<input type="radio"/>
The user mailbox of a sales department user named Ben Smith will have an email address of b.smith@contoso.com.	<input type="radio"/>	<input type="radio"/>
All user mailboxes will have an email address in the firstname.lastname@contoso.com format.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-add>

NEW QUESTION 179

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You add 100 new users and create a mailbox for each user. The new users have the City attribute in Active Directory set to Seattle.

You need to create a separate global address list (GAL) that contains only users who have the City attribute set to Seattle. The solution must ensure that any new users who have the City attribute of Seattle are added automatically to the new GAL.

What should you do?

- A. From the Azure Active Directory admin center, create an Office 365 group that uses a dynamic membership rule.

- B. From the Exchange admin center, create a new GAL.
- C. Run the New-EmailAddressPolicy cmdlet to create a new email address policy that uses a recipient filter.
- D. Run the New-GlobalAddressList cmdlet to create a new address list.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-lists/address-lists>

NEW QUESTION 184

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

All users are assigned only an Office 365 Enterprise E3 license.

You need to ensure that the users can use only Microsoft Outlook to connect to their Microsoft 365 mailbox when they connect from an Android device.

What should you create?

- A. a conditional access policy in Azure Active Directory (Azure AD)
- B. a connection filter policy in Exchange Online Protection (EOP)
- C. an Outlook Web App policy in Exchange Online
- D. an app protection policy in Microsoft Endpoint Manager

Answer: A

Explanation:

Office 365 Enterprise E3 includes Azure Active Directory Premium P1 which is required for Azure conditional access policies.

NEW QUESTION 188

- (Exam Topic 5)

All the users in your company are licensed for Microsoft 365 and connect to their mailbox from client computers that run Windows 10.

The users connect to Outlook on the web by using the following browsers:

- Google Chrome
- Microsoft Edge
- Firefox

You apply restrictions for Outlook on the web sessions by using app protection policies in Microsoft Endpoint Manager, and then you deploy several Outlook Web App policies.

You need to ensure that the users can continue to connect successfully to their mailbox by using Outlook on the web.

What should you do?

- A. Enroll all the computers in Microsoft Intune
- B. Instruct all the users to connect by using Microsoft Edge only
- C. From Microsoft Cloud App Security, configure a sanctioned application

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/apps/app-protection-policy>

NEW QUESTION 190

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You modify the permissions granted to the Sales group. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Create a mail flow rule.

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocki>

NEW QUESTION 192

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your MS-203 Exam with Our Prep Materials Via below:

<https://www.certleader.com/MS-203-dumps.html>