

Microsoft

Exam Questions AI-102

Designing and Implementing an Azure AI Solution



NEW QUESTION 1

DRAG DROP - (Topic 3)

You are using a Language Understanding service to handle natural language input from the users of a web-based customer agent.

The users report that the agent frequently responds with the following generic response: "Sorry, I don't understand that."

You need to improve the ability of the agent to respond to requests.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

(Choose three.)

Actions

Answer Area

Add prebuilt domain models as required.

Validate the utterances logged for review and modify the model.

Migrate authoring to an Azure resource authoring key.

Enable active learning.

Enable log collection by using Log Analytics.

Train and republish the Language Understanding model.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- enable active learning
- validate the utterances
- train and republish

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-how-to-review-endpoint-utterances#log-user-queries-to-enable-active-learning>

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-prebuilt-model>

NEW QUESTION 2

- (Topic 3)

You need to enable speech capabilities for a chatbot.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Enable WebSockets for the chatbot app.
- B. Create a Speech service.
- C. Register a Direct Line Speech channel.
- D. Register a Cortana channel.
- E. Enable CORS for the chatbot app.
- F. Create a Language Understanding service.

Answer: ABC

Explanation:

You can use the Speech service to voice-enable a chat bot.

The Direct Line Speech channel uses the text-to-speech service, which has neural and standard voices.

You'll need to make a small configuration change so that your bot can communicate with the Direct Line Speech channel using web sockets.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/speech-service/tutorial-voice-enable-your-bot-speech-sdk>

NEW QUESTION 3

- (Topic 3)

You have an Azure IoT hub that receives series data from machinery. You need to build an app that will perform the following actions:

- Perform anomaly detection across multiple correlated sensors
- Identify the root cause of process stops.
- Send incident alerts

The solution must minimize development time. Which Azure service should you use?

- A. Azure Metrics Advisor
- B. Form Recognizer
- C. Azure Machine teaming
- D. Anomaly Detector

Answer: D

NEW QUESTION 4

HOTSPOT - (Topic 3)

You are building content for a video training solution.

You need to create narration to accompany the video content. The solution must use Custom Neural Voice.

What should you use to create a custom neural voice, and which service should you use to generate the narration? To answer, select the appropriate options in the answer area.

NOTE: Each correct answer is worth one point.

Answer Area

Custom neural voice: The Language Understanding portal

Narration: The Language Understanding portal

Narration: Language Understanding

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Custom neural voice: The Language Understanding portal

Narration: The Language Understanding portal

Narration: Language Understanding

NEW QUESTION 5

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

Relational data is stored in a file system as unstructured data.
a hierarchal folder structure.
a tabular form of rows and columns.
comma-separated value (CSV) files.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Relational data is stored in a file system as unstructured data.
a hierarchal folder structure.
a Tabular form of rows and columns.
comma-separated value (CSV) files.

NEW QUESTION 6

- (Topic 3)

You are building a retail kiosk system that will use a custom neural voice. You acquire audio samples and consent from the voice talent. You need to create a voice talent profile.

What should you upload to the profile?

- A. a five-minute wav or mp3 file of the voce talent describing the kiosk system
- B. a five-minute .flac audio file and the associated transcript as a w file
- C. a .wav or mp3 file of the voice talent consenting to the creation of a synthetic version of their voice
- D. a .zip file that contains 10-second .wav files and the associated transcripts as .txt files

Answer: D

NEW QUESTION 7

DRAG DROP - (Topic 3)

You have a web app that uses Azure Cognitive Search.

When reviewing billing for the app, you discover much higher than expected charges. You suspect that the query key is compromised.

You need to prevent unauthorized access to the search endpoint and ensure that users only have read only access to the documents collection. The solution must minimize app downtime.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Add a new query key.

Regenerate the secondary admin key.

Change the app to use the secondary admin key.

Change the app to use the new key.

Regenerate the primary admin key.

Delete the compromised key.

Answer Area

⬅

➡

⬆

⬇

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Add a new query key.

Regenerate the secondary admin key.

Change the app to use the secondary admin key.

Change the app to use the new key.

Regenerate the primary admin key.

Delete the compromised key.

Answer Area

⬅

➡

⬆

⬇

Add a new query key.

Change the app to use the new key.

Delete the compromised key.

NEW QUESTION 8

- (Topic 3)

You use the Microsoft Bot Framework Composer to build a chatbot that enables users to purchase items.

You need to ensure that the users can cancel in-progress transactions. The solution must minimize development effort.

What should you add to the bot?

- A. a language generator
- B. a custom event
- C. a dialog trigger
- D. a conversation activity

Answer: D

NEW QUESTION 9

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a language model by using a Language Understanding service. The language model is used to search for information on a contact list by using an intent named FindContact.

A conversational expert provides you with the following list of phrases to use for training.

Find contacts in London. Who do I know in Seattle? Search for contacts in Ukraine.

You need to implement the phrase list in Language Understanding. Solution: You create a new pattern in the FindContact intent.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a new intent for location.

Note: An intent represents a task or action the user wants to perform. It is a purpose or goal expressed in a user's utterance.

Define a set of intents that corresponds to actions users want to take in your application. Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-intent>

NEW QUESTION 10

- (Topic 3)

What should you use to automatically delete blobs from Azure Blob Storage?

- A. the change feed
- B. a lifecycle management policy
- C. soft delete
- D. archive storage

Answer: D

NEW QUESTION 10

- (Topic 3)

You are examining the Language service output of an application.

The text analyzed is: Our tour guide took us up the Space Needle during our trip to Seattle last week.

The response contains the data shown in the following table.

Text	Category	ConfidenceScore
Tour guide	PersonType	0.45
Space Needle	Location	0.38
Trip	Event	0.78
Seattle	Location	0.78
Last week	DateTime	0.80

Which Language service API is used to analyze the Text?

- A. Entity Linking
- B. Named Entity Recognition
- C. Key Phrase Extraction
- D. Sentiment Analysis

Answer: B

NEW QUESTION 11

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a language model by using a Language Understanding service. The language model is used to search for information on a contact list by using an intent named FindContact.

A conversational expert provides you with the following list of phrases to use for training.

Find contacts in London. Who do I know in Seattle? Search for contacts in Ukraine.

You need to implement the phrase list in Language Understanding. Solution: You create a new intent for location.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-intent>

NEW QUESTION 14

- (Topic 3)

Which database transaction property ensures that individual transactions are executed only once and either succeed in their entirety or roll back?

- A. consistency
- B. isolation
- C. atomicity
- D. durability

Answer: A

NEW QUESTION 19

HOTSPOT - (Topic 3)

You are developing an application that includes language translation.

The application will translate text retrieved by using a function named `get_text_to_be_translated`. The text can be in one of many languages. The content of the

text must remain within the Americas Azure geography.
You need to develop code to translate the text to a single language.
How should you complete the code? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

```
...
api_key = "FF956C68B83821838691A8D200A4C606"
text = get_text_to_be_translated()
headers = {
    'Content-Type': 'application/json',
    'Ocp-Apim-Subscription-Key': api_key
}
body = {
    'Text': text
}
conn = httplib.HTTPSConnection
conn.request("POST",
response = conn.getresponse()
    conn.request("POST",
response = conn.getresponse()
response_data = response.r
...

```



- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

```
...
api_key = "FF956C68B83821838691A8D200A4C606"
text = get_text_to_be_translated()
headers = {
    'Content-Type': 'application/json',
    'Ocp-Apim-Subscription-Key': api_key
}
body = {
    'Text': text
}
conn = httplib.HTTPSConnection
conn.request("POST",
response = conn.getresponse()
    conn.request("POST",
response = conn.getresponse()
response_data = response.r
...

```




NEW QUESTION 22

DRAG DROP - (Topic 3)

You have a Docker host named Host1 that contains a container base image.
You have an Azure subscription that contains a custom speech-to-text model named model1.
You need to run model1 on Host1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Configure disk logging.	
Export model1 to Host1.	
Request approval to run the container.	
Retrain the model.	
Run the container.	



- A. Mastered
B. Not Mastered

Answer: A

Explanation:

According to the course AI-102T00: Designing and Implementing a Microsoft Azure AI Solution1, the correct sequence of actions to run model1 on Host1 is:

? Export model1 to Host1

? Run the container

? Configure disk logging

The explanation and references are as follows:

? Export model1 to Host1: This step is required to deploy the custom speech-to-text model to the Docker host. You can use the Azure portal or the Azure CLI to export the model as a container image2.

? Run the container: This step is required to start the container and run the model on the Docker host. You can use the Docker CLI to run the container image3.

? Configure disk logging: This step is optional but recommended to monitor the performance and health of the container. You can use the Docker CLI to configure disk logging for the container4.

NEW QUESTION 26

- (Topic 3)

You need to store event log data that is semi-structured and received as the logs occur. What should you use?

- A. Azure Table storage
- B. Azure Queue storage
- C. Azure Files

Answer: A

NEW QUESTION 30

HOTSPOT - (Topic 3)

You are developing a text processing solution. You have the function shown below.

Answer Area

Statements	Yes	No
The output will include the following words: our and included.	<input type="radio"/>	<input type="radio"/>
The output will include the following words: Paris, Eiffel, and Tower.	<input type="radio"/>	<input type="radio"/>
The function will output all the key phrases from the input string to the console.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The output will include the following words: our and included.	<input checked="" type="radio"/>	<input type="radio"/>
The output will include the following words: Paris, Eiffel, and Tower.	<input checked="" type="radio"/>	<input type="radio"/>
The function will output all the key phrases from the input string to the console.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 33

- (Topic 3)

You have a 20-GB file named file1, avi that is stored on a local drive. You need to index file1, avi by using the Azure Video indexer website. What should you do first?

- A. Upload File1 avi to an Azure storage queue.
- B. upload File1.avi to the www.youtube.com seepage
- C. Upload file1 avi to the Azure video indexer website.
- D. Upload file1 avi to Microsoft OneDrive.

Answer: D

Explanation:

This is because the Azure Video Indexer website allows you to upload videos from a URL or from your file system, but there are some limitations and considerations for each option1.

If you upload from your file system, the size of the file is limited to 2 GB, which is less than the size of file1.avi (20 GB). Therefore, this option is not feasible.

If you upload from a URL, the size of the file is limited to 30 GB, which is enough for file1.avi. However, the URL must be publicly accessible and valid, and the file must be accessible. You cannot use URLs from streaming services such as YouTube1. Therefore, options A and B are not valid.

The best option is to upload file1.avi to a cloud storage service such as Microsoft OneDrive, and then generate a shareable link for the file. You can then paste the link in the

Azure Video Indexer website and upload the video from the URL. This way, you can avoid the file size limitation and ensure that the file is accessible and valid2.

NEW QUESTION 34

- (Topic 3)

You plan to provision a QnA Maker service in a new resource group named RG1. In RG1, you create an App Service plan named AP1.

Which two Azure resources are automatically created in RG1 when you provision the QnA Maker service? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Language Understanding
- B. Azure SQL Database
- C. Azure Storage
- D. Azure Cognitive Search
- E. Azure App Service

Answer: DE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/how-to/set-up-qnamaker-service-azure?tabs=v1#delete-azure-resources>

"When you create a QnAMaker resource, you host the data in your own Azure subscription. Azure Search is used to index your data." & "When you create a QnAMaker resource, you host the runtime in your own Azure subscription. App Service is the compute engine that runs the QnA Maker queries for you."

NEW QUESTION 38

HOTSPOT - (Topic 3)

You are developing a service that records lectures given in English (United Kingdom).

You have a method named AppendToTranscriptFile that takes translated text and a language identifier.

You need to develop code that will provide transcripts of the lectures to attendees in their respective language. The supported languages are English, French, Spanish, and German.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
static async Task TranslateSpeechAsync()
{
    var config = SpeechTranslationConfig.FromSubscription("69cad5cc-0ab3-4704-bdff-afbf4aa07d85", "uksouth");

    var lang = new List<string>
    {
        "en-GB",
        "fr", "de", "es",
        "French", "Spanish", "German"
    };

    config.SpeechRecognitionLanguage = "en-GB";
    lang.ForEach(config.AddTargetLanguage);

    using var audioConfig = AudioConfig.FromDefaultMicrophoneInput();
    using var recognizer = new (config, audioConfig);

    var result = await recognizer.RecognizeOnceAsync();
    if (result.Reason == ResultReason.TranslatedSpeech)
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: {"fr", "de", "es"}

A common task of speech translation is to specify target translation languages, at least one is required but multiples are supported. The following code snippet sets both French and German as translation language targets.

```
static async Task TranslateSpeechAsync()
{
    var translationConfig =
    SpeechTranslationConfig.FromSubscription(SPEECH SUBSCRIPTION KEY, SPEECH SERVICE REGION);
    translationConfig.SpeechRecognitionLanguage = "it-IT";
    // Translate to languages. See, https://aka.ms/speech/sttt-languages translationConfig.AddTargetLanguage("fr"); translationConfig.AddTargetLanguage("de");
}
```

Box 2: TranslationRecognizer

After you've created a SpeechTranslationConfig, the next step is to initialize a TranslationRecognizer.

Example code:

```
static async Task TranslateSpeechAsync()
{
    var translationConfig =
    SpeechTranslationConfig.FromSubscription(SPEECH SUBSCRIPTION KEY, SPEECH SERVICE REGION);
    var fromLanguage = "en-US";
    var toLanguages = new List<string> { "it", "fr", "de" }; translationConfig.SpeechRecognitionLanguage = fromLanguage;
    toLanguages.ForEach(translationConfig.AddTargetLanguage);
    using var recognizer = new TranslationRecognizer(translationConfig);
}
```

NEW QUESTION 40

- (Topic 3)

You have the following data sources:

? Finance: On-premises Microsoft SQL Server database

? Sales: Azure Cosmos DB using the Core (SQL) API

? Logs: Azure Table storage

? HR: Azure SQL database

You need to ensure that you can search all the data by using the Azure Cognitive Search REST API. What should you do?

- A. Configure multiple read replicas for the data in Sales.
- B. Mirror Finance to an Azure SQL database.
- C. Migrate the data in Sales to the MongoDB API.
- D. Ingest the data in Logs into Azure Sentinel.

Answer: B

Explanation:

On-premises Microsoft SQL Server database cannot be used as an index data source. Note: Indexer in Azure Cognitive Search: : Automate aspects of an indexing operation by

configuring a data source and an indexer that you can schedule or run on demand. This feature is supported for a limited number of data source types on Azure.

Indexers crawl data stores on Azure.

? Azure Blob Storage

? Azure Data Lake Storage Gen2 (in preview)

? Azure Table Storage

? Azure Cosmos DB

? Azure SQL Database

? SQL Managed Instance

? SQL Server on Azure Virtual Machines

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-indexer-overview#supported-data-sources>

NEW QUESTION 45

- (Topic 3)

What is a characteristic of a non-relational database?

A. full support for Transact-SQL

B. a fixed schema

C. self describing entities

Answer: C

NEW QUESTION 47

HOTSPOT - (Topic 3)

You have an app named App1 that uses Azure AI Document Intelligence to analyze

medical You have an app named App1 that uses Azure AI Document Intelligence for patients. You send a request to App1 and receive the following response.

```
{
  "status": "succeeded",
  "createdDateTime": "2023-09-14T21:01:02Z",
  "lastUpdatedDateTime": "2023-09-14T21:01:03Z",
  "analyzeResult": {
    "apiVersion": "2023-07-31",
    "modelId": "prebuilt-healthInsuranceCard.us",
    "stringIndexType": "utf16CodeUnit",
    "content": "Blood Pressure 118/72",
    "pages": [
      {
        ...
        "words": [
          {
            "content": "Blood",
            "polygon": [ ... ],
            "confidence": 0.766,
            "span": { ... }
          },
          {
            "content": "Pressure",
            "polygon": [ ... ],
            "confidence": 0.716,
            "span": { ... }
          },
          {
            "content": "118/72",
            "polygon": [ ... ],
            "confidence": 0.761,
            "span": { ... }
          }
        ],
        ...
      },
      {
        "documents": [
          {
            "docType": "healthInsuranceCard.us",
            "boundingRegions": [ ... ]
          }
        ],
        "fields": {},
        "confidence": 1,
        "spans": [ - ]
      }
    ]
  }
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth point.

Answer Area			
Statements		Yes	No
The chosen model is suitable for the intended use case.		<input type="radio"/>	<input type="radio"/>
The text content was recognized with greater than 70 percent confidence.		<input type="radio"/>	<input type="radio"/>
The form elements were recognized with greater than 70 percent confidence.		<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The chosen model is suitable for the intended use case.	<input type="radio"/>	<input checked="" type="radio"/>
The text content was recognized with greater than 70 percent confidence.	<input checked="" type="radio"/>	<input type="radio"/>
The form elements were recognized with greater than 70 percent confidence.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 52

- (Topic 3)

You have an Azure Cognitive Search solution and a collection of handwritten letters stored as JPEG files.

You plan to index the collection. The solution must ensure that queries can be performed on the contents of the letters.

You need to create an indexer that has a skillset. Which skill should you include?

- A. key phrase extraction
- B. optical character recognition (OCR)
- C. document extraction
- D. image analysis

Answer: B

NEW QUESTION 56

- (Topic 3)

You are building a Language Understanding model for an e-commerce chatbot. Users can speak or type their billing address when prompted by the chatbot.

You need to construct an entity to capture billing addresses. Which entity type should you use?

- A. machine learned
- B. Regex
- C. list
- D. Pattern.any

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-entity-types>

ML Entity with Structure

An ML entity can be composed of smaller sub-entities, each of which can have its own properties. For example, Address could have the following structure:

Address: 4567 Main Street, NY, 98052, USA Building Number: 4567

Street Name: Main Street State: NY

Zip Code: 98052 Country: USA

NEW QUESTION 60

- (Topic 3)

You plan create an index for an Azure Cognitive Search service by using the Azure portal. The Cognitive Search service will connect to an Azure SQL database

The Azure SQL database contains a table named UserMessages. Each row m User

Messages has a field named MessageCopy that contains the text of social media messages sent by a user

Users win perform full text searches against the MessageCopy field, and the values of the field will be shown to the users-

You need to configure the properties of the index for the MessageCopy field to support the solution.

Winch attributes should you enable for the field?

- A. Searchable arc Retrievable
- B. Sortable and Retrievable
- C. Searchable arc Facetable
- D. Filterable and Retrievable

Answer: A

NEW QUESTION 65

HOTSPOT - (Topic 3)

You run the following command.

```
docker run --rm -it -p 5000:5000 --memory 10g --cpus 2 \
mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment\
Eula=accept \
Billing={ENDPOINT_URI} \
ApiKey={API_KEY}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
Going to <code>http://localhost:5000/status</code> will query the Azure endpoint to verify whether the API key used to start the container is valid.	<input type="radio"/>	<input type="radio"/>
The container logging provider will write log data.	<input type="radio"/>	<input type="radio"/>
Going to <code>http://localhost:5000/swagger</code> will provide the details to access the documentation for the available endpoints.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

`http://localhost:5000/status` : Also requested with GET, this verifies if the api-key used to start the container is valid without causing an endpoint query.

Box 2: Yes

The command saves container and LUIS logs to output mount at `C:\output`, located on container host

Box 3: Yes

`http://localhost:5000/swagger` : The container provides a full set of documentation for the endpoints and a Try it out feature. With this feature, you can enter your settings into a web-based HTML form and make the query without having to write any code. After the query returns, an example CURL command is provided to demonstrate the HTTP headers and body format that's required.

NEW QUESTION 66

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated

goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.

You plan to create a new Azure Cognitive Search service named service1.

You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet.

Solution: You deploy service1 and a private endpoint to vnet1. Does this meet the goal?

- A. Yes
B. No

Answer: A

Explanation:

A private endpoint is a network interface that uses a private IP address from your virtual network. This network interface connects you privately and securely to a service powered by Azure Private Link. By enabling a private endpoint, you're bringing the service into your virtual network.

The service could be an Azure service such as:

? Azure Storage

? Azure Cosmos DB

? Azure SQL Database

? Your own service using a Private Link Service.

Reference:

<https://docs.microsoft.com/en-us/azure/private-link/private-endpoint-overview>

NEW QUESTION 71

DRAG DROP - (Topic 3)

You are developing a call to the Face API. The call must find similar faces from an existing list named `employeefaces`. The `employeefaces` list contains 60,000 images.

How should you complete the body of the HTTP request? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
<div>"faceListId"</div>	{ "faceId": "18c51a87-3a69-47a8-aedc-a54745f708a1", <div></div> : "employeefaces", "maxNumOfCandidatesReturned": 1, "mode": <div></div> }
<div>"LargeFaceListId"</div>	
<div>"matchFace"</div>	
<div>"matchPerson"</div>	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: LargeFaceListID

LargeFaceList: Add a face to a specified large face list, up to 1,000,000 faces.

Note: Given query face's faceId, to search the similar-looking faces from a faceId array, a face list or a large face list. A "faceListId" is created by FaceList - Create containing persistedFaceIds that will not expire. And a "largeFaceListId" is created by LargeFaceList - Create containing persistedFaceIds that will also not expire.

NEW QUESTION 74

- (Topic 3)

You are building a chatbot.

You need to configure the chatbot to query a knowledge base. Which dialog class should you use?

- A. AdaptiveDialog
- B. QnAMakerDialog
- C. ComponentDialog
- D. SkillDialog

Answer: B

NEW QUESTION 77

- (Topic 3)

You are building a solution that will detect anomalies in sensor data from the previous 24 hours.

You need to ensure that the solution scans the entire dataset, at the same time, for anomalies.

Which type of detection should you use?

- A. batch
- B. streaming
- C. change point

Answer: A

Explanation:

Batch anomaly detection is a type of anomaly detection that scans the entire dataset at once for outliers and unusual patterns. Batch anomaly detection is suitable for offline analysis of historical data, such as sensor data from the previous 24 hours. Batch anomaly detection can use various techniques, such as statistical methods, machine learning methods, or hybrid methods, to identify anomalies in the data123.

NEW QUESTION 81

DRAG DROP - (Topic 3)

You develop an app in O named App1 that performs speech-to-speech translation. You need to configure App1 to translate English to German.

How should you complete the speechTransiationConf ig object? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values

addTargetLanguage

speechSynthesisLanguage

speechRecognitionLanguage

voiceName

Answer Area

```
var translationConfig = SpeechTranslationConfig.FromSubscription(SPEECH_SUBSCRIPTION_KEY, SPEECH_SERVICE_REGION);  
translationConfig. = "en-US";  
translationConfig. ("de");
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Values

addTargetLanguage

speechSynthesisLanguage

speechRecognitionLanguage

voiceName

Answer Area

```
var translationConfig = SpeechTranslationConfig.FromSubscription(SPEECH_SUBSCRIPTION_KEY, SPEECH_SERVICE_REGION);  
translationConfig. speechRecognitionLanguage "en-US";  
translationConfig. addTargetLanguage ("de");
```

NEW QUESTION 84

- (Topic 3)

You are developing a new sales system that will process the video and text from a public- facing website.

You plan to monitor the sales system to ensure that it provides equitable results regardless of the user's location or background.

Which two responsible AI principles provide guidance to meet the monitoring requirements? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. transparency
- B. fairness
- C. inclusiveness
- D. reliability and safety

E. privacy and security

Answer: BC

Explanation:

<https://docs.microsoft.com/en-us/learn/modules/get-started-ai-fundamentals/8-understand-responsible-ai>

NEW QUESTION 88

DRAG DROP - (Topic 3)

Match the types of workloads to the appropriate scenarios.

To answer, drag the appropriate workload type from the column on the left to its scenario on the right. Each workload type may be used once, more than once, or not at all.

NOTE: Each correct match is worth one point.

Workload Types	Answer Area
Batch	Workload type Data for a product catalog will be loaded every 12 hours to a data warehouse.
Streaming	Workload type Thousands of data sets per second for online purchases will be loaded into a data warehouse in real time.
	Workload type Updates to inventory data will be loaded to a data warehouse every 1 million transactions.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Workload Types	Answer Area
Batch	Batch Data for a product catalog will be loaded every 12 hours to a data warehouse.
Streaming	Streaming Thousands of data sets per second for online purchases will be loaded into a data warehouse in real time.
	Batch Updates to inventory data will be loaded to a data warehouse every 1 million transactions.

NEW QUESTION 91

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a language model by using a Language Understanding service. The language model is used to search for information on a contact list by using an intent named FindContact.

A conversational expert provides you with the following list of phrases to use for training. Find contacts in London.

Who do I know in Seattle? Search for contacts in Ukraine.

You need to implement the phrase list in Language Understanding. Solution: You create a new entity for the domain.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Instead use a new intent for location.

Note: An intent represents a task or action the user wants to perform. It is a purpose or goal expressed in a user's utterance.

Define a set of intents that corresponds to actions users want to take in your application. Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-intent>

NEW QUESTION 95

- (Topic 3)

You are building a bot by using Microsoft Bot Framework.

You need to configure the bot to respond to spoken requests. The solution must minimize development effort.

What should you do?

A. Deploy the bot to Azure and register the bot with a Direct Une Speech channel

B. Integrate the bot with Cortana by using the Bot Framework SDK.

C. Create an Azure function that will call the Speech service and connect the bot to the function.

D. Deploy the bot to Azure and register the bot with a Microsoft Teams channel.

Answer: B

NEW QUESTION 98

HOTSPOT - (Topic 3)

You are building a chatbot by using the Microsoft Bot Framework Composer. You have the dialog design shown in the following exhibit.

AskForName > BeginDialog > Text

Show code

BeginDialog

Begin dialog event

Bot Asks (Text)

What is your name?

User Input (Text)

user.name = Input(Text)

Bot Asks (Number)

Hello \$(user.name), how old are you?

User Input (Number)

user.age = Input(Number)

Property

string

username

Output Format

string

ex. =toUpper(this.value), \$(toUpper(this.value))

Value

expression

fx =coalesce(@user.Name.@personName)

Expected responses (intent: #TextInput_Response_GH5FTe)

>

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area	Statements	Yes	No
	user.name is an entity.	<input type="radio"/>	<input type="radio"/>
	The dialog asks for a user name and a user age and assigns appropriate values to the user.name and user.age properties.	<input type="radio"/>	<input type="radio"/>
	The chatbot attempts to take the first non-null entity value for userName or personName and assigns the value to user.name.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: No
User.name is a property. Box 2: Yes
Box 3: Yes
The coalesce() function evaluates a list of expressions and returns the first non-null (or non-empty for string) expression.

NEW QUESTION 103

HOTSPOT - (Topic 3)
You plan to deploy a containerized version of an Azure Cognitive Services service that will be used for text analysis.
You configure https://contoso.cognitiveservices.azure.com as the endpoint URI for the service, and you pull the latest version of the Text Analytics Sentiment Analysis container.
You need to run the container on an Azure virtual machine by using Docker.
How should you complete the command? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

```
docker run --rm -it -p 5000:5000 --memory 8g --cpus 1 \
\
http://contoso.blob.core.windows.net
https://contoso.cognitiveservices.azure.com
mcr.microsoft.com/azure-cognitive-services/textanalytics/keyphrase
mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment

Eula=accept \
Billing=
http://contoso.blob.core.windows.net
https://contoso.cognitiveservices.azure.com
mcr.microsoft.com/azure-cognitive-services/textanalytics/keyphrase
mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment

ApiKey=xxxxxxxxxxxxxxxxxxxxxx
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment

To run the Sentiment Analysis v3 container, execute the following docker run command. docker run --rm -it -p 5000:5000 --memory 8g --cpus 1 \

mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment \ Eula=accept \

Billing={ENDPOINT_URI} \

ApiKey={API_KEY} is the endpoint for accessing the Text Analytics API. https://<your- custom-subdomain>.cognitiveservices.azure.com

Box 2: https://contoso.cognitiveservices.azure.com

{ENDPOINT_URI} is the endpoint for accessing the Text Analytics API: https://<your- custom-subdomain>.cognitiveservices.a The endpoint for accessing the Text Analytics API. zure.com

NEW QUESTION 104

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

In an infrastructure as a service (IaaS) instance of Microsoft SQL Server on Azure, you manage the _____ that hosts SQL Server.

- elastic pool
- MySQL server
- PostgreSQL server
- virtual machine

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

In an infrastructure as a service (IaaS) instance of Microsoft SQL Server on Azure, you manage the _____ that hosts SQL Server.

- elastic pool
- MySQL server
- PostgreSQL server
- virtual machine

NEW QUESTION 105

- (Topic 3)

What is the primary purpose of a data warehouse?

- A. to provide storage for transactional line-of-business (LOB) applications
- B. to provide transformation services between source and target data stores
- C. to provide read only storage of relational and non relational historical data
- D. to provide answers to complex queries that rely on data from multiple sources

Answer: C

NEW QUESTION 110

DRAG DROP - (Topic 3)

You have a Custom Vision service project that performs object detection. The project uses the General domain for classification and contains a trained model.

You need to export the model for use on a network that is disconnected from the internet. Which three actions should you perform in sequence? To answer, move the appropriate

actions from the list o' actions to the answer area and arrange them in the correct order.

Actions

Change Domains to **General (compact)**.

Retrain the model.

Create a new classification model.

Change the classification type.

Export the model.

>

<

Answer Area

>

<

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Actions

Change Domains to **General (compact)**.

Retrain the model.

Create a new classification model.

Change the classification type.

Export the model.

>

<

Answer Area

Create a new classification model.

Change the classification type.

Export the model.

>

<

NEW QUESTION 113

DRAG DROP - (Topic 3)

You train a Custom Vision model to identify a company’s products by using the Retail domain.

You plan to deploy the model as part of an app for Android phones. You need to prepare the model for deployment.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Change the model domain.

Retrain the model.

Test the model.

Export the model.

Answer Area

<

>

>

<

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

In user want to change to deploy offline model

- * 1. Change model domain to compact model
- * 2. Retrain compact model
- * 3. Export model

NEW QUESTION 118

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.

You plan to create a new Azure Cognitive Search service named service1.

You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet.

Solution: You deploy service1 and a public endpoint, and you configure a network security group (NSG) for vnet1.

Does this meet the goal?

- A. Yes
B. No

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/virtual-network/network-security-groups-overview#network-security-groups>

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-overview>

NEW QUESTION 119

HOTSPOT - (Topic 3)
You are building an app that will share user images.
You need to configure the app to meet the following requirement's

- uploaded images must be scanned and any text must be extracted from the images.
- Extracted text must be analyzed for the presence of profane language.
- The solution must minimize development effort.

what should you use for each requirement? To answer, select the apocopate opinions in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Text extraction

Azure Cognitive Service for Language

Computer Vision

Content Moderator

Custom Vision

Form Recognizer

Profane language detection:

Azure Cognitive Service for Language

Computer Vision

Content Moderator

Custom Vision

Form Recognizer

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Extraction: b) Computer Vision
Computer Vision is a service that can analyze images and extract text from them using optical character recognition (OCR) or read API1. OCR can detect and extract printed or handwritten text from images in various languages and formats, such as PDF, TIFF, or JPEG2. Read API can perform asynchronous batch processing of text from multiple images, and can also handle text in tables, mixed languages, and rotated text3.
Profane Language Detection: c) Content Moderator
Content Moderator is a service that can detect and filter out potentially offensive or unwanted content in text, images, and videos. For text, Content Moderator can identify profane or abusive language, personal data, and custom terms that you define. You can also use Content Moderator to review and moderate the content manually or automatically using workflows.

NEW QUESTION 121

- (Topic 3)
You successfully run the following HTTP request.
POST https://management.azure.com/subscriptions/18c51a87-3a69-47a8-aedc-a54745f708a1/resourceGroups/RG1/providers/Microsoft.CognitiveServices/accounts/conto sol/regenerateKey?api-version=2017-04-18
Body{"keyName": "Key2"}
What is the result of the request?

- A. A key for Azure Cognitive Services was generated in Azure Key Vault.
- B. A new query key was generated.
- C. The primary subscription key and the secondary subscription key were rotated.
- D. The secondary subscription key was reset.

Answer: B

Explanation:

<https://docs.microsoft.com/en-us/rest/api/searchmanagement/2021-04-01-preview/query-keys/create>

NEW QUESTION 126

HOTSPOT - (Topic 3)
You are building a chatbot by using the Microsoft Bot Framework SDK.
You use an object named UserProfile to store user profile information and an object named ConversationData to store information related to a conversation.
You create the following state accessors to store both objects in state.
var userStateAccessors = _userState.CreateProperty<UserProfile>(nameof(UserProfile)); var conversationStateAccessors = _conversationState.CreateProperty<ConversationData>(nameof(ConversationData)); The state storage mechanism is set to Memory Storage.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
The code will create and maintain the UserProfile object in the underlying storage layer.	<input type="radio"/>	<input type="radio"/>
The code will create and maintain the ConversationData object in the underlying storage layer.	<input type="radio"/>	<input type="radio"/>
The UserProfile and ConversationData objects will persist when the Bot Framework runtime terminates.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

You create property accessors using the CreateProperty method that provides a handle to the BotState object. Each state property accessor allows you to get or set the value of the associated state property.

Box 2: Yes

Box 3: No

Before you exit the turn handler, you use the state management objects' SaveChangesAsync() method to write all state changes back to storage.

NEW QUESTION 129

- (Topic 3)

You have a chatbot that was built by using Microsoft Bot Framework and deployed to Azure.

You need to configure the bot to support voice interactions. The solution must support multiple client apps.

Which type of channel should you use?

- A. Cortana
- B. Microsoft Teams
- C. Direct Line Speech

Answer: C

NEW QUESTION 134

- (Topic 3)

You are building a chatbot.

You need to ensure that the bot will recognize the names of your company's products and codenames. The solution must minimize development effort.

Which Azure Cognitive Service for Language service should you include in the solution?

- A. custom text classification
- B. entity linking
- C. custom Named Entity Recognition (NER)
- D. key phrase extraction

Answer: C

NEW QUESTION 136

- (Topic 3)

Which scenario is an example of a streaming workload?

- A. sending transactions daily from point of sale (POS) devices
- B. sending cloud infrastructure metadata every 30 minutes
- C. sending transactions that are older than a month to an archive
- D. sending telemetry data from edge devices

Answer: D

NEW QUESTION 139

- (Topic 3)

You have a mobile app that manages printed forms.

You need the app to send images of the forms directly to Forms Recognizer to extract relevant information. For compliance reasons, the image files must not be stored in the cloud.

In which format should you send the images to the Form Recognizer API endpoint?

- A. raw image binary
- B. form URL encoded
- C. JSON

Answer: A

NEW QUESTION 143

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Cognitive Search service.

During the past 12 months, query volume steadily increased.

You discover that some search query requests to the Cognitive Search service are being throttled.

You need to reduce the likelihood that search query requests are throttled. Solution: You migrate to a Cognitive Search service that uses a higher tier. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

A simple fix to most throttling issues is to throw more resources at the search service (typically replicas for query-based throttling, or partitions for indexing-based throttling). However, increasing replicas or partitions adds cost, which is why it is important to know the reason why throttling is occurring at all.

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-performance-analysis>

NEW QUESTION 146

DRAG DROP - (Topic 3)

You are developing a photo application that will find photos of a person based on a sample image by using the Face API.

You need to create a POST request to find the photos.

How should you complete the request? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
detect	POST {Endpoint}/face/v1.0/ <input type="text"/>
findsimilars	Request Body
group	{
identify	"faceId": "c5c24a82-6845-4031-9d5d-978df9175426",
matchFace	"largeFaceListId": "sample_list",
matchPerson	"largeFaceListId": "sample_list",
verify	"maxNumOfCandidatesReturned": 10,
	"mode": " <input type="text" value="matchPerson"/> "
	}

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: findsimilars

<https://docs.microsoft.com/en-us/rest/api/faceapi/face/find-similar>

Box 2: matchPerson

Find similar has two working modes, "matchPerson" and "matchFace". "matchPerson" is the default mode that it tries to find faces of the same person as possible by using internal same-person thresholds. It is useful to find a known person's other photos. Note that an empty list will be returned if no faces pass the internal thresholds. "matchFace" mode ignores same-person thresholds and returns ranked similar faces anyway, even the similarity is low. It can be used in the cases like searching celebrity-looking faces.

NEW QUESTION 150

- (Topic 3)

You have a chatbot that was built by using the Microsoft Bot Framework. You need to debug the chatbot endpoint remotely.

Which two tools should you install on a local computer? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. Fiddler
- B. Bot Framework Composer
- C. Bot Framework Emulator
- D. Bot Framework CLI
- E. ngrok
- F. nginx

Answer: CE

Explanation:

Bot Framework Emulator is a desktop application that allows bot developers to test and debug bots, either locally or remotely.

ngrok is a cross-platform application that "allows you to expose a web server running on your local machine to the internet." Essentially, what we'll be doing is using ngrok to forward messages from external channels on the web directly to our local machine to allow debugging, as opposed to the standard messaging endpoint configured in the Azure portal.

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-service-debug-emulator>

NEW QUESTION 151

- (Topic 3)

You are building a multilingual chatbot.

You need to send a different answer for positive and negative messages.

Which two Text Analytics APIs should you use? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. Linked entities from a well-known knowledge base
- B. Sentiment Analysis
- C. Key Phrases
- D. Detect Language
- E. Named Entity Recognition

Answer: BD

Explanation:

B: The Text Analytics API's Sentiment Analysis feature provides two ways for detecting positive and negative sentiment. If you send a Sentiment Analysis request, the API will return sentiment labels (such as "negative", "neutral" and "positive") and confidence scores at the sentence and document-level.

D: The Language Detection feature of the Azure Text Analytics REST API evaluates text input for each document and returns language identifiers with a score that indicates the strength of the analysis.

This capability is useful for content stores that collect arbitrary text, where language is unknown. Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/how-tos/text-analytics-how-to-sentiment-analysis?tabs=version-3-1>

<https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/how-tos/text-analytics-how-to-language-detection>

NEW QUESTION 154

HOTSPOT - (Topic 3)

You create a knowledge store for Azure Cognitive Search by using the following JSON.

```
"knowledgeStore": {
  "storageConnectionString": "DefaultEndpointsProtocol=https;AccountName=<Acct Name>;AccountKey=<Acct Key>;",
  "projections": [
    {
      "tables": [
        {
          "tableName": "unrelatedDocument",
          "generatedKeyName": "Documentid",
          "source": "/document/pbiShape"
        },
        {
          "tableName": "unrelatedKeyPhrases",
          "generatedKeyName": "KeyPhraseid",
          "source": "/document/pbiShape/keyPhrases"
        }
      ],
      "objects": [
        {
          "storageContainer": "unrelatedocrlayout",
          "source": null,
          "sourceContext": "/document/normalized_images/*/layoutText",
          "inputs": [
            {
              "name": "ocrLayoutText",
              "source": "/document/normalized_images/*/layoutText"
            }
          ]
        }
      ]
    }
  ],
  "files": []
}
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE Each correct selection is worth one point.

Answer Area

There will be [answer choice].	<div>no projection groups</div> <div>one projection group</div> <div>two projection groups</div> <div>four projection groups</div>
Images will [answer choice]	<div>not be saved.</div> <div>be saved to a blob container.</div> <div>be saved to file storage.</div> <div>be saved to an Azure Data lake.</div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

There will be [answer choice].	<div>no projection groups</div> <div>one projection group</div> <div>two projection groups</div> <div>four projection groups</div>
Images will [answer choice]	<div>not be saved.</div> <div>be saved to a blob container.</div> <div>be saved to file storage.</div> <div>be saved to an Azure Data lake.</div>

NEW QUESTION 158

DRAG DROP - (Topic 3)

You build a bot by using the Microsoft Bot Framework SDK. You need to test the bot interactively on a local machine.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions	Answer Area
Register the bot with the Azure Bot Service.	
Open the Bot Framework Composer.	
Build and run the bot.	
Open the Bot Framework Emulator.	
Connect to the bot endpoint.	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Actions

Register the bot with the Azure Bot Service.

Open the Bot Framework Composer.

Build and run the bot.

Open the Bot Framework Emulator.

Connect to the bot endpoint.

Answer Area

Build and run the bot.

Open the Bot Framework Emulator.

Connect to the bot endpoint.

NEW QUESTION 162

- (Topic 3)
Which database transaction property ensures that transactional changes to a database are preserved during unexpected operating system restarts?

- A. durability
- B. atomicity
- C. consistency
- D. isolation

Answer: A

NEW QUESTION 167

HOTSPOT - (Topic 3)
You are building a solution that students will use to find references for essays. You use the following code to start building the solution.

```
using Azure;
using System;
using Azure.AI.TextAnalytics;

private static readonly AzureKeyCredential credentials = new AzureKeyCredential("<key>");
private static readonly Uri endpoint = new Uri("<endpoint>");

static void EntityLinker(TextAnalyticsClient client)
{
    var response = client.RecognizeLinkedEntities(
        "Our tour guide took us up the Space Needle during our trip to Seattle last week.");
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
The code will detect the language of documents.	<input type="radio"/>	<input type="radio"/>
The <code>url</code> attribute returned for each linked entity will be a Bing search link.	<input type="radio"/>	<input type="radio"/>
The <code>matches</code> attribute returned for each linked entity will provide the location in a document where the entity is referenced.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
The code will detect the language of documents.	<input type="radio"/>	<input checked="" type="radio"/>
The <code>url</code> attribute returned for each linked entity will be a Bing search link.	<input checked="" type="radio"/>	<input type="radio"/>
The <code>matches</code> attribute returned for each linked entity will provide the location in a document where the entity is referenced.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 169

DRAG DROP - (Topic 3)
Match the Azure Cosmos DB APIs to the appropriate data structures.
To answer, drag the appropriate API from the column on the left to its data structure on the right. Each API may be used once, more than once, or not at all.
NOTE: Each correct match is worth one point.

APIs

Cassandra API

Gremlin API

MongoDB API

Table API

Answer Area

API

Graph data

API

JSON documents

API

Key/value data

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

APIs

Cassandra API

Gremlin API

MongoDB API

Table API

Answer Area

Gremlin API

Graph data

MongoDB API

JSON documents

Table API

Key/value data

NEW QUESTION 171

- (Topic 3)

You have an Azure Cognitive Services model named Model that identifies the intent of text input.

You develop an app in C# named App1. You need to configure App1 to use Model1. Which package should you add to App1?

- A. Azure.AI.Language.Conversations
 B. SpeechServicesToolkit
 C. Universal.Microsoft.CognitiveServices.Speech
 D. Xamarin.Cognitive.Speech

Answer: C

NEW QUESTION 175

- (Topic 3)

You have a file share that contains 5,000 images of scanned invoices.

You need to analyze the images. The solution must extract the following data:

- Invoice items
 - Sales amounts
 - Customer details
- What should you use?

- A. Custom Vision
 B. Computer Vision
 C. Immersive Reader
 D. Form Recognizer

Answer: C

NEW QUESTION 178

- (Topic 3)

You are developing a method for an application that uses the Translator API.

The method will receive the content of a webpage, and then translate the content into Greek (el). The result will also contain a transliteration that uses the Roman alphabet.

You need to create the URI for the call to the Translator API. You have the following URI. <https://api.cognitive.microsofttranslator.com/translate?api-version=3.0>

Which three additional query parameters should you include in the URI? Each correct answer presents part of the solution. (Choose three.)

NOTE: Each correct selection is worth one point.

- A. toScript=Cyrl
 B. from=el
 C. textType=html
 D. to=el
 E. textType=plain
 F. toScript=Latn

Answer: ADF

Explanation:

C: textType is an optional parameter. It defines whether the text being translated is plain text or HTML text (used for web pages).

D: to is a required parameter. It specifies the language of the output text. The target language must be one of the supported languages included in the translation scope.

F: toScript is an optional parameter. It specifies the script of the translated text. We use Latin (Roman alphabet) script.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/translator/reference/v3-0-translate>

NEW QUESTION 180

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a chatbot that uses question answering in Azure Cognitive Service for Language. Users report that the responses of the chatbot lack formality when answering random

questions that are outside the scope of the knowledge base.

You need to ensure that the chatbot provides formal responses to these spurious questions.

Solution: From Language Studio, you modify the question and answer pairs for the custom intents, and then retrain and republish the model.

Does this meet the goal?

A. Yes

B. No

Answer: B

NEW QUESTION 182

DRAG DROP - (Topic 3)

You have a chatbot that uses a QnA Maker application.

You enable active learning for the knowledge base used by the QnA Maker application. You need to integrate user input into the model.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Add a task to the Azure resource.	
Approve and reject suggestions.	
Publish the knowledge base.	
Modify the automation task logic app to run an Azure Resource Manager template that creates the Azure Cognitive Services resource.	⬅️ ⬆️
For the knowledge base, select Show active learning suggestions.	⬆️ ⬇️
Save and train the knowledge base.	
Select the properties of the Azure Cognitive Services resource.	

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Step 1: For the knowledge base, select Show active learning suggestions.

In order to see the suggested questions, on the Edit knowledge base page, select View Options, then select Show active learning suggestions.

Step 2: Approve and reject suggestions.

Each QnA pair suggests the new question alternatives with a check mark, , to accept the question or an x to reject the suggestions. Select the check mark to add the question.

Step 3: Save and train the knowledge base.

Select Save and Train to save the changes to the knowledge base. Step 4: Publish the knowledge base.

Select Publish to allow the changes to be available from the GenerateAnswer API.

When 5 or more similar queries are clustered, every 30 minutes, QnA Maker suggests the alternate questions for you to accept or reject.

NEW QUESTION 186

- (Topic 3)

You build a bot by using the Microsoft Bot Framework SDK and the Azure Bot Service.

You plan to deploy the bot to Azure.

You register the bot by using the Bot Channels Registration service.

Which two values are required to complete the deployment? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. botId

- B. tenancld
- C. appld
- D. objeccld
- E. appSecrec

Answer: CE

Explanation:

Reference:

<https://github.com/MicrosoftDocs/bot-docs/blob/live/articles/bot-service-quickstart-registration.md>

NEW QUESTION 188

- (Topic 2)

You are developing the chatbot.

You create the following components:

- A QnA Maker resource
- A chatbot by using the Azure Bot Framework SDK

You need to add an additional component to meet the technical requirements and the chatbot requirements. What should you add?

- A. Dispatch
- B. chatdown
- C. Language Understanding
- D. Microsoft Translator

Answer: A

Explanation:

Scenario: All planned projects must support English, French, and Portuguese.

If a bot uses multiple LUIS models and QnA Maker knowledge bases (knowledge bases), you can use the Dispatch tool to determine which LUIS model or QnA Maker knowledge base best matches the user input. The dispatch tool does this by creating a single LUIS app to route user input to the correct model.

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-builder-tutorial-dispatch>

NEW QUESTION 193

- (Topic 2)

You need to develop an extract solution for the receipt images. The solution must meet the document processing requirements and the technical requirements.

You upload the receipt images to the Form Recognizer API for analysis, and the API returns the following JSON.

```
"documentResults": [
  {
    "docType": "prebuilt:receipt",
    "pageRange": [
      1,
      1
    ],
    "fields": {
      "ReceiptType": {
        "type": "string",
        "valueString": "Itemized",
        "confidence": 0.672
      },
      "MerchantName": {
        "type": "string",
        "valueString": "Tailwind",
        "text": "Tailwind",
        "boundingBox": [],
        "page": 1,
        "confidence": 0.913,
        "elements": [
          "#/readResults/0/lines/0/words/0"
        ]
      }
    }
  },
  ...
]
```

Which expression should you use to trigger a manual review of the extracted information by a member of the Consultant-Bookkeeper group?

- A. documentResults.docType == "prebuilt:receipt"
- B. documentResults.fields.confidence < 0.7
- C. documentResults.fields.ReceiptType.confidence > 0.7
- D. documentResults.fields.MerchantName.confidence < 0.7

Answer: D

Explanation:

Need to specify the field name, and then use < 0.7 to handle trigger if confidence score is less than 70%.

Reference:

<https://docs.microsoft.com/en-us/azure/applied-ai-services/form-recognizer/api-v2-0/reference-sdk-api-v2-0>

NEW QUESTION 197

- (Topic 2)

You are developing the knowledgebase by using Azure Cognitive Search.

You need to meet the knowledgebase requirements for searching equivalent terms. What should you include in the solution?

- A. a synonym map
- B. a suggester
- C. a custom analyzer
- D. a built-in key phrase extraction skill

Answer: A

Explanation:

Within a search service, synonym maps are a global resource that associate equivalent terms, expanding the scope of a query without the user having to actually provide the term. For example, assuming "dog", "canine", and "puppy" are mapped synonyms, a query on "canine" will match on a document containing "dog".
Create synonyms: A synonym map is an asset that can be created once and used by many indexes.
Reference:
<https://docs.microsoft.com/en-us/azure/search/search-synonyms>

NEW QUESTION 200

DRAG DROP - (Topic 2)

You are developing a solution for the Management-Bookkeepers group to meet the document processing requirements. The solution must contain the following components:
? A form Recognizer resource
? An Azure web app that hosts the Form Recognizer sample labeling tool
The Management-Bookkeepers group needs to create a custom table extractor by using the sample labeling tool.
Which three actions should the Management-Bookkeepers group perform in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Actions

Train a custom model

Label the sample documents

Create a new project and load sample documents

Create a composite model

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Create a new project and load sample documents
Create a new project. Projects store your configurations and settings.
Step 2: Label the sample documents
When you create or open a project, the main tag editor window opens.
Step 3: Train a custom model. Finally, train a custom model.

NEW QUESTION 203

HOTSPOT - (Topic 1)

You are planning the product creation project.
You need to build the REST endpoint to create the multilingual product descriptions. How should you complete the URI? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

▼

api.cognitive.microsofttranslator.com

api-nam.cognitive.microsofttranslator.com

westus.tts.speech.microsoft.com

wwics.cognitiveservices.azure.com/translator

▼

/detect

/languages

/text-to-speech

/translate

?api-version=3.0&to=es&to=pt

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: api-nam.cognitive.microsofttranslator.com
<https://docs.microsoft.com/en-us/azure/cognitive-services/translator/reference/v3-0-reference>
Box 2: /translate

NEW QUESTION 207

HOTSPOT - (Topic 1)

You need to develop code to upload images for the product creation project. The solution must meet the accessibility requirements.

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>

How should you complete the code? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

```
public static async Task<string> SuggestAltText(ComputerVisionClient client,
{
    List<VisualFeatureTypes> features = new List<VisualFeatureTypes?>()
    {
        

VisualFeatureTypes.Description



VisualFeatureTypes.ImageType



VisualFeatureTypes.Objects



VisualFeatureTypes.Tags


    };
    ImageAnalysis results = await client.AnalyzeImageAsync(image, features);

var c = results.Brands.DetectedBrands[0]



var c = results.Description.Captions[0]



var c = results.Metadata[0]



var c = results.Objects[0]



    if(c.Confidence>0.5) return(c.Text);
}
```

image)

Dictionary

stream

string

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```
public static async Task<string> SuggestAltText(ComputerVisionClient client,
{
    List<VisualFeatureTypes> features = new List<VisualFeatureTypes?>()
    {
        

VisualFeatureTypes.Description



VisualFeatureTypes.ImageType



VisualFeatureTypes.Objects



VisualFeatureTypes.Tags


    };
    ImageAnalysis results = await client.AnalyzeImageAsync(image, features);

var c = results.Brands.DetectedBrands[0]



var c = results.Description.Captions[0]



var c = results.Metadata[0]



var c = results.Objects[0]



    if(c.Confidence>0.5) return(c.Text);
}
```

image)

Dictionary

stream

string

NEW QUESTION 208

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AI-102 Practice Exam Features:

- * AI-102 Questions and Answers Updated Frequently
- * AI-102 Practice Questions Verified by Expert Senior Certified Staff
- * AI-102 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * AI-102 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AI-102 Practice Test Here](#)