

PL-100 Dumps

Microsoft Power Platform App Maker

<https://www.certleader.com/PL-100-dumps.html>



NEW QUESTION 1

DRAG DROP - (Topic 4)

You are developing an app that warehouse workers will run on their phones to perform inventory counts.

You need to design the app.

Which type of control should you use? To answer, drag the appropriate control types to the correct requirements. Each control type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection presents a complete solution.

Control types	Requirement	Control type
Text box	Capture decimal numbers.	
Combo box	Select multiple products from a list.	
Slider	Set the status of a product.	
Radio		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Control types	Requirement	Control type
Text box	Capture decimal numbers.	Text box
Combo box	Select multiple products from a list.	Combo box
Slider	Set the status of a product.	Radio
Radio		

NEW QUESTION 2

DRAG DROP - (Topic 4)

You create multiple apps as part of an unmanaged solution. You need to move the apps to another environment.

You need to pick the appropriate solution type for each requirement.

Which types of solutions should you create? To answer, drag the appropriate solution types to the correct requirements. Each solution type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Requirement	Solution type
Edit existing components of the solution.	Unmanaged
Add new components to the solution.	Unmanaged
Export the solution.	Managed

Box 1: Unmanaged

Unmanaged Solution: The beginning state of solution is the unmanaged solution state. During this phase, you can add, edit, update, remove, delete, and test any of the components of the solution.

Box 2: Unmanaged

Box 3: Managed

Managed Solution: A managed solution is a finalized solution that can be distributed and installed. They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited. Deleting the Managed Solution will remove all its customisations as well as data contained. Managed Solutions become read only once deployed so they cannot be manipulated.

NEW QUESTION 3

DRAG DROP - (Topic 4)

A company has 500 products. Each product is referenced by a product ID. Each product belongs to one of eight product categories.

You are creating an app to manage requests for new products.

The product categories will never change. Categories are defined in the column itself, not in a separate table. The data must be structured in a way that does not allow for misspellings.

Only two new tables should be created in Microsoft Dataverse:

? Products: Holds the products that can be requested.

? Requests: Holds the requests for the product ID and quantity. The products are filtered by product category.

You need to identify the data types to use when building the table columns in Dataverse.

Which data type should you use? To answer, drag the appropriate data types to the correct requirements. Each data type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Data types	Answer Area	Data types
Lookup	<p>Scenario</p> <p>Create a column in the Products table that displays the category of the product</p> <p>Create a column in the Products table for the product ID of the product</p> <p>Create a column in the Requests table that allows the user to select form a list of available products</p>	Data type
Choice		Data type
Text		Data type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Text

Text columns can contain text characters. This column type has several format options that will change the presentation of the text.

Box 2: Lookup

When you create a new lookup column you are creating a new Many-to-One (N:1) table relationship between the table you're working with and the Target Row Type defined for the lookup.

Box 3: Choice


You can customize forms (main, quick create, and quick view) and email templates by adding multi-select columns that are called Choices. When you add a choices column, you can specify multiple values that will be available for users to select. When users fill out the form, they can select one, multiple, or all the values displayed in a drop-down list.

NEW QUESTION 4

HOTSPOT - (Topic 4)

You create a canvas app for a service company.

Using the Tree view, you navigate to the ViewServices screen. The screen contains a form named DetailForm1 that only contains Label controls. You add the People icon to the header of the ViewServices screen as shown below:



When you select the icon a new Activity form opens. You must set the value of the Name field on the new Activity form to the value of the name field from DetailForm1.

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Which formula must you enter in the Name field on the Activity form to default the Name from DetailForm1?

Which action should you perform on the People icon?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Name_DataCardValue1.Default
 Box 2: Move the icon to the Activity form and set the On Select property to the Activity screen.
 The Select function simulates a select action on a control as if the user had clicked or tapped the control. As a result, the OnSelect formula on the target control is evaluated.

NEW QUESTION 5

- (Topic 4)

You are creating a canvas app that displays a list of accounts. Users must be able to select an account and view details for the account. The app must include a feature that brings the user back to the list of accounts. You add a blank screen named Screen_Accounts and add a gallery named Gallery_Accounts to the screen. You set the data source of Gallery_Accounts to Accounts and add another blank screen named Screen_AccountDetail. You need to complete the app. What are two possible ways to achieve the goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Add an edit form to Screen_AccountDetail and set the Default Mode of the form to Vie
- B. Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).Set the data source of the form to Account
- C. Set the Item property of the form to Selected.Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).
- D. Add an edit form to Screen_AccountDetail and set the Default Mode of the form to Vie
- E. Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).Set the data source of the form to Accounts.Set the Item property of the form to First(Accounts).Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).
- F. Add an edit form to Screen_AccountDetail and set the Default Mode of the form to Ne
- G. Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).Set the data source of the form to Account
- H. Set the Item property of the form to Selected.Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).
- I. Add a display form to Screen_AccountDetail.Set the data source of the form to Account
- J. Set the Item property of the form to Selected.Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).

Answer: AD

Explanation:

Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

NEW QUESTION 6

- (Topic 4)

You create a canvas app. You need to make the app available to other people in your company. What are two possible ways to achieve the goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Grant access to individual users in your company.
- B. Share the app with a Microsoft Exchange distribution list.
- C. Grant access to a Microsoft Teams team.
- D. Share the app with a Microsoft Azure Active Directory security group.

Answer: AD

Explanation:

After you build a canvas app that addresses a business need, specify which users in your organization can run the app and which can modify and even reshare it. Specify each user by name, or specify a security group in Azure Active Directory. Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/share-app>

NEW QUESTION 7

DRAG DROP - (Topic 4)

You are designing an app to track time off for employees. Employee data, including employee ID number, is stored in an existing data source used by other apps. Employees must be able to look up their employee ID number and enter time-off start and end dates in the app.

You need to configure the elements of the data source.

Which data elements should you use? To answer, drag the appropriate data elements to the correct data. Each data element may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 8

DRAG DROP - (Topic 4)

A company has the following divisions: wholesale and retail.

The manufacturer wants to create a single Power BI report to allow users to view data from a Microsoft SQL Server database.

You need to ensure that each user sees data only for the team to which the user is assigned.

How should you secure the report?

To answer, drag the appropriate options to the correct action. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Power BI Desktop

You can define roles and rules within Power BI Desktop. When you publish to Power BI, it also publishes the role definitions.

To define security roles, follow these steps.

? Import data into your Power BI Desktop report, or configure a DirectQuery connection.

? From the Modeling tab, select Manage Roles.

? From the Manage roles window, select Create.

? Etc.


Box 2: Power BI Service

After you save your report in Power BI Report Server, you manage security and add or remove members on the server.

* 1. In Power BI Desktop, save the report to Power BI Report Server. You need to use the version of Power BI Desktop for Power BI Report Server.

* 2. In Power BI Report Service, select the ellipsis (...) next to the report.

* 3. Select Manage > Row-level security.



On the Row-level security page, you add members to a role you created in Power BI Desktop.

NEW QUESTION 9

- (Topic 4)

You are using Test Studio to test a Power Apps canvas app. You need to ensure that the app conforms to several use cases. What should you do first?

- A. Save the app to the cloud.
- B. Create test cases for each requirement.
- C. Save the app to your computer.
- D. Create a test suite.
- E. Record test cases for each requirement.

Answer: D

Explanation:

Create a test suite.

By default, a test suite and test case are created for you in Test Studio. Test suites are used to organize your test cases.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-test-studio>

NEW QUESTION 10

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

- ? Provision production environments named P1 and P2.
- ? Copy the current production environment to P1 and P2.
- ? Use P1 for development and P2 for testing.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Production: This is intended to be used for permanent work in an organization. Don't use production environment for development and testing.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 10

- (Topic 4)

You create a canvas app for technicians at a computer store. You assign technicians cases to work on. The technicians update cases at the end of customer site visit.

The manager wants the technicians to sell warranties to the customers. If a customer agrees to purchase a warranty, technicians use the canvas app to immediately alert the sales team, and then the technician records details about the warranty into the app.

You need to create a flow to alert the sales team. Which type of trigger should you use?

- A. Flow button for mobile
- B. Office 365 Outlook
- C. Common Data Service

Answer: A

Explanation:

Create a button flow to run routine tasks by simply tapping a button. Customize your flow by allowing the user to provide specific details that will be used when the flow runs.

Note: There are many repetitive tasks that we all wish we could run with just a tap of a button. For example, you may need to quickly email your team to remind them to join the daily team sync, or you may want to start a new Visual Studio Codespaces build of your code base after you've been notified that there are no more checkins planned for the day. Button flows allow you to accomplish these and many other tasks simply by tapping a button on your mobile device.

Reference:

<https://docs.microsoft.com/en-us/power-automate/button-flow-with-user-input-tokens>

NEW QUESTION 12

DRAG DROP - (Topic 4)

You are an app and report maker. You provide visualizations for two departments in an organization. Each department requires department-specific visualizations:

Department	Requirement
Department1	Provide unstructured answers to free text survey questions.
Department2	Chart real-time data in columns that groups complaints by category, urgency, and status.

You need to create the visualizations.

Which chart type should you use? To answer, drag the appropriate chart type to the correct requirements. Each chart type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Chart types	Requirement	Chart type
<div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">Multi-series</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">Tag</div> <div style="border: 1px solid black; padding: 2px;">Stacked column</div>	<p>Unstructured answers to free text survey questions.</p> <p>Real-time column chart that groups complaints by category, urgency, and status.</p>	<div style="border: 1px solid black; height: 20px; width: 100%; margin-bottom: 20px;"></div> <div style="border: 1px solid black; height: 20px; width: 100%;"></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Tag

Box 2: Multi-series

Multi-series charts: Charts that display data with multiple series values mapped to a single category value.

NEW QUESTION 13

- (Topic 4)

You create a weekly report app as a canvas app. The data source for the app is a Microsoft SharePoint list.

The file that contains the weekly report must be attached to each submission made in the app. Employees must modify the report through the canvas app after the initial submission.

The manager must be notified by email when an employee updates the report. You need to create cloud flows.

Which SharePoint trigger should you use?

- A. When an item is created
- B. When an item or file is modified
- C. When a file is created (properties only)
- D. When a file is created in a folder

Answer: B

NEW QUESTION 16

HOTSPOT - (Topic 4)

A company uses Power Apps. The company gathers product improvement suggestions at tradeshows by using tablet devices.

A product improvement suggestion has two parts: a topic and a comment. Attendees can enter up to 10 suggestions. You create a canvas app to allow attendees to enter suggestions. The wireless network connection inside the tradeshow is unreliable.

You need to ensure that the tablet devices save all suggestions.

Which solution technologies should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Action	Solution technology
Save suggestions while visitors enter data.	<div style="border: 1px solid gray; padding: 2px;"> <div style="border-bottom: 1px solid gray; padding: 2px;">Collection</div> <div style="padding: 2px;">Collection</div> <div style="padding: 2px;">Variable</div> <div style="padding: 2px;">Connection</div> <div style="padding: 2px;">Text input</div> </div>
Save suggestions for future processing.	<div style="border: 1px solid gray; padding: 2px;"> <div style="border-bottom: 1px solid gray; padding: 2px;">Export</div> <div style="padding: 2px;">Export</div> <div style="padding: 2px;">Import</div> <div style="padding: 2px;">Container</div> <div style="padding: 2px;">Data table</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Action	Solution technology
Save suggestions while visitors enter data.	Collection
Save suggestions for future processing.	Export

NEW QUESTION 18

- (Topic 4)

You create a model-driven app for salespeople.

Users must interact with a business process flow that invokes multiple tables. You need to instruct users where to find the business process flow, which component should you use?

- A. form
- B. command bar
- C. dashboard
- D. site map

Answer: D

NEW QUESTION 19

HOTSPOT - (Topic 4)

A company uses a model-driven app. You create a Power BI sales report.

The executive of the company wants all users to see tiles from the report in the model-driven app.

You need to ensure all users can see the tiles.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Step	Setting
Allow addition of Power BI visualization tiles.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; padding-right: 5px;">▼</div> <div style="padding: 2px;">Power Platform Environment settings</div> <div style="padding: 2px;">Power Apps settings</div> <div style="padding: 2px;">Power BI Service settings</div> <div style="padding: 2px;">Power BI Desktop settings</div> </div>
Add tiles to a dashboard.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; padding-right: 5px;">▼</div> <div style="padding: 2px;">Create a personal dashboard</div> <div style="padding: 2px;">Create a Power BI dashboard.</div> <div style="padding: 2px;">Create a system dashboard.</div> </div>
Allow users to view tiles.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; padding-right: 5px;">▼</div> <div style="padding: 2px;">Share tile and share dashboard.</div> <div style="padding: 2px;">Share report and share dashboard.</div> <div style="padding: 2px;">Share tile and publish dashboard.</div> <div style="padding: 2px;">Share report and publish dashboard.</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Power Platform Environment settings

Before users can embed Power BI visualizations on personal dashboards, the organization-wide setting must be enabled.

? In the Power Platform admin center, select an environment.

? Select Settings > Product > Features.

? Under Embedded content set Power BI visualization embedding to On to enable or Off to disable.

? Select Save.

Box 2: Create a personal dashboard

You can embed Power BI tiles on your personal dashboard.

? Open your app and go to Dashboards.

? Select an existing personal dashboard or select New to create one.

? On the dashboard, select an area where you want the tile to appear, and then select Power BI Tile on the toolbar.

? Add new Power BI tile.

? In the Power BI Tile dialog, select the workspace and then select the Power BI tile that you want to display on your dashboard. Select Enable for mobile if you want to make the tile available for Dynamics 365 for tablets and Dynamics 365 for phones.

? Select another area of the dashboard and repeat this step to add another Power BI tile, or other component, such as a chart or list, to your dashboard.

? Select Save to save your dashboard.

Box 3: Share report and share dashboard.

To share your personal dashboard that contains Power BI visualizations you must

same credentials and appropriate level of access in both services. To share your personal dashboard in your app, go to Dashboards. In the list of dashboards, select the personal dashboard you want, and then select SHARE DASHBOARD.

NEW QUESTION 21

- (Topic 4)

You create an app with multiple screens.

Test users report that the size and type of gallery displayed on each screen are different. You must improve the consistency for the app screens.

You need to create a reusable gallery that displays information based on the current record.

Which three actions should you perform?

NOTE: Each correct selection is worth one point.

- A. Add a gallery control
- B. Add an input property
- C. Create a component
- D. Create a form
- E. Add a screen
- F. Add an output property

Answer: ABC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/add-gallery> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/create-component>

NEW QUESTION 24

DRAG DROP - (Topic 4)

You create an expense claim app for a manufacturing company. Employees use the app to enter details of their expenses and upload receipts.

The company has an on-premises finance system with no APIs.

The company requires an automation to enable the manager to approve employee claim requests when they are submitted.

After a claim request is approved, the expense details must be entered in the on-premises finance system.

You need to create the flow.

Which flow type should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Flow types

Requirement	Flow type
Approve employee claim requests when they are submitted.	Automated flow Automated flow Scheduled flow Instant flow
Enter the expense details in the on-premises finance system.	Cloud flow Cloud flow Desktop flow Business process flow

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Flow types

Requirement	Flow type
Approve employee claim requests when they are submitted.	Automated flow
Enter the expense details in the on-premises finance system.	Cloud flow

NEW QUESTION 27

- (Topic 4)

A company receives its marketing campaign performance report as a Microsoft Excel file. The company stores the file in Microsoft SharePoint.

A user updates the Excel file daily with updated data.

The company needs a solution that automatically displays the latest analytics.

You need to create a basic report that contains pie charts that display the most profitable channels.

You need to propose the right solution.

Solution: Microsoft Power Apps canvas app having an Excel file imported into the app and Pie chart control.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 28

DRAG DROP - (Topic 4)

A company is building multiple Power Apps apps to support a mobile sales team. The apps must all share a common control that has custom properties.

You need to create a solution for the apps.

Which objects should you use? To answer, drag the appropriate objects to the correct to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Objects	Requirement	Object
Entity	Reuse the custom control for multiple canvas apps.	
Component		
Component library	Receive input data through a custom property.	
Component framework		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Component library

Components are reusable building blocks for canvas apps so that app makers can create custom controls to use inside an app, or across apps using a component library. Components can use advanced features such as custom properties and enable complex capabilities.

By creating a component library, app makers easily share and update one or more components with other makers.

Component libraries are containers of component definitions that make it easy to: Discover and search components.

Publish updates.

Notify app makers of available component updates.

Box 2: Component

A component can receive input values and emit data if you create one or more custom properties.

NEW QUESTION 29

- (Topic 4)

A company has hundreds of warehouses. You are developing an app for the shipping department at the company. The app must be able to provide the warehouse address for shipments. You need to create the warehouse field on the app form. Which field type should you use?

- A. Lookup
- B. Choice
- C. Choices
- D. Text

Answer: A

NEW QUESTION 34

- (Topic 3)

You need to design the data model for the cooking classes.

What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Data	Component
Dish	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #e0e0e0; padding: 2px;">Microsoft SharePoint document</div> <div style="padding: 2px;">Custom table</div> <div style="background-color: #d0d0d0; padding: 2px;">Microsoft SharePoint document</div> <div style="padding: 2px;">Global choice</div> </div>
Student type	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #e0e0e0; padding: 2px;">Connection role</div> <div style="background-color: #d0d0d0; padding: 2px;">Connection role</div> <div style="padding: 2px;">Custom column</div> <div style="padding: 2px;">Lookup column</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Data	Component
Dish	<div style="border: 1px solid gray; padding: 2px;"> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Microsoft SharePoint document</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Custom table</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Microsoft SharePoint document</div> <div style="border: 1px solid gray; padding: 2px;">Global choice</div> </div>
Student type	<div style="border: 1px solid gray; padding: 2px;"> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Connection role</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Connection role</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Custom column</div> <div style="border: 1px solid gray; padding: 2px;">Lookup column</div> </div>

NEW QUESTION 37

- (Topic 3)

You need to implement reporting to support the college marketing efforts. Which type of dashboard should you use?

- A. Power BI
- B. Interactive
- C. Model-driven

Answer: A

NEW QUESTION 41

- (Topic 2)

You need to create a flow for moving data from the Sales Log to the Job Setup entity. Which type of flow should you use?

- A. a scheduled flow for the Job Setup entity
- B. an instant (button) flow for the Sales Log
- C. a business process flow for the Job Setup entity
- D. an automated flow for the Sales Log

Answer: A

Explanation:

Scenario: Automatically perform the following actions immediately when a sale is won:

- ? Generate a sequential job number.
- ? Copy key sales information to the Job Setup entity used by manufacturing.

NEW QUESTION 42

HOTSPOT - (Topic 2)

You need to implement features for the solution.

Which Power Platform component should you use for each feature? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Feature	Component
Mobile app for Sales Log workbook	<div style="border: 1px solid gray; padding: 2px;"> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Canvas app</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Model-driven app</div> <div style="border: 1px solid gray; padding: 2px;">Power Virtual Agents chatbot</div> </div>
Embed KPIs for sales quotas by region	<div style="border: 1px solid gray; padding: 2px;"> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Content Pack</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Power BI Desktop</div> <div style="border: 1px solid gray; padding: 2px;">Power BI service</div> </div>
Transfer of key sales information to the Job Setup entity	<div style="border: 1px solid gray; padding: 2px;"> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Power Automate</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Business process flow</div> <div style="border: 1px solid gray; padding: 2px;">Power Virtual Agents</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Model-driven app

The Sales app must meet the following requirements:

? Provide a central location for all sales pipeline and quote information that is easily accessible and maintains all of the versions of the estimate, quote, and engineering documents.

Compared to canvas apps, model-driven apps in PowerApps are based on underlying data — specifically, the data stored in Common Data Service (CDS).

Box 2: Power BI Desktop

You can create a KPI in Power BI Desktop.

? Open your report editor in Power BI Desktop then select a report on which you are working.

? On your right, you will see a Visualizations pane and a Fields pane.

? From the Visualizations pane, select the KPI visual.

? Etc.

Box 3: Power Automate

NEW QUESTION 45

- (Topic 2)

You need to implement the change requested by the operations manager. Which control should you use?

BF70D5D

- A. Camera
- B. Shape
- C. Add picture
- D. Image

Answer: D

Explanation:

Scenario: The operations manager asks that the time tracking app display the employee's photo once they have scanned their badge. Image control in Power Apps is a control that shows an image from, for example, a local file or a data source.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-image>

NEW QUESTION 46

- (Topic 2)

You need to implement logic in the app for lost sales. What should you do?

- A. Create a business process flow.
- B. Define a business rule for the Sales Log edit form.
- C. Set the required field property of the Won/Lost field to Required.
- D. Create a formula for the Description field that uses the Update function.

Answer: B

Explanation:

Scenario: Requests for quotes are currently stored in a Sales Log workbook. The workbook includes the following information:

? Status of the Request for Quote (RFQ) with the values of Won, Lost, No Bid, and Cancelled

Salespeople often do not set status of RFQs in the Sales Log to Won when a sale is closed and the customer purchase order is received.

You can create business rules and recommendations to apply logic and validations without writing code or creating plug-ins. Business rules provide a simple interface to implement and maintain fast-changing and commonly used rules.

Business rules defined for an entity apply to both canvas apps and model-driven apps if the entity is used in the app.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

NEW QUESTION 49

- (Topic 1)

You need to provide all app components of the application to Tailwind Traders. What should you do?

- A. Package the application and flow components into a single solution for export.
- B. Run the app checker and flow checker prior to publishing each component for export.
- C. Export each component separately but use the same version number for each component.
- D. Publish the application and flow solutions at the same time before exporting each one.

Answer: B

Explanation:

Scenario: When identifying versions of the app solution, all dependencies, entities, and user interfaces components must be identified to avoid any unintentional issues caused by reverting individual components to a previous version.

Power Apps has added components to the rule set that encourages best practices in the Power Apps Checker. You can check your canvas apps and flows that are included in solutions and then review all issues in a single, consolidated report.

Reference:

<https://docs.microsoft.com/en-us/power-platform-release-plan/2019wave2/microsoft-powerapps/checker-includes-rules-canvas-apps-flows>

NEW QUESTION 53

HOTSPOT - (Topic 1)

You need to roll back the mobile app to an earlier version.

Requirement	Action
Identify the currently published version and view version notes.	<input type="text"/> View the session details page for the app in Power Apps Studio. View environment details for the app in the Power Admin portal. View details for the app in the Power Apps Maker portal.
Revert to an earlier version of the app.	<input type="text"/> Select Restore on the previous version of the app. Export the previous version of the app and import as a new version. Delete versions of the app until the desired version is the most recent.

What should you do? To answer, select the

appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Requirement	Action
Identify the currently published version and view version notes.	<input type="text"/> View the session details page for the app in Power Apps Studio. View environment details for the app in the Power Admin portal. View details for the app in the Power Apps Maker portal.
Revert to an earlier version of the app.	<input type="text"/> Select Restore on the previous version of the app. Export the previous version of the app and import as a new version. Delete versions of the app until the desired version is the most recent.

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Box 1: View the sessions details page for the app in Power Apps Studio
Use PowerApps Studio, select the App, and choose and you will be directed to the app's Versions tab in PowerApps portal. There should be one version marked Live.



Box 2: Select Restore on the previous version of the app. Restore an app from your account
? Open powerapps.com, and then click or tap Apps in the left navigation bar.
? Near the right edge, click or tap the info icon for the app that you want to restore.
? Click or tap the Versions tab, and then click or tap Restore for the version that you want to restore.



NEW QUESTION 57

DRAG DROP - (Topic 1)

You need to modify the app design to meet the accessibility needs of the sales associates.
Which properties should you configure? To answer, drag the appropriate properties to the correct restrictions. Each property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Properties	Restriction	Property
TabIndex		
DisplayMode	Design for User2	<input type="text"/>
AccessibleLabel	Design for User3	<input type="text"/>
Tooltip		

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: AccessibleLabel

Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines.

User2 is visually impaired and cannot see images. AccessibleLabel is a label for screen readers.

An empty value for Image, Icon, and Shape controls will hide the controls from screen reader users.

Box 2: TabIndex

User3 is unable to use a mouse.

TabIndex determines if the control participates in keyboard navigation.

Keyboard navigation is an important aspect of any app. For many, the keyboard is more efficient than using touch or a mouse. The navigation order should:

Mirror what is seen visually.

Only have a tab stop at controls that are interactive.

Follow either an intuitive across and then down "Z" order or a down and then across "reverse-N" order.

NEW QUESTION 58

- (Topic 1)

You need to create the mobile app. Which type of app should you create?

- A. model-driven app
- B. portal app
- C. Microsoft 365 web app
- D. canvas app

Answer: D

Explanation:

An accessible canvas app will allow users with vision, hearing, and other impairments to successfully use the app. In addition to being a requirement for many governments and organizations, following the below guidelines increases usability for all users, regardless of their abilities.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessible-apps>

NEW QUESTION 61

HOTSPOT - (Topic 1)

You need to create a flow for sending required emails to the regional manager.

How should you create the flow? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Option	Type
Flow type to use	<div style="border: 1px solid gray; padding: 5px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="border: 1px solid gray; padding: 2px;"> <p>Instant</p> <p>Automated</p> <p>Business Process</p> <p>Scheduled</p> </div> </div>
Trigger to start flow	<div style="border: 1px solid gray; padding: 5px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="border: 1px solid gray; padding: 2px;"> <p>HTTP Webhook</p> <p>Power Apps</p> <p>Common Data Service when a record is created</p> <p>Office 365 Outlook Send an email</p> </div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Business Process

Scenario: If a sales representative submits a status report and assigns the At Risk status to a process, the app must prompt the sales representative to enter a detailed description for the risk. This information must be emailed to the regional manager.

Business process flows provide a guide for people to get work done. They provide a streamlined user experience that leads people through the processes their organization has defined for interactions that need to be advanced to a conclusion of some kind. This user experience can be tailored so that people with different security roles can have an experience that best suits the work they do.

Box 2: Common Data Service when a record is created

The Microsoft Dataverse (Common Data Service) connector provides the following triggers to help you define when your flows start:

? When a row is created, updated, or deleted

- ? When an action is performed
- ? When a flow step is run from a business process flow

NEW QUESTION 66

- (Topic 4)

You are creating a canvas app for a company.

The app must access data from a private web service that is provided by the company. You need to set up the connector.

Which connector type should you use?

- A. Custom
- B. Standard
- C. First-party
- D. Premium

Answer: A

NEW QUESTION 68

- (Topic 4)

A company is consolidating communications processes by using Microsoft Teams and Microsoft Power Platform technologies.

A Power Automate flow monitors social media channels to identify high-impact trends. When the Power Automate flow identifies the trends, consistently formatted and

standardized feedback must be collected from the channel members within Teams.

You need to streamline the Power Automate and Teams communication process.

What should you use?

- A. AI Builder
- B. Common Data Service business process flows
- C. Adaptive cards
- D. Integrated approval flows

Answer: A

Explanation:

"Microsoft Power Platform and AI Builder components allowed us to quickly deliver an innovative and well-integrated solution within our Dynamics 365 platform for our marketing and sales business partners. The platform is a game-changer in this new world of rapid app delivery."

Jim Parker: Web and Collaboration Services Manager

Reference:

<https://customers.microsoft.com/en-au/story/810656-hexion-manufacturing-power-platform>

NEW QUESTION 72

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app that displays a list of accounts.

Users must be able to select an account and view details for the account. The app must include a feature that brings the user back to the list of accounts.

You add a blank screen named Screen_Accounts and add a gallery named and add another blank screen named Screen_AccountDetail.

You need to complete the app. Solution:

? Add an edit form to Screen_AccountDetail and set the Default Mode of the form to View.

? Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).

? Set the data source of the form to Accounts.

? Set the Item property of the form to Selected.

? Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

View, edit, or create an item, save the contents, and reset the controls in an Edit form control.

FormMode.View: The form is populated with an existing record but the user cannot modify the values of the fields.

This function is often invoked from the OnSelect formula of a Button or Image control.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

NEW QUESTION 77

- (Topic 4)

A company uses Power Apps. The company creates a solution that contains the following items:

- environment setting
 - flow that accesses Microsoft Dataverse
 - plug-in with an unsecure configuration
 - environment variable with a default value
- The company plans to import solutions manually.

You need to document the solution component type that prompts for user input. Which component type should you document?

- A. Environment variable
- B. Environment setting

C. Connection reference

Answer: D

NEW QUESTION 78

DRAG DROP - (Topic 4)

You are creating a model-driven app for onboarding new employees. You need to implement business logic for the app.

Which tool should you use? To answer, drag the appropriate tools to the correct requirements. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tools	Requirement	Tools
Business rule	Guide a user through the set of steps needed for onboarding a new employee.	<input type="text"/>
Power Automate	Make date of birth mandatory when creating a new employee record.	<input type="text"/>
Business process flow	Implement an approval flow for expense reports submitted by employees.	<input type="text"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Business process flow

A business process flow is a visual guide meant to help users complete a business process by using a set of predefined stages. Users are not limited on how long they run a business process or how long they have a stage open.

Box 2: Business rule Box 3: Power Automate

A Power Automate flow does not have any visual components like a business process flow.

Power Automate flows can be configured to work with many different data sources, and a flow can connect to many different data sources within the same flow. A flow can be configured to time out if it is not completed in a certain time and can be triggered to move between steps based on data or user interaction.

NEW QUESTION 82

DRAG DROP - (Topic 4)

A company stores sales orders in a Microsoft Excel workbook. The company stores customer data in a SQL Server database.

You must import the data into a Microsoft Dataverse instance. You need to define the mapping for the migration.

Which component should you use? To answer, drag the appropriate components to the correct data type. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components	Answer Area	Component
Column	Data	<input type="text"/>
Table	Excel data	<input type="text"/>
Row	Customer data	<input type="text"/>
Data source	Customer identifier	<input type="text"/>
	Product data	<input type="text"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Table

Box 2: Data source Box 3: Column

Box 4: Row

NEW QUESTION 83

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

? Provision sandbox environments named S1 and S2.

? Copy the production environment to both S1 and S2.
? Use S1 for development and S2 for testing.
Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

A sandbox environment is any non-production environment of Microsoft Dataverse. Isolated from production, a sandbox environment is the place to safely develop and test application changes with low risk.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 88

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.

Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.

You need to ensure that users can scan packing slip information into the form. Proposed solution: Use an Entity Extraction model.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

AI Builder entity extraction models recognize specific data in the text that you target based on your business needs.

The model identifies key elements in the text and then classifies them into predefined categories. This can help you transform unstructured data into structured data that's machine-readable. You can then apply processing to retrieve information, extract facts, and answer questions.

Note: Create a canvas app and add the text recognizer AI Builder component to your screen. This component takes a photo or loads an image from the local device, and then processes it to detect and extract text based on the text recognition prebuilt model. If it detects text in the image, the component outputs the text and identifies the instances by showing a rectangle for each instance in the image.

Reference:

<https://knowledgefrommanish.com/powerplatform/ai-builder-entity-extraction-ai-model/>

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-text-recognizer-component-in-powerapps>

NEW QUESTION 90

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up.

Proposed solution: Create a business rule on the appropriate data entity with a scope of entity.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed. Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger

your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft->

NEW QUESTION 95

- (Topic 4)

You create a custom table as part of a solution in the development environment. You deploy major version solutions as managed solutions to production. The organization does not allow new solutions to be created in the production environment.

When a minor update is made to a column length, users cannot enter entire values. You need to allow users to enter entire values in the column.

Solution: Update the column length in the production environment. Does the solution meet the goal?

A. Yes

B. No

Answer: B

NEW QUESTION 98

- (Topic 4)

You create a new solution publisher and include a publisher prefix value.

Which two actions can you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. You can change contact details of a publisher after you create the publisher

B. When you change a solution publisher prefix, you can change the schema name for existing components

C. You can change the schema name of a publisher after creating the publisher

D. You can add a component from one solution to another solution that has a different publisher

Answer: AD

Explanation:

Once you introduce a publisher for a component in a managed solution, you can't change the publisher for the component.

Reference:

<https://docs.microsoft.com/en-us/power-platform/alm/solution-concepts-alm#solution-publisher>

NEW QUESTION 101

- (Topic 4)

A company has ten sales regions. Each salesperson is assigned to one region. You create a set of five standard views that all salespeople will use.

Sales users only want to see information for their own region. Sales users must call sales

leads within a week of receiving a lead.

You need to recommend a solution for sales users.

Which two actions will you recommend? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

A. Instruct users to create personal views that filter by region.

B. Instruct users to filter the view by region.

C. Configure the definition for each view to sort by region.

D. Configure the definition for each view to filter by region.

Answer: BD

NEW QUESTION 104

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app that displays a list of accounts.

Users must be able to select an account and view details for the account. The app must include a feature that brings the user back to the list of accounts.

You add a blank screen named Screen_Accounts and add a gallery named Gallery_Accounts to the screen. You set the data source of Gallery_Accounts to

Accounts and add another blank screen named Screen_AccountDetail.

You need to complete the app. Solution:

? Add an edit form to Screen_AccountDetail and set the Default Mode of the form to New

? Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).

? Set the data source of the form to Accounts.

? Set the Item property of the form to Selected.

? Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).

Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

FormMode.New: the form is populated with default values and the user can modify the values of the fields. Once complete, the user can add the record to the data source.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

NEW QUESTION 108

HOTSPOT - (Topic 4)

You create a Power Automate cloud flow that runs when a user creates a Microsoft Dataverse lead record.

The cloud flow must update a custom score column on the lead record based on other column values. The flow must perform the following activities:

- Update the Microsoft Dataverse record.
- Evaluate whether the Microsoft Dataverse record should be updated. You need to configure the flow components.

Which components should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Component
Update the Microsoft Dataverse record.	<input type="text" value="Action"/> <ul style="list-style-type: none"> Action Trigger Function
Evaluate whether the Microsoft Dataverse record should be updated.	<input type="text" value="Condition"/> <ul style="list-style-type: none"> Action Condition Data operation

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement	Component
Update the Microsoft Dataverse record.	<input type="text" value="Action"/>
Evaluate whether the Microsoft Dataverse record should be updated.	<input type="text" value="Condition"/>

NEW QUESTION 109

HOTSPOT - (Topic 4)

A production line app maker at a manufacturing company creates a canvas app that looks for available inventory in a SQL database. The production line workers use the inventory app across all work centers.

The production line workers report the following app issues from the shop floor:

- ? The app reports a delegation warning.
- ? Voice command functionality is unreliable.

You have minimal information about the issues. You are not allowed to enter the production facility.

You need to troubleshoot the issues.

How should you troubleshoot the issues? To answer, select the appropriate options in the answer area.

Issue

Action

The app reports a delegation warning.	<input type="text" value="Use the LookUp function"/> <ul style="list-style-type: none"> Use the LookUp function Check the number of items in the collection Check the number of dataset items
Voice command functionality is unreliable.	<input type="text" value="Use the App checker/Runtime feature"/> <ul style="list-style-type: none"> Use the App checker/Runtime feature Use the Advanced Tools/Monitor feature Use the App checker/Accessibility feature Use Advanced Tools/Performance feature

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Check the number of items in the collection

If the data in your data source exceeds 500 records and a function can't be delegated, Power Apps might not be able to retrieve all of the data, and your app may have wrong results.

Note: Delegation is where the expressiveness of Power Apps formulas meets the need to minimize data moving over the network. In short, Power Apps will delegate the processing of data to the data source, rather than moving the data to the app for processing locally.

Box 2: Use the Advanced Tools/Monitor feature

Monitor is available by default for all canvas apps. Using Monitor, you can trace events as they occur in a canvas app during the authoring experience in Power Apps Studio, or you can use Monitor to debug the published version of a canvas app.

Example: Consider the scenario where an app has been deployed, and the initial version of the app experiences performance degradation. The app also intermittently generates errors with no clear pattern. Loading data in the app succeeds most of the time, but fails sometimes.

When you check Monitor, you see data operations as expected. However, you also see several responses that have HTTP status code 429, indicating that there have been too many requests in a specific timeframe.

NEW QUESTION 112

DRAG DROP - (Topic 4)
DRAG DROP

You develop Microsoft Power Platform solutions for Contoso, Ltd You create a Power Virtual Agents chatbot in a Microsoft Teams team. You need to make the chatbot available to all users in your organization.

Which three actions should you perform in sequence? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 113

HOTSPOT - (Topic 4)

A company is building a Power Apps app to track key project tasks.

Users assign three tasks a risk status on a scale of 0 to 100 by using slider input controls named RiskStatus on the app. The highest risks use the risk status value of 100.

If the combined value of all the tasks is 150 or above, a header bar on the screen must display the text HIGH RISK.

You need to configure a solution to change the text on the header bar.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Configuration
Where should you apply logic to change the text?	<ul style="list-style-type: none"> <input type="checkbox"/> On the header control. <input type="checkbox"/> On each RiskStatus slider input. <input type="checkbox"/> In the global variables of the Power Apps app. <input type="checkbox"/> On the OnStart property of the Power Apps app.
Which formula should you use?	<ul style="list-style-type: none"> <input type="checkbox"/> SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)>=150? "HIGH RISK" : "" <input type="checkbox"/> IF(SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)<150, "", HIGH RISK) <input type="checkbox"/> Updateif((RiskStatus1.value+RiskStatus2.value+RiskStatus3.value)>=150, "HIGH RISK") <input type="checkbox"/> UpdateContext(IF(RiskStatus1.value+RiskStatus2.value+RiskStatus3.value>=150), "HIGH RISK")

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: On each RiskStatus slider input
You can change the value based on input.

Box 2: Updateif(..)

Use the Updateif function to modify one or more values in one or more records that match one or more conditions. The condition can be any formula that results in a true or false and can reference columns of the data source by name. The function evaluates the condition for each record and modifies any record for which the result is true.

NEW QUESTION 117

DRAG DROP - (Topic 4)

You store data about products in two Microsoft Excel worksheets. The data contains duplicate rows.

You need to consolidate data from the two worksheets into a Microsoft Dataverse custom table.

In which order should you perform the actions? To answer, move all actions from the list of

Actions	Answer Area
Upload the worksheets to OneDrive	
Add conditional columns to perform checks on the data	
Create queries for the worksheets	
Append the output from the queries	
Create a dataflow	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Upload the worksheets to OneDrive

A data source needs to be specified. The data needs to be available. Step 2: Create a dataflow

Step 3: Create queries for the worksheets

You can shape your data selection into a form that works best for your table using a Power Query editing experience, similar to the Power Query Editor in Power BI Desktop.

Step 4: Add conditional columns to perform checks on the data Step 5: Append the output of the queries

NEW QUESTION 118

DRAG DROP - (Topic 4)

You use Microsoft Dynamics 365 Sales.

Business processes must use data from multiple applications. You need to implement the correct type of automation.

Which flow type should you use? To answer, drag the appropriate flow types to the correct application types. Each flow type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Flow Types	Answer Area						
cloud flow	<table border="1"> <thead> <tr> <th>Application Type</th> <th>Flow Type</th> </tr> </thead> <tbody> <tr> <td>Update a record after it was created as part of a sales process</td> <td></td> </tr> <tr> <td>Extract a list of prices from a competitor's website</td> <td></td> </tr> </tbody> </table>	Application Type	Flow Type	Update a record after it was created as part of a sales process		Extract a list of prices from a competitor's website	
Application Type	Flow Type						
Update a record after it was created as part of a sales process							
Extract a list of prices from a competitor's website							
desktop flow							
business process flow							

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Flow Types	Answer Area						
cloud flow	<table border="1"> <thead> <tr> <th>Application Type</th> <th>Flow Type</th> </tr> </thead> <tbody> <tr> <td>Update a record after it was created as part of a sales process</td> <td>business process flow</td> </tr> <tr> <td>Extract a list of prices from a competitor's website</td> <td>cloud flow</td> </tr> </tbody> </table>	Application Type	Flow Type	Update a record after it was created as part of a sales process	business process flow	Extract a list of prices from a competitor's website	cloud flow
Application Type	Flow Type						
Update a record after it was created as part of a sales process	business process flow						
Extract a list of prices from a competitor's website	cloud flow						
desktop flow							
business process flow							

NEW QUESTION 120

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents. The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD.

Proposed solution:

Create a custom rollup field of type currency on the country/region table that aggregates all the total amounts for the orders from that country/region and display this rollup field in a Power BI chart.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a calculated field.
Need to calculate the exchange rate in USD.
Calculated columns are calculated in real-time when they are retrieved. Reference:
<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 122

- (Topic 4)

A company delivers products to multiple communities. The company creates a canvas app connected to a Common Data Service database. The app tracks communities to see where Drivers must enter delivery information on a form that uses an entity named Delivery. Depot staff must enter information on a pick-up form that uses an entity named Pick-up. Each form contains a community field that is based on a shared list across both forms. You need to create the community field. Which type of field should you create?

- A. local option set
- B. text
- C. global option set
- D. text area

Answer: C

Explanation:

Can use a global option set, no need to use localized option sets.

Note: In PowerApps Option set is one of the field types you can use in your Entity. The information type that Option Set stores is a list of text values. And here comes the Option Set advantage – once you define its text values you can centrally managed it. Reference:
<https://powerapps.microsoft.com/en-us/blog/option-sets-and-many-to-many-relationships-for-canvas-apps/>

NEW QUESTION 123

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a

A company has locations in multiple countries and regions across four continents. The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD.

Proposed solution: Create a model-driven chart on the country/region table that aggregates the total amount of the orders by country/region.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 128

- (Topic 4)

You are creating a canvas app for a company that delivers packages. The app will display one screen for each delivery attempt.

Drivers must make three attempts to deliver a package before returning the package back to a warehouse. Drivers must enter details about delivery on a second screen in the app.

You need to display a list of delivery attempts on the delivery screen.

Which two components can you add to the app to display details about the delivery attempts? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Data table
- B. Vertical gallery
- C. Display form
- D. Drop-down

Answer: AC

Explanation:

The Data table control shows a dataset.

In a canvas app, add and configure a Display form control to show all fields in a record. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-data-table> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-form-layout>

NEW QUESTION 129

- (Topic 4)

You create a canvas app that uses the following resources:

- Power Automate cloud flow
- Custom connector
- Microsoft Dataverse customization
- Connection

You need to export the app as a package to move the app to a different environment. Which resource type will be exported with the app?

- A. Custom connector
- B. Connection
- C. Microsoft Dataverse customization
- D. Power Automate cloud flow

Answer: D

NEW QUESTION 133

DRAG DROP - (Topic 4)

You have an existing Power Apps environment.

You need to create a Common Data Service database for the environment.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer Area
Select Create my database		
Configure currency and language settings		
Configure database collation settings	➤	⬆
Set the environment type to Production	⬅	⬇
Select an existing environment		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Select an existing environment Add a database in the admin center:

- * 1. In the admin center, in the left navigation pane, select Environments.
- * 2. Select the environment to which you want to add the database.

Step 2: Select Create my database

- * 3. Select + Add database

Step 3: Configure currency and language settings

- * 4. Enter the following, and then select Add.

Setting	Description
Language	The default language for this environment.
Currency	The base currency used for reporting.
Enable Dynamics 365 apps	Select Yes and make a selection to automatically deploy apps such as Dynamics 365 Sales and Dynamics 365 Customer Service.
Deploy sample apps and data	Select Yes to include sample apps and data. Sample data gives you something to experiment with as you learn. You must select No for Enable Dynamics 365 apps for this setting to appear.
Security group	Select a security group to restrict access to this environment.

NEW QUESTION 135

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

- ? Create an Object Detection custom model in AI Builder.
- ? Train the model with pictures of bicycles and then publish the trained model.

? Add the Object Detector control to your canvas app.
Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

To train an object detection model to recognize your objects, you have to gather images that contain those objects. The first thing you'll do when you create an AI Builder object detection model is to define its domain.

Upload images

Then Train and publish your object detection model

The object detector component takes a photo or loads an image file to do an object detection scan. On a mobile device, the user chooses between taking a photo or selecting one already available in the device user interface. When an image is selected, the component automatically scans it to identify objects.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview> <https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

NEW QUESTION 139

- (Topic 4)

A company uses data loss prevention (DLP) policies. You have a Power Automate flow that posts Twitter mentions into a Microsoft SharePoint list.

You are not able to activate the flow. You need to troubleshoot the issue.

What are two possible reasons why you cannot activate the flow? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. You are not assigned the Power Platform Admin role.
- B. You placed all connectors into the Business group within the DLP policy.
- C. You placed all connectors into the Non-Business group within the DLP policy.
- D. You are not assigned the Environment Admin role.

Answer: BD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/wp-data-loss-prevention>

NEW QUESTION 144

- (Topic 4)

You are creating an app for a company. You need to evaluate the default solution.

Which two behaviors should you expect from the default solution? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. You can change the prefix of the publisher of the default solution
- B. If you create a Power Automate flow in a solution, the flow uses the prefix defined in the publisher in the publisher
- C. You can change the version number of the default solution

Answer: AC

Explanation:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/use-solutions-for-your-customizations?view=op-9-1>

NEW QUESTION 147

DRAG DROP - (Topic 4)

You plan to create apps for a company.

You need to identify the Power Platform tools required.

What should you use? To answer, drag the appropriate tools to the correct requirements. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tools	Requirement	Tool
Power Virtual Agents bot	Create an app with a customized user interface that allows users to quickly create support tickets.	Tool
Power Automate	Create an app that uses a guided business process to navigate through all records associated with a support ticket.	Tool
Canvas app	Send an email to a customer support manager every time a support ticket is created.	Tool
Model-driven app	Create an automated chat tool that guides a customer through the support ticket creation process.	Tool

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Canvas App

Box 2: Model-driven app

Model-driven app design is a component-focused approach to app development. Model-driven app design doesn't require code and the apps you make can be

simple or very complex. Unlike canvas app development where the designer has complete control over app layout, with model-driven apps much of the layout is determined for you and largely designated by the components you add to the app.

Box 3: Power Automate

Power Automate is a service that helps you create automated workflows between your favorite apps and services to synchronize files, get notifications, collect data, and more.

Box 4: Power Virtual Agents bot

When you create bots with Power Virtual Agents, you author and edit topics.

NEW QUESTION 148

HOTSPOT - (Topic 4)

A company uses Microsoft Power Platform. The company categorizes customers into Specialty shop, Grocery store, Wholesaler, and Seasonal market groups by using a custom choice type column.

The staff uses a model-driven app with an interactive dashboard that displays all customer

You must update the app to provide the following functionality:

- Display selected customers by type in the interactive dashboard.
- Search for customers across multiple tables by postal code by entering any number of characters.

You need to configure the system.

Which configuration options should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Configuration
Display customers by type.	<ul style="list-style-type: none"> Enable sync with global choice. Enable the global filter. Enable the searchable property. Enable sync with global choice. Enable the sortable property.
Search by postal code.	<ul style="list-style-type: none"> Enable the searchable property. Find by setting in quick find. Filter by setting in quick find. Enable the searchable property. Enable the global filter on the postal code.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement	Configuration
Display customers by type.	<ul style="list-style-type: none"> Enable sync with global choice. Enable the global filter. Enable the searchable property. Enable sync with global choice. Enable the sortable property.
Search by postal code.	<ul style="list-style-type: none"> Enable the searchable property. Find by setting in quick find. Filter by setting in quick find. Enable the searchable property. Enable the global filter on the postal code.

NEW QUESTION 152

- (Topic 4)

You have a Power Platform solution that uses Common Data Service. You need to secure all fields that support field-level security.

Which field can you secure?

- A. createdon
- B. accountid
- C. owninguser
- D. cr7b_accountid

Answer: D

Explanation:

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security.

ownerid, processid, stageid, accountid, contactid createdby, modifiedby, OwingTeam, OwingUser createdon, EntityImage_Timestamp, modifiedon, OnHoldTime, overriddencreatedon statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 156

- (Topic 4)

A company is using Power Virtual Agents in Microsoft Teams to expose Microsoft Dataverse data to employees.

You create a chatbot that retrieves a list of customers by postal code from a Dataverse table. The chatbot will accept requests from a user and must connect to Dataverse to retrieve the data.

You need to connect the chatbot to the Dataverse table. What should you use?

- A. Table
- B. Power Apps
- C. Microsoft Teams
- D. Power Virtual Agents
- E. Power Automate

Answer: C

Explanation:

Dataverse for Teams is the "lite" version of Dataverse. It is a low-code platform designed to build relatively simple (but still powerful) apps, using a user-friendly interface and remaining within Microsoft Teams. This new update means that users now have the possibility to create Power Apps apps, Power Automate flows and Power Virtual Agents bots without leaving the Teams platform.

Reference:

<https://docs.microsoft.com/en-us/learn/paths/work-power-platform-teams/>

<https://docs.microsoft.com/en-us/learn/modules/create-chatbot-power-virtual-agents-dataverse-teams/5-call-action-pull-data>

NEW QUESTION 159

- (Topic 4)

A company stores financial files in Microsoft SharePoint document libraries. When a user uploads a new file, the user's manager must approve the request. You need to design a cloud flow to meet The requirement.

Which three actions should you use? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. When a file is created trigger
- B. Get direct reports action
- C. Wait for an approval action
- D. When an item or a file is modified trigger
- E. When an item is created trigger
- F. Assign manager action
- G. Start and wait for an approval action
- H. Get manager action

Answer: AFG

NEW QUESTION 163

- (Topic 4)

You create a Power Platform solution. Solution data is stored in a variety of documented cloud services.

You need to configure the data sources. What should you do?

- A. Create a data gateway.
- B. Use a content pack.
- C. Create a custom data connector.
- D. Add metadata to standard entities.

Answer: B

Explanation:

Common Data Model is built upon a rich and extensible metadata definition system that enables you to describe and share your own semantically enhanced data types and structured tags, capturing valuable business insight which can be integrated and enriched with heterogeneous data to deliver actionable intelligence. Common Data Model can be used by various applications and services including Microsoft Dataverse, Dynamics 365, Microsoft Power Platform, and Azure ensuring that all of your services can access the same data.

Note: A wide variety of applications and services can easily access data in a data lake, however, each consumer must understand the format and meaning of the data before it can provide value. The Common Data Model simplifies this process by providing a metadata system that describes the data and standard entities to which producers can map.

Reference:

<https://docs.microsoft.com/en-us/common-data-model/use>

NEW QUESTION 166

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up.

Proposed solution: Create a Power Automate flow with conditions that use entered data as default data.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed. Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft-flow/automated-parity-classic-common-data-service-workflows>

NEW QUESTION 170

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.

Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.

You need to ensure that users can scan packing slip information into the form. Proposed solution: Use a Key Phrase Extraction model.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The key phrase extraction prebuilt model identifies the main points in a text document.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-key-phrase>

NEW QUESTION 173

- (Topic 4)

You are creating a canvas app.

A small amount of tabular data must be available only to the app. The data must be available before user inter action.

You need to create the data source for this data. What should you do?

- A. Use a formula to populate a table when the app starts.
- B. Use the Excel Online connector to retrieve the data.
- C. Create a Microsoft Dataverse table and use the Microsoft Dataverse connector.
- D. Read the data from a file on the device.

Answer: B

NEW QUESTION 176

- (Topic 4)

You create an automated flow by using Power Automate. The flow appears under My Flows and is connected to the development environment. The development environment has a solution to move components into a production environment.

You need to ensure that you can transfer the flow to another environment. What should you do?

- A. Add the flow to the default solution of the development environment and export as a managed solution.
- B. Change the environment for the flow.
- C. Add the flow to the existing solution.
- D. Add the flow to the default solution of the production environment.

Answer: A

Explanation:

It is very normal for a developer to build the power automate in one environment and then export that automate & import it to another destination environment. Exporting our Solution
After validating our flows work in our test environment, we now want to promote it to our production environment. We can export our solution by finding it in our Solutions experience, clicking on the ..., selecting Export.
Reference:
<https://flow.microsoft.com/en-us/blog/solutions-in-microsoft-flow/>

NEW QUESTION 178

DRAG DROP - (Topic 4)

You are designing a canvas app that will be used by all users including users who have
Which outcome is achieved by each action? To answer, drag the appropriate outcomes to the correct actions. Each outcome may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Outcomes	Action	Outcome
Not visible to any users	Set the values for the X and Y properties of a control to move the control off-screen.	Outcome
Visible to sighted users only	Set the Color and other related properties of a control to transparent.	Outcome
Visible to screen-reader users only	Set the Height and Width properties of a control to 1.	Outcome
Visible to both sighted and screen-reader users		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Outcomes	Action	Outcome
Not visible to any users	Set the values for the X and Y properties of a control to move the control off-screen.	Visible to sighted users only
Visible to sighted users only	Set the Color and other related properties of a control to transparent.	Visible to screen-reader users only
Visible to screen-reader users only	Set the Height and Width properties of a control to 1.	Not visible to any users
Visible to both sighted and screen-reader users		

NEW QUESTION 180

- (Topic 4)

A company uses Microsoft Teams. A coworker creates a chatbot. The coworker observes unexpected behavior with the chatbot. You need to troubleshoot the chatbot.
Which two actions should you recommend to the coworker? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. Ask the coworker to assign you to the owner role for the team.
- B. In Advanced tools, select Monitor.
- C. Ask the coworker to add you to their team.
- D. Select the chatbot and then select the Share button.

Answer: AB

NEW QUESTION 185

- (Topic 4)

DRAG DROP

A company uses Power Apps and Microsoft Dataverse.
The company has three solutions that you must move to a target environment:

- One solution is created for security roles. You must be able to add roles to the solution in the target environment
- One solution is created for table additions and modifications. Table structures must be updated in the solution in the target environment.
- One solution is for customizations. The custom actions must not be modified in the solution in the target environment

 You need to create the solutions.
Which type of solutions should you create? To answer, drag the appropriate solutions to the correct requirements- Each solution may be used once, more than once, or not at all You may need to drag the split bar between panes or scroll to view content.

Solutions	Requirement	Solution
Unmanaged	Security roles	
Managed	Tables	
	Customizations	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The screenshot shows a Power Apps interface. On the left, under 'Solutions', there are two buttons: 'Unmanaged' and 'Managed'. On the right, under 'Answer Area', there are two columns: 'Requirement' and 'Solution'. The 'Requirement' column has three items: 'Security roles', 'Tables', and 'Customizations'. The 'Solution' column has three items: 'Unmanaged', 'Unmanaged', and 'Managed'. The 'Unmanaged' and 'Managed' items in the 'Solution' column are highlighted with a red dashed border.

NEW QUESTION 189

- (Topic 4)

You are developing a canvas app to monitor time. The app includes a Text Input control named TIC1 and a Timer control named TIM1. You need to set TIM1 to a default value. What should you do?

- A. In the OnChange property of TIC1, set the value of the Text property for TIC1 to a context variable that stores the duration value.
- B. Assign the value of the variable to the OnTimerStart property for TIM1.
- C. Assign the Text property of TIC1 to the Duration property of TIM1.
- D. Assign the Text property of TIC1 to the OnSelect property of a TIM1.
- E. Write code in the OnChange property of TIC1 that assigns the value of the Duration property of the Timer control to Text property of the TIC1. In the OnChange property of TIC1, assign the value to the Duration property for TIM1.

Answer: C

Explanation:

The OnTimerStart, OnTimerEnd and OnSelect are the configurations where you can add your code.

Reference:

<https://sharepains.com/2019/08/22/all-about-timers-in-powerapps/>

NEW QUESTION 191

DRAG DROP - (Topic 4)

You are configuring a new Common Data Service environment by using the Power Apps Maker portal.

You need to create an entity that uses the prefix xyz.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

The screenshot shows a Power Apps interface. On the left, under 'Actions', there are five buttons: 'Create an entity in the new solution.', 'Enter the entity Display Name and use the existing prefix.', 'Add a new solution.', 'Enter the entity Display Name and modify the prefix to xyz.', and 'Add a new publisher with the prefix xyz.'. On the right, under 'Answer Area', there are five empty slots for actions.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The screenshot shows a Power Apps interface. On the left, under 'Actions', there are five buttons: 'Create an entity in the new solution.', 'Enter the entity Display Name and use the existing prefix.', 'Add a new solution.', 'Enter the entity Display Name and modify the prefix to xyz.', and 'Add a new publisher with the prefix xyz.'. On the right, under 'Answer Area', there are five slots. The first slot contains 'Add a new publisher with the prefix xyz.', the second slot contains 'Add a new solution.', the third slot contains 'Create an entity in the new solution.', and the fourth slot contains 'Enter the entity Display Name and modify the prefix to xyz.'. The fifth slot is empty.

NEW QUESTION 192

HOTSPOT - (Topic 4)


You are developing an app for a package delivery company. Delivery team members will use the app on their phones. Distribution center team members will use a web-based version of the app that runs on tablet devices.

When a delivery person arrives at a location and the package recipient is present, the app must capture the recipient's signature. If the recipient is not available, the app must capture a picture of the drop-off location or the person receiving the package.

You need to design phone-based and web-based versions of the app.

Which app type and media control should you use? To answer, configure the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

App Type: Screens

To insert the Camera control in your PowerApps program you can use the blank screen, and select Insert->Media->Camera.

Media Type: Camera

Use the Camera control to capture pictures with a device's camera. The device must have a camera and the user must authorize the app to use the camera.

Tap or select the camera control to capture a picture from the camera.

The most recently captured picture is available through the Photo property. With this property, the images can be:

- ? Viewed with the Image control. Use the Image control to view the captured image.
- ? Temporarily put in a variable or a collection.
- ? Stored in a database.
- ? Transmitted as a base64 encoded text string.

NEW QUESTION 194

DRAG DROP - (Topic 4)

DRAG DROP

You are Designing a Power Virtual Agents chatbot in Microsoft Teams. You create an outline to describe how a conversation should be structured.

You need to configure the chatbot.

Which chatbot component should you use? To answer, drag the appropriate components to the correct conversation elements. Each component may be used once, more than once, or not at all. You may need to drag the spirit bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components	Answer Area	Conversation element	Component
<div style="border: 1px solid gray; padding: 2px; margin-bottom: 5px;">Topic</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 5px;">Trigger phrase</div> <div style="border: 1px solid gray; padding: 2px;">Conversation node</div>	<div style="border-left: 1px solid gray; border-right: 1px solid gray; border-bottom: 1px solid gray; height: 100px; width: 100px; margin: 0 auto;"></div>	<p>A user enters the following text in the chatbot: What is the weather?</p> <p>The chatbot responds: Where do you live?</p>	<div style="border: 1px solid gray; width: 100px; height: 20px; margin-bottom: 5px;"></div> <div style="border: 1px solid gray; width: 100px; height: 20px;"></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Components	Answer Area	Conversation element	Component
<div style="border: 2px dashed green; padding: 2px; margin-bottom: 5px;">Topic</div> <div style="border: 2px dashed green; padding: 2px; margin-bottom: 5px;">Trigger phrase</div> <div style="border: 2px dashed green; padding: 2px;">Conversation node</div>	<div style="border-left: 1px solid gray; border-right: 1px solid gray; border-bottom: 1px solid gray; height: 100px; width: 100px; margin: 0 auto;"></div>	<p>A user enters the following text in the chatbot: What is the weather?</p> <p>The chatbot responds: Where do you live?</p>	<div style="border: 2px dashed red; padding: 2px; margin-bottom: 5px;">Topic</div> <div style="border: 1px solid gray; padding: 2px;">Conversation node</div>

NEW QUESTION 198

- (Topic 4)

You create a canvas app named Hardware Order that suggests computer hardware to customers.

A value must be entered for the EmployeeID field when creating a new order if the value in the OrderType field does not contain the prefix test.

You need to configure the business rule.

Which two actions should you perform? Each correct answer presents part of the complete solution.

NOTE: Each correct selection is worth one point.

- A. Set the scope of the business rule to Entity.
- B. Add a Recommendation action and configure it to enter the order type.
- C. Set the scope of the business rule to All Forms.
- D. Use the following condition expression:(OrderType Does not begin with [test]) AND (Modified By Does not contain data)

Answer: AD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

NEW QUESTION 199

- (Topic 4)

You create a personal view.

You need to ensure that other users can access the view. What should you do?

- A. Email the users a link to the view.
- B. Set the view as the default view.
- C. Share the view with the users.
- D. Assign the view to the users.

Answer: C

NEW QUESTION 204

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up.

Proposed solution: Create a custom action that has defined dataflows.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed. Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft-flow/automated-parity-classic-common-data-service-workflows>

NEW QUESTION 206

- (Topic 4)

You are creating an employee directory canvas app. The app must display name, address, and a photo of each employee. You need to select a control type that will display the

- A. Address input
- B. List box
- C. Gallery
- D. Data table

Answer: C

NEW QUESTION 210

HOTSPOT - (Topic 4)

A company is building a Power Apps app to track key project tasks.

Users assign tasks a risk status on a scale of 0 to 100 by using a slider input control named RiskStatus on the app. The highest risks use the risk status value of 100.

For each task, the user selects a button named RiskLevel to send the name of the task and RiskStatus number to key project stakeholders. The color of the button must change to the color listed in the following table based on the value of the RiskStatus control. The default color for the button is green.

RiskStatus slider value	Risk description	RiskLevel button color
0–50	No/Low risk	Green
51–100	High risk	Red

You need to configure the solution to change the color of the RiskLevel button.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Question

Response

Where do you enter the formula to change the button color?

▼

On the RiskStatus slider.

On the RiskLevel button.

In the variables of the Power Apps app.

On the OnStart property of the Power Apps app.

Which formula should you use?

▼

If (RiskStatus.Value > 75) (return Red;)

If (RiskStatus.Value > 75, Red, Green)

If (RiskStatus.Value > 75 ? Red : Green)

RiskLevel.Fill = RiskStatus.Value > 75 ? Red : Green;

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: On the RiskLevel button.

On the RiskLevel button fill property.

Box 2: Risklevel.Fill = RiskStatus.Value > 75 ? Red : Green;

Most every type of control in a Power App, has a Fill property, for the fill color.

NEW QUESTION 212

DRAG DROP - (Topic 4)

DRAG DROP

A company uses Power Automate. You manage two cloud flows named A and B. Users must perform the following activities:

- Manage the properties of cloud flow A.
- Manually trigger cloud flow B

You need to set up privileges for the business users by using the principle of least privilege Which privilege types should you grant for each activity? To answer, drag the appropriate privilege types to the correct activities. Each privilege type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Note: Each correct selection is worth one point.

Privilege types

- Microsoft Power Platform Admin
- Co-owner
- Run-only

Answer Area

Activity	Privilege type
Manage the properties of cloud flow A.	
Manually trigger cloud flow B.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Privilege types

- Microsoft Power Platform Admin
- Co-owner
- Run-only

Answer Area

Activity	Privilege type
Manage the properties of cloud flow A.	Co-owner
Manually trigger cloud flow B.	Run-only

NEW QUESTION 214

HOTSPOT - (Topic 4)

A company is creating new app for use by technicians. Previous versions of the app do not render properly on tablets and phones. You need to ensure that the new app renders properly on all devices. Which design element should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Requirement

Design element

Create an app that does not specify a screen size in the design

	▼
Phone form factor	
Tablet form factor	
Blank canvas app	
Model-driven app	

Lock the screen size for an app that needs to be set to a specific resolution


	▼
Aspect ratio	
Orientation	
Image positioning	
Display mode	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- Box 1: Tablet form factor
- Box 2: Aspect version
- Customize a canvas app by changing its screen size.
- ? Sign in to Power Apps.
- ? Open the app to edit.
- ? Select Settings.
- ? Select Display.
- ? (Tablet apps only) Under Aspect ratio, perform either of these steps:
- ? Select the ratio that matches the target device for this app.
- ? Select Custom to set your own size, and then specify a width between 50 - 3840 and a height between 50 - 2160.



NEW QUESTION 218
- (Topic 4)

You are creating a multi-page canvas app that loads tabular data from an external data source. Once loaded, the data must be available to all screens within the canvas app. You need to reduce the number of times that the app must retrieve data from the data source. Which two data stores can you use? Each correct answer presents a complete solution.
NOTE: Each correct selection is worth one point.

- A. parameter
- B. collection
- C. environment variable

Answer: CD

Explanation:

Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-data-sources>

NEW QUESTION 220

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents. The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD.

Proposed solution:

Create a custom calculated field of type currency on the order table that converts the order total to USD and displays the total amounts by region in a Power BI chart.

Does the solution meet the goal?

- A. Yes

Answer: A

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 225

DRAG DROP - (Topic 4)

The company is adding a multi-stream interactive dashboard to a model-driven app.

The company requires configuration of the dashboard to filter the table data based on modified accounts over the last month.

You need to configure the filters for the model-driven app dashboard.

Which configuration should you use? To answer, drag the appropriate locations to the correct requirements. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Configurations	Answer Area	
	Requirement	Configuration
Filter by	Configure visual filter attributes that the dashboard can use.	
Table view	Configure the field that the dashboard uses to filter the table data monthly.	
Filter table		
Time frame		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Filter table

Filter Table: The visual filters and global filter attributes are based on this table.

Box 2: Filter By

Filter By: The column that the time frame filter applies to.

NEW QUESTION 227

- (Topic 4)

You are designing an interactive report for a model-driven app. The report will use more than five million records. The query that retrieves data for the report requires more than five minutes to complete.

You need to create the report. Which option should you use?

- A. Interactive dashboard
- B. Power BI
- C. Standard dashboard

Answer: B

NEW QUESTION 231

- (Topic 4)

A company uses a canvas app to encourage employees to take reading breaks during their work schedule. The reading breaks are created automatically as Outlook tasks in the employees Outlook app. The app must trigger a Power Automate cloud flow when specific data is captured in the canvas app. You need to create and configure the flow. Which flow step should you configure first?

- A. Flow button for mobile
- B. Power Apps step with trigger conditions
- C. New Microsoft Outlook task
- D. Condition step

Answer: A

NEW QUESTION 232

DRAG DROP - (Topic 4)

DRAG DROP

You are designing several new Microsoft Power Platform apps for a company. You have the following requirements:

All apps must be able to run from the Power Apps mobile app.

You need to determine which app type to create for each department.

Which app type should you use? To answer, drag the appropriate app types to the correct departments. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 236

- (Topic 4)

A company is using Microsoft Power Platform and Microsoft Teams to approve work contracts.

A manager must view all approved contracts in the past year that the company sent or received. The manager must approve any pending contracts. The solution must minimize effort.

You need to recommend a solution for the company. What should you recommend?

- A. Create a Microsoft Teams team with a tab that exposes all approvals.
- B. Install the Microsoft Teams approvals app.
- C. Embed a Power Apps app within a Microsoft Teams channel.
- D. Create a Power BI dashboard that includes all approval requests.
- E. Embed a SharePoint list into a Microsoft Teams channel.

Answer: B

NEW QUESTION 241

HOTSPOT - (Topic 4)

An administrator plans to create and deploy dashboards for use only by sales associates. The dashboards will display the current sales pipeline, open cases, recent major wins, and key opportunities by postal code.

Sales associates must be able to act on the specific data displayed in dashboards. You need to create the dashboards.

Which type of dashboards should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Type of dashboard
Ensure that all sales associates can view the dashboard.	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">User</div> <div style="border-bottom: 1px solid black; padding: 2px;">System</div> </div>
Ensure that sales associates can interact with data from the dashboards.	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">Standard</div> <div style="border-bottom: 1px solid black; padding: 2px;">Multi-stream</div> <div style="border-bottom: 1px solid black; padding: 2px;">Single-stream</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: User

Type of dashboard: If you want your dashboards to be available across the organization and do not want to manage the access levels at a more detailed level, you might want to create an organization-owned dashboard. However, if you are concerned about the access privileges and security of your dashboard, consider creating a user-owned dashboard where you have more control on who can access it.

Box 2: Single-stream

The single-stream dashboards display real-time data over one stream based on an entity view or queue. The single-stream dashboards are typically helpful to Tier 2 service leads or managers, who monitor fewer, but more complex or escalated cases.

NEW QUESTION 244

- (Topic 4)

You use a Microsoft SharePoint list to record information about customers.

You must perform a series of actions only when a new item is added to a SharePoint list. You need to configure a Power Automate flow. Which trigger should you use?

- A. When an item is created
- B. When an item is created or modified
- C. When a file is created (properties only)
- D. For a selected item

Answer: A

Explanation:

Trigger - When an item is created Triggers when an item is created.

MS Flow will trigger when an item is created in the list. It will return all list item properties which can be used in the Flow.

Reference:

<https://www.c-sharpcorner.com/article/sharepoint-based-triggers-in-ms-flow-part-2/>

NEW QUESTION 248

DRAG DROP - (Topic 4)

You have a model-driven app that has an entity named Marinas. You have an entity named Boats that list the boats associated with each marina.

You must add a list of boats to the Marinas form. You must also add an option for users to select different views including boat owners and marina members.

You need to embed the list of boats associated with a Marina record in the entity form.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Add a Subgrid component to a form	
Select Show related records and then select the related entity and default view for the subgrid	<div style="display: flex; align-items: center; justify-content: center;"> <div style="margin-right: 10px;">➤</div> <div style="border: 1px solid black; border-radius: 50%; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">⬆</div> </div>
Save and publish the form	<div style="display: flex; align-items: center; justify-content: center;"> <div style="margin-right: 10px;">⬅</div> <div style="border: 1px solid black; border-radius: 50%; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">⬇</div> </div>
Select the Allow users to change view option	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Add a Subgrid component to a form

You add a subgrid component the same way as you add any other component.

Step 2: Select Show related records and then select the related entity and default view for the subgrid

Configure a subgrid component.

Properties available to configure when using a subgrid component on a form using the form designer include:

? Show related rows

When selected, the subgrid displays only rows related to the current row that is displayed on the form.

Step 3: Select the Allow users to change view option

Configure a subgrid component. Properties available to configure when using a subgrid component on a form using the form designer include:

? Allow users to change view

When selected, app users can change from the Default view to another view of the table

selected in the Table property. Step 4: Save and publish the form

NEW QUESTION 253

- (Topic 4)

A clothing retailer is creating a Power Virtual Agents chatbot in Microsoft Teams. The chatbot will use Microsoft Dataverse for Teams to provide sales metrics by store.

A user wants to be able to ask the chatbot to see all the sales for pants.

You need to configure the chatbot to provide sales data for pants even when a user enters the terms jeans, slacks, or trousers.

Which chatbot component should you use?

- A. Skills
- B. Tables
- C. Topics
- D. Supported languages
- E. Entities

Answer: E

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-entities-slot-filling>

NEW QUESTION 256

- (Topic 4)

A company has 500 vendor records stored in a SQL table. Each record contains the

team wants to view the vendor records by using Power Apps. The team must be able to change the list results by applying filters. You need to display the vendor records in a canvas app. Which control should you use?

- A. Text
- B. Form
- C. Chart
- D. Gallery

Answer: D

NEW QUESTION 261

- (Topic 4)

You are creating a canvas app.

You need to store and retrieve small amounts of data on a local device when the app is offline.

Which set of functions should you use?

- A. SaveData, LoadData
- B. Set, Patch
- C. Patch, Collect
- D. Set, Collect

Answer: A

Explanation:

LoadData and SaveData combine to form a simple mechanism to store small amounts of data on a local device. By using these functions, you can add simple offline capabilities to your app. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/offline-apps>

NEW QUESTION 266

HOTSPOT - (Topic 4)

You are creating a capacity planning dashboard with Power BI desktop.

The dashboard must be able to be used within a model-driven manufacturing planning app as well as be embedded within a Microsoft Teams channel.

The data sources are as follows:

You need to determine the appropriate method for accomplishing each task.

Which methods should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Task	Method
Connect to the ERP system.	<ul style="list-style-type: none"> Use a Data Gateway Use a Custom Connector Use a Service Content Pack
Create the relationship between the employee file and the work estimates.	<ul style="list-style-type: none"> Create a composite model Create an aggregated table Create entity relationships in the CDS Solution Explorer
Create calculations for work remaining, remaining budget.	<ul style="list-style-type: none"> Create a Data Analysis Expressions formula Create an aggregated table Create a modeling view

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Use a Date Gateway

You can install an on-premises data gateway on the same local computer as SQL Server (in production, it would typically be a different computer).

Box 2: Create an entity relationship in CDS Solution Explorer You can create relationships with CDS Solution Explorer.

Box 3: Create an aggregate table

Rollup columns help users obtain insights into data by monitoring key business metrics. A rollup column contains an aggregate value computed over the rows related to a specified row. This includes regular tables and activity tables such as emails and appointments.

NEW QUESTION 268

- (Topic 4)

A company has hundreds of warehouses. You are developing an app for the shipping department at the company. The app must be able to provide the warehouse address for shipments. You need to create the warehouse field on the app form. Which field type should you use?

- A. Chores
- B. Choice
- C. Text
- D. Lookup

Answer: D

NEW QUESTION 269

- (Topic 4)

You create and publish a canvas app component library to perform complex calculations.

You discover an error in one of the calculations. You correct the issue and publish the canvas app.

You need to ensure that the co-worker uses the updated version of the component library.

What should you do?


- A. Export the updated component library and instruct the co-worker to import the updated version into the canvas app
- B. Inform the co-worker to edit the canvas app and manually add the updated version of the component library
- C. Instruct the co-worker to edit the canvas app and update the component library

Answer: C

Explanation:

You can modify an existing component library and save any changes with additional version notes. However, the updated component library version must be published for use in existing apps that use the component library.

Makers of other apps are notified of updated components being available. The notification appears when makers edit the apps in canvas app studio. They can choose to update the components:



Select Review, and you'll see the option to update the component:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 271

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your PL-100 Exam with Our Prep Materials Via below:

<https://www.certleader.com/PL-100-dumps.html>