

Amazon

Exam Questions AWS-Certified-DevOps-Engineer-Professional

Amazon AWS Certified DevOps Engineer Professional



NEW QUESTION 1

Fill the blanks: helps us track AWS API calls and transitions, helps to understand what resources we have now, and allows auditing credentials and logins.

- A. AWS Config, CloudTrail, IAM Credential Reports
- B. CloudTrail, IAM Credential Reports, AWS Config
- C. CloudTrail, AWS Config, IAM Credential Reports
- D. AWS Config, IAM Credential Reports, CloudTrail

Answer: C

Explanation:

You can use AWS CloudTrail to get a history of AWS API calls and related events for your account. This includes calls made by using the AWS Management Console, AWS SDKs, command line tools, and higher-level AWS services.

Reference: <http://docs.aws.amazon.com/awscloudtrail/latest/userguide/cloudtrail-user-guide.html>

NEW QUESTION 2

When thinking of AWS Elastic Beanstalk, the 'Swap Environment URLs' feature most directly aids in what?

- A. Immutable Rolling Deployments
- B. Mutable Rolling Deployments
- C. Canary Deployments
- D. Blue-Green Deployments

Answer: D

Explanation:

Simply upload the new version of your application and let your deployment service (AWS Elastic Beanstalk, AWS CloudFormation, or AWS OpsWorks) deploy a new version (green). To cut over to the new version, you simply replace the ELB URLs in your DNS records. Elastic Beanstalk has a Swap Environment URLs feature to facilitate a simpler cutover process.

Reference: <https://d0.awsstatic.com/whitepapers/overview-of-deployment-options-on-aws.pdf>

NEW QUESTION 3

You are designing a service that aggregates clickstream data in batch and delivers reports to subscribers via email only once per week. Data is extremely spikey, geographically distributed, high-scale, and unpredictable. How should you design this system?

- A. Use a large RedShift cluster to perform the analysis, and a fleet of Lambdas to perform record inserts into the RedShift table
- B. Lambda will scale rapidly enough for the traffic spikes.
- C. Use a CloudFront distribution with access log delivery to S3. Clicks should be recorded as querystring GETs to the distributio
- D. Reports are built and sent by periodically running EMR jobs over the access logs in S3.
- E. Use API Gateway invoking Lambdas which PutRecords into Kinesis, and EMR running Spark performing GetRecords on Kinesis to scale with spike
- F. Spark on EMR outputs the analysis to S3, which are sent out via email.
- G. Use AWS Elasticsearch service and EC2 Auto Scaling group
- H. The Autoscaling groups scale based on click throughput and stream into the Elasticsearch domain, which is also scalabl
- I. Use Kibana to generate reports periodically.

Answer: B

Explanation:

Because you only need to batch analyze, anything using streaming is a waste of money. CloudFront is a Gigabit-Scale HTTP(S) global request distribution service, so it can handle scale, geo-spread, spikes, and unpredictability. The Access Logs will contain the GET data and work just fine for batch analysis and email using EMR.

Can I use Amazon CloudFront if I expect usage peaks higher than 10 Gbps or 15,000 RPS? Yes. Complete our request for higher limits here, and we will add more capacity to your account within two business days.

Reference: <https://aws.amazon.com/Cloudfront/faqs/>

NEW QUESTION 4

For AWS Auto Scaling, what is the first transition state an instance enters after leaving steady state when scaling in due to health check failure or decreased load?

- A. Terminating
- B. Detaching
- C. Terminating:Wait
- D. EnteringStandby

Answer: A

Explanation:

When Auto Scaling responds to a scale in event, it terminates one or more instances. These instances are detached from the Auto Scaling group and enter the Terminating state.

Reference: <http://docs.aws.amazon.com/AutoScaling/latest/DeveloperGuide/AutoScalingGroupLifecycle.html>

NEW QUESTION 5

You are hired as the new head of operations for a SaaS company. Your CTO has asked you to make debugging any part of your entire operation simpler and as fast as possible. She complains that she has no idea what is going on in the complex, service-oriented architecture, because the developers just log to disk, and it's very hard to find errors in logs on so many services. How can you best meet this requirement and satisfy your CTO?

- A. Copy all log files into AWS S3 using a cron job on each instanc
- B. Use an S3 Notification Configuration on the `PutBucket` event and publish events to AWS Lambd

- C. Use the Lambda to analyze logs as soon as they come in and flag issues.
- D. Begin using CloudWatch Logs on every service
- E. Stream all Log Groups into S3 object
- F. Use AWS EMR clusterjobs to perform ad-hoc MapReduce analysis and write new queries when needed.
- G. Copy all log files into AWS S3 using a cron job on each instance
- H. Use an S3 Notification Configuration on the `PutBucket` event and publish events to AWS Kinesis
- I. Use Apache Spark on AWS EMR to perform at-scale stream processing queries on the log chunks and flag issues.
- J. Begin using CloudWatch Logs on every service
- K. Stream all Log Groups into an AWS Elasticsearch Service Domain running Kibana 4 and perform log analysis on a search cluster.

Answer: D

Explanation:

The Elasticsearch and Kibana 4 combination is called the ELK Stack, and is designed specifically for real-time, ad-hoc log analysis and aggregation. All other answers introduce extra delay or require pre-defined queries.

Amazon Elasticsearch Service is a managed service that makes it easy to deploy, operate, and scale Elasticsearch in the AWS Cloud. Elasticsearch is a popular open-source search and analytics engine for use cases such as log analytics, real-time application monitoring, and click stream analytics. Reference: <https://aws.amazon.com/elasticsearch-service/>

NEW QUESTION 6

What is the scope of an EC2 security group?

- A. Availability Zone
- B. Placement Group
- C. Region
- D. VPC

Answer: C

Explanation:

A security group is tied to a region and can be assigned only to instances in the same region. You can't enable an instance to communicate with an instance outside its region using security group rules. Traffic from an instance in another region is seen as WAN bandwidth.

Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/resources.html>

NEW QUESTION 7

Which EBS volume type is best for high performance NoSQL cluster deployments?

- A. io1
- B. gp1
- C. standard
- D. gp2

Answer: A

Explanation:

io1 volumes, or Provisioned IOPS (PIOPS) SSDs, are best for: Critical business applications that require sustained IOPS performance, or more than 10,000 IOPS or 160 MiB/s of throughput per volume, like large database workloads, such as MongoDB.

Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/EBSVolumeTypes.html>

NEW QUESTION 8

You need to perform ad-hoc analysis on log data, including searching quickly for specific error codes and reference numbers. Which should you evaluate first?

- A. AWS Elasticsearch Service
- B. AWS RedShift
- C. AWS EMR
- D. AWS DynamoDB

Answer: A

Explanation:

Amazon Elasticsearch Service (Amazon ES) is a managed service that makes it easy to deploy, operate, and scale Elasticsearch clusters in the AWS cloud. Elasticsearch is a popular open-source search and analytics engine for use cases such as log analytics, real-time application monitoring, and click stream analytics.

Reference:

<http://docs.aws.amazon.com/elasticsearch-service/latest/developerguide/what-is-amazon-elasticsearch-service.html>

NEW QUESTION 9

Which major database needs a BYO license?

- A. PostgreSQL
- B. MariaDB
- C. MySQL
- D. Oracle

Answer: D

Explanation:

Oracle is not open source, and requires a bring your own license model.
Reference: http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/CHAP_Oracle.htm

NEW QUESTION 10

What is the scope of an EBS volume?

- A. VPC
- B. Region
- C. Placement Group
- D. Availability Zone

Answer: D

Explanation:

An Amazon EBS volume is tied to its Availability Zone and can be attached only to instances in the same Availability Zone.
Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/resources.html>

NEW QUESTION 10

You meet once per month with your operations team to review the past month's data. During the meeting, you realize that 3 weeks ago, your monitoring system which pings over HTTP from outside AWS recorded a large spike in latency on your 3-tier web service API. You use DynamoDB for the database layer, ELB, EBS, and EC2 for the business logic tier, and SQS, ELB, and EC2 for the presentation layer. Which of the following techniques will NOT help you figure out what happened?

- A. Check your CloudTrail log history around the spike's time for any API calls that caused slowness.
- B. Review CloudWatch Metrics graphs to determine which component(s) slowed the system down.
- C. Review your ELB access logs in S3 to see if any ELBs in your system saw the latency.
- D. Analyze your logs to detect bursts in traffic at that time

Answer: B

Explanation:

Metrics data are available for 2 weeks. If you want to store metrics data beyond that duration, you can retrieve it using our GetMetricStatistics API as well as a number of applications and tools offered by AWS partners.
Reference: <https://aws.amazon.com/cloudwatch/faqs/>

NEW QUESTION 15

You need to deploy an AWS stack in a repeatable manner across multiple environments. You have selected CloudFormation as the right tool to accomplish this, but have found that there is a resource type you need to create and model, but is unsupported by CloudFormation. How should you overcome this challenge?

- A. Use a CloudFormation Custom Resource Template by selecting an API call to proxy for create, update, and delete action
- B. CloudFormation will use the AWS SDK, CLI, or API method of your choosing as the state transition function for the resource type you are modeling.
- C. Submit a ticket to the AWS Forum
- D. AWS extends CloudFormation Resource Types by releasing tooling to the AWS Labs organization on GitHub
- E. Their response time is usually 1 day, and they complete requests within a week or two.
- F. Instead of depending on CloudFormation, use Chef, Puppet, or Ansible to author Heat templates, which are declarative stack resource definitions that operate over the OpenStack hypervisor and cloud environment.
- G. Create a CloudFormation Custom Resource Type by implementing create, update, and delete functionality, either by subscribing a Custom Resource Provider to an SNS topic, or by implementing the logic in AWS Lambda.

Answer: D

Explanation:

Custom resources provide a way for you to write custom provisioning logic in AWS CloudFormation template and have AWS CloudFormation run it during a stack operation, such as when you create, update or delete a stack. For more information, see Custom Resources.
Reference: <http://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/template-custom-resources.html>

NEW QUESTION 19

You run a 2000-engineer organization. You are about to begin using AWS at a large scale for the first time. You want to integrate with your existing identity management system running on Microsoft Active Directory, because your organization is a power-user of Active Directory. How should you manage your AWS identities in the most simple manner?

- A. Use a large AWS Directory Service Simple AD.
- B. Use a large AWS Directory Service AD Connector.
- C. Use an Sync Domain running on AWS Directory Service.
- D. Use an AWS Directory Sync Domain running on AWS Lambda

Answer: B

Explanation:

You must use AD Connector as a power-user of Microsoft Active Directory. Simple AD only works with a subset of AD functionality. Sync Domains do not exist; they are made up answers.
AD Connector is a directory gateway that allows you to proxy directory requests to your on-premises Microsoft Active Directory, without caching any information in the cloud. AD Connector comes in 2 sizes; small and large. A small AD Connector is designed for smaller organizations of up to 500 users. A large AD Connector is designed for larger organizations of up to 5,000 users.
Reference: <https://aws.amazon.com/directoryservice/details/>

NEW QUESTION 24

Which of these is not a CloudFormation Helper Script?

- A. cfn-signal
- B. cfn-hup
- C. cfn-request
- D. cfn-get-metadata

Answer: C

Explanation:

This is the complete list of CloudFormation Helper Scripts: cfn-init, cfn-signal, cfn-get-metadata, cfn-hup Reference: <http://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/cfn-helper-scripts-reference.html>

NEW QUESTION 25

Your team wants to begin practicing continuous delivery using CloudFormation, to enable automated builds and deploys of whole, versioned stacks or stack layers. You have a 3-tier, mission-critical system. Which of the following is NOT a best practice for using CloudFormation in a continuous delivery environment?

- A. Use the AWS CloudFormation `ValidateTemplate` call before publishing changes to AWS.
- B. Model your stack in one template, so you can leverage CloudFormation's state management and dependency resolution to propagate all changes.
- C. Use CloudFormation to create brand new infrastructure for all stateless resources on each push, and run integration tests on that set of infrastructure.
- D. Parametrize the template and use `Mappings` to ensure your template works in multiple Regions.

Answer: B

Explanation:

Putting all resources in one stack is a bad idea, since different tiers have different life cycles and frequencies of change. For additional guidance about organizing your stacks, you can use two common frameworks: a multi-layered architecture and service-oriented architecture (SOA).

Reference:

<http://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/best-practices.html#organizingstack>

NEW QUESTION 27

Your CTO has asked you to make sure that you know what all users of your AWS account are doing to change resources at all times. She wants a report of who is doing what over time, reported to her once per week, for as broad a resource type group as possible. How should you do this?

- A. Create a global AWS CloudTrail Trail
- B. Configure a script to aggregate the log data delivered to S3 once per week and deliver this to the CTO.
- C. Use CloudWatch Events Rules with an SNS topic subscribed to all AWS API call
- D. Subscribe the CTO to an email type delivery on this SNS Topic.
- E. Use AWS IAM credential reports to deliver a CSV of all uses of IAM User Tokens over time to the CTO.
- F. Use AWS Config with an SNS subscription on a Lambda, and insert these changes over time into a DynamoDB table
- G. Generate reports based on the contents of this table.

Answer: A

Explanation:

This is the ideal use case for AWS CloudTrail.

CloudTrail provides visibility into user activity by recording API calls made on your account. CloudTrail records important information about each API call, including the name of the API, the identity of the caller, the time of the API call, the request parameters, and the response elements returned by the AWS service. This information helps you to track changes made to your AWS resources and to troubleshoot operational issues. CloudTrail makes it easier to ensure compliance with internal policies and regulatory standards. Reference: <https://aws.amazon.com/Cloudtrail/faqs/>

NEW QUESTION 31

What is the order of most-to-least rapidly-scaling (fastest to scale first)?

(A) EC2 + ELB + Auto Scaling (B) Lambda (C) RDS

- A. B, A, C
- B. C, B, A
- C. C, A, B
- D. A, C, B

Answer: A

Explanation:

Lambda is designed to scale instantly. EC2 + ELB + Auto Scaling require single-digit minutes to scale out. RDS will take at least 15 minutes, and will apply OS patches or any other updates when applied. Reference: <https://aws.amazon.com/lambda/faqs/>

NEW QUESTION 33

Which of these configuration or deployment practices is a security risk for RDS?

- A. Storing SQL function code in plaintext
- B. Non-Multi-AZ RDS instance
- C. Having RDS and EC2 instances exist in the same subnet
- D. RDS in a public subnet

Answer: D

Explanation:

Making RDS accessible to the public internet in a public subnet poses a security risk, by making your database directly addressable and spammable.

DB instances deployed within a VPC can be configured to be accessible from the Internet or from EC2 instances outside the VPC. If a VPC security group specifies a port access such as TCP port 22, you would not be able to access the DB instance because the firewall for the DB instance provides access only via the IP addresses specified by the DB security groups the instance is a member of and the port defined when the DB instance was created.

Reference: <http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/Overview.RDSSecurityGroups.html>

NEW QUESTION 36

You need to create an audit log of all changes to customer banking data. You use DynamoDB to store this customer banking data. It's important not to lose any information due to server failures. What is an elegant way to accomplish this?

- A. Use a DynamoDB StreamSpecification and stream all changes to AWS Lambda
- B. Log the changes to AWS CloudWatch Logs, removing sensitive information before logging.
- C. Before writing to DynamoDB, do a pre-write acknowledgment to disk on the application server, removing sensitive information before logging
- D. Periodically rotate these log files into S3.
- E. Use a DynamoDB StreamSpecification and periodically flush to an EC2 instance store, removing sensitive information before putting the object
- F. Periodically flush these batches to S3.
- G. Before writing to DynamoDB, do a pre-write acknowledgment to disk on the application server, removing sensitive information before logging
- H. Periodically pipe these files into CloudWatch Logs.

Answer: A

Explanation:

All suggested periodic options are sensitive to server failure during or between periodic flushes. Streaming to Lambda and then logging to CloudWatch Logs will make the system resilient to instance and Availability Zone failures.

Reference: <http://docs.aws.amazon.com/lambda/latest/dg/with-ddb.html>

NEW QUESTION 39

You need your API backed by DynamoDB to stay online during a total regional AWS failure. You can tolerate a couple minutes of lag or slowness during a large failure event, but the system should recover with normal operation after those few minutes. What is a good approach?

- A. Set up DynamoDB cross-region replication in a master-standby configuration, with a single standby in another region
- B. Create an Auto Scaling Group behind an ELB in each of the two regions DynamoDB is running in
- C. Add a Route53 Latency DNS Record with DNS Failover, using the ELBs in the two regions as the resource records.
- D. Set up a DynamoDB Multi-Region table
- E. Create an Auto Scaling Group behind an ELB in each of the two regions DynamoDB is running in
- F. Add a Route53 Latency DNS Record with DNS Failover, using the ELBs in the two regions as the resource records.
- G. Set up a DynamoDB Multi-Region table
- H. Create a cross-region ELB pointing to a cross-region Auto Scaling Group, and direct a Route53 Latency DNS Record with DNS Failover to the cross-region ELB.
- I. Set up DynamoDB cross-region replication in a master-standby configuration, with a single standby in another region
- J. Create a cross-region ELB pointing to a cross-region Auto Scaling Group, and direct a Route53 Latency DNS Record with DNS Failover to the cross-region ELB.

Answer: A

Explanation:

There is no such thing as a cross-region ELB, nor such thing as a cross-region Auto Scaling Group, nor such thing as a DynamoDB Multi-Region Table. The only option that makes sense is the cross-regional replication version with two ELBs and ASGs with Route53 Failover and Latency DNS.

Reference: <http://docs.aws.amazon.com/amazondynamodb/latest/developerguide/Streams.CrossRegionRepl.html>

NEW QUESTION 43

What is true of the way that encryption works with EBS?

- A. Snapshotting an encrypted volume makes an encrypted snapshot; restoring an encrypted snapshot creates an encrypted volume when specified / requested.
- B. Snapshotting an encrypted volume makes an encrypted snapshot when specified / requested; restoring an encrypted snapshot creates an encrypted volume when specified / requested.
- C. Snapshotting an encrypted volume makes an encrypted snapshot; restoring an encrypted snapshot always creates an encrypted volume.
- D. Snapshotting an encrypted volume makes an encrypted snapshot when specified / requested; restoring an encrypted snapshot always creates an encrypted volume.

Answer: C

Explanation:

Snapshots that are taken from encrypted volumes are automatically encrypted. Volumes that are created from encrypted snapshots are also automatically encrypted. Your encrypted volumes and any associated snapshots always remain protected. For more information, see Amazon EBS Encryption.

Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/EBSEncryption.html>

NEW QUESTION 45

You need the absolute highest possible network performance for a cluster computing application. You already selected homogeneous instance types supporting 10 gigabit enhanced networking, made sure that your workload was network bound, and put the instances in a placement group. What is the last optimization you can make?

- A. Use 9001 MTU instead of 1500 for Jumbo Frames, to raise packet body to packet overhead ratios.
- B. Segregate the instances into different peered VPCs while keeping them all in a placement group, so each one has its own Internet Gateway.
- C. Bake an AMI for the instances and relaunch, so the instances are fresh in the placement group and don't have noisy neighbors.
- D. Turn off SYN/ACK on your TCP stack or begin using UDP for higher throughput

Answer: A

Explanation:

For instances that are collocated inside a placement group, jumbo frames help to achieve the maximum network throughput possible, and they are recommended in this case. For more information, see Placement Groups.

Reference: http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/network_mtu.html#jumbo_frame_instances

NEW QUESTION 47

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AWS-Certified-DevOps-Engineer-Professional Practice Exam Features:

- * AWS-Certified-DevOps-Engineer-Professional Questions and Answers Updated Frequently
- * AWS-Certified-DevOps-Engineer-Professional Practice Questions Verified by Expert Senior Certified Staff
- * AWS-Certified-DevOps-Engineer-Professional Most Realistic Questions that Guarantee you a Pass on Your First Try
- * AWS-Certified-DevOps-Engineer-Professional Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AWS-Certified-DevOps-Engineer-Professional Practice Test Here](#)