

Microsoft

Exam Questions AZ-800

Administering Windows Server Hybrid Core Infrastructure



NEW QUESTION 1

- (Exam Topic 3)

You have a server named Host1 that has the Hyper-V server role installed. Host1 hosts a virtual machine named VM1. You have a management server named Server1 that runs Windows Server. You remotely manage Host1 from Server1 by using Hyper-V Manager. You need to ensure that you can access a USB hard drive connected to Server1 when you connect to VM1 by using Virtual Machine Connection. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From the Hyper-V Settings of Host1, select Allow enhanced session mode
- B. From Disk Management on Host1, attach a virtual hard disk.
- C. From Virtual Machine Connection, switch to a basic session.
- D. From Virtual Machine Connection select Show Options and then select the USB hard drive.
- E. From Disk Management on Host1, select Rescan Disks

Answer: AD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/virtualization/hyper-v/learn-more/use-local-resources-on-hype>

NEW QUESTION 2

- (Exam Topic 3)

You have an Azure virtual machine named Server1 that runs a network management application. Server1 has the following network configuration.

- * Network interface: Nic1
- * IP address 10.1.1.1/24
- * Connected to: Vnet1/Subnet1

You need connect Server1 to an additional subnet named Vnet1/Subnet2. What should you do?

- A. Create a private endpoint on Subnet2
- B. Add a network interface to server1.
- C. Modify the IP configurations of Nic1.
- D. Add an IP configuration to Nic1.

Answer: A

NEW QUESTION 3

- (Exam Topic 3)


You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant

You have an on-premises web app named WebApp1 that only supports Kerberos authentication.

You need to ensure that users can access WebApp1 by using their Azure AD account. The solution must minimize administrative effort.

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/app-proxy/application-proxy-add-on-premises-applicatio>

NEW QUESTION 4

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain- The domain contains 10 servers that run Windows Server. The servers have static IP addresses.

You plan to use DHCP to assign IP addresses to the servers.

You need to ensure that each server always receives the same IP address.

Which type of identifier should you use to create a DHCP reservation for each server?

- A. universally unique identifier (UUID)
- B. fully qualified domain name (FQDN)
- C. NetBIOS name
- D. MAC address

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/powershell/module/dhcpserver/add-dhcpserverv4reservation?view=windowsse>

NEW QUESTION 5

- (Exam Topic 3)

You have a server named Server1 that hosts Windows containers. You plan to deploy an application that will have multiple containers. Each container will be You need to create a Docker network that supports the deployment of the application. Which type of network should you create?

- A. transparent
- B. I2bridge
- C. NAT
- D. I2tunnel

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/virtualization/windowscontainers/container-networking/network-drivers-topolo>

NEW QUESTION 6


- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) forest named contoso.com. The forest contains a child domain named east.contoso.com. in the contoso.com domain, you create two users named Admin1 and Admin2. You need to ensure that the users can perform the following tasks:

- Admin1 can create and manage Active Directory sites.
- Admin2 can deploy domain controller to the easl.conloso.com domain. The solution must use the principle of least privilege.

To which group should you add each user? To answer, select the appropriate options in the answer area. NOTE Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/windows-server/remote/remote-access/ras/multisite/configure/step-2-configure>

NEW QUESTION 7

- (Exam Topic 3)

Your network contains a single domain Active Directory Domain Services (AD DS) forest named contoso.com. The forest contains a single Active Directory site. You plan to deploy a read only domain controller (RODC) to a new datacenter on a server named Server1. A user named User1 is a member of the local Administrators group on Server1.

You need to recommend a deployment plan that meets the following requirements:

- > Ensures that a user named User1 can perform the RODC installation on Server1
- > Ensures that you can control the AD DS replication schedule to the Server1
- > Ensures that Server1 is in a new site named RemoteSite1
- > Uses the principle of least privilege

Which three actions should you recommend performing in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

| Actions | Answer Area |
|--|--|
| Instruct User1 to run the Active Directory Domain Services installation Wizard on Server1. |  |
| Create a site and a subnet. | |
| Create a site link. | |
| Pre-create an RODC account. | |
| Add User1 to the Contoso\Administrators group. | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Application Description automatically generated with medium confidence

Box 1.

We need to create a site and subnet for the remote site. The new site will be added to the Default IP Site Link so we don't need to create a new site link. You configure the replication schedule on the site link.

Box 2.

When we pre-create an RODC account, we can specify who is allowed to attach the server to the prestaged account. This means that the User1 does not need to be added to the Domain Admins group.

Box3.

User1 can connect the RODC to the prestaged account by running the AD DS installation wizard. Reference:

<https://mehic.se/2018/01/02/how-to-install-and-configure-read-only-domain-controller-rod-2016/>

NEW QUESTION 8

- (Exam Topic 3)

You have two on-premises servers named Server1 and Servet2 that run Windows Server.

You have an Azure Storage account named storage1 that contains a file share named share'. Server1 syncs with share1 by using Azure File Sync

You need to configure Server2 to sync with share1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

| Actions | Answer Area |
|---|--|
| Register Server2 with the Storage Sync Service. |  |
| Add a Storage Sync Service to the Azure subscription. | |
| On Server2, install the Azure File Sync agent. | |
| Add a cloud endpoint to the sync group. | |
| Add a server endpoint to the sync group. | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

NEW QUESTION 9

- (Exam Topic 3)

You plan to deploy an Azure virtual machine that will run Windows Server.

You need to ensure that an Azure Active Directory (Azure AD) user nameduser1@contoso.com can connect 10 the virtual machine by using the Azure Serial Console.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Configure on the Azure virtual machine:

| |
|--|
| Boot diagnostics with a custom storage account |
| Operating system guest diagnostics |
| A system-assigned managed identity |

Assign the following role to User1:

| |
|-------------------------------------|
| Virtual Machine Contributor |
| Virtual Machine Administrator Login |
| Virtual Machine User Login |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/troubleshoot/azure/virtual-machines/serial-console-overview>

NEW QUESTION 10

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) forest. The forest contains three Active Directory sites named Site1, Site2, and Site3. Each site contains two domain controllers. The sites are connected by using DEFAULTIPSITELINK.

You open a new branch office that contains only client computers.

You need to ensure that the client computers in the new office are primarily authenticated by the domain controllers in Site1.

Solution: You configure the Try Next Closest Site Group Policy Object (GPO) setting in a GPO that is linked to Site1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 10

- (Exam Topic 3)

You need to sync files from an on premises server named Server1 to Azure by using Azure File Sync. You have a cloud tiering policy that is configured for 30 percent free space and 70 days.

Volume E on Server1 is 500 GB.

A year ago, you configured E:\Data on Server1 to sync by using Azure File Sync. The files that are visible in E:\Data are shown in the following table.

| Name | Size | Last accessed |
|-------|--------|---------------|
| File1 | 200 GB | 2 days ago |
| File2 | 100 GB | 10 days ago |
| File3 | 200 GB | 60 days ago |
| File4 | 50 GB | 100 days ago |

Volume E does NOT contain any other files.

Where are File1 and File3 located? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

File1:

| |
|----------------------------------|
| Server1 only |
| The Azure file share only |
| Server1 and the Azure file share |

File3:

| |
|----------------------------------|
| Server1 only |
| The Azure file share only |
| Server1 and the Azure file share |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/windows-server/manage/windows-admin-center/azure/azure-file-sync> <https://docs.microsoft.com/en-us/azure/storage/file-sync/file-sync-cloud-tiering-overview>


NEW QUESTION 15

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain named adatum.com. The domain contains a server named Server1 and the users shown in the following table.

| Name | Member of |
|-------|-----------|
| User1 | Group1 |
| User2 | Group2 |
| User3 | Group3 |

Server1 contains a folder named D:\Folder1. The advanced security settings for Folder 1 are configured as shown in the Permissions exhibit. (Click the Permissions tab.)



Folder1 is shared by using the following configurations

| Group | Permission |
|--------|----------------------|
| Group1 | Allow - Change |
| Group3 | Allow - Full Control |

Path : D:\Folder1
 Name : Share1
 ShareType : FileSystemDirectory
 FolderEnumerationMode : Unrestricted

Answer Area

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| User1 can read the files in Share1. | <input type="radio"/> | <input type="radio"/> |
| User3 can delete files in Share1. | <input type="radio"/> | <input type="radio"/> |
| If User2 connects to \\Server1.adatum.com from File Explorer, | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| User1 can read the files in Share1. | <input checked="" type="radio"/> | <input type="radio"/> |
| User3 can delete files in Share1. | <input checked="" type="radio"/> | <input type="radio"/> |
| If User2 connects to \\Server1.adatum.com from File Explorer, | <input type="radio"/> | <input checked="" type="radio"/> |

NEW QUESTION 17

- (Exam Topic 3)

You have an Azure Active Directory Domain Services (Azure AD DS) domain named contoso.com.

You need to provide an administrator with the ability to manage Group Policy Objects (GPOs). The solution must use the principle of least privilege.

To which group should you add the administrator?

- A. AAD DC Administrators
- B. Domain Admins
- C. Schema Admins
- D. Enterprise Admins
- E. Group Policy Creator Owners

Answer: B

Explanation:

Only the Domain Admins group and the Enterprise Admins group can fully manage GPOs. Members of the Group Policy Creator Owners group can create new GPOs but they can't link the GPOs to sites, the domain or OUs and they cannot manage existing GPOs.

NEW QUESTION 21

- (Exam Topic 3)

You have an on premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant. The domain contains two servers named Server1 and Server2.

A user named Admin1 is a member of the local Administrators group on Server1 and Server2.

You plan to manage Server1 and Server2 by using Azure Arc. Azure Arc objects will be added to a resource group named RG1.

You need to ensure that Admin1 can configure Server1 and Server2 to be managed by using Azure Arc. What should you do first?

- A. From the Azure portal, generate a new onboarding script.
- B. Assign Admin1 the Azure Connected Machine Onboarding role for RG1.
- C. Hybrid Azure AD join Server1 and Server2.
- D. Create an Azure cloud-only account for Admin1.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/azure-arc/servers/onboard-service-principal>

NEW QUESTION 22

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are planning the deployment of DNS to a new network.

You have three internal DNS servers as shown in the following table.

| Name | Location | IP address | Local DNS zone |
|---------|----------|------------|--------------------|
| Server1 | Montreal | 10.0.1.10 | contoso.local |
| Server2 | Toronto | 10.0.2.10 | east.contoso.local |
| Server3 | Seattle | 10.0.3.10 | west.contoso.local |

The contoso.local zone contains zone delegations for east.contoso.local and west.contoso.local. All the DNS servers use root hints.

You need to ensure that all the DNS servers can resolve the names of all the internal namespaces and internet hosts.

Solution: You configure Server2 and Server3 to forward DNS requests to 10.0.1.10. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 25

- (Exam Topic 3)

You have a server that runs Windows Server and contains a shared folder named UserData. You need to limit the amount of storage space that each user can consume in UserData.

What should you use?

- A. Storage Spaces
- B. Work Folders
- C. Distributed File System (DFS) Namespaces
- D. File Server Resource Manager (FSRM)

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/storage/fsrm/fsrm-overview>

NEW QUESTION 30

- (Exam Topic 3)

Your network contains an Active Directory Services (AD DS) forest. The forest contains three domains. Each domain contains 10 domain controllers. You plan to store a DNS zone in a custom active Directory partition. You need to create the Active Directory partition for the zone. The partition replicate to only four of the domain controllers. What should you use?

- A. Active Directory Sites and Services
- B. Active Directory Administrator Center
- C. dnscmd.exe
- D. DNS Manager

Answer: B

NEW QUESTION 31

- (Exam Topic 3)

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant. The on-premises network is connected to Azure by using a Site-to-Site VPN. You have the DNS zones shown in the following table.

| Name | Location | Description |
|--------------|--|---|
| contoso.com | A domain controller named DC1 on the on-premises network | Provides name resolution on-premises |
| fabrikam.com | An Azure private DNS zone | Provides name resolution for all Azure virtual networks |

You need to ensure that names from aDiifcam.com can be resolved from the on-premises network. Which two actions should you perform? Each correct answer presents part of the solution, NOTE: Each correct selection is worth one point

- A. Create a conditional forwarder for fabrikam.com on DC1.
- B. Create a stub zone for fabrikam.com on DC1.
- C. Create a secondary zone for fabrikam.com on DC1.
- D. Deploy an Azure virtual machine that runs Windows Server.
- E. Modify the DNS Servers settings for the virtual network.
- F. Deploy an Azure virtual machine that runs Windows Server.
- G. Configure the virtual machine with a DNS forwarder.

Answer: AE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/private-link/private-endpoint-dns#on-premises-workloads-using-a-dns-fo>

NEW QUESTION 34

- (Exam Topic 3)

You have servers that have the DNS Server role installed. The servers are configured as shown in the following table.

| Name | Office | Local DNS zone | IP address |
|---------|----------|----------------|------------|
| Server1 | Paris | contoso.com | 10.1.1.1 |
| Server2 | New York | None | 10.2.2.2 |

All the client computers in the New York office use Server2 as the DNS server.

You need to configure name resolution in the New York office to meet the following requirements:

- > Ensure that the client computers in New York can resolve names from contoso.com.
 - > Ensure that Server2 forwards all DNS queries for internet hosts to 131.107.100.200. The solution must NOT require modifications to Server1.
- Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. a forwarder
- B. a conditional forwarder
- C. a delegation
- D. a secondary zone
- E. a reverse lookup zone

Answer: AB

Explanation:

A conditional forwarder is required for contoso.com. A forwarder is required for all other domains.


When you have a conditional forwarder and a forwarder configured, the conditional forwarder will be used for the specified domain.

You could use a secondary zone for contoso.com but that would require a configuration change on Server1.

NEW QUESTION 38

- (Exam Topic 3)

Your network contains three Active Directory Domain Services (AD DS) forests as shown in the following exhibit.



The network contains the users shown in the following table.

| Name | Domain |
|-------|------------------|
| User1 | east.contoso.com |
| User2 | fabrikam.com |

The network contains the security groups shown in the following table.

| Name | Type | Domain |
|--------|--------------|------------------|
| Group1 | Domain local | west.adatum.com |
| Group2 | Universal | contoso.com |
| Group3 | Universal | east.contoso.com |

For each of the following statements, select Yes if the statement is true, Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| You can add User1 to Group1. | <input type="radio"/> | <input type="radio"/> |
| You can add User2 to Group3. | <input type="radio"/> | <input type="radio"/> |
| You can grant Group2 permissions to the resources in the fabrikam.com domain. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| You can add User1 to Group1. | <input checked="" type="radio"/> | <input type="radio"/> |
| You can add User2 to Group3. | <input type="radio"/> | <input checked="" type="radio"/> |
| You can grant Group2 permissions to the resources in the fabrikam.com domain. | <input checked="" type="radio"/> | <input type="radio"/> |

NEW QUESTION 39

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The domain contains a DNS server named Server1. Server1 hosts a DNS zone named fabrikam.com that was signed by DNSSEC.

You need to ensure that all the member servers in the domain perform DNSSEC validation for the fabrikam.com namespace.

What should you do?

- A. On Server1, run the Add-DnsServerTrustAnchor cmdlet.
- B. On each member server, run the Add-DnsServerTrustAnchor cmdlet.
- C. From a Group Policy Object (GPO), add a rule to the Name Resolution Policy Table (NRPT).
- D. From a Group Policy Object (GPO), modify the Network List Manager policies.

Answer: C

NEW QUESTION 42

- (Exam Topic 3)

You have an Azure virtual machine named VM1 that runs Windows Server. You have an Azure subscription that has Microsoft Defender for Cloud enabled.

You need to ensure that you can use the Azure Policy guest configuration feature to manage VM1. What should you do?

- A. Add the PowerShell Desired State Configuration (DSC) extension to VM1.
- B. Configure VM1 to use a user-assigned managed identity.
- C. Configure VM1 to use a system-assigned managed identity.
- D. Add the Custom Script Extension to VM1.

Answer: C

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/virtual-machines/extensions/guest-configuration>


NEW QUESTION 43

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain named adatum.com. The domain contains a server named Server1 and the users shown in the following table.

| Name | Member of |
|-------|-----------|
| User1 | Group1 |
| User2 | Group2 |
| User3 | Group3 |

Server1 contains a folder named D:\Folder1. The advanced security settings for Folder1 are configured as shown in the Permissions exhibit. (Click the Permissions tab.)



Folder1 is shared by using the following configurations:

```
Path           : D:\Folder1
Name           : Share1
ShareType      : FileSystemDirectory
FolderEnumerationMode : Unrestricted
```

The share permissions for Share1 are shown in the following table.

| Group | Permission |
|--------|----------------------|
| Group1 | Allow – Change |
| Group3 | Allow – Full Control |

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|--|-----------------------|-----------------------|
| User1 can read the files in Share1. | <input type="radio"/> | <input type="radio"/> |
| User3 can delete files in Share1. | <input type="radio"/> | <input type="radio"/> |
| If User2 connects to \\Server1.adatum.com from File Explorer, Share1 will be listed. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

To access files in a shared folder, you need to be granted permissions on the folder (NTFS permissions) AND permissions on the share. The most restrictive permission of the folder permissions and share permissions apply.

Box 1: Yes

Group1 has Read access to Folder1 and Change access to Share1. Therefore, User1 can read the files in Share1.

Box 2: No

Group3 has Full Control access to Share1. However, Group3 has no permissions configured Folder1. Therefore, User3 cannot access the files in Share1.

Box 3: Yes

Group2 has write permission to Folder1. However, Group2 has no permission on Share1. Therefore, users in Group2 cannot access files in the shared folder.

Access Based Enumeration when enabled hides files and folders that users do not have permission to access. However, Access Based Enumeration is not enabled on Share1. This is indicated by the FolderEnumerationMode – Unrestricted setting. Therefore, the share will be visible to User2 even though User2 cannot access the shared folder.

NEW QUESTION 47

- (Exam Topic 3)

You have an Azure subscription named sub1 and 500 on-premises virtual machines that run Windows Server. You plan to onboard the on-premises virtual machines to Azure Arc by running the Azure Arc deployment script

You need to create an identity that will be used by the script to authenticate access to sub1. The solution must use the principle of least privilege.

How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

New-AzADAppCredential
 New-AzADServicePrincipal
 New-AzUserAssignedIdentity

-DisplayName 'Arc-for-servers' -Role

'Azure Connected Machine Onboarding'
 'Virtual Machine Contributor'
 'Virtual Machine User Login'

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/azure-arc/servers/onboard-service-principal>

NEW QUESTION 51

- (Exam Topic 3)

You have a server named Server1 that has Windows Admin Center installed. The certificate used by Windows Admin Center was obtained from a certification authority (CA).

The certificate expires.

You need to replace the certificate.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Copy the certificate thumbprint.

From Internet Information Services (IIS) Manager, bind a certificate.

Rerun **Windows Admin Center Setup** and select **Change**.

Rerun **Windows Admin Center Setup** and select **Repair**.

Rerun **Windows Admin Center Setup** and select **Remove**.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated with medium confidence

Reference:

<https://www.starwindsoftware.com/blog/change-the-windows-admin-center-certificate>

NEW QUESTION 55

- (Exam Topic 3)

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant. You plan deploy 100 new Azure virtual machines that will run Windows Server. You need to ensure that each new virtual machine is joined to the AD DS domain. What should you use?

- A. Azure AD Connect
- B. a Group Policy Object (GPO)
- C. an Azure Resource Manager (ARM) template
- D. an Azure management group

Answer: C

Explanation:

Reference:

<https://www.ludovicmedard.com/create-an-arm-template-of-a-virtual-machine-automatically-joined-to-a-domain>

NEW QUESTION 58

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. You need to identify which server is the PDC emulator for the domain.

Solution: From Active Directory Sites and Services, you right-click Default-First-Site-Name in the console tree, and then select Properties.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 62

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com.

You need to identify which server is the PDC emulator for the domain. Solution: From a command prompt, you run netdom.exe query fsmo. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://activedirectorypro.com/how-to-check-fsmo-roles/>

NEW QUESTION 65

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The domain contains a server named Server1 that has the DFS

Namespaces role service installed. Server1 hosts a domain-based Distributed File System (DFS) Namespace named Files. The domain contains a file server named Server2. Server2 contains a shared folder named Share1. Share1 contains a subfolder named Folder1. In the Files namespace, you create a folder named Folder1 that has a target of \\Server2.contoso.com\Share1\Folder1. You need to configure a logon script that will map drive letter M to Folder1. The solution must use the path of the DFS Namespace. How should you complete the command to map the drive letter? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated with low confidence

NEW QUESTION 66

- (Exam Topic 2)

You need to configure remote administration to meet the security requirements. What should you use?

- A. just in time (JIT) VM access
- B. Azure AD Privileged Identity Management (PIM)
- C. the Remote Desktop extension for Azure Cloud Services
- D. an Azure Bastion host

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/just-in-time-access-usage?tabs=jit-config-asc%2Cjit>

NEW QUESTION 67

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. You need to identify which server is the PDC emulator for the domain.

Solution: from Active Directory Users and Computers, you right-click contoso.com in the console tree, and then select Operations Master

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 69

- (Exam Topic 2)

You need to configure the Group Policy settings to ensure that the Azure Virtual Desktop session hosts meet the security requirements. What should you configure?

- A. security filtering for the link of GP04
- B. security filtering for the link of GPO1
- C. loopback processing in GPO4
- D. the Enforced property for the link of GP01
- E. loopback processing in GPO1
- F. the Enforced property for the link of GP04

Answer: C

NEW QUESTION 74

- (Exam Topic 2)

You need to implement an availability solution for DHCP that meets the networking requirements. Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. On DHCP1, create a scope that contains 25 percent of the IP addresses from Scope2.
- B. On the router in each office, configure a DHCP relay.
- C. DHCP2, configure a scope that contains 25 percent of the IP addresses from Scope 1 .
- D. On each DHCP server, install the Failover Clustering feature and add the DHCP cluster role.
- E. On each DHCP scope, configure DHCP failover.

Answer: BE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2012-r2-and-2012/hh83138>

NEW QUESTION 78

- (Exam Topic 2)

You need to configure Azure File Sync to meet the file sharing requirements. What should you do? To answer, select the appropriate options in the answer area.

NOTE Each correct selection is worth one point.

Answer Area

| | |
|--|--|
| Minimum number of sync groups to create: | <div style="background-color: #ccc; height: 15px; width: 100%;"></div> <div style="padding: 2px;">1</div> <div style="padding: 2px;">2</div> <div style="padding: 2px;">3</div> <div style="padding: 2px;">4</div> |
| Minimum number of Storage Sync Services to create: | <div style="background-color: #ccc; height: 15px; width: 100%;"></div> <div style="padding: 2px;">1</div> <div style="padding: 2px;">2</div> <div style="padding: 2px;">3</div> <div style="padding: 2px;">4</div> |
| Minimum number of Storage Sync Services to create: | <div style="background-color: #ccc; height: 15px; width: 100%;"></div> <div style="padding: 2px;">1</div> <div style="padding: 2px;">2</div> <div style="padding: 2px;">3</div> <div style="padding: 2px;">4</div> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/storage/file-sync/file-sync-planning>

NEW QUESTION 82

- (Exam Topic 2)

Which three actions should you perform in sequence to meet the security requirements for Webapp1? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- Create a standalone managed service account (sMSA) in AD DS.
- Configure the IIS application pool to run as Network Service.
- Configure the IIS application pool to run as a specified user account.
- Create a group managed service account (gMSA) in Active Directory.
- Create a system-assigned managed identity in Azure AD.
- Create a user-assigned managed identity in Azure AD.
- Create the Key Distribution Services (KDS) root key in AD DS.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/windows-server/security/group-managed-service-accounts/group-managed-ser>

NEW QUESTION 86

- (Exam Topic 2)

You need to meet the security requirements for passwords.

Where should you configure the components for Azure AD Password Protection? To answer, drag the appropriate components to the correct locations. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE Each correct selection is worth one point.

Locations

Answer Area

| |
|----------------------------|
| DC1 only |
| All the domain controllers |
| VM1 and VM2 |
| The Azure AD tenant |

| | |
|---|----------|
| The Azure AD Password Protection DC agent: | Location |
| The Azure AD Password Protection proxy service: | Location |
| A custom banned password list: | Location |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-password-ban-bad-on-premises>

NEW QUESTION 88

- (Exam Topic 1)

You need to meet the technical requirements for Server4.

Which cmdlets should you run on Server1 and Server4? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Server1:

| |
|--|
| Enable-PSRemoting |
| Enable-ServerManagerStandardUserRemoting |
| Set-Item |
| Start-Service |

Server4:

| |
|--|
| Enable-PSRemoting |
| Enable-ServerManagerStandardUserRemoting |
| Set-Item |
| Start-Service |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://4sysops.com/wiki/enable-powershell-remoting/>

NEW QUESTION 93

- (Exam Topic 1)

You need to meet the technical requirements for User1. The solution must use the principle of least privilege. What should you do?

- A. Add Users1 to the Server Operators group in contoso.com.
- B. Create a delegation on contoso.com.
- C. Add Users1 to the Account Operators group in contoso.com.
- D. Create a delegation on OU3.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/identity/ad-ds/plan/delegating-administration-of-account-ous-a>

NEW QUESTION 98

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-800 Practice Exam Features:

- * AZ-800 Questions and Answers Updated Frequently
- * AZ-800 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-800 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-800 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-800 Practice Test Here](#)