

Exam Questions MS-203

Microsoft 365 Messaging

<https://www.2passeasy.com/dumps/MS-203/>



NEW QUESTION 1

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online subscription that uses a namespace of litwareinc.com. You create a connector in Exchange Online that is configured as shown in the following exhibit.

Name	: Contoso
Enabled	: True
UseMXRecord	: True
ConnectorType	: Partner
RecipientDomains	: {Contoso.com}
SmartHosts	: {}
TlsDomain	: Contoso.com
TlsSettings	: DomainValidation
IsTransportRuleScoped	: False
RouteAllMessagesViaOnPremises	: False
CloudServiceMailEnabled	: False
AllAcceptedDomains	: False

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

NEW QUESTION 2

- (Topic 5)

You have a Microsoft 365 tenant that contains a user named User1.

User1 reports that she cannot configure a mail profile in Microsoft Outlook for Windows. User1 receives the following error message: "Encrypted connection to your mail server is not available."

You verify that User1 is assigned a Microsoft Office 365 Enterprise F3 license and can send email messages from her account by using Outlook on the web. You need to ensure that User1 can connect to Outlook successfully. What should you do?

- A. Run the Microsoft Support and Recovery Assistant for Office 365.
- B. Activate the installation of Office 365 ProPlus.
- C. Modify the license assigned to User1.
- D. Install a new certificate on the computer of User1.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/outlook-issues/encrypted-connection-unavailable>

NEW QUESTION 3

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named @contoso.com.

You recently configured Microsoft 365 to use a new email domain named @fabrikam.com instead of @contoso.com

Users report that when they send email messages to external recipients, the messages are often erroneously identified as SPAM.

You verify that all the users can receive email successfully from other companies.

You need to reduce the likelihood that the email will be identified as SPAM by the external recipients.

What should you modify?

- A. a text (TXT) record
- B. a mail flow rule
- C. a remote domain
- D. a safe attachments policy
- E. a mail exchanger (MX) record

Answer: B

NEW QUESTION 4

- (Topic 5)

You have a Microsoft 365 subscription that uses a default domain named contoso.com.

Users report that email messages from a domain named fabrikam.com are identified as spam even though the messages are legitimate.

You need to prevent messages from fabrikam.com from being identified as spam. What should you do?

- A. Enable the Zero-hour auto purge (ZAP) email protection feature.
- B. Enable the safe list on a connection filter.
- C. Edit the default mail flow rule to bypass the spam filter.
- D. Modify the IP Allow list of a connection filter policy.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-the-connection-filter-policy?view=o365-worldwide>

NEW QUESTION 5

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to install the Exchange Online Hybrid Agent. The solution must use the principle of least privilege.

To which roles should you be assigned to perform the installation? To answer, drag the appropriate roles to the correct products. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area


Global Admin	
Exchange Administrator	Microsoft Office 365 <input type="text"/>
Service Administrator	Exchange Server 2019 <input type="text"/>
Organization Management	
Server Management	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 6

DRAG DROP - (Topic 5)

Your company has a Microsoft 365 subscription for a domain named contoso.com.

The company acquires a company named Litware, Inc. that uses an IMAP-based messaging system. The SMTP domain of Litware is named litwareinc.com.

You need to migrate the mailboxes of Litware to Microsoft Office 365. The solution must ensure that users from Litware can receive email by using their current email address.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- Add an accepted domain to Office 365.
- Create a migration endpoint and a migration batch.
- Create an Office 365 connector.
- Start the migration batch.
- Provision a mailbox in Office 365 for each Litware user.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Answer Area

Add an accepted domain to Office 365.	Add an accepted domain to Office 365.
Create a migration endpoint and a migration batch.	Provision a mailbox in Office 365 for each Litware user.
Create an Office 365 connector.	Create a migration endpoint and a migration batch.
Start the migration batch.	Start the migration batch.
Provision a mailbox in Office 365 for each Litware user.	

NEW QUESTION 7

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. Users report that emails sent from Exchange Online mailboxes to the on-premises Exchange Server mailboxes are undelivered. You need to review the non-delivery report (NDR) for each undelivered email. What should you use?

- A. message trace in the Exchange admin center
- B. auditing in the Exchange admin center
- C. the SMTP protocol logs in Exchange Server
- D. the transport logs in Exchange Server

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-faq>

NEW QUESTION 8

HOTSPOT - (Topic 5)

You have an address book policy named Contoso-US that contains an address list named Contoso-Finance. You need to add an address list named Contoso-Marketing to Contoso-US without removing Contoso-Finance. How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

	-Identity	
<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> New-AddressList Set-AddressList New-AddressBookPolicy Set-AddressBookPolicy </div>		<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> "Contoso-Marketing" "Contoso-Marketing", "Contoso-Finance" "Contoso-Finance" "Contoso-US" </div>
-AddressLists		<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> "Contoso-Marketing" "Contoso-Marketing", "Contoso-Finance" "Contoso-Finance" "Contoso-US" </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

New-AddressList Set-AddressList New-AddressBookPolicy Set-AddressBookPolicy	-Identity	"Contoso-Marketing" "Contoso-Marketing", "Contoso-Finance" "Contoso-Finance" "Contoso-US"
-AddressLists		"Contoso-Marketing" "Contoso-Marketing", "Contoso-Finance" "Contoso-Finance" "Contoso-US"

NEW QUESTION 9

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement.

Solution: From the Exchange organization, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwide>

NEW QUESTION 10

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an

Exchange Server 2019 organization. You need to enable journaling for outbound email. Where can you store the journal reports?

- A. a mail-enabled public folder
- B. an Exchange Server 2019 mailbox
- C. a Microsoft SharePoint Online document library
- D. an Exchange Online mailbox

Answer: A

NEW QUESTION 10

HOTSPOT - (Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019. You need to configure modern attachments for Outlook on the web.

From Exchange Management Shell, which cmdlet should you run? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Set-CASMailbox Set-OutlookProvider Set-ClientAccessRule Set-OwaMailboxPolicy	-Name Default	-Identity -internalSPMySiteHostURL -WacExternalServicesEnabled -ThirdPartyAttachmentsEnabled	Https://Contoso-
my.sharepoint.com -ExternalSPMySiteHostURL Https://Contoso-my.Contoso.com			

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Set-CASMailbox Set-OutlookProvider Set-ClientAccessRule Set-OwaMailboxPolicy	-Name Default	-Identity -internalSPMySiteHostURL -WacExternalServicesEnabled -ThirdPartyAttachmentsEnabled	Https://Contoso-
my.sharepoint.com -ExternalSPMySiteHostURL Https://Contoso-my.Contoso.com			

NEW QUESTION 14

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 server. The company has five departments. The server contains one mailbox database for each department. Each mailbox database contains all the users in its respective department. The databases contain 1,000 users.

You create an address book policy for each department. You need to assign the address book policies to the users. Which cmdlet should you run?

- A. Set-Mailbox
- B. Set-AddressList
- C. Set-MailboxDatabase
- D. Sec-AddressBookPolicy

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/assign-an-address-book-policy-to-mail-users>

NEW QUESTION 17

- (Topic 5)

You have a Microsoft 365 subscription that contains a user named User1.

You need to ensure that User1 can only manage eDiscovery cases that she creates and export the search results. The solution must use the principle of least privilege.

To which role should you add User1?

- A. eDiscovery Manager
- B. eDiscovery Administrator
- C. Communications Compliance
- D. Compliance Administrator

Answer: A

NEW QUESTION 19

- (Topic 5)

You manage a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019. The deployment contains a primary SMTP domain named contoso.com.

Users have email addresses that use a syntax of firstname.lastname@contoso.com.

A user named Ben Smith receives a new client computer. You configure the computer1 to access Ben Smith's mailbox. Ben Smith reports that he cannot connect to his mailbox from the new computer.

You verify that other users can connect successfully to their mailbox and that new users can discover their mailboxes by using Autodiscover.

You need to ensure that Ben Smith can connect to his mailbox from the new computer. What should you do?

- A. Modify the primarySmtptAddress property for the mailbox of Ben Smith.
- B. Modify the email address of Ben Smith to use a syntax of firstname.lastname@contoso.onmicrosoft.com
- C. Modify the RemoteRoutingAddress parameter for the mailbox of Ben Smith.
- D. Modify the email address of Ben Smith to use a syntax of lastname.firstname@contoso.com

Answer: C

NEW QUESTION 23

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a group named Tier1ServiceDesk.

You have an Azure AD administrative unit named US that contains only users in the United States.

You need to ensure that Tier1ServiceDesk can manage recipient email addresses for only the users in US. The solution must use the principle of least privilege.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

The screenshot shows a command completion interface for the cmdlet `New-ManagementRoleAssignment`. The `-Role` parameter is set to `"Recipient Management"`. The `-SecurityGroup` parameter is set to `"Recipient Management"`. The `-AdministrativeUnits` parameter is currently empty.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The screenshot shows a command completion interface for the cmdlet `New-ManagementRoleAssignment`. The `-Role` parameter is set to `"Recipient Management"`. The `-SecurityGroup` parameter is set to `"Recipient Management"`. The `-AdministrativeUnits` parameter is currently empty.

NEW QUESTION 28

- (Topic 5)

All the users in your company have Microsoft 365 mailboxes.

Each user connects to Microsoft Exchange Online and OneDrive for Business from a personal computer that runs Windows 10.

You need to ensure that the users can save attachments to OneDrive for Business only when they connect to their mailbox from Outlook on the web.

What should you create?

- A. an app protection policy in Microsoft Endpoint Manager
- B. a device compliance policy in Microsoft Endpoint Manager
- C. an Outlook Web App policy in Exchange Online
- D. an Exchange ActiveSync device access rule

Answer: C

Explanation:

<https://www.pelegit.co.il/prevent-downloading-attachments-through-owa/>

NEW QUESTION 31

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mail-enabled public folder named CustomerSupport

You need to create a group for the customer support team at your company. The solution must ensure that email sent to the group is also posted to the CustomerSupport public folder

How should you configure the group? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Group type:

▼
Distribution list
Microsoft 365
Security

Configuration:

▼
Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Group type:

▼
Distribution list
Microsoft 365
Security

Configuration:

▼
Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

NEW QUESTION 35


HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to be notified when more than 1,000 email messages are queued in Exchange for more than one hour.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 40

DRAG DROP - (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2013 organization. The deployment contains the public folders shown in following table.

Name	Location
PF1	Exchange Server 2013
PF2	Exchange Online

You need to configure the deployment to meet the following requirements:

? Exchange Server 2013 mailboxes must be able to access PF2.

? Exchange Online mailboxes must be able to access PF1.

Which PowerShell script should you run from an Exchange Server 2013 server to meet each requirement? To answer, drag the appropriate scripts to the correct requirements. Each script may be used once, more than once, or at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

PowerShell Scripts

- Import-PublicFolderMailboxes.ps1
- Sync-MailPublicFolders.ps1
- Sync-MailPublicFoldersCloudToOnprem.ps1
- Sync-ModernMailPublicFolders.ps1

Answer Area

Enable Exchange Server 2013 mailboxes to access PF2:

Enable Exchange Online mailboxes to access PF1:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

PowerShell Scripts	Answer Area
Import-PublicFolderMailboxes.ps1	Enable Exchange Server 2013 mailboxes to access PF2:
Sync-MailPublicFolders.ps1	
Sync-MailPublicFoldersCloudToOnprem.ps1	Enable Exchange Online mailboxes to access PF1:
Sync-ModernMailPublicFolders.ps1	

NEW QUESTION 42

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has a mobile device.

You need to enable Exchange ActiveSync logging for User1 and retrieve the log files. Which two Exchange Online PowerShell cmdlets should you use? Each correct answer

presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Get-ActiveSyncDevice
- B. Set-ActiveSyncMailboxPolicy
- C. Set-ClientAccessRule
- D. Get-MobileDeviceStatistics
- E. Set-CASMailbox

Answer: E

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/post-installation-tasks/change-oab-generation-schedule?view=exchserver-2019>

NEW QUESTION 45

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You modify the permissions granted to the Sales group. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Create a mail flow rule. Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocking-scenarios>

NEW QUESTION 49

- (Topic 5)

You have a Microsoft Exchange Online tenant that has an email domain named contoso.com.

You collaborate with a partner company that has an email domain named adatum.com. You need to ensure that all the email messages sent to and received from adatum.com are encrypted in transit.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct answer is worth one point.

- A. Create a connector from adatum.com to Microsoft Office 365 and configure the connector to use SMTP relay.
- B. Create a connector from adatum.com to Microsoft Office 365 and configure the connector to require TLS.
- C. Create a connector from Microsoft Office 365 to adatum.com and configure the connector to require TLS.
- D. Issue S/MIME certificates to all the users in contoso.com.
- E. Configure Exchange Online to use direct send to adatum.com.

Answer: BC

NEW QUESTION 53

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder named CustomerSupport. You need to access CustomerSupport by using Outlook on the web. Which section in Outlook on the web should you add CustomerSupport?

- A. Favorites
- B. Folders
- C. Groups

Answer: C

NEW QUESTION 55

- (Topic 5)

You have a Microsoft Exchange Online tenant.

Remote users report that they receive an error message when they attempt to add their email account to Microsoft Outlook.

You need to confirm that the DNS records resolve correctly for the users.

Which two DNS records should you test? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. autodiscover.outlook.com
- B. smtp.office365.com
- C. outlook.office365.com
- D. security.microsoft365.com
- E. portal.office.com

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/administration/incorrect-settings>

NEW QUESTION 60

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

Your company has a partnership with another company named fabrikam.com. You need to ensure that all email messages sent to and received by the users at fabrikam.com are encrypted by using TLS.

What should you create in the Exchange admin center?

- A. one connector and one remote domain
- B. one remote domain and one accepted domain
- C. one connector and one accepted domain
- D. two connectors

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/setup-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 64

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario.

Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe attachments policy. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

NEW QUESTION 66

- (Topic 5)

You have a Microsoft 365 tenant that contains a user named User1.

Automatic email forwarding to mailboxes outside your company is blocked for the tenant. You need to ensure that User1 can automatically forward email to an external recipient.

What should you do?

- A. Create an anti-malware policy.
- B. Modify the Tenant Allow/Block List
- C. Create an anti-spam policy.
- D. Create an anti-phishing policy.

Answer: C

NEW QUESTION 71

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You plan to migrate all mailboxes to Exchange Online.

You need to provide a user with the ability to perform the mailbox migrations. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A. Recipient Management
- B. Server Management
- C. Help Desk
- D. Organization Management

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions/feature-permissions/recipient-permissions?view=exchserver-2019>

NEW QUESTION 72

- (Topic 4)

You need to ensure that Alex Wilber can recover deleted items when using Outlook on the web.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Assign Sales Policy to Alex Wilbur.
- B. Modify Marketing Policy.
- C. Remove Alex Wilbur from all groups.
- D. Assign Policy2 to Alex Wilbur.
- E. Modify Policy1

Answer: BD

NEW QUESTION 73

HOTSPOT - (Topic 4)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The Safe Attachments 1 policy applies to Alex Wilber	<input type="radio"/>	<input type="radio"/>
If an email message that contains detected malware is sent to Megan Bowen, the attachment will be removed, and the message will be delivered	<input type="radio"/>	<input type="radio"/>
For Lynne Robbins, to block both email messages and attachments that have detected malware, the priority of Safe Attachments 2 must be increased	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, letter, email Description automatically generated

Box 1: Yes

The Safe Attachments 1 policy applies to Group1. Alex Wilber is in Group1.

Box 2: No

Megan Bowen is in Group2. The Safe Attachments 2 policy applies to Group2. The Safe Attachments 2 policy will block the email rather than remove the attachment and deliver the email.

Box 3: No

Lynne Robbins is in the Sales department which means she is a member of Group3. She is also a member of Group2 and Group4.

The Safe Attachments 2 policy blocks emails and applies to Group2. There are no other Safe Attachments policies that apply to Group3 or Group4. Therefore, Safe Attachments 2 is the only policy that applies to Lynne Robbins so you do not need to increase the priority of the policy to block the emails.

NEW QUESTION 78

HOTSPOT - (Topic 3)

You need to perform a remote wipe of the devices of User2 and User3. You run the following commands.

```
Clear-MobileDevice -id User2-Device
-NotificationEmailAddress "admin@Fabrikam.com"
Clear-MobileDevice -id User3-Device
-NotificationEmailAddress "admin@Fabrikam.com"
```

What occurs on each device? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

On the device of User2:

All data is deleted. !
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

All data is deleted.
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

On the device of User2:

All data is deleted.
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

All data is deleted.
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

NEW QUESTION 82

- (Topic 3)

You need to encrypt email between Fabrikam and Litware to support the planned changes. What should you configure in the Exchange admin center?

- A. a connector
- B. an organization relationship
- C. a sharing policy
- D. a remote domain

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 85

- (Topic 3)

User3 leaves the company.

You need to ensure that Admin1 and Admin2 can access the mailbox of User3. The solution must meet the technical requirements. What should you do?

- A. Migrate the mailbox of User3 to a distribution group.
- B. Migrate the mailbox of User3 to a Microsoft 365 group.
- C. Convert the mailbox of User3 into a resource mailbox.
- D. Convert the mailbox of User3 into a shared mailbox.

Answer: D

Explanation:

Fabrikam identifies the following technical requirements:

? When users leave the company, remove their licenses and ensure that their mailbox is accessible to Admin1 and Admin2.

If you remove the license from User3, the mailbox will be deleted after 30 days. Converting the mailbox to a shared mailbox will ensure that the mailbox is not deleted. You would still need to give Admin1 and Admin2 permissions to access the mailbox.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/email/convert-user-mailbox-to-shared-mailbox?view=o365-worldwide>

NEW QUESTION 89

- (Topic 2)

You need to resolve the issue for the transport department users.

What is the best way to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Move the public folder mailbox that contains TransportPF to a server in the main office.
- B. Move TransportPF to a public folder mailbox hosted in the main office.
- C. Modify the default public folder mailbox for all the transport department users.
- D. Instruct the transport department users to add TransportPF to their Favorites list in Outlook.

Answer: B

Explanation:

References:
<https://docs.microsoft.com/en-us/exchange/recipients/mailbox-moves?view=exchserver-2019>

NEW QUESTION 94

- (Topic 2)

You need to recommend a solution to retain the items in the public folders. The solution must support the planned changes.
 What should you recommend?

- A. Create an Outlook rule that forwards all the items in each public folder to a compliance mailbox.
- B. Place an In-Place Hold on all the mailboxes of the public folders.
- C. Increase the frequency of the backups.
- D. Modify the public folder permissions.

Answer: B

Explanation:

References:
<https://docs.microsoft.com/en-us/exchange/security-and-compliance/in-place-and-litigation-holds#placingpublic-folders-on-hold>

NEW QUESTION 97

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.
 You need to create a new policy to retain mailbox items for five years before the items are deleted. The policy must be assigned to any user that has a job title attribute of Manager.

Which type of policy should you create, and what should you create first? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area




NEW QUESTION 99

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.
 You recently hired two new administrators named Admin5 and Admin6. You need to grant the following permissions to the new administrators:

- Admin5 must be able to assign licenses to users.
- Admin6 must be able to modify the email SPAM settings of all users.
- Admin5 must be able to configure the email forwarding settings of all users.
- Admin5 and Admin6 must be able to manage the mailbox permissions of all users. The solution must use the principle of least privilege.


Which role should you assign to each user? To answer, select the appropriate options NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 100

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1 and a shared mailbox named Mailbox. You plan to use PowerShell to grant User1 the Send As permission for Mailbox1. Which cmdlet should you run?

- A. Add-RecipientPermission
- B. Add-MailboxPermission
- C. Set-MailboxFolderPermission
- D. Add-MailboxFolderPermission
- E. Set-Mailbox

Answer: E

NEW QUESTION 104

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email sent or received by a user named Diego Siciliani is preserved in Exchange Online. The solution must prevent Diego Siciliani from permanently deleting any email messages for 180 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need configure a Retention Policy. You could also use a Litigation Hold but Retention Policies are replacing Litigation Holds in future, so a Retention Policy is the way to go.

? In the Microsoft 365 Compliance Center, go to the Policies section and click Retention.

? Click the New retention policy link.

? Enter a name for the policy (such as "Diego Siciliani Email Retention") and click Next.

? In the retention period, enter 180 days and click Next.

? Ensure that only Exchange email is selected. SharePoint sites, OneDrive accounts and Office 365 groups are also selected by default so you may need to deselect them.

? Click the Choose recipients link for Exchange email.

? Click the Choose recipients button to open a list of recipients.

? Select Admin1 and click the Choose button then click the Done button.

? Click Next.

? Click the Create this policy button.

NEW QUESTION 105

- (Topic 5)

You plan to use the Microsoft Office 365 Import service to import PST files.

You need to create a new user account to perform the import. The solution must use the principle of least privilege.

Which two roles should you assign to the user account? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. the Recipient Management role in Office 365
- B. the Organization Management role in Office 365
- C. the Mailbox Import Export role in Office 365
- D. the Global reader role in Azure Active Directory (Azure AD)
- E. the Global administrator role in Office 365

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365-worldwide>

NEW QUESTION 110

DRAG DROP - (Topic 5)

You have a Microsoft 365 E5 subscription that contains a public folder named Folder1 and two users named User1 and User2. You need to ensure that the users can perform the actions shown in the following table.

User	Action
User1	<ul style="list-style-type: none"> • Create new items. • Delete items created by User1. • Only modify items created by User1. • Read existing items. • View folders.
User2	<ul style="list-style-type: none"> • Create subfolders. • Read all items. • Delete all items. • Only modify items created by User2.

The solution must use the principle of least privilege and minimize administrative effort. Which folder permission should you grant to each user? To answer, drag the appropriate permissions to the correct users. Each permission may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Permissions

- Author
- Custom
- Editor
- Non-Editing Author
- Owner
- PublishingEditor
- PublishingAuthor

Answer Area

User1:

User2:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Permissions

- Author
- Custom
- Editor
- Non-Editing Author
- Owner
- PublishingEditor
- PublishingAuthor

Answer Area

User1:

User2:

NEW QUESTION 113

- (Topic 5)

You have a Microsoft Exchange Online tenant that has a domain named contoso.com.

From the Exchange admin center, you create an organization relationship that has the following settings:

- Domain to share with: fabhkam.com
- Share calendar free/busy information for: Everyone in your organization

The users in contoso.com report that they cannot view the calendar free/busy information of the users in fabrikam.com. You need to ensure that the users in both tenants can view the calendar free/busy information of all users.

What should you do?

- A. Configure a sharing policy for fabrikam.com.
- B. Request fabrikam.com to configure an organization relationship with contoso.com.
- C. Add a remote domain to fabnkam.com.
- D. Request fabrikam.com to add contoso.com as an accepted domain.

Answer: B

NEW QUESTION 116

- (Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that legitimate email messages are delivered to their Junk Email folder. You plan to use the Microsoft Remote Connectivity Analyzer to identify the cause of the issue.

Which test should you run?

- A. Outlook Connectivity
- B. Inbound SMTP Email
- C. Outbound SMTP Email
- D. Message Analyzer

Answer: D

NEW QUESTION 118

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to create a report to display messages that have a delivery status of Quarantined.

From the modern Exchange admin center, you create a new message trace.

How should you configure the message trace? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Time range:

▼
Last 7 days
Last 15 days
Last 30 days
Last 90 days

Report type:

▼
Extended report
Summary report
Enhanced summary report

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Time range:

▼
Last 7 days
Last 15 days
Last 30 days
Last 90 days

Report type:

▼
Extended report
Summary report
Enhanced summary report

NEW QUESTION 120

- (Topic 5)

You have a Microsoft 365 subscription that uses Microsoft Exchange Online Protection (EOP) with the default settings.

You need to ensure that email messages sent from the unauthorized IP addresses of any sending domain are marked as High confidence spam The solution must minimize administrative effort.

What should you do?

- A. For the default anti-spam inbound policy, set SPF record: hard fail to On
- B. For the default connection filter policy, add an entry to the IP Block List.
- C. For the default anti-spam inbound policy, set Conditional Sender ID filtering: hard fail to On
- D. Create a mail flow rule.

Answer: A

NEW QUESTION 122

- (Topic 5)

You have a Microsoft Exchange Server hybrid deployment that contains Exchange 2013, Exchange 2016, and Exchange 2019 servers. All the servers have the latest Cumulative Updates (CUs) applied.

You need to implement Hybrid Modern Authentication (HMA). The solution must minimize costs.

What should you do first?

- A. Upgrade the Exchange 2013 servers to Exchange 2016 CU7.
- B. Add the on-premises web service URLs as Azure Active Directory (Azure AD) service principal names (SPNs).
- C. Upgrade all the servers to Exchange 2019.
- D. Create an Azure Active Directory (Azure AD) conditional access policy for Exchange Online.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modern-authentication?view=o365-worldwide#make-sure-you-meet-all-the-prerequisites>

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/hybrid-modern-auth-overview?view=o365-worldwide#do-you-meet-modern-authentication-prerequisites>

NEW QUESTION 126

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes from the on-premises organization to Exchange Online. From the Exchange admin center, you create a new migration batch that includes 25

mailboxes, and then you select Manual Complete the batch.

Later, you must complete the migration of a mailbox named user1@litware.com in the batch as soon as possible. You discover that the status of the migration batch is Syncing, but the status of the move request for user1@litware.com is Synced.

You need to complete the migration of the user1@litware.com mailbox to Exchange Online as soon as possible.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

	-Identity "user1@litware.com"	
<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">Set-MoveRequest</div> <div style="border-bottom: 1px solid black; padding: 2px;">Set-MigrationBatch</div> <div style="padding: 2px;">Set-MigrationConfig</div> </div>		<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">-CompleteAfter(Get-Date)</div> <div style="border-bottom: 1px solid black; padding: 2px;">-SuspendWhenReadyToComplete \$false</div> <div style="padding: 2px;">-PreventCompletion \$false</div> </div>

Resume-MoveRequest -Identity "user1@litware.com"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

	-Identity "user1@litware.com"	
<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">Set-MoveRequest</div> <div style="border-bottom: 1px solid black; padding: 2px;">Set-MigrationBatch</div> <div style="padding: 2px;">Set-MigrationConfig</div> </div>		<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">-CompleteAfter(Get-Date)</div> <div style="border-bottom: 1px solid black; padding: 2px;">-SuspendWhenReadyToComplete \$false</div> <div style="padding: 2px;">-PreventCompletion \$false</div> </div>

Resume-MoveRequest -Identity "user1@litware.com"

NEW QUESTION 129

- (Topic 5)

Your on-premises network contains a proxy server and a firewall. The proxy server is configured to inspect the contents of HTTP and HTTPS sessions to identify disallowed content. Only the proxy server can connect to the internet through the firewall.

You implement Microsoft Exchange Online.

Users report that they receive an error message when they attempt to connect to their mailbox by using Microsoft Outlook.

From the internal network, you connect to <https://outlookoffice.com/mail> and discover a certificate error.

You discover that the certificate error contains information about a certificate issued by your company's internal certification authority (CA).

You need to ensure that all the users can connect successfully to their mailbox. What should you do?

- A. Install a new root CA certificate on the client computer of each user.
- B. Configure client computers to bypass the proxy server when they access https://*.microsoft.com.
- C. Disable HTTPS content inspection on the proxy server.
- D. Install a new root CA certificate on the proxy server.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/outlook/troubleshoot/connectivity/error-when-outlook-uses-rpc-https-connectserver>**NEW QUESTION 133**

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your company can schedule a conference room named Room1 in the company's office by using Microsoft Outlook.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A**Explanation:**

? In the Exchange admin center, navigate to Recipients > Resources.

? To create a room mailbox, click New + > Room mailbox.

? Use the options on the page to specify the settings for the new resource mailbox.

- Room name: Use this box to type a name for the room mailbox. This is the name that's listed in the resource mailbox list in the Exchange admin center and in your organization's address book. This name is required and it can't exceed 64 characters.

- Alias: A room mailbox has an email address so it can receive booking requests. The email address consists of an alias on the left side of the @ symbol, which must be unique in the forest, and your domain name on the right. The alias is required.

- Location, Phone, Capacity: You can use these fields to enter details about the room. However, as explained earlier, you can include some or all of this information in the room name so users can see it.

? When you're finished, click Save to create the room mailbox.

NEW QUESTION 135

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 organization that contains two servers in a database availability group (DAG).

The customer service department at the company uses public folders to receive customer communications.

Only users in the customer service department can read items in the folders.

For a new customer, you create a mail-enabled public folder that has the default settings. The customer reports that when she sends an email message to the email address of the public folder, she receives a non-delivery report (NDR). You need to ensure that the public folder can receive email. Which public permissions should you configure in Microsoft Outlook?

- A. Grant the Author permission to the Default group
- B. Grant the Author permission to the Anonymous group
- C. Grant the Create items permission to the Anonymous group
- D. Grant the Create items permission to the Default group

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserver-2019>

NEW QUESTION 136

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You have an on-premises scanner that emails scanned documents by using SMTP.

You need to create a Microsoft Office 365 SMTP relay to route email from the scanner to the internet. The solution must ensure that the connector accepts only email sent by the scanner.

How should you configure the connector? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

[Learn more](#)

From:

	▼
Internet	
Office 365	
Partner organization	
Your organization's email server	

To:

	▼
Internet	
Office 365	
Partner organization	
Your organization's email server	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

[Learn more](#)

From:

▼

- Internet
- Office 365
- Partner organization
- Your organization's email server

To:

▼

- Internet
- Office 365
- Partner organization
- Your organization's email server

NEW QUESTION 138

- (Topic 5)

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox.

Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application.

You need to ensure that all the event notifications sent by the applications are retained in the service account mailboxes so that new developers can review older notifications. The developers must be able to view only the notifications for their respective application.

What should you do?

- A. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.
- B. Replace the service account mailboxes with a single user mailbox that contains Power Automate rules.
- C. Convert the service account mailboxes into shared mailboxes.
- D. Convert the service account mailboxes into mail-enabled users.

Answer: C

NEW QUESTION 143

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You run the Get-HybridConfiguration cmdlet and receive the output shown in the following exhibit.

```
ClientAccessServers      : {}
EdgeTransportServers    : {}
ReceivingtransportServers : (EX01, EX02)
SendingTransportServers  : (EX01, EX02)
OnPremisesSmartHost      : mail.litware.com
Domains                  : (litware.com)
Features                  : (FreeBusy, MoveMailbox, Moiltips, MessageTracking, SecureMail, Photos)
ExternalIPAddresses      : {}
TlsCertificateName       : <I>CN=CA, O=SSLCert Inc, C=US<S>CN=mail.litware.com, OU=IT, O=User1,
                          L=Redmond, S=Washington, C=US
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

To enable users who have on-premises mailboxes to access their archive mailbox in Exchange online, you must modify the **[answer choice]** property.

▼

- ClientAccessServers
- Domains
- Features
- ExternalIPAddresses

Depending on where the user mailbox is located, to enable automatic Microsoft Outlook on the web redirection to either the on-premises organization or Exchange Online, you must modify the **[answer choice]** property.

▼

- ClientAccessServers
- Domains
- Features
- ExternalIPAddresses

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/federation-and-hybrid/set-hybridconfiguration?view=exchange-ps>

NEW QUESTION 144

HOTSPOT - (Topic 5)

You have a Microsoft 365 subscription that contains a Microsoft Exchange Online tenant.

An named App1 emails files to a group named App1support. The files are sent in a file that has the jar extension.


You have tie anti-malware policy shown in following exhibit.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 147

HOTSPOT - (Topic 5)

You have an Exchange Online tenant that has the anti-spam settings configured as shown in the following exhibit.

Standard settings On

Standard

Spam action	Move message to Junk Email folder
Mark bulk email as spam	On
Bulk threshold	7
Mark NDR backscatter as spam	Off
Safety Tips	On
Bulk email	Move message to Junk Email folder
Phishing email	Quarantine message

To change these settings or add new ones, switch to custom settings

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Users will see safety tips when they access their mailbox from [answer choice].

- Outlook on the web only
- Microsoft Outlook 2019 only
- Microsoft Outlook 2019 and Outlook on the web

To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].

- modify Spam action
- increase the value of Bulk threshold
- decrease the value of Bulk threshold

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Users will see safety tips when they access their mailbox from [answer choice].

- Outlook on the web only
- Microsoft Outlook 2019 only
- Microsoft Outlook 2019 and Outlook on the web

To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].

- modify Spam action
- increase the value of Bulk threshold
- decrease the value of Bulk threshold

NEW QUESTION 152

DRAG DROP - (Topic 5)

Your company has two departments named Dept1 and Dept2. You have a Microsoft Exchange Online tenant.

You need to deploy custom offline address books (OABs) that contain address lists for each department. The solution must meet the following requirements:

- Dept1 and Dept2 must each have its own OAB.
- The users in Dept1 must NOT list the users in Dept2 in its OAB.
- The Dept2 users must NOT list the Dept1 users in its OAB.
- All users must be able to use the global address list (GAL) to search for users in both departments.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Run the new-globalAddressList cmdlet to create a custom address list.
- Run the new-addressList cmdlet to create a custom address list for each department.
- Run the new-offlineAddressbook cmdlet to create a new OAB for each department.
- Run the new-bealAddressPolicy cmdlet to create a new address book policy for each department.
- Run the update-bealAddressPolicy cmdlet to assign an address book policy to each department.

Answer Area

⬅

➡

⬆

⬇

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- Run the new-globalAddressList cmdlet to create a custom address list.
- Run the new-addressList cmdlet to create a custom address list for each department.
- Run the new-offlineAddressbook cmdlet to create a new OAB for each department.
- Run the new-bealAddressPolicy cmdlet to create a new address book policy for each department.
- Run the update-bealAddressPolicy cmdlet to assign an address book policy to each department.

Answer Area

- Run the new-addressList cmdlet to create a custom address list for each department.
- Run the new-offlineAddressbook cmdlet to create a new OAB for each department.
- Run the new-bealAddressPolicy cmdlet to create a new address book policy for each department.
- Run the update-bealAddressPolicy cmdlet to assign an address book policy to each department.

⬅

➡

⬆

⬇

NEW QUESTION 154

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 reports that an email message marked as high priority was undelivered.

You need to trace the email messages sent by User1 during the last 15 days. The solution must include the Delivery Priority property of the messages.

Which report should you use?

- A. Enhanced summary
- B. Summary
- C. Extended
- D. Outbound messages

Answer: A

NEW QUESTION 159

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that uses Exchange Online Protection (EOP) with the default settings. You plan to configure quarantine settings to meet the following requirements:

- Specify the language of notifications.
- Specify the notification interval.
- Enable notifications.

What should you configure for each requirement? To answer, drag the appropriate configurations to the correct requirements. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Configurations	Answer Area
Custom quarantine policy	Specify the language of notifications: <input type="text"/>
Default anti-spam policy	Specify the notification interval: <input type="text"/>
Global quarantine policy settings	Enable notifications: <input type="text"/>
Mail flow rule	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Configurations	Answer Area
Custom quarantine policy	Specify the language of notifications: Global quarantine policy settings
Default anti-spam policy	Specify the notification interval: Default anti-spam policy
Global quarantine policy settings	Enable notifications: Custom quarantine policy
Mail flow rule	

NEW QUESTION 164

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You recently hired two new administrators named Admin5 and Admin6. You need to grant the following permissions to the new administrators:

- ? Admin5 must be able to assign licenses to users.
- ? Admin6 must be able to modify the email SPAM settings of all users.
- ? Admin5 must be able to configure the email forwarding settings of all users.
- ? Admin5 and Admin6 must be able to manage the mailbox permissions of all users. The solution must use the principle of least privilege.

Which role should you assign to each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Admin5:

Admin6:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 169

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. The deployment contains an Exchange Server 2019 server named Server1.

Server1 has a public certificate named Cert1 that is bound to the SMTP protocol. Cert1 will expire soon.

you replace Cert1 with a new certificate named Cert2 from a different public certification authority (CA)

After you replace the certificate, you discover that email delivery between Server1 and the Exchange Online tenant fails.

You need to ensure that messages can be delivered successfully What should you do on Server1?

- A. Return the Hybrid Configuration wizard
- B. Restart the MSExchangeTransport service.
- C. Recreate the certificate and include an exportable private key.
- D. Bind a self-signed certificate to the SMTP protocol.

Answer: A

Explanation:

When replacing a certificate used in a hybrid deployment, you should run the Hybrid Configuration wizard again to update the certificate information in the hybrid configuration settings. This process updates the certificate used by the hybrid deployment and ensures that email delivery between the on-premises Exchange Server and the Exchange Online tenant is successful.

NEW QUESTION 172

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwide>

NEW QUESTION 173

HOTSPOT - (Topic 5)

You run the following PowerShell command in a Microsoft 365 environment.

```
PS C:\WINDOWS\system32> Get-OrganizationConfig | f1 *group*
```

```
DistributionGroupDefaultOU :
DistributionGroupNameBlockedWordsList : {}
DistributionGroupNamingPolicy :
MailTipsGroupMetricsEnabled : True
DirectReportsGroupAutoCreationEnabled : False
GroupsCreationEnabled : False
HiddenMembershipGroupsCreationEnabled : False
GroupsUsageGuidelinesLink :
DefaultGroupAccessType : Private
IsMIPLabelForGroupsEnabled : False
OcmGroupId :
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the command.
 NOTE: Each correct selection is worth one point.

[Answer choice] can view the list of members in a group

▼
Only administrators
Only administrators and group owners
All users

[Answer choice] can view the contents of a group mailbox

▼
Only administrators
Only administrators and group owners
All users

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

[Answer choice] can view the list of members in a group

▼
Only administrators
Only administrators and group owners
All users

[Answer choice] can view the contents of a group mailbox

▼
Only administrators
Only administrators and group owners
All users

NEW QUESTION 177

- (Topic 5)

You have an on-premises Microsoft Exchange Server 2019 organization. You plan to configure the environment to support a hybrid deployment. You need to ensure that you can migrate mailboxes from the on-premises organization to Exchange Online. Which two ports should be open between Exchange Online and the on-premises organization? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. 25
- B. 80
- C. 143
- D. 389
- E. 443
- F. 993

Answer: AE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment-prerequisites#hybrid-deployment-protocolsports-and-endpoints>

NEW QUESTION 181

- (Topic 5)

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. Server1 uses a certificate from a third-party certification authority (CA). The certificate is enabled for the SMTP service.

You replace the certificate with a new certificate.

You discover that delivery fails for all email messages sent from Server1 to your Microsoft 365 tenant.

You receive the following error message for all the queued email messages: "450 4.4.101 Proxy session setup failed on Frontend with 451 4.4.0 Primary target IP address responded with 451 5.7.3 STARTTLS is required to send mail."

You need to ensure that the messages are delivered successfully from Server1 to the Microsoft 365 tenant.

What should you do?

- A. From the Exchange admin center, update the certificate thumbprint in the properties of a connector
- B. From Server1, regenerate the certificate and select Make private keys exportable
- C. From the firewall, disable SMTP content inspection
- D. From Server1, enable the new certificate for the IMAP4 service

Answer: C

NEW QUESTION 185

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

? Adatum.com

? Contoso.com

? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Exchange Management Shell, you run Set-Mailbox cmdlet.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Set-Mailbox -PrimarySmtpAddress <SmtpAddress>

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

NEW QUESTION 188

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You purchase a Microsoft Office 365 E5 subscription.

You plan to implement Exchange Modern Hybrid and free/busy sharing.

Which two components should you configure for the planned implementations? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a sharing policy
- B. a federation trust
- C. a relying party trust
- D. Active Directory Lightweight Directory Services (AD LDS)
- E. an organization relationship

Answer: BE

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

NEW QUESTION 193

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 organization.

You are auditing the Litigation Hold on the mailboxes of the company's research and development department.

You discover that the mailbox of a user named User1 has a Litigation Hold enabled.

You need to discover who placed the Litigation Hold on the mailbox of User1, and when the Litigation Hold was enabled.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Exchange admin center, run an In-place eDiscovery and Hold report.
- B. From PowerShell, run the Get-Mailbox cmdlet.
- C. From the Exchange admin center
- D. run a per-mailbox Litigation Hold report.
- E. From PowerShell, run the Get-MailboxStatistics cmdlet.

Answer: BC

Explanation:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mailboxstatistics?view=exchange-ps>

NEW QUESTION 196

HOTSPOT - (Topic 5)


You manage a Microsoft Exchange Online subscription. You use Advanced Threat Protection (ATP).

A partner company sends daily invoices to your company. The invoices are always named AdatumInvoice.xlsx.

Some users report that sometimes they cannot find the invoices in their Inbox folder. You need to identify whether the invoices are identified as malicious by Microsoft 365.

Which two blades should you use? To answer, select the appropriate blades in the answer area.


NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 199

HOTSPOT - (Topic 5)

HOTSPOT

You have a Microsoft Exchange Online subscription. You run the following command.

Set-ActiveSyncOrganizationSettings -DefaultAccessLevel Block

You run Get-ActiveSyncDeviceAccessRule | f1 Identity, AccessLevel, Characteristic, QueryString and you receive the following output.

```
Identity      : Outlook-Android/2.0 (UserAgent)
AccessLevel   : allow
Characteristic : UserAgent
QueryString   : Outlook-Android/2.0
```

```
Identity      : Outlook-iOS/2.0 (UserAgent)
AccessLevel   : Allow
Characteristic : UserAgent
QueryString   : Outlook-iOS/2.0
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 200

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization named contoso.com and an Exchange Online tenant. You plan to implement a hybrid deployment.

You have the certificates shown in the following table.

Name	Source	Subject name
Cert1	Self-signed	server1.contoso.com
Cert2	Internal certification authority (CA)	*
Cert3	Internal certification authority (CA)	contoso.com and autodiscover.contoso.com
Cert4	Public certification authority (CA)	*
Cert5	Public certification authority (CA)	contoso.com and autodiscover.contoso.com

You need to identify which certificates can be assigned in the Microsoft Office 365 Exchange Hybrid Configuration wizard. Which certificates should you identify?

- A. Cert4 and Cert5 only
- B. Cert2 and Cert3 only
- C. Cert1 only
- D. Cert3 and Cert5 only
- E. Cert2 and Cert4 only
- F. Cert2, Cert3, Cert4, and Cert5 only

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/certificate-requirements>

NEW QUESTION 204

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

? Sending out-of-office replies to an email domain named fabrikam.com.

? Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You modify the default remote domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 208

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a retention policy named Policy1 and a user named User1.

Policy1 is assigned to all users and contains the retention tags shown in the following table.

Name	Type	Retention period	Retention action
Tag1	Default mailbox	1826 days	Permanently Delete
Tag2	Default folder	365 days	Move to Archive
Tag3	Personal	730 days	Move to Archive

Tag3 is applied to an email message in the inbox of User1. You remove Tag3 from Policy1. What will occur to the message?

- A. The existing retention tag will be retained.
- B. The existing retention tag will be removed.
- C. The default mailbox retention tag will apply.
- D. The default folder retention tag will apply.

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-tags-and-policies>

NEW QUESTION 209

HOTSPOT - (Topic 5)

You are migrating mailboxes from a Microsoft Exchange Server 2016 organization to Exchange Online. The mailbox migrations are configured to suspend, and you plan to perform a coordinated cutover.

Which PowerShell command should you run to complete all the suspended mailbox migrations? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

-MoveStatus Suspended |

Get-ADUser
Get-Mailbox
Get-MigrationUser
Get-MoveRequest

New-MoveRequest
Resume-MoveRequest
Set-MoveRequest
Start-MigrationUser

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Get-MoveRequest

The Get-MoveRequest cmdlet gets the status of an ongoing asynchronous mailbox move that was initiated by using the New-MoveRequest cmdlet.

Box 2: Resume-MoveRequest

The Resume-MoveRequest cmdlet is used to resume a move request that has been suspended or has failed.

NEW QUESTION 210

- (Topic 5)

You have an Exchange Online tenant that contains several hundred mailboxes.

Several users report that email messages from an SMTP domain named @fabrikam.com often fail to be delivered to their mailbox.

You need to increase the likelihood that the email messages from the @fabrikam.com are delivered successfully to the users in the tenant.

- A. From the Security & Compliance admin center, modify the anti-spam policy settings.
- B. From the Security & Compliance admin center, modify the DKIM settings.
- C. From your public DNS zones, create a Sender Policy Framework (SPF) TXT record.
- D. From the Security & Compliance admin center, create a new ATP anti-phishing policy.

Answer: A

NEW QUESTION 215

- (Topic 5)

You recently implemented a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. The public IP address of Server1 is 131.107.1.100.

The deployment is configured as shown in the following table.

Object type	Configuration	Location
Accepted domain	Contoso.com	Microsoft 365
Remote domain	*	Microsoft 365
Outbound connector	Use DNS routing	Microsoft 365
Inbound connector	Default settings	Microsoft 365
Mail exchanger (MX) record	Contoso-com.mail.protection.outlook.com	Public DNS
Send connector	Use DNS routing	Exchange Server 2019

Users hosted in Microsoft 365 report that they receive non-delivery reports (NDRs) when they attempt to send email messages to mailboxes hosted in Exchange Server 2019.

You need to ensure that the email is delivered successfully. The solution must ensure that email delivery is successful for all the users at your company.

What should you do?

- A. Configure the remote domain to use a value of contoso.com.
- B. Modify the MX record to point to the internal Exchange servers.
- C. Configure the Outbound connector to use a smart host of 131.107.1.100.
- D. Configure the accepted domain to use a value of *.

Answer: C

NEW QUESTION 220

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- ? Adatum.com
- ? Contoso.com
- ? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: You create an email address policy.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

This would work in Exchange on-premise but you cannot create email address policies for user mailboxes in Exchange Online.

NEW QUESTION 222

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

Several users report that email messages sent to the users at another company named fabrikam.com contain a Winmail.dat attachment.

You need to prevent the fabrikam.com users from receiving Winmail.dat attachments. What should you do?

- A. Configure a remote domain that has the TNEFEnabled parameter set to \$False.
- B. Create an Outbound connector that has the validationRecipients parameter set to contoso.com.
- C. Create an Outbound connector that has the validationRecipients parameter set to fabrikam.com.
- D. Configure a remote domain that has the TrustedMailoutboundEnabled parameter set to \$False.

Answer: A

Explanation:

Reference:
<https://gcits.com/knowledge-base/how-to-fix-the-winmail-dat-attachment-issue/>

NEW QUESTION 225

DRAG DROP - (Topic 5)

Your company named ADatum Corporation has a Microsoft 365 subscription. ADatum acquires a company named Contoso, Ltd. In the subscription, you create a new mailbox for each user at Contoso.

You need to provide the Contoso users with a global address list (GAL) that contains only their email addresses.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an address book policy (ABP) named Contoso-AB that uses the GAL.	<div style="display: flex; align-items: center; justify-content: center;"> <div style="margin-right: 20px;"> > < </div> <div style="margin-right: 20px;"> ^ v </div> </div>
Create an address book policy (ABP) named Contoso-AB that uses the new set of address lists.	
Create a new set of address lists for the Contoso users.	
Assign Contoso-AB to all the mailboxes of the Contoso users.	
Create a new GAL named Contoso GAL.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create an address book policy (ABP) named Contoso-AB that uses the GAL.	<div style="border: 2px dashed #ccc; padding: 10px; margin-bottom: 5px;"> Create a new GAL named Contoso GAL. </div> <div style="border: 2px dashed #ccc; padding: 10px; margin-bottom: 5px;"> Create an address book policy (ABP) named Contoso-AB that uses the GAL. </div> <div style="border: 2px dashed #ccc; padding: 10px;"> Assign Contoso-AB to all the mailboxes of the Contoso users. </div> <div style="display: flex; align-items: center; justify-content: center;"> <div style="margin-right: 20px;"> > < </div> <div style="margin-right: 20px;"> ^ v </div> </div>
Create an address book policy (ABP) named Contoso-AB that uses the new set of address lists.	
Create a new set of address lists for the Contoso users.	
Assign Contoso-AB to all the mailboxes of the Contoso users.	
Create a new GAL named Contoso GAL.	

NEW QUESTION 229

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that contains two groups named Group1 and Group2.

You need to ensure that the members of Group1 can perform In-Place eDiscovery searches only for the members of Group2.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an administrative unit that contains Group1.	<div style="display: flex; align-items: center; justify-content: center;"> <div style="margin-right: 20px;"> > < </div> </div>
Configure the write scope and assign Group2 to the new role group.	
Copy the Discovery Management role group.	
Create a custom management scope that contains the membership of Group2.	
Copy the Recipient Management role group.	
Configure the write scope and assign Group1 to the new role group.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create an administrative unit that contains Group1.	Create a custom management scope that contains the membership of Group2.
Configure the write scope and assign Group2 to the new role group.	
Copy the Discovery Management role group.	Copy the Recipient Management role group.
Create a custom management scope that contains the membership of Group2.	
Copy the Recipient Management role group.	Configure the write scope and assign Group1 to the new role group.
Configure the write scope and assign Group1 to the new role group.	

NEW QUESTION 234

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the content filtering settings. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

NEW QUESTION 235

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a resource mailbox named ConferenceRoom1.

ConferenceRoom1 is configured as shown in the following exhibit.

ConferenceRoom1

general	Booking requests:
▶ booking delegates	<input checked="" type="checkbox"/> Use customized setting to accept or decline booking requests
booking options	<input type="checkbox"/> Accept or decline booking requests automatically
contact information	<input type="checkbox"/> Select delegates who can accept or decline booking requests
email address	
MailTip	Delegates:
mailbox delegation	+ -
	User4

You need to review the customized setting for booking requests. Which cmdlet should you run?

- A. Get-ResourceConfig
- B. Get-Mailbox
- C. Get-MailboxCalendarFolder
- D. Get-CalendarProcessing

Answer: D

Explanation:

Reference:

<https://itpro.outsidesys.com/2017/11/06/exchange-configuring-the-resource-booking-attendant-with-powershell/>

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-calendarprocessing?view=exchange-ps>

NEW QUESTION 240

- (Topic 5)

You have a Microsoft Exchange Online tenant named fabrikam.com that contains a user named User1.

User1 reports that three expected email messages from an external sender named user2@contoso.com were NOT delivered. The external sender confirms that the messages were sent.

You run a message trace by using the All failed messages for the last 7 days default query. In the results, you identify and expand one of the messages and discover the following error message. 556 5.1.10 RESOLVER.AOR.RecipientHotFound

You need to ensure that user1 can receive email messages from user2@contoso.com. What should you do next?

- A. Review the SPF record of contoso.com.
- B. Validate the MX record of fabnkam.com.
- C. Validatetheemailaddressofuser1@fabrikam.com.
- D. Review the quarantine.

Answer: B

NEW QUESTION 242

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to filter all inbound and outbound email messages by using a third-party message hygiene solution.

You need to ensure that all the email sent and received by the tenant is filtered through the message hygiene solution. The solution must ensure that only the message hygiene solution can send email to the tenant.

What should you configure for the tenant? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

DNS records:

▼
Mail exchanger (MX)
Alias (CNAME)
Host (A)
Service location (SRV)

Exchange Online configuration:

▼
One inbound connector and one Outbound connector
One inbound connector only
One Outbound connector only
One remote domain and one accepted domain

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

DNS records:

▼
Mail exchanger (MX)
Alias (CNAME)
Host (A)
Service location (SRV)

Exchange Online configuration:

▼
One inbound connector and one Outbound connector
One inbound connector only
One Outbound connector only
One remote domain and one accepted domain

NEW QUESTION 243

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of User1.

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

NEW QUESTION 245

HOTSPOT - (Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019 and Microsoft 365 that contains three servers.

All email received from the Internet is sent directly to the servers. You run the following command.

Get-MalwareFilterPolicy | FL Name,BypassInboundMessages,BypassOutboundMessages>Action,IsDefault

You receive the output shown in the following exhibit.

```
Name : Default
BypassInboundMessages : False
BypassOutboundMessages : False
Action : DeleteAttachmentAndUseDefaultAlertText
IsDeafault : True
EnableInternalSenderNotifications : True
EnableExternalSenderNotifications : True
```

You run the Get-TransportAgent cmdlet and receive the output shown in the following exhibit.

Identity	Enabled	Priority
Transport Rule Agent	True	1
DLP Policy Agent	True	2
Retention Policy Agent	True	3
Supervisory Review Agent	True	4
Malware Agent	False	5
Text Messaging Routing Agent	True	6
Text Messaging Delivery Agent	True	7
System Probe Drop Smtg Agent	True	8
System Probe Drop Routing Agent	True	9

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
If an email message sent from the Internet contains malware, the message will be delivered successfully to the recipient's mailbox	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the default antimalware policy must be modified	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the priority of the malware agent must be modified	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
If an email message sent from the Internet contains malware, the message will be delivered successfully to the recipient's mailbox	<input checked="" type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the default antimalware policy must be modified	<input type="radio"/>	<input checked="" type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the priority of the malware agent must be modified	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 249

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email messages received from an organization named contoso.com are encrypted by using TLS.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? Navigate to Mail flow in the Exchange Admin Center, > Connectors.

The Connectors screen appears.

? Click +Add a connector. The New connector screen appears.

New connector

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

Connection from

- Office 365
- Your organization's email server
- Partner organization

Connection to

? Under Connection from, choose Partner organization.

New connector

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

Connection from

- Office 365
- Your organization's email server
- Partner organization

Connection to

- Office 365

- ? Click Next. The Connector name screen appears.
- ? Provide a name for the connector and click Next. The Authenticating sent email screen appears.
- ? Choose one of the two options between By verifying that the sender domain matches one of the following domains and By verifying that the IP address of the sending server matches one of the following IP addresses, which belong to your partner organization.
- ? Click Next. The Security restrictions screen appears.
- ? Check the check box for Reject email messages if they aren't sent over TLS.
- ? Check the check box for Reject email messages if they aren't sent from within this IP address range, and provide the IP address range.
- ? Click Next. The Review connector screen appears.
- ? Review the settings you have configured, and click Create connector.

NEW QUESTION 251

- (Topic 5)

You have a Microsoft Exchange Online tenant.

A user reports that when she signs in to her mailbox, the Microsoft Outlook desktop client often stops responding and crashes.

You need to troubleshoot the issue. What should you use?

- A. the Microsoft 365 network connectivity test tool
- B. the Microsoft Support and Recovery Assistant
- C. E-mail delivery troubleshooter from the Microsoft 365 admin center
- D. the Outlook Connectivity test from the Microsoft Remote Connectivity Analyzer

Answer: B

NEW QUESTION 253

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains 5,000 mailboxes.

You need to migrate 1,000 users to Exchange Online. The migrated users must support Hybrid Modern Authentication (HMA).

Which migration method should you use?

- A. cutover migration
- B. full hybrid migration
- C. minimal hybrid migration
- D. express hybrid migration

Answer: B

NEW QUESTION 257

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has a retention policy to delete Inbox messages after 30 days.

User1 is going on extended leave and requires that the Inbox messages be retained during the user's absence.

You need to temporarily suspend the processing of the Inbox messages for User1.

How should you complete the command? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

	"User1"	
<div style="border: 1px solid black; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; text-align: right;">▼</div> <ul style="list-style-type: none"> Set-CASMailbox Set-Mailbox Set-OutlookProtectionRule Set-RetentionPolicy </div>		<div style="border: 1px solid black; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; text-align: right;">▼</div> <ul style="list-style-type: none"> -ECPEnabled \$true -ElcProcessingDisabled \$true -RetentionEnabled \$true -RetentionHoldEnabled \$true </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 261

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. Users access their email by using Microsoft Outlook 2019. The users report that when a mailbox is provisioned for a new user, there is a delay of many hours before the new user appears in the global address list (GAL). From Outlook on the web, the users can see the new user in the GAL immediately. You need to reduce the amount of time it takes for new users to appear in the GAL in Outlook 2019. What should you do?

- A. Modify the default email address policy.
- B. Create an address book policy (ABP).
- C. Create a scheduled task that runs the Update-GlobalAddressList cmdlet.
- D. Modify the offline address (OAB) schedule.

Answer: D

Explanation:

References:
<https://www.howto-outlook.com/howto/oabupdate.htm#syncschedules>

NEW QUESTION 264

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Your company has an Exchange Online tenant that contains 2,000 mailboxes. A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22. You discover that several email messages from the fabrikam.com domain are erroneously marked as spam. You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company. Solution: You enable a DKIM signature. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 269

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You plan to migrate to Exchange Online incrementally during a 12-month period. You need to ensure that during the migration, the following features continue to work for all users:
 ? Free/Busy synchronization
 ? Microsoft Teams calendar integration
 ? The Microsoft Outlook mobile app for Android
 Which hybrid configuration should you implement?

- A. Modern Hybrid Configuration
- B. Minimal Hybrid Configuration
- C. Classic Hybrid

Answer: C

Explanation:

Reference:
<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

NEW QUESTION 273

DRAG DROP - (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment. The company has two departments that have the mailboxes configured as shown in the following table.

Department	Mailbox location	License
Accounting	On-premises	Exchange Server 2019 Standard CAL
Marketing	Exchange Online	Microsoft 365 E5

All the accounting department mailboxes reside in a database named ACCT-DB01. You create the mailboxes shown in the following table.

Name	Location
JRNL-MBX01	On-premises
JRNL-MBX02	Exchange Online

You need to record all the email communication of the users in each department. The solution must minimize costs. What should you use for each department? To answer, drag the appropriate options to the correct departments. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
 NOTE: Each correct selection is worth one point.

Options

- Database journaling
- A journal rule that uses JRNL-MBX01
- A journal rule that uses JRNL-MBX02

Answer Area

Accounting:

Marketing:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Options

- Database journaling
- A journal rule that uses JRNL-MBX01
- A journal rule that uses JRNL-MBX02

Answer Area

Accounting:

Marketing:

NEW QUESTION 277

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the users shown in the following table.

Name	Mailbox location
User1	Exchange Online
User2	Exchange on-premises

You need to provide each user with an archive mailbox that is stored in Exchange Online. Which admin center should you use to perform the configuration for each user? To answer, drag the appropriate admin centers to the correct users. Each admin center may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
 NOTE: Each correct selection is worth one point.

Admin Centers

- The Exchange admin center from an on-premises server
- The Exchange admin center from Exchange Online
- The Microsoft 265 admin center
- The Security and Compliance admin center

Answer Area

User1:

User2:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/enable-archive-mailboxes> <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/create-cloud-based-archive>

NEW QUESTION 278

DRAG DROP - (Topic 5)

You have an on-premises Microsoft Exchange Server 2019 organization. You purchase a Microsoft 365 E5 subscription.

You need to configure a hybrid deployment and move all mailboxes to Exchange Online.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the

correct order.

Actions	Answer Area
From the Exchange admin center, add a remote domain.	
Configure and run Azure AD Connect cloud sync.	
Configure and run Azure AD Connect.	
Configure and run the Hybrid Configuration wizard.	
From the Exchange admin center, add a migration batch.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
From the Exchange admin center, add a remote domain.	
Configure and run Azure AD Connect cloud sync.	
Configure and run Azure AD Connect.	Configure and run Azure AD Connect.
Configure and run the Hybrid Configuration wizard.	Configure and run the Hybrid Configuration wizard.
From the Exchange admin center, add a migration batch.	From the Exchange admin center, add a migration batch.

NEW QUESTION 282

- (Topic 5)

Your network contains an Active Directory domain named corp.contoso.com. The domain contains client computers that have Microsoft Office 365 Apps installed. You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All recipients use an email address suffix of Contoso.com.

You migrate all the Exchange Server recipients to Exchange Online, and then decommission Server1.

Users connected to the internal network report that they receive an Autodiscover error when they open Microsoft Outlook.

You need to ensure that all users can connect successfully to their mailbox by using Outlook.

Which two actions should you perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. From the corp.contoso.com DNS zone, modify the Autodiscover host (A) record.
- B. Add an accepted domain.
- C. From the contoso.com DNS zone, modify the Autodiscover alias (CNAME) record
- D. Modify the name of the TLS certificate.
- E. From the domain, modify the Autodiscover service connection point (SCP).

Answer: CE

NEW QUESTION 283

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Another administrator at contoso.com plans to deploy an SMTP smart host that uses an IP address of 131.107.2.200.

You need to prepare a solution to route all emails sent to users in the @contoso.com domain from your organization by using the SMTP host. The solution must have a status set to Off until the administrator deploys the smart host.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the EAC, navigate to Mail flow > Send connectors, and then click Add +. This starts the New Send connector wizard.

? On the first page, enter the following information:

- Name: Enter a descriptive name for the Send connector, for example, Smart host to Internet.

- Type: Select a descriptive value. For example, Internet oCr ustom. When you're finished, click Next.

? On the next page, select Route mail through smart hosts, and then click Add +. In

the Add smart host dialog box that appears, identify the smart host by using one of the following values:

- IP address: For example, 192.168.3.2.

- Fully qualified domain name (FQDN): For example, securitydevice01.contoso.com. Note that the Exchange source servers for the Send connector must be able to resolve the smart host in DNS by using this FQDN.

When you're finished, click Save.

? You can enter multiple smart hosts by repeating Step 3. When you're finished, click Next.

? On the next page, in the Route mail through smart hosts section, select the authentication method that's required by the smart host. Valid values are:

TABLE 1

Authentication mechanism	Description
None	No authentication. For example, when access to the smart host is restricted by the source IP address.
Basic authentication	Basic authentication. Requires a username and password. The username and password are sent in clear text.
Offer basic authentication only after starting TLS	Basic authentication that's encrypted with TLS. This requires a server certificate on the smart host that contains the exact FQDN of the smart host that's defined on the Send connector.
Exchange Server authentication	Generic Security Services application programming interface (GSSAPI) and Mutual GSSAPI authentication.
Externally secured	The connection is presumed to be secured by using a security mechanism that's external to Exchange. The connection may be an Internet Protocol security (IPsec) association or a virtual private network (VPN). Alternatively, the servers may reside in a trusted, physically controlled network.

? When you're finished, click Next.

? On the next page, in the Address space section, click Add +. In the Add domain dialog box that appears, enter the following information:

- Type: Verify SMTP is entered.

- Fully Qualified Domain Name (FQDN): Enter an asterisk (*) to indicate the Send connector applies to messages addressed to all external domains. Alternatively, you can enter a specific external domain (for example, contoso.com), or a domain and all subdomains (for example, *.contoso.com).

- Cost: Verify 1 is entered. A lower value indicates a more preferred route for the domains you specified.

When you're finished, click Save.

? Back on the previous page, the Scoped send connector setting is important if your organization has Exchange servers installed in multiple Active Directory sites:

- If you don't select Scoped send connector, the connector is usable by all transport servers (Exchange 2013 or later Mailbox servers and Exchange 2010 Hub Transport servers) in the entire Active Directory forest. This is the default value.

- If you select Scoped send connector, the connector is only usable by other transport servers in the same Active Directory site.

When you're finished, click Next.

? On the next page, in the Source server section, click Add +. In the Select a Server dialog box that appears, select one or more Mailbox servers that you want to use to send outbound mail to the smart host. If you have multiple Mailbox servers in your environment, select the ones that can route mail to the smart host. If you have only one Mailbox server, select that one. After you've selected at least one Mailbox server, click Add, click OK, and then click Finish.

After you create the Send connector, it appears in the Send connector list.

From the Send connector list, you can turn the connector on or off.

NEW QUESTION 285


DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant. You enable hierarchical address books (HABs).

You create a new distribution group named Contoso.

You need to configure the Contoso group as the root of the hierarchy. The members of the group must appear in the hierarchy.

How should you complete the PowerShell commands?



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Set-OrganizationConfig Set-Group

<https://docs.microsoft.com/en-us/exchange/address-books/hierarchical-address-books/enable-or-disable-hierarchical-address-books>

NEW QUESTION 287


SIMULATION - (Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you

as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.
 Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided. Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:
 To enter your username, place your cursor in the Sign in box and click on the username below.
 To enter your password, place your cursor in the Enter password box and click on the password below.
 Microsoft 365 Username: admin@abc.com
 Microsoft 365 Password: xxxxxx
 If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.
 The following information is for technical support purposes only.
 Lab Instance: XXXXXX
 Users report that email disclaimers are no longer being appended to email messages sent to external recipients. You need to ensure that all email sent to external recipients contains your corporate disclaimer.
 To complete this task, sign in to the Microsoft 365 admin center.


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- ? In the Microsoft 365 admin center, choose Admin centers > Exchange.
- ? Open the EAC and go to Mail flow > Rules.
- ? Click Add +, and then click Apply disclaimers.

Exchange admin center



- ? In the New rule window that appears, enter a unique name the rule.
- ? In the Apply this rule if box, select the conditions for displaying the disclaimer. For example, select The recipient is located condition, and then select Outside the

organization. If you want this rule to apply to every message that enters or leaves your organization, select [Apply to all messages].
 ? Next to the Do the following box, select Enter text to enter the text of your disclaimer.
 ? Click Select one, and select one of the Fallback options if the disclaimer can't be added.
 ? Specify the audit severity level to assign the severity level that appears in the message log.
 ? Select the mode for the rule. Select Enforce to turn on the disclaimer immediately, or select Test without Policy Tips to put a message in the message tracking log instead of adding the disclaimer.
 ? If you have additional conditions or exceptions that you want to add, select More options at the bottom of the page, which will show additional settings. For example, to add the exception that prevents multiple disclaimers being added in an email conversation, select Add exception and then select The subject or body > Subject or body matches these text patterns, and then specify the words or phrases in your disclaimer. Or, to put your disclaimer at the top of the email message instead of the bottom, in Do the following, select Apply a disclaimer to the message > prepend a disclaimer.11. When you're finished, click Save.

NEW QUESTION 288

HOTSPOT - (Topic 5)

You create a transport rule as shown in the following exhibit.

```

Name           : Rule1
State          : Enabled
Mode          : AuditAndNotify
Priority       : 1
SentTo        : {User1@contoso.com}
StopRuleProcessing : True
DeleteMessage  : False
Disconnect    : False
RedirectMessageTo :
RejectMessageEnhancedStatusCode : 5.7.1
RejectMessageReasonText : Please forward all sales enquiries to 'Sales@Contoso.com'.
Quarantine    : False
SubjectOrBodyContainsWords : {Quote, Enquiry, Sales}
    
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

If an email message sent to User1 contains the word **Quote**

The transport rule has

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If an email message sent to User1 contains the word **Quote**

The transport rule has

NEW QUESTION 291

- (Topic 5)

Your network contains an on-premises Active Directory Forest. The forest contains the domains shown in the following table.

Name	Verified in Azure AD	Synced by using Azure AD Connect	On-premises Microsoft Exchange Server 2019 server
contoso.com	Yes	Yes	server1.contoso.com
fabrikam.com	Yes	No	server2.fabrikam.com

You have a Microsoft 365 subscription.
 You plan to migrate only the mailboxes of contoso.com to Exchange Online. You deploy an Exchange Online tenant that supports the contoso.com domain. All incoming internet email and all email between Exchange Online and the Exchange Server are routed through server1.contoso.com.
 After you migrate the first test mailboxes, you discover that the users in contoso.com that have mailboxes in Exchange Online cannot see any fabrikam.com recipients in the global address list (GAL).
 You need to ensure that the contoso.com users can see the fabrikam.com recipients in the GAL.
 What should you do?

- A. From Exchange Online, create an outbound connector for the (abrikam.com domain.
- B. Add a TXT record to the DNS zone of the fabrikam.com domain.
- C. Rerun the Hybrid Configuration wizard and add fabrikam.com as a domain in the hybrid configuration.
- D. Configure Azure AD Connect to sync the fabrikam.com domain.

Answer: D

NEW QUESTION 295

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to identify any changes made to the Recipient Management role group during the past month.

What should you do?

- A. Run the Get-ManagementRole cmdlet.
- B. Run a non-owner mailbox access report.
- C. Run an administrator role group report.
- D. Run the Get-AuditLogSearch cmdlet

Answer: D

NEW QUESTION 298

HOTSPOT - (Topic 2)

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 organization that contains the mailbox databases shown in the following table.

NAME	Description
MBX01	Contains all the mailboxes for the managers at Contoso
MBX02	Contains all the mailboxes for the finance department of Contoso

You need to assign an offline address book (OAB) named Managers to all the users in a group named Managers.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Statements

Yes

No

For User1 to share contacts with the users at Fabrikam, a federation trust is required.

User2 can share free/busy hours, subject, and location with the users at Contoso.

User3 can share calendars with the users at Litware.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements

Yes

No

For User1 to share contacts with the users at Fabrikam, a federation trust is required.

User2 can share free/busy hours, subject, and location with the users at Contoso.

User3 can share calendars with the users at Litware.

NEW QUESTION 301

- (Topic 1)

You need to recommend an Office 365 solution that meets the technical requirements for email from adatum.com.

Which two components should you recommend configuring from the Exchange admin center in Exchange Online? Each correct presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. DKIM signatures
- B. a spam filter

- C. a malware filter
- D. data loss prevention (DLP) policies
- E. a connection filter

Answer: BE

NEW QUESTION 306

HOTSPOT - (Topic 1)

Use the drop-down menus to select the answer choice that complete each statement based on the information presented in the Exchange Online Connector exhibit.

NOTE: Each correct selection is worth one point.

To meet the security requirements for the email messages received from fabrikam.com, set (answer choice) to *, fabrikam.com.

	▼
AssociatedAcceptedDomains	
ConnectorSource	
SenderDomains	

When an email message is sent from fabrikam.com to an on-premises mailbox, the message will be sent (answer choice).

	▼
back to a sender in fabrikam.com	
to the Edge Transport server encrypted	
to the Edge Transport server unencrypted	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

SenderDomains
to the Edge Transport server encrypted

NEW QUESTION 309

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual MS-203 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the MS-203 Product From:

<https://www.2passeasy.com/dumps/MS-203/>

Money Back Guarantee

MS-203 Practice Exam Features:

- * MS-203 Questions and Answers Updated Frequently
- * MS-203 Practice Questions Verified by Expert Senior Certified Staff
- * MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year