

# Exam Questions N10-008

CompTIA Network+Exam

<https://www.2passeasy.com/dumps/N10-008/>



#### NEW QUESTION 1

A network technician is observing the behavior of an unmanaged switch when a new device is added to the network and transmits data. Which of the following BEST describes how the switch processes this information?

- A. The data is flooded out of every port including the one on which it came in.
- B. The data is flooded out of every port but only in the VLAN where it is located.
- C. The data is flooded out of every port, except the one on which it came in
- D. The data is flooded out of every port, excluding the VLAN where it is located

**Answer: C**

#### NEW QUESTION 2

A network administrator redesigned the positioning of the APs to create adjacent areas of wireless coverage. After project validation, some users still report poor connectivity when their devices maintain an association to a distanced AP. Which of the following should the network administrator check FIRST?

- A. Validate the roaming settings on the APs and WLAN clients
- B. Verify that the AP antenna type is correct for the new layout
- C. Check to see if MU-MIMO was properly activated on the APs
- D. Deactivate the 2.4GHz band on the APS

**Answer: A**

#### NEW QUESTION 3

A network technician needs to ensure outside users are unable to telnet into any of the servers at the datacenter. Which of the following ports should be blocked when checking firewall configuration?

- A. 22
- B. 23
- C. 80
- D. 3389
- E. 8080

**Answer: B**

#### NEW QUESTION 4

A network technician is installing new software on a Windows-based server in a different geographical location. Which of the following would be BEST for the technician to use to perform this task?

- A. RDP
- B. SSH
- C. FTP
- D. DNS

**Answer: A**

#### NEW QUESTION 5

A network technician is investigating an issue with a desktop that is not connecting to the network. The desktop was connecting successfully the previous day, and no changes were made to the environment. The technician locates the switchport where the device is connected and observes the LED status light on the switchport is not lit even though the desktop is turned on Other devices that are plugged into the switch are connecting to the network successfully Which of the following is MOST likely the cause of the desktop not connecting?

- A. Transceiver mismatch
- B. VLAN mismatch
- C. Port security
- D. Damaged cable
- E. Duplex mismatch

**Answer: C**

#### NEW QUESTION 6

A technician is deploying a new switch model and would like to add it to the existing network monitoring software. The technician wants to know what metrics can be gathered from a given switch. Which of the following should the technician utilize for the switch?

- A. MIB
- B. Trap
- C. Syslog
- D. Audit log

**Answer: A**

#### NEW QUESTION 7

An IT director is setting up new disaster and HA policies for a company. Limited downtime is critical to operations. To meet corporate requirements, the director set up two different datacenters across the country that will stay current on data and applications. In the event of an outage, the company can immediately switch from one datacenter to another. Which of the following does this BEST describe?

- A. A warm site
- B. Data mirroring
- C. Multipathing
- D. Load balancing
- E. A hot site

**Answer:** E

#### NEW QUESTION 8

An organization with one core and five distribution switches is transitioning from a star to a full-mesh topology. Which of the following is the number of additional network connections needed?

- A. 5
- B. 7
- C. 10
- D. 15

**Answer:** A

#### NEW QUESTION 9

A technician is assisting a user who cannot connect to a network resource. The technician first checks for a link light. According to troubleshooting methodology, this is an example of:

- A. using a bottom-to-top approach.
- B. establishing a plan of action.
- C. documenting a finding.
- D. questioning the obvious.

**Answer:** D

#### NEW QUESTION 10

An IDS was installed behind the edge firewall after a network was breached. The network was then breached again even though the IDS logged the attack. Which of the following should be used in place of these devices to prevent future attacks?

- A. A network tap
- B. A proxy server
- C. A UTM appliance
- D. A content filter

**Answer:** C

#### NEW QUESTION 10

An ARP request is broadcasted and sends the following request. "Who is 192.168.1.200? Tell 192.168.1.55"  
At which of the following layers of the OSI model does this request operate?

- A. Application
- B. Data link
- C. Transport
- D. Network
- E. Session

**Answer:** B

#### NEW QUESTION 15

Which of the following is MOST likely to generate significant East-West traffic in a datacenter?

- A. A backup of a large video presentation to cloud storage for archival purposes
- B. A duplication of a hosted virtual server to another physical server for redundancy
- C. A download of navigation data to a portable device for offline access
- D. A query from an IoT device to a cloud-hosted server for a firmware update

**Answer:** B

#### NEW QUESTION 19

A technician receives feedback that some users are experiencing high amounts of jitter while using the wireless network. While troubleshooting the network, the technician uses the ping command with the IP address of the default gateway and verifies large variations in latency. The technician thinks the issue may be interference from other networks and non-802.11 devices. Which of the following tools should the technician use to troubleshoot the issue?

- A. NetFlow analyzer
- B. Bandwidth analyzer
- C. Protocol analyzer
- D. Spectrum analyzer

**Answer:** D

#### NEW QUESTION 24

A network administrator is installing a wireless network at a client's office. Which of the following IEEE 802.11 standards would be BEST to use for multiple simultaneous client access?

- A. CDMA
- B. CSMA/CD
- C. CSMA/CA
- D. GSM

**Answer:** A

#### NEW QUESTION 29

A technician is searching for a device that is connected to the network and has the device's physical network address. Which of the following should the technician review on the switch to locate the device's network port?

- A. IP route table
- B. VLAN tag
- C. MAC table
- D. QoS tag

**Answer:** C

#### NEW QUESTION 31

Which of the following routing protocols is used to exchange route information between public autonomous systems?

- A. OSPF
- B. BGP
- C. EIGRP
- D. RIP

**Answer:** B

#### NEW QUESTION 35

According to troubleshooting methodology, which of the following should the technician do NEXT after determining the most likely probable cause of an issue?

- A. Establish a plan of action to resolve the issue and identify potential effects
- B. Verify full system functionality and, if applicable, implement preventive measures
- C. Implement the solution or escalate as necessary
- D. Test the theory to determine the cause

**Answer:** D

#### NEW QUESTION 38

You are tasked with verifying the following requirements are met in order to ensure network security. Requirements:

Datacenter

Ensure network is subnetted to allow all devices to communicate properly while minimizing address space usage

Provide a dedicated server to resolve IP addresses and hostnames correctly and handle port 53 traffic Building A

Ensure network is subnetted to allow all devices to communicate properly while minimizing address space usage

Provide devices to support 5 additional different office users Add an additional mobile user

Replace the Telnet server with a more secure solution Screened subnet


Ensure network is subnetted to allow all devices to communicate properly while minimizing address space usage

Provide a server to handle external 80/443 traffic Provide a server to handle port 20/21 traffic INSTRUCTIONS

Drag and drop objects onto the appropriate locations. Objects can be used multiple times and not all placeholders need to be filled.

Available objects are located in both the Servers and Devices tabs of the Drag & Drop menu.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.



- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Top left subnet – 206.208.134.0/28  
 Top right subnet – 10.72.63.0/28 Bottom subnet – 192.168.11.0/28  
 Screened Subnet devices – Web server, FTP server  
 Building A devices – SSH server top left, workstations on all 5 on the right, laptop on bottom left DataCenter devices – DNS server.

**NEW QUESTION 43**

A network administrator wants to improve the security of the management console on the company's switches and ensure configuration changes made can be correlated to the administrator who conformed them Which of the following should the network administrator implement?

- A. Port security
- B. Local authentication
- C. TACACS+
- D. Access control list

Answer: C

**NEW QUESTION 48**

A company that uses VoIP telephones is experiencing intermittent issues with one-way audio and dropped conversations The manufacturer says the system will work if ping times are less than 50ms. The company has recorded the following ping times:

10ms	10ms	10ms	100ms	70ms	5ms	5ms	80ms	100ms	5ms	5ms
------	------	------	-------	------	-----	-----	------	-------	-----	-----

Which of the following is MOST likely causing the issue?

- A. Attenuation
- B. Latency
- C. VLAN mismatch
- D. Jitter

Answer: A

**NEW QUESTION 50**

A new cabling certification is being requested every time a network technician rebuilds one end of a Cat 6 (vendor-certified)cable to create a crossover connection that is used to connect switches. Which of the following would address this issue by allowing the use of the original cable?

- A. CSMA/CD
- B. LACP
- C. PoE+
- D. MDIX

Answer: D

**NEW QUESTION 52**

A website administrator is concerned the company's static website could be defaced by hackers or used as a pivot point to attack internal systems. Which of the following should a network security administrator recommend to assist with detecting these activities?

- A. Implement file integrity monitoring.
- B. Change the default credentials.
- C. Use SSL encryption.
- D. Update the web-server software.

Answer: C

**NEW QUESTION 55**

Branch users are experiencing issues with videoconferencing. Which of the following will the company MOST likely configure to improve performance for these applications?

- A. Link Aggregation Control Protocol
- B. Dynamic routing
- C. Quality of service
- D. Network load balancer
- E. Static IP addresses

Answer: C

**NEW QUESTION 59**

A network technician is reviewing the interface counters on a router interface. The technician is attempting to confirm a cable issue. Given the following information:

Metric	Value
Last cleared	7 minutes, 34 seconds
# of packets output	6915
# of packets input	270
CRCs	183
Giants	0
Runts	0
Multicasts	14

Which of the following metrics confirms there is a cabling issue?

- A. Last cleared
- B. Number of packets output
- C. CRCs
- D. Giants
- E. Multicasts

Answer: C

**NEW QUESTION 61**

A technician is configuring a network switch to be used in a publicly accessible location. Which of the following should the technician configure on the switch to prevent unintended connections?

- A. DHCP snooping
- B. Geofencing
- C. Port security
- D. Secure SNMP

Answer: C

**NEW QUESTION 64**

Client devices cannot enter a network, and the network administrator determines the DHCP scope is exhausted. The administrator wants to avoid creating a new DHCP pool. Which of the following can the administrator perform to resolve the issue?

- A. Install load balancers
- B. Install more switches
- C. Decrease the number of VLANs
- D. Reduce the lease time

Answer: D

**NEW QUESTION 69**

A network technician is manually configuring the network settings for a new device and is told the network block is 192.168.0.0/20. Which of the following subnets should the technician use?

- A. 255.255.128.0
- B. 255.255.192.0
- C. 255.255.240.0
- D. 255.255.248.0

**Answer:** C

#### NEW QUESTION 71

A network administrator needs to query the NSs for a remote application. Which of the following commands would BEST help the administrator accomplish this task?

- A. dig
- B. arp
- C. show interface
- D. hostname

**Answer:** A

#### NEW QUESTION 72

Which of the following TCP ports is used by the Windows OS for file sharing?

- A. 53
- B. 389
- C. 445
- D. 1433

**Answer:** C

#### NEW QUESTION 73

Given the following output:

```
192.168.22.1    00-13-5d-00-e6-23
192.168.22.15  00-15-88-00-58-00
192.168.22.10  00-13-5d-00-e6-23
192.168.22.100 00-13-5d-00-e6-23
```

Which of the following attacks is this MOST likely an example of?

- A. ARP poisoning
- B. VLAN hopping
- C. Rogue access point
- D. Amplified DoS

**Answer:** A

#### NEW QUESTION 76

A network technician is investigating an IP phone that does not register in the VoIP system Although it received an IP address, it did not receive the necessary DHCP options The information that is needed for the registration is distributed by the DHCP scope All other IP phones are working properly. Which of the following does the technician need to verify?

- A. VLAN mismatch
- B. Transceiver mismatch
- C. Latency
- D. DHCP exhaustion

**Answer:** A

#### NEW QUESTION 78

A network technician is installing an analog desk phone for a new receptionist After running a new phone line, the technician now needs to connect on a new connector. Which of the following connectors would MOST likely be used in this case?

- A. DB9
- B. RJ11
- C. RJ45
- D. DB25

**Answer:** A

#### NEW QUESTION 82

A network engineer is designing a new secure wireless network. The engineer has been given the following requirements:

- \* 1 Must not use plaintext passwords
- \* 2 Must be certificate based
- \* 3. Must be vendor neutral

Which of the following methods should the engineer select?

- A. TWP-RC4
- B. CCMP-AES

- C. EAP-TLS
- D. WPA2

**Answer:** C

**NEW QUESTION 84**

A technician is installing a cable modem in a SOHO. Which of the following cable types will the technician MOST likely use to connect a modem to the ISP?

- A. Coaxial
- B. Single-mode fiber
- C. Cat 6e
- D. Multimode fiber

**Answer:** A

**NEW QUESTION 87**

Which of the following policies is MOST commonly used for guest captive portals?

- A. AUP
- B. DLP
- C. BYOD
- D. NDA

**Answer:** A

**NEW QUESTION 92**

Which of the following technologies provides a failover mechanism for the default gateway?

- A. FHRP
- B. LACP
- C. OSPF
- D. STP

**Answer:** A

**NEW QUESTION 95**

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual N10-008 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the N10-008 Product From:

<https://www.2passeasy.com/dumps/N10-008/>

### Money Back Guarantee

#### **N10-008 Practice Exam Features:**

- \* N10-008 Questions and Answers Updated Frequently
- \* N10-008 Practice Questions Verified by Expert Senior Certified Staff
- \* N10-008 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* N10-008 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year