

## 220-1101 Dumps

### CompTIA A+ Certification Exam: Core 1

<https://www.certleader.com/220-1101-dumps.html>



**NEW QUESTION 1**

A technician needs to recommend an internet connection for a customer who travels around the world and wants to have connectivity while visiting remote camping locations. Some of the locations the customer visits have limited or unreliable cellular service. Which of the following connection types should the technician recommend?

- A. Satellite
- B. DSL
- C. Fiber
- D. Hotspot

**Answer:** A

**NEW QUESTION 2**

A technician is troubleshooting an old desktop system that randomly shows a Windows BSOD or powers off unexpectedly. All system temperatures are within normal limits. Which of the following should the technician do NEXT?

- A. Visually inspect the motherboard capacitors.
- B. Verify all case fans are operational.
- C. Check that the BIOS version supports the installed CPU.
- D. Compare the software requirements with the installed RAM.

**Answer:** A

**Explanation:**

BSODs can be caused by poorly written device drivers or malfunctioning hardware, such as faulty memory, power supply issues, overheating of components, or hardware running beyond its specification limits. In the Windows 9x era, incompatible DLLs or bugs in the operating system kernel could also cause BSODs.

**NEW QUESTION 3**

A help desk technician thinks a desktop PC has failed due to a defective power supply. Which of the following steps should the technician take NEXT?

- A. Inquire about environmental or infrastructure changes.
- B. Conduct external or internal research based on symptoms.
- C. Establish a plan of action to resolve the problem and implement the solution.
- D. Document the findings, actions, and outcomes.

**Answer:** B

**Explanation:**

<https://spryzensecurity.medium.com/what-is-troubleshooting-methodology-40cec6b6494>

**NEW QUESTION 4**

A technician is configuring a workstation to be used as a VM host. After installing the necessary software, the technician is unable to create any VMs. Which of the following actions should be performed?

- A. Disable the BIOS password.
- B. Enable TPM.
- C. Enable multithreading.
- D. Enable Fast Startup.

**Answer:** B

**Explanation:**

If you want to install Windows 11 on a virtual machine using Hyper-V, you will have to use a “Generation 2” VM and enable the “trusted platform module” (TPM) and Secure Boot options. Otherwise, the OS won’t install.

Starting with Windows 11, Microsoft is changing the system requirement and making TPM 2.0 and Secure Boot a prerequisite to perform an in-place upgrade or clean install the new version on any device. This is in addition to the new 4GB of RAM and at least 64GB of storage.

quoted from here:

<https://pureinfotech.com/enable-tpm-secure-boot-hyperv-install-windows-11/> Furthermore, Multithreading is not a requirement for hyper-v hosting.

**NEW QUESTION 5**

A user's computer is not receiving a network connection. The technician confirms that the connection seems to be down and looks for the user's port on the patch panel. The port and patch panel are not labeled. Which of the following network tools should the technician use to identify the port?

- A. Network tap
- B. Punchdown tool
- C. Toner probe
- D. Crimper

**Answer:** C

**Explanation:**

Toner Probe Many cable testers also incorporate the function of a toner probe, which is used to identify a cable from within a bundle. This may be necessary when the cables have not been labeled properly. The tone generator is connected to the cable using an RJ45 jack and applies a continuous audio signal on the cable. The probe is used to detect the signal and follow the cable over ceilings and through ducts or identify it from within the rest of the bundle.

**NEW QUESTION 6**

A technician powers on a PC and its monitor and sees the following error message: No input signal detected  
The display lights on the computer are on. Which of the following is a possible solution?

- A. Changing the BIOS settings
- B. Changing the connector setting on the monitor
- C. Checking the power plug on the monitor
- D. Checking the power plug on the PC

**Answer:** B

**NEW QUESTION 7**

A desktop support technician is tasked with upgrading a laptop so that it has the fastest data access possible. Which of the following BEST satisfies this requirement?

- A. mSATASSD
- B. M.2NVMeSSD
- C. 2.5SATASSD
- D. 2.5SASHHD

**Answer:** B

**NEW QUESTION 8**

A user reports a cell phone is getting hot. Which of the following are MOST likely to be possible causes? (Select THREE).

- A. Using the device as a Wi-Fi hotspot
- B. A cracked screen
- C. A failing battery
- D. Less than 15% free storage space on the phone
- E. Privileged control
- F. Recurring prompts to install OS updates
- G. Granting too many application camera permissions
- H. Too many open applications

**Answer:** ACH

**NEW QUESTION 9**

A technician needs to add storage to a workstation. The workstation does not have room to add any internal storage, so the technician plans to add an external storage device. Which of the following connection types should the technician MOST likely use?

- A. SCSI
- B. eSATA
- C. PCIe
- D. NVMe

**Answer:** B

**NEW QUESTION 10**

An IT manager is requesting that the company buy new cables to be used with F-type connectors that are already in house. Which of the following cables should the company buy?

- A. Coaxial out
- B. Plenum
- C. Cat 5e
- D. Fiber

**Answer:** A

**NEW QUESTION 10**

Which of the following network types would be used in a server room to connect virtual servers to high-speed storage?

- A. WAN
- B. PAN
- C. MAN
- D. SAN

**Answer:** D

**NEW QUESTION 13**

A technician needs to improve a workstation's overall response time for frequently used applications and data without removing the current hard drive. Which of the following storage devices should the technician install to BEST accomplish the objective?

- A. M.2
- B. SAS
- C. HDD
- D. SCSI

**Answer:** A

#### NEW QUESTION 18

A technician unboxed a new computer, plugged it in to a UPS. and connected the requested peripherals. The computer lights and fans turn on, but the technician hears three loud, consecutive beeps during boot. Which of the following actions will remediate the issue?

- A. Replacing the power supply
- B. Replacing the UPS
- C. Changing the CMOS battery
- D. Reseating the RAM

**Answer:** D

#### Explanation:

Three beeps indicate a "base memory read/write test error". Check out "beep codes" for more information. [https://en.wikipedia.org/wiki/Power-on\\_self-test#POST\\_beep\\_codes\\_on\\_ComptIA\\_A.2B\\_certification\\_exam](https://en.wikipedia.org/wiki/Power-on_self-test#POST_beep_codes_on_ComptIA_A.2B_certification_exam)

#### NEW QUESTION 22

An administrator is configuring a corporate-owned smartphone for a new manager. The company requires the ability to wipe the phone's data remotely in the event of loss or theft and the capability to approve applications installed on the phone. Which of the following tools would BEST meet this need?

- A. Tethering to a corporate-owned laptop
- B. WPA2-Enterprise wireless
- C. Corporate enterprise email
- D. Mobile device management

**Answer:** D

#### NEW QUESTION 25

Which of the following connectors can be plugged into a Thunderbolt 3 port on a laptop?

- A. miniUSB
- B. microUSB
- C. USB-A
- D. USB-C

**Answer:** C

#### Explanation:

Thunderbolt 3 is a USB-C port, so any device with a USB-C connector can be plugged into it. MiniUSB, microUSB and USB-A are not compatible with Thunderbolt 3.

#### NEW QUESTION 29

A salesperson is using a weather application on a mobile device. The application appears to be draining the device's battery very quickly. Which of the following is the BEST action for the salesperson to take in order to view weather forecasts while travelling?

- A. Enable the GPS service to ensure accurate location detection.
- B. Manually enter office locations in the weather application.
- C. Configure less frequent location checks using cellular location services.
- D. Use the offices' Wi-Fi IP addresses as the geolocation mechanism.

**Answer:** B

#### Explanation:

<https://nerdschalk.com/how-to-fix-weather-app-battery-drain-on-ios-16/>

#### NEW QUESTION 33

A technician is receiving reports that the entire office sporadically loses network connectivity throughout the day. The technician determines the root cause to be EMI. Which of the cable mediums would be the MOST cost effective without sacrificing system performance?

- A. Coaxial
- B. Shielded Cat 6
- C. Plenum Cat 5e
- D. Multimode fiber

**Answer:** B

#### Explanation:

Electromagnetic interference (EMI) is unwanted noise or interference in an electrical path or circuit caused by an outside source. Hence shielded Cat 6 is better

#### NEW QUESTION 38

A technician is implementing a SOHO wireless solution with three access points. Which of the following actions would avoid high latency?

- A. Enabling and configuring a 5GHz antenna
- B. Configuring separate IP ranges
- C. Enabling multiple SSIDs

D. Configuring all devices with different channels

**Answer:** B

#### NEW QUESTION 41

The Chief Executive Officer wants to ensure company data is stored in a manner that provides the company with complete control over how the data is managed. Which of the following is the BEST cloud deployment model for this request?

- A. Community
- B. Hybrid
- C. Public
- D. Private

**Answer:** D

#### NEW QUESTION 46

An organization has some computers running macOS and some computers running Windows. The computers running macOS also need to run a piece of software that is only available on Windows. Which of the following BEST describes the solution for running Windows software on a computer running macOS?

- A. Operating system spoofing
- B. Remote software provisioning
- C. Indirect software implementation
- D. Cross-platform virtualization

**Answer:** D

#### NEW QUESTION 50

A customer is using a satellite internet connection that is experiencing slowness. A technician notices high latency while pinging, but the download test is performing perfectly with very good download speeds. Which of the following represents the NEXT action the technician should perform?

- A. Restart the modem and run an online internet connection and speed diagnostic tool.
- B. Guide the customer on how to upgrade the internet plan with the provider in order to improve latency.
- C. Explain to the customer this is not an issue; this situation is normal for this type of internet connection.
- D. Replace the modem because it is not working correctly based on the test result.

**Answer:** A

#### NEW QUESTION 55

A technician is monitoring all outbound traffic in a SOHO. Which of the following is the MOST cost-effective solution to monitor the traffic?

- A. Spectrum analyzer
- B. Network tap
- C. Lookback plug
- D. Toner probe

**Answer:** B

#### NEW QUESTION 57

A remote user called the help desk to report a notification indicating there is limited or no connectivity. The user can access local file folders and other local machines but none of the organization's servers or network items. Web pages do not appear to function either. Which of the following is the MOST likely cause of the issue?

- A. The user's internet connection is down.
- B. The user's domain account is locked out.
- C. The user's switch has stopped working.
- D. The user's IP address needs to be renewed.

**Answer:** D

#### NEW QUESTION 61

A user brings an older laptop to the help desk and reports issues with the keyboard. Upon inspection, the technician does not see any external damage but notices that many keystrokes do not register in a word processor. The laptop works fine when the technician tests it with an external keyboard. Which of the following actions would MOST likely resolve the issue?

- A. Disable the sticky keys feature.
- B. Clean the keyboard.
- C. Reset the BIOS settings to default.
- D. Charge the laptop.

**Answer:** C

#### NEW QUESTION 63

A software developer used client-side virtualization on a server to configure a web application. Although the application is working locally on the software developer's PC, other users on the LAN are not able to access the application. Which of the following would allow other users to access the application?

- A. Bridge networking
- B. Application virtualization
- C. Virtual desktop
- D. Site-to-site VPN

**Answer:** A

**Explanation:**

Client-side virtualization is used to run an application or process on a separate virtual machine, isolated from the main operating system. To allow other users on the LAN to access the application, the software developer should configure a bridge networking connection between the virtual machine and the LAN. This will allow the virtual machine to communicate with other computers on the network. Application virtualization, virtual desktop, and site-to-site VPN are not necessary steps for allowing other users to access the application.

**NEW QUESTION 65**

Which of the following commonly uses NFC?

- A. Contactless payments
- B. IoT devices
- C. Inventory tracking
- D. Tethering

**Answer:** C

**NEW QUESTION 68**

A computer that contains critical data has not been backed up and will not boot past a S. M. A. R. T, error that indicates imminent hard disk failure. Which of the following actions should the technician take FIRST?

- A. Run diagnostics on the faulty hard drive using a boot disk
- B. immediately replace the hard drive generating the SMART error
- C. Turn off
- D. T, monitoring in the computer's BIOS settings
- E. Attempt to boot the operating system in safe mode

**Answer:** B

**NEW QUESTION 73**

An engineer is experiencing unexpected reboots on a graphics workstation when rendering complex 3-D models. The workstation is configured with a 115V power supply that is rated at 200W and connected to a UPS. The central processing unit contains 16 hyperthreaded cores, and a discrete graphics solution utilizing an 8-pin power connector is installed in a PCI Express x16 slot. Which of the following indicates where the technician should begin troubleshooting?

- A. The UPS, as 115V is insufficient for the configuration and should be increased to 220V
- B. The power supply, as 200W is insufficient when the GPU is heavily tasked
- C. The graphics card, as it is the component that triggers the unexpected reboots
- D. The motherboard, as only standard PCI slots should be used for high-end graphics cards, not PCI Express slots

**Answer:** B

**NEW QUESTION 76**

A user is installing a new display on a desktop computer that only has a single DVI port for video input and a single HDMI port for video output. Which of the following does the technician need to complete the setup?

- A. Digital-to-analog converter
- B. A/V switcher
- C. DisplayPort to HDMI adapter
- D. DVI to HDMI cable

**Answer:** D

**Explanation:**

The technician will need to connect the DVI port on the computer to the new display's HDMI port. To do this, a DVI to HDMI cable will be needed. This type of cable will allow the computer's DVI video signal to be transmitted to the new display's HDMI port.

A digital-to-analog converter (DAC) is used to convert a digital signal to an analog signal. An A/V switcher is used to switch between multiple audio and video sources and display them on a single monitor or display. A DisplayPort to HDMI adapter is used to convert a DisplayPort signal to an HDMI signal, but it is not necessary in this scenario as the computer has a DVI port and not a DisplayPort.

**NEW QUESTION 77**

Which of the following would an administrator use to migrate virtual machines from on premises to the cloud?

- A. IaaS
- B. SaaS
- C. DBaaS
- D. DRaaS

**Answer:** A

**NEW QUESTION 78**



Which of the following cables replaced the Apple 30-pin connector and is also reversible?

- A. USB-C
- B. Lightning
- C. miniUSB
- D. DisplayPort

**Answer:** B

**Explanation:**

Lightning Connector: Apple introduced this brand-new connector back in 2012. It is over 80% smaller than the 30-pin connector and is reversible.  
[https://www.cablewholesale.com/support/technical\\_articles/whats\\_your\\_port.php#:~:text=Lightning%20Connec](https://www.cablewholesale.com/support/technical_articles/whats_your_port.php#:~:text=Lightning%20Connec)

**NEW QUESTION 81**

Which of the following network devices is used to separate broadcast domains?

- A. Switch
- B. Wireless access point
- C. Router
- D. Hub

**Answer:** A

**NEW QUESTION 85**

A technician is setting up a new desktop computer and will be installing the hard drive directly on the motherboard without using cables to connect it. Which of the following will the technician be installing?

- A. Thunderbolt
- B. eSATA
- C. M.2
- D. SCSI

**Answer:** C

**NEW QUESTION 90**

A university student was able to boot from a live Linux CD on a computer in a shared space on campus. Which of the following will BEST prevent this type of action from occurring in the future?

- A. Require TPM security features.
- B. Set a boot password.
- C. Disable all media options.
- D. Enable secure boot.

**Answer:** A

**NEW QUESTION 92**

A remote user reports connectivity issues with the local internet provider. Even after a technician reboots the modem supplied by the ISP, the issue persists. Which of the following would BEST establish the connection in minimal time?

- A. Radio frequency ISP
- B. Neighbor's Wi-Fi
- C. Mobile hotspot
- D. Fiber optic

**Answer:** C

**NEW QUESTION 97**

A user submitted a ticket to report an issue with a new printer that is no longer accepting new print jobs. The technician verifies the printer is on and notices the printer LCD screen has the following error message:

Paper Jam, Jam in fuser.

Which of the following is the MOST efficient next step the technician should complete?

- A. Apply a maintenance kit to the printer
- B. Check the printer paper path to locate any obstructions.
- C. Turn the printer on and off to see if the error clears.
- D. Replace the fuser.

**Answer:** B

**NEW QUESTION 99**

An online retailer wants to save money and is considering migrating to the public cloud so peak is over. Which of the following BEST describes this aspect of cloud computing?

- A. Rapid elasticity
- B. Metered utilization
- C. Shared resources
- D. High availability

**Answer:** A

**Explanation:**

Rapid elasticity is only suitable for a domain whose resource requirements suddenly up and down for a specific time interval. Referring to the question the online retailer wants to migrate to public cloud services during peak season, then wants it to be removed "automatically" when the peak is over.

**NEW QUESTION 100**

A user is unable to access the internet on a PC. A technician examines the PC and runs the following commands:

```
ipconfig /all
ping 8.8.8.8
ping comptia.org
```

Which of the following steps in the troubleshooting process does this series of commands represent?

- A. Establish a theory.
- B. Verify full system functionality.
- C. Establish a plan of action.
- D. Identify the problem.

**Answer:** B

**NEW QUESTION 102**

Which of the following is the SAFEST way to replace RAM on a server that has a redundant power supply?

- A. Unplug one power cable.
- B. Verify the RAM temperature.
- C. Utilize a grounding strap.
- D. Replace the RAM while the server is running.

**Answer:** C

**Explanation:**

Utilizing a grounding strap is the safest way to replace RAM on a server that has a redundant power supply. This ensures that no static electricity is transferred to any of the server components, which could cause permanent damage. The other options are not the correct methods for replacing RAM. Unplugging one power cable is not recommended, as it could cause the server to go offline and disrupt any services that are running. Verifying the RAM temperature is not necessary and does not provide any additional safety measures, and replacing the RAM while the server is running is not recommended, as it could cause system instability.

**NEW QUESTION 103**

Which of the following is a valid use for PaaS?

- A. Off-site backups
- B. An application development environment
- C. A virtual server installation and configuration model
- D. A web application for asset management

**Answer:** B

**NEW QUESTION 105**

A technician is adding one more line at the demarcation point. Which of the following tools would be MOST useful to accomplish this task?

- A. Toner
- B. Punchdown
- C. Network tap
- D. Crimper

**Answer:** B

**Explanation:**

Punchdown tools are used to make connections between wires in a 66/110 block at the demarcation point. The tool is used to insert the wire into the appropriate holes in the block, and it can be used to add additional lines to the demarcation point. The other options are not the correct tools for adding lines to the demarcation point. A toner is used to identify cable pairs, a network tap is used to monitor network traffic, and a crimper is used to terminate cables.

**NEW QUESTION 107**

A company wants to use client-side visualization for application testing. Which of the following configurations would BEST support this goal?

A)  
CPU 2.5GHz - 4 cores  
16GB DDR4 RAM  
1TB SSD

B)  
CPU 3.2GHz - 1 core  
16GB DDR4 RAM  
4TB SSD

C)



CPU 2.5GHz - 2 cores  
16GB DDR4 RAM  
4x 1TB HDD RAID 5

D)

CPU 3.2GHz - 4 cores  
8GB DDR4 RAM  
500GB HDD

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** A

#### NEW QUESTION 108

A technician is working on a help desk ticket for a user who wants the filament replaced in a 3-D printer. Which of the following should the technician do to remove the old filament and load the new one?

- A. Preheat the nozzle to melting temperature.
- B. Cut a sharp angle on the end of the strand.
- C. Push the filament along until resistance is felt.
- D. Withdraw the filament and remove the spool.

**Answer:** D

#### Explanation:

A technician is working on a help desk ticket for a user who wants the filament replaced in a 3-D printer. To remove the old filament and load the new one, the technician should preheat the nozzle to melting temperature. After the nozzle is heated, the technician should withdraw the filament and remove the spool. Then, cut a sharp angle on the end of the new strand, and push it along until resistance is felt.

#### NEW QUESTION 109

A technician is configuring a new CAD workstation that has four large hard drives. The workstation will be used to edit large, critical files, so the storage configuration should be both fast and redundant. Which of the following RAID levels BEST meets these requirements?

- A. 1
- B. 5
- C. 10

**Answer:** D

#### Explanation:

<https://techgenix.com/raid-10-vs-raid-5/>

#### NEW QUESTION 111

A technician is preparing to set up a gaming computer with the following components:

- Discrete, high-end graphics card
- Video capture card
- High-end processor
- Multiple hard drives
- USB 3.0 hub
- Sound card

Which of the following options is the MOST important for the technician to consider before building the gaming computer?

- A. Redundant power supply
- B. Modular power supply
- C. 20-pin v
- D. 24-pin power adapter
- E. Power supply wattage rating

**Answer:** D

#### NEW QUESTION 116

A laptop's external webcam software is running, but it shows no image or video. Which of the following should a technician perform FIRST?

- A. Research new webcam firmware.
- B. Restart the computer and run system diagnostics.
- C. Reseat the webcam.
- D. Reinstall the webcam software and drivers.

**Answer:** C

#### Explanation:

<https://www.lifewire.com/fix-it-when-webcam-is-not-working-4588517>

**NEW QUESTION 117**

An end user reports that the time and date on a desktop resets after shutdown, and subsequently, the device reboots. The next day, the desktop does not load the OS and is stuck at a black screen with the following message:

```
Date/Time Not Set
Press F1 to Run Setup
```

Which of the following would be the BEST action to take next?

- A. Change the motherboard.
- B. Reseat the motherboard power connections.
- C. Replace the CMOS battery.
- D. Restore the BIOS to factory default settings.

**Answer:** C

**NEW QUESTION 121**

A system administrator has been tasked with allowing SMTP traffic through the system's host-based firewall. Which of the following ports should the administrator enabled?

- A. 23
- B. 25
- C. 80
- D. 161

**Answer:** A

**NEW QUESTION 125**

Which of the following components enables the input on a mobile device's touch screen?

- A. OLED
- B. Digitizer
- C. Inverter
- D. CMOS sensor

**Answer:** B

**NEW QUESTION 129**

A laptop PC user is reporting issues with the hard drive. A filesystem check shows that all files are accessible and the filesystem is clean. After the check, the PC still issues a hard drive error message. Which of the following is the MOST likely cause of the error?

- A. S.M.A.R.T failure
- B. IOPS failure
- C. DIMM failure
- D. RAID failure

**Answer:** A

**NEW QUESTION 133**

A technician installed new firmware on the company's laser printers and has since been receiving multiple calls that information is garbled and looks like code. Only printers with the new firmware are having this issue. Which of the following steps should the technician complete NEXT?

- A. Change the language settings on the printers
- B. Reboot all the machines having the issues
- C. Reboot all the printers.
- D. Install an updated printer driver on the print server

**Answer:** C

**NEW QUESTION 137**

A technician is selling up a projector (or a videoconferencing system. When the user all empts to connect a laptop to the system, the system displays the following error message.

No source found

The user tries multiple cables and inputs on the projector. Which of the following should the user try NEXT?

- A. Check the bulb on the projector and replace it with a new one.
- B. Check the display settings on the computer and set them to extend/duplicate.
- C. Replace the projector with another known-good one and try again.
- D. Replace the video card on the machine that is plugged in to the projector, as it has gone bad.

**Answer:** B

**NEW QUESTION 141**

A customer reports that access to the network fileshare has become much slower than usual, but local applications do not seem to have trouble. The technician

checks the download bandwidth and finds no issues. Which of the following should the technician check NEXT?

- A. Level of network utilization
- B. Customer use of two-factor authentication
- C. Amount of local drive space
- D. RAID array drive health

**Answer:** A

#### NEW QUESTION 145

A user creates a support ticket to report a conference room projector that does not work. The user says that even though the provided cables are being used, the projector screen shows the following error message:

No signal input

Which of the following describes the FIRST action that should be taken?

- A. Verify that the projector is turned on.
- B. Verify that the user is using an approved OS.
- C. Replace the projector bulb.
- D. Check the video cable and replace it if necessary.

**Answer:** D

#### Explanation:

The most common reasons you may be seeing the "No Signal" message: The projector and the source device are not connected correctly.

#### NEW QUESTION 146

A technician is installing new power supplies for the application engineering team's workstations. The management team has not yet made a decision about installing dual graphics cards, but they want to proceed with the project anyway. Which of the following power supplies would provide the BEST solution?

- A. 1000W 24-pin modular power supply
- B. 220VAC 9000J surge protector
- C. 500W redundant power supply
- D. 2000VA uninterruptible power supply

**Answer:** A

#### NEW QUESTION 149

A technician recently received a written warning for causing a system-wide outage. The outage was a result of an unscheduled patch being manually pushed during production hours. Which of the following could have MOST likely prevented the technician from receiving the warning?

- A. Following corporate procedures
- B. Testing before deployment
- C. Documenting the findings
- D. Establishing a plan of action

**Answer:** A

#### Explanation:

Following corporate procedures would have been the most likely factor that could have prevented the technician from receiving the written warning. Following established procedures, such as change management, helps ensure that changes made to the production environment are thoroughly tested, approved, and implemented in a controlled and safe manner, reducing the risk of system-wide outages and other unintended consequences.

#### NEW QUESTION 153

A user in a medical office contacts a technician regarding a printer that is used to print A4-sized labels. After the labels are printed, they mistakenly contain white space in the middle of the page. Which of the following would MOST likely be the cause?

- A. Contaminated fuser
- B. Worn rollers
- C. A misfeed
- D. Page orientation

**Answer:** A

#### Explanation:

The most common symptoms that indicate fuser deterioration are: The print leaves parallel spots across a sheet. The printer begins to loosen toner and does not stick to the sheet. Stains on printed sheets. Annoying noise from gear wear. The fusers are the core in the printing process of a laser printer. The Fuser is the piece that fixes the toner on the paper.

#### NEW QUESTION 155

A company needs to support a 10Gbps throughput. Which of the following is the MINIMUM cable category that could be used?

- A. Cat 5
- B. Cat 5e
- C. Cat 6
- D. Cat 6a

**Answer:** C

# NEW QUESTION 160

Laura, a customer, has instructed you to configure her home office wireless access point.

She plans to use the wireless network for finances and has requested that the network be setup with the highest encryption possible.

Additionally, Laura knows that her neighbors have wireless networks and wants to ensure that her network is not being interfered with by the other networks.

She requests that the default settings be changed to the following. Wireless Name: HomeWiFi

Shared Key: CompTIA Router Password: Secure\$1

Finally, Laura wants to ensure that only her laptop and Smartphone can connect to the network. Laptop: IP Address 192.168.1.100

Hardware Address: 00:0A:BF:03:C4:54 Smartphone: IP Address 192.168.1.101 Hardware Address: 09:2C:D0:22:3F:11 INSTRUCTIONS

Configure Laura's wireless network using the network adapter window.

If at any time you would like to bring back the initial state of the situation, please click the Reset All button.

**Laura's Wireless Configuration**

**WIRELESS SETUP**   **NETWORK FILTER**   **ADMINISTRATOR TOOLS**

**Wireless Network Settings**

Enable Wireless: ☒

Wireless Network Name:  (Also called the SSID)

Wireless Channel:

Disable SSID Broadcast: ☐

802.11g Only Mode: ☐

**Wireless Security Mode**


Security Mode:




**WPA2**

Passphrase:

Confirmed Passphrase:

**Laura's House**



	Wireless Network Name: Default Security Mode: Open Wireless Channel: 11
	Wireless Network Name: MyWi Security Mode: WEP Wireless Channel: 6
	Wireless Network Name: PatsWiFi Security Mode: WEP Wireless Channel: 11

**Laura's Wireless Configuration**

**WIRELESS SETUP**   **NETWORK FILTER**   **ADMINISTRATOR TOOLS**

Please enter the same password into both boxes for confirmation.

Password:

Verify Password:



**Laura's Wireless Configuration**

**WIRELESS SETUP**   **NETWORK FILTER**   **ADMINISTRATOR TOOLS**

**Wireless Network Settings**

Enable Wireless: ☐

Wireless Network Name:  (Also called the SSID)

Wireless Channel:

Disable SSID Broadcast: ☐

802.11g Only Mode: ☐

**Wireless Security Mode**

Security Mode:

**Laura's Wireless Configuration**

**WIRELESS SETUP**   **NETWORK FILTER**   **ADMINISTRATOR TOOLS**

Turn MAC Filtering ON: ☐

<input type="checkbox"/>	<input type="text"/>
<input type="checkbox"/>	<input type="text"/>
<input type="checkbox"/>	<input type="text"/>
<input type="checkbox"/>	<input type="text"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
solution as



Wireless Configuration

Wireless Setup

Network Filter

Administrator Tools

WIRELESS NETWORK SETTINGS:

Enable Wireless:

☒

Wireless Network Name:

HomeWiFi

(Also called the SSID)

Wireless Channel:

1

Disable SSID Broadcast:

☐

802.11g Only Mode:

☐

WIRELESS SECURITY MODE:

Security Mode:

Enable WPA2 Wireless Security (enhanced)

WPA2:


Passphrase:

CompTIA

Confirmed Passphrase:

CompTIA

Save Settings



Wireless Configuration

Wireless Setup

Network Filter

Administrator Tools

☒ Turn MAC Filtering ON

Allow the following MAC Addresses

MAC Address

☒ 00:0A:BF:03:C4:54

☒ 09:2C:D0:22:3F:11

☐

☐

Save Settings



A screenshot of a web-based configuration interface titled "Wireless Configuration". It has three tabs: "Wireless Setup", "Network Filter", and "Administrator Tools", with the last one being active. Below the tabs is a yellow header bar labeled "ADMIN PASSWORD". The main area contains the instruction "Please enter the same password into both boxes for confirmation." followed by two input fields. The first is labeled "Password:" and contains the text "Secure\$1". The second is labeled "Verify Password:" and also contains "Secure\$1". At the bottom right is a yellow button labeled "Save Settings".**NEW QUESTION 161**

A user sends a print job to a network printer, and the print job uses double the amount of paper as expected. Which of the following should the user configure to get the expected result?

- A. Duplex
- B. Collate
- C. Landscape
- D. Transparency

**Answer:** A

**NEW QUESTION 164**

A technician set up a new access point and has noticed significant latency on the selected channel. Which of the following tools can assist with locating the BEST channel to use?

- A. Wi-Fi analyzer
- B. Netstat
- C. Net use
- D. Traceroute
- E. Network tap

**Answer:** A

**Explanation:**

A Wi-Fi analyzer is a tool that can be used to scan the local area for available wireless networks and can provide information such as signal strength, interference, and available channels. It can also be used to locate the best channel to use for a given access point, which can help to reduce latency and improve performance.

**NEW QUESTION 165**

A technician just finished assembling a new PC for a client. Upon POST, the device presents an unspecified beep code and turns off automatically after five seconds. The technician double-checks the bill of materials for the new build and confirms all items have been installed. Which of the following should the technician do NEXT?

- A. Ensure thermal paste is being used on the CPU.
- B. Check to make sure that any video cards have auxiliary power cabling connected.
- C. Verify the header panel connector is properly connected.
- D. Spot-check that the I/O shield for the motherboard is properly installed.

**Answer:** C

**Explanation:**

The technician should verify the header panel connector is properly connected. A beep code is a diagnostic tool used by motherboards to indicate issues with hardware components. This beep code may be indicating an issue with the connection between the motherboard and the case's header panel connector. This connector is responsible for providing power to the system and any connected peripherals. Therefore, the technician

should verify the connection is secure and properly connected before attempting any other troubleshooting steps.

**NEW QUESTION 168**

A technician made several upgrades to a computer and then determined the power supplied by the PSU is insufficient. Which of the following would MOST likely cause the insufficiency? (Select TWO).

- A. Replacing the HDD with an SSD
- B. Upgrading the firmware
- C. Adding an optical drive
- D. Adding more RAM
- E. Adding a CMOS battery
- F. Upgrading the graphics card

**Answer:** CF

**Explanation:**

<https://www.buildcomputers.net/power-consumption-of-pc-components.html>

**NEW QUESTION 170**

Which of the following would be BEST reason to use a virtual machine as a sandbox?

- A. To test new software in a safe environment
- B. To increase the efficient use of computing resources
- C. To run multiple machines on the same hardware
- D. To have dedicated hardware for a single system

**Answer:** A

**NEW QUESTION 173**

A technician is troubleshooting a projector that will not display any Images. The technician has verified the computer output and cable are providing a good video signal. Which of the following should the technician do NEXT?

- A. Calibrate the image.
- B. Replace the bulb.
- C. Test the output resolution.
- D. Clean the fans.

**Answer:** A

**NEW QUESTION 177**

A user reports limited or no connectivity on a laptop. A technician runs ipconf ig /all with the following result:

```
IPv4 connectivity...limited or none
IPv4 address...169.254.254.1
subnet mask...255.255.0.0
default gateway...
```

Which of the following is the MOST likely cause of this issue?

- A. DHCP failure
- B. ARP cache
- C. DNS resolution
- D. Duplicate IP address

**Answer:** A

**NEW QUESTION 178**

A technician is upgrading a legacy wireless router for a home user. After installing the new router and configuring the SSID to be the same, none of the devices will connect to the network. Which of the following should the technician check NEXT?

- A. OHCP pool configuration
- B. MAC filtering list
- C. Wireless protocol settings
- D. ONS servers

**Answer:** B

**NEW QUESTION 180**

Several users who share a multifunction printer in an office have reported unintended, thin, vertical lines that cover the entire height of every page printed from the printer. Which of the following steps should a technician complete in order to MOST likely resolve this issue?

- A. Replace the printer paper with a new ream.
- B. Clear the print spooler on each computer.
- C. Reinstall the printer driver on each computer
- D. Perform the drum-cleaning procedure.

**Answer:** D

**NEW QUESTION 182**

Which of the following is the SAFEST way to replace RAM on a server that has a redundant power supply?

- A. Unplug one power cable.
- B. Verify the RAM temperature.
- C. Utilize a grounding strap.
- D. Replace the RAM while the server is running.

**Answer:** C

**Explanation:**

Utilizing a grounding strap is the safest way to replace RAM on a server that has a redundant power supply. This is because the grounding strap prevents electrostatic discharge (ESD) when handling the RAM, which can cause damage to the RAM and the server. Therefore, it is important to always use a grounding strap when handling RAM or other sensitive components.

**NEW QUESTION 185**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 220-1101 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/220-1101-dumps.html>