



Microsoft

Exam Questions PL-400

Microsoft Power Platform Developer

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 1)

You need to add the script for the registration form event handling. Which code segment should you use?

- A. formContext.data.entity.addOnSave(myFunction)
- B. formContext.data.addOnLoad(myFunction)
- C. formContext.data.removeOnLoad(myFunction)
- D. addOnPreProcessStatusChange
- E. formContext.data.isValid()

Answer: B

Explanation:

Scenario: Information about upcoming tournaments must be pre-located into the registration form when the registration form loads. addOnLoad adds event handlers to the Subgrid OnLoad event event. Reference: <https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/clientapi/reference/grids/gridcontrol/a>

NEW QUESTION 2

- (Exam Topic 1)

You need to determine the primary cause of the issue reported by interns when they use the app. What is the primary cause?

- A. Interns have the System Customizer security role but need the Environment Maker security role.
- B. Interns have the Common Data Service User security role but need the Environment Maker security role.
- C. Interns have the Environment Maker security role but need the Common Data Service User security role.
- D. Interns have the Environment Maker security role but need the System Customizer security role.
- E. Interns have the Environment Maker security role but need the Delegate security role.

Answer: D

Explanation:

Scenario: Interns can create apps but cannot interact with their own data.
 Environment Maker role: Can create new resources associated with an environment, including apps, connections, custom APIs, gateways, and flows using Microsoft Power Automate. However, this role doesn't have any privileges to access data within an environment.
 System Customizer role: full permission to customize the environment. However, users with this role can only view records for environment entities that they create.

NEW QUESTION 3

- (Exam Topic 1)

You need to address the user interface issues.

What should you do? To answer, drag the appropriate actions to the correct issues. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Actions	Requirement	Action
Add &ribbondebug=true to the end of the application URL.	Resolve rendering issue for New and Save buttons.	<input type="text"/>
Export the XML file.		
Modify the RibbonWSS.xsd file.	Add email button for registration form.	<input type="text"/>
Use Ribbon Workbench.		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Add &ribbondebug=true to the end of the application URL.
 Scenario: The captions for the New and Save buttons do not render properly on the form. You can use the an in-app tool called the Command Checker to inspect the ribbon component definitions to help us determine why the button is not rendered correctly.
 To enable the Command Checker, you must append a parameter &ribbondebug=true to your D365 application URL. For example: <https://yourorgname.crm.dynamics.com/main.aspx?appid=9ab590fc-d25e-ea11-a81d-000d3ac2b3e6&ribbondeb>
 Box 2: Use the Ribbon Workbench Adding Buttons to Ribbons

- > Download and install Ribbon Workbench.
- > Select a suitable ICON for your button.
- > Create a solution.

- > Edit the button in Ribbon Workbench.
- > Publish and test.

Reference:

<https://support.microsoft.com/en-us/help/4552163/ribbon-troubleshooting-guide> <https://neilparkhurst.com/2015/10/19/adding-buttons-to-ribbons/>

NEW QUESTION 4

- (Exam Topic 2)

You need to identify the execution mode that is being used for the ISV solution reported by User5. Which type of execution mode is in use?

- A. asynchronous
- B. atomicity
- C. transfer
- D. synchronous

Answer: D

Explanation:

User5 receives the error message: 'Endpoint unavailable' during a test of the technician dispatch ISV solution. When you choose to use a synchronous execution mode any failure will be reported back to the user of the application with an Endpoint unavailable error dialog informing the user that the webhook service endpoint may be configured incorrectly or is not available.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/use-webhooks>

NEW QUESTION 5

- (Exam Topic 4)

You need to complete a PowerApps component framework (PCF) control.

How should you define the order in the manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```

<resources>
  <code path="scripts/HelloWorldControlWave.js" order="1"/>
  <code path="scripts/HelloWorldControlRandom.js" order="2"/>
  <css path="style/HelloWorldControl.css" order="
  <html path="HelloWorldControlWaveRandom.htm" order="
</resources>
  
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The order property specifies the order of a flexible item relative to the rest of the flexible items inside the same container.

Reference: https://www.w3schools.com/jsref/prop_style_order.asp

NEW QUESTION 6

- (Exam Topic 4)

A company imports data from files.

The following code is created to import the files. (Line numbers are included for reference only.)

```

1. var transactionrequest = new ExecuteTransactionRequest()
2. {
3. Requests = new OrganizationRequestCollection(),
4. ReturnResponses = true
5. };
6. -
7. foreach (DataRow dr inRows)
8. {
9. -
10. var contact = new Entity("contact");
11. contact["firstname"] = firstname;
12. contact["lastname"] = lastname;
13. var createRequest = new CreateRequest() {Target = contact};
14. transactionrequest.Requests.Add(createRequest);
15. }
16. try
17. {
18. var response = (ExecuteTransactionResponse)crmSvc.Execute(transactionrequest);
19. foreach (var responseItem in response.Responses)
20. {
21. var createResponse = (CreateResponse)responseItem;
22. Console.WriteLine("Created: {0}", createResponse.id.ToString());
23. }
24. }
25. catch (FaultException<Microsoft.Xrm.Sdk.OrganizationServiceFault> ex)
26. {
27. Console.WriteLine("Error: {0}", ((ExecuteTransactionFault)(ex.Detail)).FaultedRequestIndex + 1, ex.Detail.Message);
28. }

```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If an error occurs when one of the contacts is created, processing will continue, and the remainder of the contacts will be created.	<input type="radio"/>	<input type="radio"/>
,ContinueOnError = true can be added at line 5.	<input type="radio"/>	<input type="radio"/>
The order of requests is performed in the sequence added to transactionrequest.	<input type="radio"/>	<input type="radio"/>
Lines 19-23 are required for the contacts to be created.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Need to set ContinueOnError=True. ContinueOnError: When true, continue processing the next request in the collection even if a fault has been returned from processing the current request in the collection. When false, do not continue processing the next request.

Box 2: No

ContinueOnError = true must be added before Requests = new OrganizationRequestCollection() on line 3. Example:

```

// Create an ExecuteMultipleRequest object.
requestWithResults = new ExecuteMultipleRequest()
{
// Assign settings that define execution behavior: continue on error, return responses. Settings = new ExecuteMultipleSettings()
{
ContinueOnError = false, ReturnResponses = true
},
// Create an empty organization request collection. Requests = new OrganizationRequestCollection()
};

```

Box 3: Yes

You can use the ExecuteMultipleRequest message to support higher throughput bulk message passing scenarios in Common Data Service.

ExecuteMultipleRequest accepts an input collection of message Requests, executes each of the message requests in the order they appear in the input collection, and optionally returns a collection of Responses containing each message's response or the error that occurred.

Box 4: No

This is just for displaying the result. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/org-service/execute-multiple-reque>

NEW QUESTION 7

- (Exam Topic 4)

A manufacturing company takes online orders.

The company requires automatic validation of order changes. Requirements are as follows:

- > If validation is successful, the order is submitted.
- > If exceptions are encountered, a message must be shown to the customer. You need to set up and deploy a plug-in that encapsulates the rules.

Which options should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Settings	Options
Execution stage	<div style="border: 1px solid black; padding: 5px;"> PreValidation PreOperation PostOperation </div>
Execution mode	<div style="border: 1px solid black; padding: 5px;"> Asynchronous Synchronous </div>
Image	<div style="border: 1px solid black; padding: 5px;"> Pre image Post image </div>
Error message	<div style="border: 1px solid black; padding: 5px;"> <pre>throw new InvalidPluginExecutionException("Your error message", ex); tracingService.Trace("Your error message: {0}", ex.ToString());</pre> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: PreValidation

PreValidation: For the initial operation, this stage will occur before the main system operation.

This provides an opportunity to include logic to cancel the operation before the database transaction. Box 2: Synchronous

Ideally, you should only cancel operations using synchronous plug-ins registered in the PreValidation stage. Box 3: Pre Image

Box 4: throw ..

When you throw an InvalidPluginExecutionException exception within a synchronous plug-in an error dialog with your message will be displayed to the user.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/event-framework> <https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/handle-exceptions>

NEW QUESTION 8

- (Exam Topic 4)

A company is building a new model-driven app.

The app must integrate with a number of on-premises and cloud solutions. No VPNs are in place. You need to determine the method for each integration.

Which methods should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Integration	Method
Outbound synchronous calls to a third-party Web API service	<div style="border: 1px solid black; padding: 5px;"> Webhook Microsoft Flow Azure Event Hub Azure Service Bus </div>
Calls to and from a website hosted in Azure with high peak loads	<div style="border: 1px solid black; padding: 5px;"> Plug-in Webhook Azure Event Hub Azure Service Bus </div>
Outbound calls to multiple on-premises and cloud systems to notify of customer address changes	<div style="border: 1px solid black; padding: 5px;"> Plug-in Azure Event Hub Webhook </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Webhook

With Dataverse, you can send data about events that occur on the service to a web app by using webhooks. A webhook is a lightweight HTTP pattern for connecting web APIs and services with a publish-and-subscribe model. Webhook senders notify receivers about events by making requests to receiver endpoints with some information about the events.

Webhooks enable developers and ISVs to integrate Dataverse data with their own custom code hosted on external services.

Box 2: Azure Service Bus

Service Bus provides a secure and reliable communication channel between Dataverse runtime data and external, cloud-based line-of-business apps. This capability is especially useful in keeping disparate Dataverse systems or other Dataverse servers synchronized with business data changes.

Box 3: Azure Event hub

Azure Event Hubs is a big data streaming platform and event ingestion service. It can receive and process millions of events per second. Data sent to an event hub can be transformed and stored by using any real-time analytics provider or batching/storage adapters.

Note: The most popular approaches in Dataverse involve webhooks, Azure messaging (Service Bus, Event Hubs), Azure Logic Apps, or Power Automate.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/why-cds-any-type-app>

NEW QUESTION 9

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A Common Data Service (CDS) environment has two custom entities named Building code and Work item. Building code has a code date custom field and Work item has an elapsed time custom field. Construction workers use a consolidated custom form with data from both entities to fill in their daily work items.

A JavaScript library is used with these custom entities and fields to apply complex logic.

You need to ensure that the JavaScript library continues to function as originally designed if other developers expand the environment.

Solution: In the JavaScript library, add Building code with Code date and Work item with Elapsed time in the dependencies tab.

Does the solution meet the goal?


- A. Yes
- B. No

Answer: A

Explanation:

Within a solution you can define dependencies within solution components. Up until Dynamics 365 for Customer Engagement apps version 9.0 the main purpose of these dependencies was to prevent the deletion of a solution component when another solution component depended on it.

The following image shows the dependencies tab within the web resource form. Dependencies between web resources are set in the top list.



Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/web-resource-depe>

NEW QUESTION 10

- (Exam Topic 4)

You have a Common Data Service entity and a model-driven app. The model-driven app integrates with an external system.

You plan to run business logic each time the model-driven app creates a record. Running business logic must not negatively affect model-driven app users.

You need to implement the business logic. What should you use?

- A. Synchronous plug-in registered in the PreOperation stage
- B. Synchronous workflow

C. Asynchronous plug-in registered in the PostOperation stage

Answer: C

Explanation:

The asynchronous service executes long-running operations independent of the main Microsoft Dataverse core operation. This results in improved overall system performance and improved scalability.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/asynchronous-service>

NEW QUESTION 10

- (Exam Topic 4)

A company creates a custom connector to use in a flow named Search Company.

When this custom connector is used, requests must be redirected to a different endpoint at runtime. You need to apply a policy to the custom connector to route calls to a different endpoint.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Select the Search Company custom connector in the Microsoft Flow portal under Custom connectors and select edit .	
Select the Definition tab.	
Select the Security tab.	
Select New Action.	
Select References.	
Select New Policy.	
Select the Search Company custom connector in the Microsoft Flow portal under Connections and select edit .	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Select the Search Company custom connector in the Microsoft Flow portal under Custom connectors and select edit.

Login to the Microsoft Flow portal, and on right top corner click on the settings icon and then click on custom connectors option.

Step 2: Select the Definition tab

Policy template are available only for custom connectors. To use a policy template, open Power Automate portal and either create a new custom connector or edit an existing one.

- > In the custom connector wizard, select the Definition page.
- > From the Definition page, select New Policy.
- > Etc.

Step 3: Select New Policy Reference:

<https://docs.microsoft.com/en-us/connectors/custom-connectors/policy-templates>

NEW QUESTION 13

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

An organization has an Azure SQL Database instance that must be synchronized daily with data from Dynamics 365 Sales. A large amount of data might need to be synchronized on some days.

You need to reduce the time required to synchronize data. Solution:

- > Write a SSIS package to connect to the source and target.
- > Develop the SSIS package to find the records by the Modified on field.
- > Create or update the records in the database instance based on results.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead enable change tracking for entities that will be synchronized, and use the Data Export Service to sync data between the database and Dynamics 365 Sales.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/enable-change-tracking-control-data-synchronization> <https://docs.microsoft.com/en-us/power->

platform/admin/replicate-data-microsoft-azure-sql-database

NEW QUESTION 16

- (Exam Topic 4)

A company uses a model-driven app to record details of laboratory test.

You are asked to create a custom component that makes it easier to capture multiple values from lab test results on mobile devices.

You need to create the interface for the dataset in case the mobile devices lose connection to the network. Which method should you use?

- A. SaveData
- B. updateView
- C. init
- D. getClient

Answer: A

Explanation:

Use LoadData and SaveData for basic data storage while offline. Note:

When building mobile apps, one of the most common scenarios app makers face is how to enable their users be productive in situations where there is limited or no connectivity at all. This has been one of the most requested features for PowerApps to allow running apps while being disconnected and to provide some support for offline data caching. In this release of PowerApps, we are delivering the first set of improvements for app makers to achieve that by enabling:

- > Launching the PowerApps mobile player app offline
- > Running apps while being offline
- > Determine when your app is online or offline or in a metered connection by using the Connection signal object.
- > Leverage existing formulas such as LoadData and SaveData for basic data storage while offline.

Reference:

<https://powerapps.microsoft.com/sv-se/blog/build-offline-apps-with-new-powerapps-capabilities/>

NEW QUESTION 21

- (Exam Topic 4)

You are researching integrations with several external systems. Each integration has different requirements.

You need to determine which data sources to use to meet each requirement.

What should you use? To answer, drag the appropriate data sources to the correct requirements. Each data source may be used once, more than one, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

Objects	Requirement	Object
Virtual entity	Support records that use an integer as a primary key.	
Custom connector	Ensure that data can be read and updated.	
	Ensure that data is available to all Common Data Service clients.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

answer is Virtual Entity

You cannot change the Entity primaryid field to some other field. CRM using GUID as the Primary key for each record.

If you definitely want to make some other field as Primary key, you could consider using Alternate Keys. Source:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/define-alternate-key>

The caveat being that Alternate Keys can be created for Virtual Entity

B. Answer is: Custom Connector All virtual entities are read-only. Source:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/create-edit-virtual-e>

C. Answer is: Virtual Entity

Rows based on virtual tables are available in all clients including custom clients developed using the Dataverse web services.

Source: <https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-edit-virtual-entities>

NEW QUESTION 26

- (Exam Topic 4)

You are creating a flow using the Common Data Service (CDS) connector. You need to select the appropriate triggers.

Which triggers should you use? To answer, drag the appropriate triggers to the correct scenarios. Each trigger may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Triggers

- Record creation
- Record selection
- Record deletion
- Record update

Answer Area

Scenario	Trigger
Choose accounts that are in the USA and send those account contacts an email.	Trigger
Contacts that have not been modified in 60 days should no longer be in the system.	Trigger
An area code has been mistyped in all records.	Trigger

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Triggers

- Record creation
- Record selection
- Record deletion
- Record update

Answer Area

Scenario	Trigger
Choose accounts that are in the USA and send those account contacts an email.	Record selection
Contacts that have not been modified in 60 days should no longer be in the system.	Record deletion
An area code has been mistyped in all records.	Record update

NEW QUESTION 27

- (Exam Topic 4)

A company delivers packages to businesses and consumers. A custom entity named Package captures the package details. You need to add the following sets of fields to the entity and leverage the built-in operations of the platform:

- > A set of fields to represent the package length, width, depth, and weight. The maximum value for any dimension is 100 centimeters.
- > A set of fields for time-sensitive attributes to calculate the efficiency of a delivery based on when the delivery is entered in the system and the existing custom fields: Pickup time and Delivery time.

Which constructs should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Calculate the efficiency of the delivery.

Construct

- DIFFINMINUTES(Created On, Modified On)
- DIFFINMINUTES(Created On, Delivery Time)
- DIFFINHOURS(Created On, Modified On)
- DIFFINHOURS(Created On, Delivery Time)

Select the data type that has additional transformations applied before the data is displayed.

- Autonumber
- Phone number
- Customer
- Currency
- Duration

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: DIFFINMINUTES(Created on, Delivery Time)

DIFFINMINUTES (date and time, date and time) returns the difference in minutes between two Date and Time columns.

Box 2: Duration Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/define-calculated-fields>

NEW QUESTION 29

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A university has implemented Dynamics 365 Customer Engagement. Several departments use opportunity records to bid for funding for projects within their own departments.

Each department's opportunities are not visible to other departments. However, there are times when two departments need to work together on an opportunity. You need to configure the security to meet the business requirements.

Solution: Create a security role that has organization-level access to opportunities. Give this security role to all members of the two departments who need access.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use access team templates and give access to members in the two departments. Reference:

<https://community.dynamics.com/crm/b/crmdevmigrationconfigandcustomization/posts/access-teams-and-acces>

NEW QUESTION 30

- (Exam Topic 4)

A company is creating a Power Apps portal to collaborate with vendors.

You need to implement custom functionality in the portal by using JavaScript code. Which two portal entities can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Web pages
- B. Web resources
- C. Webforms
- D. Entity lists

Answer: CD

Explanation:

C: The Web Form Step record contains a field named Custom JavaScript that can be used to store JavaScript code to allow you to extend or modify the form's visual display or function.

D: You can add custom Javascripts to Entity lists. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/portals/configure/add-custom-javascript> <https://docs.microsoft.com/en-us/powerapps/maker/portals/configure/entity-lists#add-custom-javascript>

NEW QUESTION 31

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A university has implemented Dynamics 365 Customer Engagement. Several departments use opportunity records to bid for funding for projects within their own departments.

Each department's opportunities are not visible to other departments. However, there are times when two departments need to work together on an opportunity. You need to configure the security to meet the business requirements.

Solution: Share the individual opportunity that member of one department are working on with all members of the second department, and give those members the appropriate permissions. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 35

- (Exam Topic 4)

You are creating a Power Apps app that retrieves customer information from Azure Active Directory when you use the app to look up a customer record.

You create an Azure Function by using JSON code to retrieve the customer information. You need to make the application work.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a Power Automate flow to import data.
- B. Create a custom connector that uses the Azure Function API.
- C. Copy your JSON code to the app.

- D. Create a custom connector that uses the JSON code.
- E. Create an API definition for the Azure Function.

Answer: BE

Explanation:

E: Before exporting an API, you must describe the API using an OpenAPI definition.
 B: This OpenAPI definition contains information about what operations are available in an API and how the request and response data for the API should be structured. PowerApps and Microsoft Flow can create custom connectors for any OpenAPI 2.0 definition.
 Reference:
<https://github.com/MicrosoftDocs/azure-docs/blob/master/articles/azure-functions/app-service-export-api-topow>

NEW QUESTION 37

- (Exam Topic 4)
 An organization implements Dynamics 365 Sales.
 You need to trigger a business rule when the main form is saved. What should you do?

- A. Write a business rule to trigger on a change of ModifiedOn field.
- B. Set the scope of the business rule to one specific form where business rule triggers.
- C. Set the scope of the business rule to All Forms.
- D. Set the scope of the business rule to Entity.

Answer: D

Explanation:

Set scope of business rule to "Entity" instead of "All Form". This will trigger it on server side. Reference:
[https://docs.microsoft.com/en-us/previous-versions/dynamicscrm-2016/developers-guide/dn481574\(v=crm.8\)](https://docs.microsoft.com/en-us/previous-versions/dynamicscrm-2016/developers-guide/dn481574(v=crm.8))

NEW QUESTION 41

- (Exam Topic 4)
 A company implements Dynamics 365 Sales.
 Only sales managers must be able to perform the approval to move high value sales on in the opportunity qualification process. A new field must be created to capture the approval.
 You need to create and secure the new field.
 Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a new field security profile	
Enable auditing in the Approval field.	
Create an access team template and define the access rights for the Opportunity entity.	
Enable change tracking for the Opportunity entity.	<div style="display: flex; align-items: center; justify-content: center;"> ➤ ⬅ </div>
Set the field permissions for the new field to enable read, update, and create, and add the sales manager as a member of the field security profile.	<div style="display: flex; align-items: center; justify-content: center;"> ⬆ ⬇ </div>
Enable field security in the Approval field.	
Enable the write privilege on the Opportunity for the sales manager security role and grant the sales manager for the team the sales manager security role.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Enable field security in the Approval field.
 ➤ Enable field security on one or more fields for a given entity.
 ➤ Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams (step 2 and step 3 below).
 Step 2: Create a new field security profile.
 Create a new field security profile for the sales manager. Step 3: Set the field permissions...security profile
 Step 2 and step 3, example: Configure the security profiles.
 ➤ Create the field security profile for sales managers.
 ➤ Go to Settings > Security.

- > Click Field Security Profiles.
- > Click New, enter a name, such as Sales Manager access contact mobile phone, and click Save.
- > Click Users, click Add, select the users that you want to grant read access to the mobile phone number on the contact form, and then click Add.
- > Click Field Permissions, click mobilephone, click Edit, select Yes next to Allow Read, and then click OK.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/admin/field-level-security>

NEW QUESTION 45

- (Exam Topic 4)

You are developing an app that uses Common Data Service.

You must integrate Common Data Service with a new web application. You must allow the new web application to display data from Common Data Service.

You build a single-page web application using the Web API. You need to authenticate your app using OAuth.

What should you use?

- A. Windows Communication Foundation (WCF)
- B. Cross-Origin Resource Sharing (CORS)
- C. Microsoft Authentication Library (MSAL)
- D. Kerberos authentication
- E. Active Directory Authentication Library (ADAL)

Answer: E

Explanation:

Ref: <https://docs.microsoft.com/en-us/azure/active-directory/develop/msal-overview>

NEW QUESTION 47

- (Exam Topic 4)

User1 and User2 use a form named F1 to enter account data. Both users have the same security role, SR1, in the same business unit.

User1 has a business rule to make the main phone mandatory if the relationship type is Reseller. User2 must occasionally create records of the Reseller type without having the reseller's phone number and is blocked by User1's business rule.

You need to ensure that User2 can enter reseller data into the system.

Which three actions should perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct order you select.

Actions	Answer Area
Copy the security role as SR2. Assign the SR2 security to User2 and remove the original security role SR1.	
Open form F1 and save it as a form named F2.	
Remove the business role from form F2.	⏪
Set the SR1 security role to be the only role for form F1 and the SR2 role to be the only role for form F2.	⏩
Create a business rule for form F2 to make the phone number optional for resellers.	⏴

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Copy the security role as SR2. Assign the SR2 security to User2 and remove the original security role SR1.	
Open form F1 and save it as a form named F2.	Open form F1 and save it as a form named F2.
Remove the business role from form F2.	Remove the business role from form F2.
Set the SR1 security role to be the only role for form F1 and the SR2 role to be the only role for form F2.	Create a business rule for form F2 to make the phone number optional for resellers.
Create a business rule for form F2 to make the phone number optional for resellers.	

NEW QUESTION 52

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

An organization has an Azure SQL Database instance that must be synchronized daily with data from Dynamics 365 Sales. A large amount of data might need to be synchronized on some days.

You need to reduce the time required to synchronize data. Solution:

- Enable change tracking for entities that will be synchronized.
- Implement a console application that queries for changes.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use the Data Export Service to sync data between the database and Dynamics 365 Sales. References:
<https://docs.microsoft.com/en-us/power-platform/admin/enable-change-tracking-control-data-synchronization>

NEW QUESTION 54

- (Exam Topic 4)

You have the following JavaScript function: (Line numbers are included for reference only.)

```

01 function displayIconTooltip(rowData, userLCID)
02 {
03     var imgName = "";
04     var tooltip = "Relationship Health";
05     var str = JSON.parse(rowData);
06     var prevrev = str.new_previousyearannualrevenue_Value;
07     var rev = str.revenue_Value;
08     var health = parseFloat(rev) - parseFloat(prevrev);
09     if (health > 0)
10         imgName = "new_good";
11     else if (health == 0)
12         imgName = "new_warm";
13     else
14         imgName = "new_bad";
15     var resultarray = [imgName, tooltip];
16     return resultarray;
17 }
    
```

The Annual Revenue view column is configured to call the function as shown in the Column Properties exhibit. (Click the Change Column Properties tab.)

Change Column Properties ✕

The properties of the selected column are listed below. You can change the width in pixels of the column.

Entity Name:	Account
Column Title:	Annual Revenue
Data Type:	Currency
Name:	revenue
Web Resource	 new_/script/revdisplayicon.js 
Function Name:	displayIconTooltip

Select a width for this column:

- 25px
- 50px
- 75px
- 100px
- 125px
- 150px
- 200px
- 300px

Users report that the icons that appear in the Active Account view are incorrect, as shown in the Active Accounts View exhibit. (Click the Active Accounts View

tab.)

Account Name	Annual ...	Address 1: Stre ...	Address ...	Address 1: ZIP/...	Primary Co...	Open ...
Ac Tellus Suspendisse Foundation	£10,000.00	---	---	---	---	£0,00
Adipiscing Elit Aliquam Inc.	£15,000.00	---	---	---	---	£0,00
Adventure Works (sample)	£80,000.00	4405 Balboa Court	Santa Cruz	95486	Nancy Anderson (s...)	£0,00
Aliquet Limited	£8,000.00	---	---	---	---	£0,00
Aliquet Proin Ltd	£75,000.00	---	---	---	---	£0,00
Alpine Ski House (sample)	£90,000.00	2313 B Southampton	Missoula	58047	Paul Cannon (sam...)	£30,000.00
Amazon Web Services (AWS)	£5,000.00	---	---	---	---	£0,00

You need to determine why the incorrect icons are being displayed.
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
If the Previous Year Annual Revenue column is in the Active Accounts view but has a null value, the selected imgName is set to new_good for Accounts that have an Annual Revenue greater than 0.	<input type="radio"/>	<input type="radio"/>
If the Previous Year Annual Revenue column is included in the Active Accounts view, and exception is raised and an error is displayed.	<input type="radio"/>	<input type="radio"/>
The userLCID can be used to gain access to users' Language settings in personal options and change the tooltip to their chosen language.	<input type="radio"/>	<input type="radio"/>
The imgName refers to an image that is a URL to an external image file.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
 parseFloat will return 'NaN' if it's not a number (null and undefined are NaNs).
 Box 2: No
 Box 3: Yes
 Session.userLCID is the Locale ID for the ASP application.
 Box 4: Yes
 Reference:
<https://support.microsoft.com/en-us/help/229690/how-to-set-the-asp-locale-id-per-the-browser-s-language-settin>

NEW QUESTION 55

- (Exam Topic 4)

An organization has a Dynamics 365 Sales environment. You need to create a Power Apps component.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Run the following `npm run build` command.

Run the `pac pcf init --namespace SampleNamespace --name ControlName --template field` command

Run the `pac solution init --publisher-name developer --publisher-prefix dev` command.



Run the `npm install` command.

Create a project folder.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Run `pac pcf init --namespace ..`

This is the first command which creates basic folder structure of PCF control project. Run the following command to create the control. The format of the control is:
`pac pcf init --namespace <specify your namespace here> --name <put component name here> --template <component type>`

Step 2: Run the `npm install` command Install Dependencies

Once 'init' sets up the basic folder, as a next step install all the PCF control dependencies using 'npm install' command.

Example:

```
C:\source\PCF\HelloWorld>npm install
npm WARN deprecated opn@6.0.0: The package has been renamed to `open`
npm WARN pcf-project@1.0.0 No repository field.
npm WARN pcf-project@1.0.0 No license field.
npm WARN optional SKIPPING OPTIONAL DEPENDENCY: fsevents@1.2.9 (node_modules\fsevents):
npm WARN notsup SKIPPING OPTIONAL DEPENDENCY: Unsupported platform for fsevents@1.2.9: wanted {"os":"darwin","arch":"any"} (current: {"os":"win32","arch":"x64"})

added 653 packages from 497 contributors and audited 10328 packages in 19.295s
found 0 vulnerabilities
```

Now at this point, there is nothing we have actually created. However, the solution created contains sample PCF control code.

Step 3: Run the following `npm run build` command Build PCF Component.

Once you implement the PCF component, build the code for any syntax errors. Syntax:

`npm run build`

```
> pcf-scripts build

[17:54:6] [build] Initializing...
[17:54:6] [build] Validating manifest...
[17:54:6] [build] Validating control...
[17:54:6] [build] Generating manifest types...
[17:54:6] [build] Compiling and bundling control...
[Webpack stats]:
Hash: 7836f673449072fa8d61
Version: webpack 4.28.4
Time: 1153ms
Built at: 10/02/2019 5:54:08 PM
   Asset      Size  Chunks             Chunk Names
bundle.js  6.34 KiB       0  [emitted]  main
Entrypoint main = bundle.js
[./HelloWorld/index.ts] 2.34 KiB {main} [built]
[17:54:8] [build] Generating build outputs...
[17:54:8] [build] Succeeded
```

Reference:

<https://rajeevpenyala.com/2020/03/21/power-apps-component-framework-pcf-demystify/> <https://carldesouza.com/creating-a-custom-component-using-the-powerapps-component-framework/>

NEW QUESTION 58

- (Exam Topic 4)

You work for a multinational company that has Azure and Common Data Service environment in the United States (UTC-7) and Japan (UTC+9).

You create Azure Functions for each location to update key data.

You need to configure the functions to run at 4:00 AM on weekdays at each location.

Which schedule formats should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Location	Timer schedule
United States	<input type="text"/>
	<input type="text" value="0 0 4 * * 1-5"/>
	<input type="text" value="0 0 7 * * 0-4"/>
	<input type="text" value="0 0 11 * * 1-5"/>
Japan	<input type="text" value="0 0 19 * * 0-4"/>
	<input type="text" value="0 0 4 * * 1-5"/>
	<input type="text" value="0 0 7 * * 1-5"/>
	<input type="text" value="0 0 11 * * 0-4"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 0 0 4 * * 1-5

Azure Functions uses the NCronTab library to interpret NCRONTAB expressions.

An NCRONTAB expression is similar to a CRON expression except that it includes an additional sixth field at the beginning to use for time precision in seconds:

{second} {minute} {hour} {day} {month} {day-of-week} NCRONTAB time zones

The numbers in a CRON expression refer to a time and date, not a time span. For example, a 5 in the hour field refers to 5:00 AM, not every 5 hours.

The default time zone used with the CRON expressions is Coordinated Universal Time (UTC).

To have your CRON expression based on another time zone, create an app setting for your function app named WEBSITE_TIME_ZONE.

1-5 is weekdays

Box 2: 0 0 4 * * 1-5 Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-bindings-timer?>

NEW QUESTION 61

- (Exam Topic 4)

A company must copy customer account data changes from a Common Data Service (CDS) instance into an external system.

Azure Storage Queues are used to pass the changes from CDS to the external system. You have the following code. (Line numbers are included for reference only.)

```

01 string token = null;
02 token = ProcessAccountChanges(_service, token, changeQueue, deleteQueue);
03 ...
04 token = ProcessAccountChanges(_service, token, changeQueue, deleteQueue);
05 ...
06 private static string ProcessAccountChanges(IOrganizationService orgservice,
string token, Cloud Queue changeQueue, CloudQueue deleteQueue)
07 {
08     var request = new RetrieveEntityChangeRequest();
09     request.EntityName = "account";
10     request.Columns = new ColumnSet("name", "accountnumber", "creditlimit",
"ownerid");
11     request.DataVersion = token;
12     RetrieveEntityChangeResponse response = (RetrieveEntityChangeResponse)
orgservice.Execute(request);
13     token = response.EntityChanges.DataToken;
14     foreach (var change in response.EntityChanges.Changes)
15     {
16         if (change.Type == ChangeType.NewOrUpdated)
17         {
18             var changedItem = (NewOrUpdatedItem) change;
19             Entity newOrChangedEntity = (Entity) changedItem.NewOrUpdatedEntity;
20             CloudQueueMessage changemessage = new CloudQueueMessage
(newOrChangedEntity.Id.ToString());
21             changeQueue.AddMessage(changemessage);
22         }
23         else if (change.Type == ChangeType.RemoveOrDeleted)
24         {
25             var deleteditem = (RemoveOrDeletedItem) change;
26             EntityReference deletedEntityReference = deleteditem.RemovedItem;
27             CloudQueueMessage deletemessage = new CloudQueueMessage
(deletedEntityReference.Id.ToString());
28             deleteQueue.AddMesaage(deletemessage);
29         }
30     }
31     return token;
32 }

```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statement	Yes	No
The first call to ProcessAccountChanges at line 2 adds changes made to account records to the storage queues.	<input type="radio"/>	<input type="radio"/>
The second call to ProcessAccountChanges at line 4 adds changes made to account records to the storage queues.	<input type="radio"/>	<input type="radio"/>
The messages in changeQueue specify whether the accounts are new or updated.	<input type="radio"/>	<input type="radio"/>
A message is added to deleteQueue if an account is created and subsequently deleted at line 3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
Box 2: Yes
Box 3: No
Either new/updated or removed/deleted. Box 4: Yes

NEW QUESTION 64

- (Exam Topic 4)

A company uses five different shipping companies to deliver products to customers. Each shipping company has a separate service that quotes delivery fees for destination addresses.

You need to design a custom connector that retrieves the shipping fees from all the shipping companies by using their APIs.

Which three elements should you define for the custom connector? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Authentication model
- B. Address parameter
- C. OpenAPI definition
- D. Fee parameter
- E. Fee reference

Answer: ABC

Explanation:

C: You can create a custom connector using a OpenAPI definition file or a URL to OpenAPI definition. B: On the Security page you get to choose how to authenticate to the API.

← Connector Name Trefle

1. General > 2. Security > 3. Definition > 4. Test ✓ Create connector ✕ Cancel

Security

Choose the authentication type and fill in the required fields to set the security for your custom connector. [Learn more](#)

Authentication type

Choose what authentication is implemented by your API *

API Key

[Edit](#)

API Key

Users will be required to provide the API Key when creating a connection

Parameter label *

API Key

Parameter name *

API-nyckel

Parameter location *

Header

[Edit](#)

← General Definition →

A: If you were to create a Custom Connector from scratch, then you would have to study the API you have chosen and type in the URL manually here.

Request
+ Import from sample

Verb *
The verb describes the operations available on a single path.

GET

URL *
This is the request URL.

`https://trefle.io/api/plants/{id}`

Path
Path is used together with Path Templating, where the parameter value is actually part of the operation's URL.

* id ...

Query
Query parameters are appended to the URL. For example, in /items?id=####, the query parameter is id.

* token ...

Headers
These are custom headers that are part of the request.

Body
The body is the payload that's appended to the HTTP request. There can only be one body parameter.

Reference:

<https://carinaclaesson.com/2019/09/06/setting-up-a-custom-connector-from-an-openapi-file-and-utilizing-it-in-p>

NEW QUESTION 65

- (Exam Topic 4)

You need to develop a set of Web API's for a company.

What should you implement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Operation
Implement operations that do not have side effects and may support further composition	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="border-bottom: 1px solid black; padding: 2px;">Functions</div> <div style="border-bottom: 1px solid black; padding: 2px;">Actions</div> <div style="padding: 2px;">Entities</div> </div>
Implement operations that allow side effects, such as data modification	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="border-bottom: 1px solid black; padding: 2px;">Functions</div> <div style="border-bottom: 1px solid black; padding: 2px;">Actions</div> <div style="padding: 2px;">Entities</div> </div>
Implement keyless named structure types that consist of a set of properties	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="border-bottom: 1px solid black; padding: 2px;">Complex types</div> <div style="border-bottom: 1px solid black; padding: 2px;">Entity types</div> <div style="padding: 2px;">Enumeration types</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Functions

most functions and services that are stateless and do not have side effects. Box 2: Actions

Actions can have side effects. Box 3: Complex types

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/webapi/use-web-api-actions>

NEW QUESTION 66

- (Exam Topic 4)

You fix a bug in the code of your application, which is currently on version 10.0.2.1. You need to publish an updated version of the solution.

Which version identifier should you use?

- A. 10.0.3.1
- B. 10.0.2.2
- C. 10.1.0.2
- D. 11.0.0

Answer: A

Explanation:

The version number are <major>.<minor>.<build>.<revision>.

When we create patches in Dynamics 365, the system will automatically increment the build version (you can overwrite the chosen number when you create the patch). For example, if our solution starts at 1.0.0.0, we export it to become 1.0.0.1. We then create a patch, and the version of the patch is 1.0.1.1. If we export it now, it might become 1.0.1.2. In all cases, the build or version number has been incremented. Patches require the build or version number to increment, but not the major or minor version.

Reference:

<https://carldesouza.com/how-solution-version-numbers-work-in-the-microsoft-power-platform/>

NEW QUESTION 70

- (Exam Topic 4)

You are developing an app for a sales team to record contact details in their Common Data Service (CDS) database.

The app must handle loss of network and save the data to CDS when reconnected.

The main screen of the app has a form to collect contact data and a button. The OnSelect property for the button has the following expression:

```

1. If (
2. Connection.Connected,
3. Path(
4. Contacts,
5. Defaults(Contacts),
6. {
7. 'First Name': DataCardValue_FirstName.Text, 'Last Name': DataCardValue_LastName.Text
8. }
9. );
10. Navigate(ConfirmationScreen,ScreenTransition.Fade)
11. ,
12. ClearCollect(
13. LocalRecord,
14. {
15. 'First Name': DataCardValue_FirstName.Text, 'Last Name': DataCardValue_LastName.Text
16. }
17. );
18. SaveData(LocalRecord, "LocalRecord");
19. Navigate(PendingScreen,ScreenTransition.Fade)
20. )

```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
The expression saves the data to CDS when reconnecting after losing network connection.	<input type="radio"/>	<input type="radio"/>
The collection contains all contacts not saved to CDS.	<input type="radio"/>	<input type="radio"/>
The expression updates existing contacts in CDS.	<input type="radio"/>	<input type="radio"/>
The expression handles loss of connection to CDS.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

LoadData and SaveData combine to form a simple mechanism to store small amounts of data on a local device. By using these functions, you can add simple offline capabilities to your app.

Box 2: No

Box 3: No

Box 4: Yes Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/offline-apps>

NEW QUESTION 72

- (Exam Topic 4)

A company has a Common Data Service (CDS) environment. The company creates model-driven apps for different sets of users to allow them to manage and monitor projects.

Finance team users report that the current app does not include all the entities they require and that the existing project form is missing cost information. Cost information must be visible only to finance team users.

You create a security role for finance team users. You need to create a new app for finance team users.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Edit the Project main form. Select Save As to create a new Finance Form, add the missing cost fields and remove the fields not relevant to Finance.	
In the Maker portal, share the Finance app and select the Finance Security role.	
Create a new model-driven app. Add the project entity, and select the Finance Security role.	⏪ ⏩
Create a new model-driven app. Add the project entity, and select the Finance form.	⏪ ⏩
Enable security roles and select the Finance Security role on the Finance form.	
Select the Finance app from the My Apps page and configure the app to use the Finance Security role.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Edit the Project main form. Select Save as..

Step 2: Create a new model-driven app. Add the project entity, and select the Finance form. Step 3: Enable security roles and select the Finance Security role on the Finance

Assign security roles to the main form. Use this to make a main form available to specific groups. Step 4: In the Maker portal, share the Finance app and select the Finance Security role.

Sharing a model-driven app involves two primary steps. First, associate a one or more security role(s) with the app then assign the security role(s) to users.

- > Visit <https://make.powerapps.com>
- > Select a model-driven app and click Share.
- > Select the app then choose a security role from the list. Reference:
<https://docs.microsoft.com/dynamics365/customer-engagement/admin/assign-security-roles-for>

NEW QUESTION 73

- (Exam Topic 4)

Fabrikam, Inc, has two divisions as shown in the Business Unit exhibit. (Click the Business Unit tab.)

Name	Main Phone	Website	Parent Business
Fabrikam			
Fabrikam Property Management			Fabrikam
Fabrikam Residences			Fabrikam

- > Fabrikam Residences rents units short term to clients.
- > Fabrikam Property Management deals with the maintenance of the units and manages the contractors who perform the maintenance.
- > Clients and contractors are both stored in the Contact entity.

The manager of the Property Management business unit is a member of a Fabrikam business unit, which has the root security role as shown in the Security Role exhibit. (Click the Security Role tab.)

Power Apps

File Save and Close Actions

Security Role: Common Data Service User

Details Core Records Service Business Management Customization Missing Entities

Role Name*

When role is assigned to a team
 Team member gets all team privileges by default.
 Team members can inherit team privileges directly based on access level. [Learn More](#)

Member's privilege inheritance


Power Apps

File Save and Close Actions

Security Role Common Data Service User

Entity	Details	Core Records	Business Management	Customization	Missing Entities	Business Process Flows	Custom Entities	
	Create	Read	Write	Delete	Append	Append To	Assign	Share
Account	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟡
ACViewManager	🔴	🟢	🔴	🔴	🔴	🔴	🔴	🔴
Action Card	🟡	🟡	🟡	🔴	🟡	🟢	🔴	🟡
Action Card User Settings	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟡
Activity	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟢
Advanced Similarity Rule	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Announcement	🔴	🟢	🔴	🔴	🔴	🔴	🔴	🔴
Application File	🔴	🟢	🔴	🔴	🔴	🔴	🔴	🔴
Azure Service Connection	🔴	🟢	🔴	🔴	🔴	🔴	🔴	🔴
Connection	🔴	🟢	🔴	🔴	🔴	🔴	🔴	🟢
Connection Role	🟡	🟢	🟢	🟡	🟢	🟢	🟡	🟢
Contact	🔴	🟢	🔴	🔴	🔴	🔴	🔴	🔴
Customer Relationship	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟢
Data Import	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟢
Data Map	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟢
Data Performance Dashboard	🟡	🟢	🟡	🟡	🟡	🟡	🟡	🟢
Document Location	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Document Suggestions	🟢	🟢	🟢	🔴	🟢	🟢	🟢	🟢
Duplicate Detection Rule	🔴	🟢	🔴	🔴	🔴	🔴	🔴	🔴
Email Signature	🟡	🟢	🟡	🟡	🔴	🔴	🔴	🔴
Email Template	🟡	🟢	🟡	🟡	🟡	🔴	🟡	🟡
Feedback	🟢	🟡	🔴	🔴	🟡	🟡	🔴	🔴

The manager cannot see the contact record shown in the Contact exhibit. (Click the Contact tab.)



You need to ensure that the manager can view contact records owned by someone in the Residences business unit. For each of the following statements, select Yes if the statement achieves the goal. Otherwise, select No.

Statement	Yes	No
Modify the security inheritance.	<input type="radio"/>	<input type="radio"/>
Move the manager to the root Fabrikam business unit.	<input type="radio"/>	<input type="radio"/>
Expand the Read permission of the security role to be Business Unit level.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Box 1: Yes

Change it to Direct User/Basic access level and Team privileges. This creates a security role with team member's privilege inheritance.

Note: For roles assigned to teams with Basic-level access user privilege, the role's inheritance configuration also comes into play. If the team has the Member's privilege inheritance set to Team privileges only, then the user will only be able make use of that privilege for records owned by the team."



Box 2: No

The manager of the Property Management business unit is already a member of a Fabrikam business unit, which has the root security role

Box 3: Yes Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/security-roles-privileges>

NEW QUESTION 77

- (Exam Topic 4)

A financial institution that has a Dynamics 365 Customer Engagement environment requires that the account balance field from the account entity be visible to specific users only.

You need to set up the field security for the account balance field.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a field security profile.
- B. Set the field to Read-Only and then publish the entity.
- C. Create a security role and add the specific users to the role.
- D. Enable field security and then publish the entity.
- E. Set the field permission Allow Read to Yes and add the users to the members section.

Answer: ADE

Explanation:

To implement field-level security, a system administrator performs the following tasks.

- Enable field security on one or more fields for a given entity.
- Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams.

A security profile determines the following:

- Permissions to the secure fields
- Users and Teams

A security profile can be configured to grant user or team members the following permissions at the field level:

- Read. Read-only access to the field's data.
- Create. Users or teams in this profile can add data to this field when creating a record.
- Update. Users or teams in this profile can update the field's data after it has been created. Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 81

.....

Relate Links

100% Pass Your PL-400 Exam with ExamBible Prep Materials

<https://www.exambible.com/PL-400-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>