



Amazon-Web-Services

Exam Questions SAA-C03

AWS Certified Solutions Architect - Associate (SAA-C03)

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Topic 1)

A company is running a popular social media website. The website gives users the ability to upload images to share with other users. The company wants to make sure that the images do not contain inappropriate content. The company needs a solution that minimizes development effort.

What should a solutions architect do to meet these requirements?

- A. Use Amazon Comprehend to detect inappropriate content
- B. Use human review for low-confidence predictions.
- C. Use Amazon Rekognition to detect inappropriate content
- D. Use human review for low-confidence predictions.
- E. Use Amazon SageMaker to detect inappropriate content
- F. Use ground truth to label low-confidence predictions.
- G. Use AWS Fargate to deploy a custom machine learning model to detect inappropriate content
- H. Use ground truth to label low-confidence predictions.

Answer: B

Explanation:

<https://docs.aws.amazon.com/rekognition/latest/dg/moderation.html?pg=ln&sec=ft> <https://docs.aws.amazon.com/rekognition/latest/dg/a2i-rekognition.html>

NEW QUESTION 2

- (Topic 1)

A company's application integrates with multiple software-as-a-service (SaaS) sources for data collection. The company runs Amazon EC2 instances to receive the data and to upload the data to an Amazon S3 bucket for analysis. The same EC2 instance that receives and uploads the data also sends a notification to the user when an upload is complete. The company has noticed slow application performance and wants to improve the performance as much as possible.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Create an Auto Scaling group so that EC2 instances can scale out
- B. Configure an S3 event notification to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.
- C. Create an Amazon AppFlow flow to transfer data between each SaaS source and the S3 bucket
- D. Configure an S3 event notification to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.
- E. Create an Amazon EventBridge (Amazon CloudWatch Events) rule for each SaaS source to send output data
- F. Configure the S3 bucket as the rule's target
- G. Create a second EventBridge (CloudWatch Events) rule to send events when the upload to the S3 bucket is complete
- H. Configure an Amazon Simple Notification Service (Amazon SNS) topic as the second rule's target.
- I. Create a Docker container to use instead of an EC2 instance
- J. Host the containerized application on Amazon Elastic Container Service (Amazon ECS). Configure Amazon CloudWatch Container Insights to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.

Answer: B

Explanation:

Amazon AppFlow is a fully managed integration service that enables you to securely transfer data between Software-as-a-Service (SaaS) applications like Salesforce, SAP, Zendesk, Slack, and ServiceNow, and AWS services like Amazon S3 and Amazon Redshift, in just a few clicks.

<https://aws.amazon.com/appflow/>

NEW QUESTION 3

- (Topic 1)

A company has an application that provides marketing services to stores. The services are based on previous purchases by store customers. The stores upload transaction data to the company through SFTP, and the data is processed and analyzed to generate new marketing offers. Some of the files can exceed 200 GB in size.

Recently, the company discovered that some of the stores have uploaded files that contain personally identifiable information (PII) that should not have been included. The company wants administrators to be alerted if PII is shared again. The company also wants to automate remediation.

What should a solutions architect do to meet these requirements with the LEAST development effort?

- A. Use an Amazon S3 bucket as a secure transfer point
- B. Use Amazon Inspector to scan the objects in the bucket
- C. If objects contain PII
- D. trigger an S3 Lifecycle policy to remove the objects that contain PII.
- E. Use an Amazon S3 bucket as a secure transfer point
- F. Use Amazon Macie to scan the objects in the bucket
- G. If objects contain PII
- H. Use Amazon Simple Notification Service (Amazon SNS) to trigger a notification to the administrators to remove the objects that contain PII.
- I. Implement custom scanning algorithms in an AWS Lambda function
- J. Trigger the function when objects are loaded into the bucket
- K. If objects contain PII
- L. use Amazon Simple Notification Service (Amazon SNS) to trigger a notification to the administrators to remove the objects that contain PII.
- M. Implement custom scanning algorithms in an AWS Lambda function
- N. Trigger the function when objects are loaded into the bucket
- O. If objects contain PII
- P. use Amazon Simple Email Service (Amazon SES) to trigger a notification to the administrators and trigger an S3 Lifecycle policy to remove the objects that contain PII.

Answer: B

Explanation:

To meet the requirements of detecting and alerting the administrators when PII is shared and automating remediation with the least development effort, the best approach would be to use Amazon S3 bucket as a secure transfer point and scan the objects in the bucket with Amazon Macie. Amazon Macie is a fully managed data security and data privacy service that uses machine learning and pattern matching to discover and protect sensitive data stored in Amazon S3. It can be used

to classify sensitive data, monitor access to sensitive data, and automate remediation actions.

In this scenario, after uploading the files to the Amazon S3 bucket, the objects can be scanned for PII by Amazon Macie, and if it detects any PII, it can trigger an Amazon Simple Notification Service (SNS) notification to alert the administrators to remove the objects containing PII. This approach requires the least development effort, as Amazon Macie already has pre-built data classification rules that can detect PII in various formats. Hence, option B is the correct answer.

References:

? Amazon Macie User Guide: <https://docs.aws.amazon.com/macie/latest/userguide/what-is-macie.html>

? AWS Well-Architected Framework - Security Pillar: <https://docs.aws.amazon.com/wellarchitected/latest/security-pillar/welcome.html>

NEW QUESTION 4

- (Topic 1)

A company hosts more than 300 global websites and applications. The company requires a platform to analyze more than 30 TB of clickstream data each day. What should a solutions architect do to transmit and process the clickstream data?

- A. Design an AWS Data Pipeline to archive the data to an Amazon S3 bucket and run an Amazon EMR cluster with the data to generate analytics
- B. Create an Auto Scaling group of Amazon EC2 instances to process the data and send it to an Amazon S3 data lake for Amazon Redshift to use for analysis
- C. Cache the data to Amazon CloudFront: Store the data in an Amazon S3 bucket. When an object is added to the S3 bucket, run an AWS Lambda function to process the data for analysis.
- D. Collect the data from Amazon Kinesis Data Stream
- E. Use Amazon Kinesis Data Firehose to transmit the data to an Amazon S3 data lake. Load the data in Amazon Redshift for analysis

Answer: D

Explanation:

<https://aws.amazon.com/es/blogs/big-data/real-time-analytics-with-amazon-redshift-streaming-ingestion/>

NEW QUESTION 5

- (Topic 1)

A company has a three-tier web application that is deployed on AWS. The web servers are deployed in a public subnet in a VPC. The application servers and database servers are deployed in private subnets in the same VPC. The company has deployed a third-party virtual firewall appliance from AWS Marketplace in an inspection VPC. The appliance is configured with an IP interface that can accept IP packets. A solutions architect needs to integrate the web application with the appliance to inspect all traffic to the application before the traffic reaches the web server. Which solution will meet these requirements with the LEAST operational overhead?

- A. Create a Network Load Balancer in the public subnet of the application's VPC to route the traffic to the appliance for packet inspection
- B. Create an Application Load Balancer in the public subnet of the application's VPC to route the traffic to the appliance for packet inspection
- C. Deploy a transit gateway in the inspection VPC. Configure route tables to route the incoming packets through the transit gateway
- D. Deploy a Gateway Load Balancer in the inspection VPC. Create a Gateway Load Balancer endpoint to receive the incoming packets and forward the packets to the appliance

Answer: D

Explanation:

<https://aws.amazon.com/blogs/networking-and-content-delivery/scaling-network-traffic-inspection-using-aws-gateway-load-balancer/>

NEW QUESTION 6

- (Topic 1)

A global company hosts its web application on Amazon EC2 instances behind an Application Load Balancer (ALB). The web application has static data and dynamic data. The company stores its static data in an Amazon S3 bucket. The company wants to improve performance and reduce latency for the static data and dynamic data. The company is using its own domain name registered with Amazon Route 53.

What should a solutions architect do to meet these requirements?

- A. Create an Amazon CloudFront distribution that has the S3 bucket and the ALB as origins. Configure Route 53 to route traffic to the CloudFront distribution.
- B. Create an Amazon CloudFront distribution that has the ALB as an origin. Create an AWS Global Accelerator standard accelerator that has the S3 bucket as an endpoint.
- C. Configure Route 53 to route traffic to the CloudFront distribution.
- D. Create an Amazon CloudFront distribution that has the S3 bucket as an origin. Create an AWS Global Accelerator standard accelerator that has the ALB and the CloudFront distribution as endpoints. Create a custom domain name that points to the accelerator DNS name. Use the custom domain name as an endpoint for the web application.
- E. Create an Amazon CloudFront distribution that has the ALB as an origin.
- F. Create an AWS Global Accelerator standard accelerator that has the S3 bucket as an endpoint. Create two domain names.
- G. Point one domain name to the CloudFront DNS name for dynamic content, point the other domain name to the accelerator DNS name for static content. Use the domain names as endpoints for the web application.

Answer: C

Explanation:

Static content can be cached at CloudFront Edge locations from S3 and dynamic content EC2 behind the ALB whose performance can be improved by Global Accelerator whose one endpoint is ALB and other CloudFront. So with regards to custom domain name endpoint is web application is Route 53 alias records for the custom domain point to web application <https://aws.amazon.com/blogs/networking-and-content-delivery/improving-availability-and-performance-for-application-load-balancers-using-one-click-integration-with-aws-global-accelerator/>

NEW QUESTION 7

- (Topic 1)

A company uses NFS to store large video files in on-premises network-attached storage. Each video file ranges in size from 1 MB to 500 GB. The total storage is 70 TB and is no longer growing. The company decides to migrate the video files to Amazon S3. The company must migrate the video files as soon as possible while using the least possible network bandwidth.

Which solution will meet these requirements?

- A. Create an S3 bucket. Create an IAM role that has permissions to write to the S3 bucket.

- B. Use the AWS CLI to copy all files locally to the S3 bucket.
- C. Create an AWS Snowball Edge job
- D. Receive a Snowball Edge device on premise
- E. Use the Snowball Edge client to transfer data to the device
- F. Return the device so that AWS can import the data into Amazon S3.
- G. Deploy an S3 File Gateway on premise
- H. Create a public service endpoint to connect to the S3 File Gateway Create an S3 bucket Create a new NFS file share on the S3 File Gateway Point the new file share to the S3 bucket
- I. Transfer the data from the existing NFS file share to the S3 File Gateway.
- J. Set up an AWS Direct Connect connection between the on-premises network and AWS
- K. Deploy an S3 File Gateway on premise
- L. Create a public virtual interface (VIF) to connect to the S3 File Gateway
- M. Create an S3 bucket
- N. Create a new NFS file share on the S3 File Gateway
- O. Point the new file share to the S3 bucket
- P. Transfer the data from the existing NFS file share to the S3 File Gateway.

Answer: B

Explanation:

The basic difference between Snowball and Snowball Edge is the capacity they provide. Snowball provides a total of 50 TB or 80 TB, out of which 42 TB or 72 TB is available, while Amazon Snowball Edge provides 100 TB, out of which 83 TB is available.

NEW QUESTION 8

- (Topic 1)

A company has a production workload that runs on 1,000 Amazon EC2 Linux instances. The workload is powered by third-party software. The company needs to patch the third-party software on all EC2 instances as quickly as possible to remediate a critical security vulnerability. What should a solutions architect do to meet these requirements?

- A. Create an AWS Lambda function to apply the patch to all EC2 instances.
- B. Configure AWS Systems Manager Patch Manager to apply the patch to all EC2 instances.
- C. Schedule an AWS Systems Manager maintenance window to apply the patch to all EC2 instances.
- D. Use AWS Systems Manager Run Command to run a custom command that applies the patch to all EC2 instances.

Answer: B

Explanation:

<https://docs.aws.amazon.com/systems-manager/latest/userguide/about-windows-app-patching.html>

NEW QUESTION 9

- (Topic 1)

A company hosts its multi-tier applications on AWS. For compliance, governance, auditing, and security, the company must track configuration changes on its AWS resources and record a history of API calls made to these resources. What should a solutions architect do to meet these requirements?

- A. Use AWS CloudTrail to track configuration changes and AWS Config to record API calls
- B. Use AWS Config to track configuration changes and AWS CloudTrail to record API calls
- C. Use AWS Config to track configuration changes and Amazon CloudWatch to record API calls
- D. Use AWS CloudTrail to track configuration changes and Amazon CloudWatch to record API calls

Answer: B

Explanation:

AWS Config is a fully managed service that allows the company to assess, audit, and evaluate the configurations of its AWS resources. It provides a detailed inventory of the resources in use and tracks changes to resource configurations. AWS Config can detect configuration changes and alert the company when changes occur. It also provides a historical view of changes, which is essential for compliance and governance purposes. AWS CloudTrail is a fully managed service that provides a detailed history of API calls made to the company's AWS resources. It records all API activity in the AWS account, including who made the API call, when the call was made, and what resources were affected by the call. This information is critical for security and auditing purposes, as it allows the company to investigate any suspicious activity that might occur on its AWS resources.

NEW QUESTION 10

- (Topic 1)

A company is preparing to launch a public-facing web application in the AWS Cloud. The architecture consists of Amazon EC2 instances within a VPC behind an Elastic Load Balancer (ELB). A third-party service is used for the DNS. The company's solutions architect must recommend a solution to detect and protect against large-scale DDoS attacks. Which solution meets these requirements?

- A. Enable Amazon GuardDuty on the account.
- B. Enable Amazon Inspector on the EC2 instances.
- C. Enable AWS Shield and assign Amazon Route 53 to it.
- D. Enable AWS Shield Advanced and assign the ELB to it.

Answer: D

Explanation:

<https://aws.amazon.com/shield/faqs/>

NEW QUESTION 10

- (Topic 1)

A company needs the ability to analyze the log files of its proprietary application. The logs are stored in JSON format in an Amazon S3 bucket. Queries will be simple and will run on-demand. A solutions architect needs to perform the analysis with minimal changes to the existing architecture. What should the solutions architect do to meet these requirements with the LEAST amount of operational overhead?

- A. Use Amazon Redshift to load all the content into one place and run the SQL queries as needed
- B. Use Amazon CloudWatch Logs to store the logs. Run SQL queries as needed from the Amazon CloudWatch console
- C. Use Amazon Athena directly with Amazon S3 to run the queries as needed
- D. Use AWS Glue to catalog the logs. Use a transient Apache Spark cluster on Amazon EMR to run the SQL queries as needed

Answer: C

Explanation:

Amazon Athena can be used to query JSON in S3

NEW QUESTION 11

- (Topic 1)

A company maintains a searchable repository of items on its website. The data is stored in an Amazon RDS for MySQL database table that contains more than 10 million rows. The database has 2 TB of General Purpose SSD storage. There are millions of updates against this data every day through the company's website. The company has noticed that some insert operations are taking 10 seconds or longer. The company has determined that the database storage performance is the problem.

Which solution addresses this performance issue?

- A. Change the storage type to Provisioned IOPS SSD
- B. Change the DB instance to a memory optimized instance class
- C. Change the DB instance to a burstable performance instance class
- D. Enable Multi-AZ RDS read replicas with MySQL native asynchronous replication.

Answer: A

Explanation:

<https://aws.amazon.com/ebs/features/>

"Provisioned IOPS volumes are backed by solid-state drives (SSDs) and are the highest performance EBS volumes designed for your critical, I/O intensive database applications.

These volumes are ideal for both IOPS-intensive and throughput-intensive workloads that require extremely low latency."

https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/CHAP_Storage.html

NEW QUESTION 14

- (Topic 1)

A company's containerized application runs on an Amazon EC2 instance. The application needs to download security certificates before it can communicate with other business applications. The company wants a highly secure solution to encrypt and decrypt the certificates in near real time. The solution also needs to store data in highly available storage after the data is encrypted.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Create AWS Secrets Manager secrets for encrypted certificate
- B. Manually update the certificates as needed
- C. Control access to the data by using fine-grained IAM access.
- D. Create an AWS Lambda function that uses the Python cryptography library to receive and perform encryption operation
- E. Store the function in an Amazon S3 bucket.
- F. Create an AWS Key Management Service (AWS KMS) customer managed key
- G. Allow the EC2 role to use the KMS key for encryption operation
- H. Store the encrypted data on Amazon S3.
- I. Create an AWS Key Management Service (AWS KMS) customer managed key
- J. Allow the EC2 role to use the KMS key for encryption operation
- K. Store the encrypted data on Amazon Elastic Block Store (Amazon EBS) volumes.

Answer: D

NEW QUESTION 19

- (Topic 1)

A company has a website hosted on AWS. The website is behind an Application Load Balancer (ALB) that is configured to handle HTTP and HTTPS separately. The company wants to forward all requests to the website so that the requests will use HTTPS.

What should a solutions architect do to meet this requirement?

- A. Update the ALB's network ACL to accept only HTTPS traffic
- B. Create a rule that replaces the HTTP in the URL with HTTPS.
- C. Create a listener rule on the ALB to redirect HTTP traffic to HTTPS.
- D. Replace the ALB with a Network Load Balancer configured to use Server Name Indication (SNI).

Answer: C

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/elb-redirect-http-to-https-using-alb/>

How can I redirect HTTP requests to HTTPS using an Application Load Balancer? Last updated: 2020-10-30 I want to redirect HTTP requests to HTTPS using Application Load Balancer listener rules. How can I do this? Resolution Reference: <https://aws.amazon.com/premiumsupport/knowledge-center/elb-redirect-http-to-https-using-alb/>

NEW QUESTION 23

- (Topic 1)

An ecommerce company wants to launch a one-deal-a-day website on AWS. Each day will feature exactly one product on sale for a period of 24 hours. The

company wants to be able to handle millions of requests each hour with millisecond latency during peak hours. Which solution will meet these requirements with the LEAST operational overhead?

- A. Use Amazon S3 to host the full website in different S3 buckets Add Amazon CloudFront distributions Set the S3 buckets as origins for the distributions Store the order data in Amazon S3
- B. Deploy the full website on Amazon EC2 instances that run in Auto Scaling groups across multiple Availability Zones Add an Application Load Balancer (ALB) to distribute the website traffic Add another ALB for the backend APIs Store the data in Amazon RDS for MySQL
- C. Migrate the full application to run in containers Host the containers on Amazon Elastic Kubernetes Service (Amazon EKS) Use the Kubernetes Cluster Autoscaler to increase and decrease the number of pods to process bursts in traffic Store the data in Amazon RDS for MySQL
- D. Use an Amazon S3 bucket to host the website's static content Deploy an Amazon CloudFront distributio
- E. Set the S3 bucket as the origin Use Amazon API Gateway and AWS Lambda functions for the backend APIs Store the data in Amazon DynamoDB

Answer: D

Explanation:

To launch a one-deal-a-day website on AWS with millisecond latency during peak hours and with the least operational overhead, the best option is to use an Amazon S3 bucket to host the website's static content, deploy an Amazon CloudFront distribution, set the S3 bucket as the origin, use Amazon API Gateway and AWS Lambda functions for the backend APIs, and store the data in Amazon DynamoDB. This option requires minimal operational overhead and can handle millions of requests each hour with millisecond latency during peak hours. Therefore, option D is the correct answer.

Reference: <https://aws.amazon.com/blogs/compute/building-a-serverless-multi-player-game-with-aws-lambda-and-amazon-dynamodb/>

NEW QUESTION 28

- (Topic 1)

A company is implementing a shared storage solution for a media application that is hosted in the AWS Cloud The company needs the ability to use SMB clients to access data The solution must be fully managed. Which AWS solution meets these requirements?

- A. Create an AWS Storage Gateway volume gateway
- B. Create a file share that uses the required client protocol Connect the application server to the file share.
- C. Create an AWS Storage Gateway tape gateway Configure (apes to use Amazon S3 Connect the application server to the tape gateway
- D. Create an Amazon EC2 Windows instance Install and configure a Windows file share role on the instanc
- E. Connect the application server to the file share.
- F. Create an Amazon FSx for Windows File Server file system Attach the file system to the origin serve
- G. Connect the application server to the file system

Answer: D

Explanation:

<https://aws.amazon.com/fsx/lustre/>

Amazon FSx has native support for Windows file system features and for the industry- standard Server Message Block (SMB) protocol to access file storage over a network. <https://docs.aws.amazon.com/fsx/latest/WindowsGuide/what-is.html>

NEW QUESTION 32

- (Topic 1)

A company recently launched Linux-based application instances on Amazon EC2 in a private subnet and launched a Linux-based bastion host on an Amazon EC2 instance in a public subnet of a VPC A solutions architect needs to connect from the on-premises

network, through the company's internet connection to the bastion host and to the application servers The solutions architect must make sure that the security groups of all the EC2 instances will allow that access

Which combination of steps should the solutions architect take to meet these requirements? (Select TWO)

- A. Replace the current security group of the bastion host with one that only allows inbound access from the application instances
- B. Replace the current security group of the bastion host with one that only allows inbound access from the internal IP range for the company
- C. Replace the current security group of the bastion host with one that only allows inbound access from the external IP range for the company
- D. Replace the current security group of the application instances with one that allows inbound SSH access from only the private IP address of the bastion host
- E. Replace the current security group of the application instances with one that allows inbound SSH access from only the public IP address of the bastion host

Answer: CD

Explanation:

<https://digitalcloud.training/ssh-into-ec2-in-private-subnet/>

NEW QUESTION 35

- (Topic 1)

A company has registered its domain name with Amazon Route 53. The company uses Amazon API Gateway in the ca-central-1 Region as a public interface for its backend microservice APIs. Third-party services consume the APIs securely. The company wants to design its API Gateway URL with the company's domain name and corresponding certificate so that the third-party services can use HTTPS.

Which solution will meet these requirements?

- A. Create stage variables in API Gateway with Name="Endpoint-URL" and Value="Company Domain Name" to overwrite the default UR
- B. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM).
- C. Create Route 53 DNS records with the company's domain nam
- D. Point the alias record to the Regional API Gateway stage endpoint
- E. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the us-east-1 Region.
- F. Create a Regional API Gateway endpoint
- G. Associate the API Gateway endpoint with the company's domain nam
- H. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the same Regio
- I. Attach the certificate to the API Gateway endpoint
- J. Configure Route 53 to route traffic to the API Gateway endpoint.
- K. Create a Regional API Gateway endpoint
- L. Associate the API Gateway endpoint with the company's domain nam

- M. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the us-east-1 Region
- N. Attach the certificate to the API Gateway API
- O. Create Route 53 DNS records with the company's domain name
- P. Point an A record to the company's domain name.

Answer: C

Explanation:

To design the API Gateway URL with the company's domain name and corresponding certificate, the company needs to do the following: 1. Create a Regional API Gateway endpoint: This will allow the company to create an endpoint that is specific to a region. 2. Associate the API Gateway endpoint with the company's domain name: This will allow the company to use its own domain name for the API Gateway URL. 3. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the same Region: This will allow the company to use HTTPS for secure communication with its APIs. 4. Attach the certificate to the API Gateway endpoint: This will allow the company to use the certificate for securing the API Gateway URL. 5. Configure Route 53 to route traffic to the API Gateway endpoint: This will allow the company to use Route 53 to route traffic to the API Gateway URL using the company's domain name.

NEW QUESTION 40

- (Topic 1)

A company is storing sensitive user information in an Amazon S3 bucket. The company wants to provide secure access to this bucket from the application tier running on Amazon EC2 instances inside a VPC.

Which combination of steps should a solutions architect take to accomplish this? (Select TWO.)

- A. Configure a VPC gateway endpoint for Amazon S3 within the VPC
- B. Create a bucket policy to make the objects in the S3 bucket public
- C. Create a bucket policy that limits access to only the application tier running in the VPC
- D. Create an IAM user with an S3 access policy and copy the IAM credentials to the EC2 instance
- E. Create a NAT instance and have the EC2 instances use the NAT instance to access the S3 bucket

Answer: AC

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/s3-private-connection-no-authentication/>

NEW QUESTION 41

- (Topic 1)

A company collects temperature, humidity, and atmospheric pressure data in cities across multiple continents. The average volume of data collected per site each day is 500 GB. Each site has a high-speed internet connection. The company's weather forecasting applications are based in a single Region and analyze the data daily.

What is the FASTEST way to aggregate data from all of these global sites?

- A. Enable Amazon S3 Transfer Acceleration on the destination bucket
- B. Use multipart uploads to directly upload site data to the destination bucket.
- C. Upload site data to an Amazon S3 bucket in the closest AWS Region
- D. Use S3 cross-Region replication to copy objects to the destination bucket.
- E. Schedule AWS Snowball jobs daily to transfer data to the closest AWS Region
- F. Use S3 cross-Region replication to copy objects to the destination bucket.
- G. Upload the data to an Amazon EC2 instance in the closest Region
- H. Store the data in an Amazon Elastic Block Store (Amazon EBS) volume
- I. Once a day take an EBS snapshot and copy it to the centralized Region
- J. Restore the EBS volume in the centralized Region and run an analysis on the data daily.

Answer: A

Explanation:

You might want to use Transfer Acceleration on a bucket for various reasons, including the following:

You have customers that upload to a centralized bucket from all over the world. You transfer gigabytes to terabytes of data on a regular basis across continents.

You are unable to utilize all of your available bandwidth over the Internet when uploading to Amazon S3.

<https://docs.aws.amazon.com/AmazonS3/latest/dev/transfer-acceleration.html>

[https://aws.amazon.com/s3/transfer-acceleration/#:~:text=S3%20Transfer%20Acceleration%20\(S3TA\)%20reduces,to%20S3%20for%20remote%20applications:](https://aws.amazon.com/s3/transfer-acceleration/#:~:text=S3%20Transfer%20Acceleration%20(S3TA)%20reduces,to%20S3%20for%20remote%20applications:)

"Amazon S3 Transfer Acceleration can speed up content transfers to and from Amazon S3 by as much as 50-500% for long-distance transfer of larger objects.

Customers who have either web or mobile applications with widespread users or applications hosted far away from their S3 bucket can experience long and variable upload and download speeds over the Internet"

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/mpuoverview.html>

"Improved throughput - You can upload parts in parallel to improve throughput."

NEW QUESTION 44

- (Topic 1)

A company is building an application in the AWS Cloud. The application will store data in Amazon S3 buckets in two AWS Regions. The company must use an AWS Key Management Service (AWS KMS) customer managed key to encrypt all data that is stored in the S3 buckets. The data in both S3 buckets must be encrypted and decrypted with the same KMS key. The data and the key must be stored in each of the two Regions.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Create an S3 bucket in each Region. Configure the S3 buckets to use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Configure replication between the S3 buckets.
- B. Create a customer managed multi-Region KMS key
- C. Create an S3 bucket in each Region
- D. Configure replication between the S3 buckets
- E. Configure the application to use the KMS key with client-side encryption.
- F. Create a customer managed KMS key and an S3 bucket in each Region. Configure the S3 buckets to use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Configure replication between the S3 buckets.
- G. Create a customer managed KMS key and an S3 bucket in each Region. Configure the S3 buckets to use server-side encryption with AWS KMS keys (SSE-

KMS) Configure replication between the S3 buckets.

Answer: B

Explanation:

From <https://docs.aws.amazon.com/kms/latest/developerguide/custom-key-store-overview.html>

For most users, the default AWS KMS key store, which is protected by FIPS 140-2 validated cryptographic modules, fulfills their security requirements. There is no need to add an extra layer of maintenance responsibility or a dependency on an additional service. However, you might consider creating a custom key store if your organization has any of the following requirements: Key material cannot be stored in a shared environment. Key material must be subject to a secondary, independent audit path. The HSMs that generate and store key material must be certified at FIPS 140-2 Level 3.

<https://docs.aws.amazon.com/kms/latest/developerguide/custom-key-store-overview.html>

<https://docs.aws.amazon.com/kms/latest/developerguide/multi-region-keys-overview.html>

NEW QUESTION 46

- (Topic 1)

An Amazon EC2 administrator created the following policy associated with an IAM group containing several users

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "ec2:TerminateInstances",
      "Resource": "*",
      "Condition": {
        "IpAddress": {
          "aws:SourceIp": "10.100.100.0/24"
        }
      }
    },
    {
      "Effect": "Deny",
      "Action": "ec2:*",
      "Resource": "*",
      "Condition": {
        "StringNotEquals": {
          "ec2:Region": "us-east-1"
        }
      }
    }
  ]
}
```

What is the effect of this policy?

- A. Users can terminate an EC2 instance in any AWS Region except us-east-1.
- B. Users can terminate an EC2 instance with the IP address 10 100 100 1 in the us-east-1 Region
- C. Users can terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100.100.254.
- D. Users cannot terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100 100 254

Answer: C

Explanation:

as the policy prevents anyone from doing any EC2 action on any region except us-east-1 and allows only users with source ip 10.100.100.0/24 to terminate instances. So user with source ip 10.100.100.254 can terminate instances in us-east-1 region.

NEW QUESTION 48

- (Topic 1)

A company is planning to use an Amazon DynamoDB table for data storage. The company is concerned about cost optimization. The table will not be used on most mornings. In the evenings, the read and write traffic will often be unpredictable. When traffic spikes occur, they will happen very quickly.

What should a solutions architect recommend?

- A. Create a DynamoDB table in on-demand capacity mode.
- B. Create a DynamoDB table with a global secondary index.
- C. Create a DynamoDB table with provisioned capacity and auto scaling.
- D. Create a DynamoDB table in provisioned capacity mode, and configure it as a global table.

Answer: A

NEW QUESTION 53

- (Topic 1)

A company has more than 5 TB of file data on Windows file servers that run on premises Users and applications interact with the data each day

The company is moving its Windows workloads to AWS. As the company continues this process, the company requires access to AWS and on-premises file storage with minimum latency. The company needs a solution that minimizes operational overhead and requires no significant changes to the existing file access patterns. The company uses an AWS Site-to-Site VPN connection for connectivity to AWS. What should a solutions architect do to meet these requirements?

- A. Deploy and configure Amazon FSx for Windows File Server on AWS
- B. Move the on-premises file data to FSx for Windows File Server
- C. Reconfigure the workloads to use FSx for Windows File Server on AWS.
- D. Deploy and configure an Amazon S3 File Gateway on premises. Move the on-premises file data to the S3 File Gateway. Reconfigure the on-premises workloads and the cloud workloads to use the S3 File Gateway.
- E. Deploy and configure an Amazon S3 File Gateway on premises. Move the on-premises file data to Amazon S3. Reconfigure the workloads to use either Amazon S3 directly or the S3 File Gateway, depending on each workload's location.
- F. Deploy and configure Amazon FSx for Windows File Server on AWS. Deploy and configure an Amazon FSx File Gateway on premises. Move the on-premises file data to the FSx File Gateway. Configure the cloud workloads to use FSx for Windows File Server on AWS. Configure the on-premises workloads to use the FSx File Gateway.

Answer: D

Explanation:

<https://docs.aws.amazon.com/filegateway/latest/filefsxw/what-is-file-fsxw.html>

To meet the requirements of the company to have access to both AWS and on-premises file storage with minimum latency, a hybrid cloud architecture can be used. One solution is to deploy and configure Amazon FSx for Windows File Server on AWS, which provides fully managed Windows file servers. The on-premises file data can be moved to the FSx File Gateway, which can act as a bridge between on-premises and AWS file storage. The cloud workloads can be configured to use FSx for Windows File Server on AWS, while the on-premises workloads can be configured to use the FSx File Gateway. This solution minimizes operational overhead and requires no significant changes to the existing file access patterns. The connectivity between on-premises and AWS can be established using an AWS Site-to-Site VPN connection.

Reference:

AWS FSx for Windows File Server: <https://aws.amazon.com/fsx/windows/> AWS FSx File Gateway: <https://aws.amazon.com/fsx/file-gateway/>

AWS Site-to-Site VPN: <https://aws.amazon.com/vpn/site-to-site-vpn/>

NEW QUESTION 57

- (Topic 1)

A company that hosts its web application on AWS wants to ensure all Amazon EC2 instances, Amazon RDS DB instances, and Amazon Redshift clusters are configured with tags. The company wants to minimize the effort of configuring and operating this check. What should a solutions architect do to accomplish this?

- A. Use AWS Config rules to define and detect resources that are not properly tagged.
- B. Use Cost Explorer to display resources that are not properly tagged.
- C. Tag those resources manually.
- D. Write API calls to check all resources for proper tag allocation.
- E. Periodically run the code on an EC2 instance.
- F. Write API calls to check all resources for proper tag allocation.
- G. Schedule an AWS Lambda function through Amazon CloudWatch to periodically run the code.

Answer: A

Explanation:

To ensure all Amazon EC2 instances, Amazon RDS DB instances, and Amazon Redshift clusters are configured with tags, a solutions architect should use AWS Config rules to define and detect resources that are not properly tagged. AWS Config rules are a set of customizable rules that AWS Config uses to evaluate AWS resource configurations for compliance with best practices and company policies. Using AWS Config rules can minimize the effort of configuring and operating this check because it automates the process of identifying non-compliant resources and notifying the responsible teams. Reference:

AWS Config Developer Guide: AWS Config Rules (https://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_use-managed-rules.html)

NEW QUESTION 60

- (Topic 1)

A company needs guaranteed Amazon EC2 capacity in three specific Availability Zones in a specific AWS Region for an upcoming event that will last 1 week. What should the company do to guarantee the EC2 capacity?

- A. Purchase Reserved instances that specify the Region needed.
- B. Create an On-Demand Capacity Reservation that specifies the Region needed.
- C. Purchase Reserved instances that specify the Region and three Availability Zones needed.
- D. Create an On-Demand Capacity Reservation that specifies the Region and three Availability Zones needed.

Answer: D

Explanation:

<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ec2-capacity-reservations.html>

Reserve instances: You will have to pay for the whole term (1 year or 3 years) which is not cost effective.

NEW QUESTION 65

- (Topic 1)

A social media company allows users to upload images to its website. The website runs on Amazon EC2 instances. During upload requests, the website resizes the images to a standard size and stores the resized images in Amazon S3. Users are experiencing slow upload requests to the website.

The company needs to reduce coupling within the application and improve website performance. A solutions architect must design the most operationally efficient process for image uploads.

Which combination of actions should the solutions architect take to meet these requirements? (Choose two.)

- A. Configure the application to upload images to S3 Glacier.
- B. Configure the web server to upload the original images to Amazon S3.
- C. Configure the application to upload images directly from each user's browser to Amazon S3 through the use of a presigned URL.

- D. Configure S3 Event Notifications to invoke an AWS Lambda function when an image is uploaded
- E. Use the function to resize the image
- F. Create an Amazon EventBridge (Amazon CloudWatch Events) rule that invokes an AWS Lambda function on a schedule to resize uploaded images.

Answer: CD

Explanation:

Amazon S3 is a highly scalable and durable object storage service that can store and retrieve any amount of data from anywhere on the web¹. Users can configure the application to upload images directly from each user's browser to Amazon S3 through the use of a presigned URL. A presigned URL is a URL that gives access to an object in an S3 bucket for a limited time and with a specific action, such as uploading an object². Users can generate a presigned URL programmatically using the AWS SDKs or AWS CLI. By using a presigned URL, users can reduce coupling within the application and improve website performance, as they do not need to send the images to the web server first. AWS Lambda is a serverless compute service that runs code in response to events and automatically manages the underlying compute resources³. Users can configure S3 Event Notifications to invoke an AWS Lambda function when an image is uploaded. S3 Event Notifications is a feature that allows users to receive notifications when certain events happen in an S3 bucket, such as object creation or deletion. Users can configure S3 Event Notifications to invoke a Lambda function that resizes the image and stores it back in the same or a different S3 bucket. This way, users can offload the image resizing task from the web server to Lambda.

NEW QUESTION 69

- (Topic 1)

A company is deploying a new public web application to AWS. The application will run behind an Application Load Balancer (ALB). The application needs to be encrypted at the edge with an SSL/TLS certificate that is issued by an external certificate authority (CA). The certificate must be rotated each year before the certificate expires.

What should a solutions architect do to meet these requirements?

- A. Use AWS Certificate Manager (ACM) to issue an SSL/TLS certificate
- B. Apply the certificate to the AL
- C. Use the managed renewal feature to automatically rotate the certificate.
- D. Use AWS Certificate Manager (ACM) to issue an SSL/TLS certificate
- E. Import the key material from the certificate
- F. Apply the certificate to the AL
- G. Use the managed renewal feature to automatically rotate the certificate.
- H. Use AWS Certificate Manager (ACM) Private Certificate Authority to issue an SSL/TLS certificate from the root CA
- I. Apply the certificate to the AL
- J. Use the managed renewal feature to automatically rotate the certificate.
- K. Use AWS Certificate Manager (ACM) to import an SSL/TLS certificate
- L. Apply the certificate to the AL
- M. Use Amazon EventBridge (Amazon CloudWatch Events) to send a notification when the certificate is nearing expiration
- N. Rotate the certificate manually.

Answer: D

Explanation:

https://www.amazonaws.cn/en/certificate-manager/faqs/#Managed_renewal_and_deployment

NEW QUESTION 74

- (Topic 1)

A company is preparing to deploy a new serverless workload. A solutions architect must use the principle of least privilege to configure permissions that will be used to run an AWS Lambda function. An Amazon EventBridge (Amazon CloudWatch Events) rule will invoke the function.

Which solution meets these requirements?

- A. Add an execution role to the function with `lambda: InvokeFunction` as the action and `*` as the principal.
- B. Add an execution role to the function with `lambda: InvokeFunction` as the action and `Service:amazonaws.com` as the principal.
- C. Add a resource-based policy to the function with `lambda:*` as the action and `Service:events.amazonaws.com` as the principal.
- D. Add a resource-based policy to the function with `lambda: InvokeFunction` as the action and `Service:events.amazonaws.com` as the principal.

Answer: D

Explanation:

<https://docs.aws.amazon.com/eventbridge/latest/userguide/resource-based-policies-eventbridge.html#lambda-permissions>

NEW QUESTION 75

- (Topic 1)

A bicycle sharing company is developing a multi-tier architecture to track the location of its bicycles during peak operating hours. The company wants to use these data points in its existing analytics platform. A solutions architect must determine the most viable multi-tier option to support this architecture. The data points must be accessible from the REST API.

Which action meets these requirements for storing and retrieving location data?

- A. Use Amazon Athena with Amazon S3
- B. Use Amazon API Gateway with AWS Lambda
- C. Use Amazon QuickSight with Amazon Redshift.
- D. Use Amazon API Gateway with Amazon Kinesis Data Analytics

Answer: D

Explanation:

<https://aws.amazon.com/solutions/implementations/aws-streaming-data-solution-for-amazon-kinesis/>

NEW QUESTION 77

- (Topic 1)

A company runs a photo processing application that needs to frequently upload and download pictures from Amazon S3 buckets that are located in the same AWS Region. A solutions architect has noticed an increased cost in data transfer fees and needs to implement a solution to reduce these costs. How can the solutions architect meet this requirement?

- A. Deploy Amazon API Gateway into a public subnet and adjust the route table to route S3 calls through it.
- B. Deploy a NAT gateway into a public subnet and attach an endpoint policy that allows access to the S3 buckets.
- C. Deploy the application into a public subnet and allow it to route through an internet gateway to access the S3 buckets.
- D. Deploy an S3 VPC gateway endpoint into the VPC and attach an endpoint policy that allows access to the S3 buckets.

Answer: D

Explanation:

The correct answer is Option D. Deploy an S3 VPC gateway endpoint into the VPC and attach an endpoint policy that allows access to the S3 buckets. By deploying an S3 VPC gateway endpoint, the application can access the S3 buckets over a private network connection within the VPC, eliminating the need for data transfer over the internet. This can help reduce data transfer fees as well as improve the performance of the application. The endpoint policy can be used to specify which S3 buckets the application has access to.

NEW QUESTION 80

- (Topic 1)

A survey company has gathered data for several years from areas in the United States. The company hosts the data in an Amazon S3 bucket that is 3 TB in size and growing. The company has started to share the data with a European marketing firm that has S3 buckets. The company wants to ensure that its data transfer costs remain as low as possible.

Which solution will meet these requirements?

- A. Configure the Requester Pays feature on the company's S3 bucket.
- B. Configure S3 Cross-Region Replication from the company's S3 bucket to one of the marketing firm's S3 buckets.
- C. Configure cross-account access for the marketing firm so that the marketing firm has access to the company's S3 bucket.
- D. Configure the company's S3 bucket to use S3 Intelligent-Tiering Sync the S3 bucket to one of the marketing firm's S3 buckets.

Answer: A

Explanation:

"Typically, you configure buckets to be Requester Pays buckets when you want to share data but not incur charges associated with others accessing the data. For example, you might use Requester Pays buckets when making available large datasets, such as zip code directories, reference data, geospatial information, or web crawling data." <https://docs.aws.amazon.com/AmazonS3/latest/userguide/RequesterPaysBuckets.html>

NEW QUESTION 85

- (Topic 1)

An application allows users at a company's headquarters to access product data. The product data is stored in an Amazon RDS MySQL DB instance. The operations team has isolated an application performance slowdown and wants to separate read traffic from write traffic. A solutions architect needs to optimize the application's performance quickly.

What should the solutions architect recommend?

- A. Change the existing database to a Multi-AZ deployment.
- B. Serve the read requests from the primary Availability Zone.
- C. Change the existing database to a Multi-AZ deployment.
- D. Serve the read requests from the secondary Availability Zone.
- E. Create read replicas for the database.
- F. Configure the read replicas with half of the compute and storage resources as the source database.
- G. Create read replicas for the database.
- H. Configure the read replicas with the same compute and storage resources as the source database.

Answer: D

Explanation:

https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER_MySQL.Replication.ReadReplicas.html

NEW QUESTION 87

- (Topic 1)

A solutions architect is designing a VPC with public and private subnets. The VPC and subnets use IPv4 CIDR blocks. There is one public subnet and one private subnet in each of three Availability Zones (AZs) for high availability. An internet gateway is used to provide internet access for the public subnets. The private subnets require access to the internet to allow Amazon EC2 instances to download software updates.

What should the solutions architect do to enable Internet access for the private subnets?

- A. Create three NAT gateways, one for each public subnet in each AZ.
- B. Create a private route table for each AZ that forwards non-VPC traffic to the NAT gateway in its AZ.
- C. Create three NAT instances, one for each private subnet in each AZ.
- D. Create a private route table for each AZ that forwards non-VPC traffic to the NAT instance in its AZ.
- E. Create a second internet gateway on one of the private subnets.
- F. Update the route table for the private subnets that forward non-VPC traffic to the private internet gateway.
- G. Create an egress-only internet gateway on one of the public subnets.
- H. Update the route table for the private subnets that forward non-VPC traffic to the egress-only internet gateway.

Answer: A

Explanation:

<https://aws.amazon.com/about-aws/whats-new/2018/03/introducing-amazon-vpc-nat-gateway-in-the-aws-govcloud-us-region/#:~:text=NAT%20Gateway%20is%20a%20highly,instances%20in%20a%20private%20subnet.>

<https://docs.aws.amazon.com/vpc/latest/userguide/vpc-nat-comparison.html>

NEW QUESTION 88

- (Topic 1)

A solutions architect is designing a two-tier web application. The application consists of a public-facing web tier hosted on Amazon EC2 in public subnets. The database tier consists of Microsoft SQL Server running on Amazon EC2 in a private subnet. Security is a high priority for the company. How should security groups be configured in this situation? (Select TWO.)

- A. Configure the security group for the web tier to allow inbound traffic on port 443 from 0.0.0.0/0.
- B. Configure the security group for the web tier to allow outbound traffic on port 443 from 0.0.0.0/0.
- C. Configure the security group for the database tier to allow inbound traffic on port 1433 from the security group for the web tier.
- D. Configure the security group for the database tier to allow outbound traffic on ports 443 and 1433 to the security group for the web tier.
- E. Configure the security group for the database tier to allow inbound traffic on ports 443 and 1433 from the security group for the web tier.

Answer: AC

Explanation:

"Security groups create an outbound rule for every inbound rule." Not completely right. Stateful does NOT mean that if you create an inbound (or outbound) rule, it will create an outbound (or inbound) rule. What it does mean is: suppose you create an inbound rule on port 443 for the X ip. When a request enters on port 443 from X ip, it will allow traffic out for that request in the port 443. However, if you look at the outbound rules, there will not be any outbound rule on port 443 unless explicitly create it. In ACLs, which are stateless, you would have to create an inbound rule to allow incoming requests and an outbound rule to allow your application responds to those incoming requests.

https://docs.aws.amazon.com/vpc/latest/userguide/VPC_SecurityGroups.html#SecurityGroupRules

NEW QUESTION 91

- (Topic 1)

A company has an automobile sales website that stores its listings in a database on Amazon RDS. When an automobile is sold, the listing needs to be removed from the website and the data must be sent to multiple target systems. Which design should a solutions architect recommend?

- A. Create an AWS Lambda function triggered when the database on Amazon RDS is updated to send the information to an Amazon Simple Queue Service (Amazon SQS) queue for the targets to consume.
- B. Create an AWS Lambda function triggered when the database on Amazon RDS is updated to send the information to an Amazon Simple Queue Service (Amazon SQS) FIFO queue for the targets to consume.
- C. Subscribe to an RDS event notification and send an Amazon Simple Queue Service (Amazon SQS) queue fanned out to multiple Amazon Simple Notification Service (Amazon SNS) topics. Use AWS Lambda functions to update the targets.
- D. Subscribe to an RDS event notification and send an Amazon Simple Notification Service (Amazon SNS) topic fanned out to multiple Amazon Simple Queue Service (Amazon SQS) queues. Use AWS Lambda functions to update the targets.

Answer: D

Explanation:

<https://docs.aws.amazon.com/lambda/latest/dg/services-rds.html> <https://docs.aws.amazon.com/lambda/latest/dg/with-sns.html>

NEW QUESTION 95

- (Topic 1)

An application runs on an Amazon EC2 instance in a VPC. The application processes logs that are stored in an Amazon S3 bucket. The EC2 instance needs to access the S3 bucket without connectivity to the internet.

Which solution will provide private network connectivity to Amazon S3?

- A. Create a gateway VPC endpoint to the S3 bucket.
- B. Stream the logs to Amazon CloudWatch Log.
- C. Export the logs to the S3 bucket.
- D. Create an instance profile on Amazon EC2 to allow S3 access.
- E. Create an Amazon API Gateway API with a private link to access the S3 endpoint.

Answer: A

Explanation:

VPC endpoint allows you to connect to AWS services using a private network instead of using the public Internet.

NEW QUESTION 100

- (Topic 1)

A company has an application that runs on Amazon EC2 instances and uses an Amazon Aurora database. The EC2 instances connect to the database by using user names and passwords that are stored locally in a file. The company wants to minimize the operational overhead of credential management.

What should a solutions architect do to accomplish this goal?

- A. Use AWS Secrets Manager.
- B. Turn on automatic rotation.
- C. Use AWS Systems Manager Parameter Store.
- D. Turn on automatic rotation.
- E. Create an Amazon S3 bucket to store objects that are encrypted with an AWS Key Management Service (AWS KMS) encryption key.
- F. Migrate the credential file to the S3 bucket.
- G. Point the application to the S3 bucket.
- H. Create an encrypted Amazon Elastic Block Store (Amazon EBS) volume (or each EC2 instance).
- I. Attach the new EBS volume to each EC2 instance.
- J. Migrate the credential file to the new EBS volume.
- K. Point the application to the new EBS volume.

Answer: A

Explanation:

<https://aws.amazon.com/cn/blogs/security/how-to-connect-to-aws-secrets-manager-service-within-a-virtual-private-cloud/>
<https://aws.amazon.com/blogs/security/rotate-amazon-rds-database-credentials-automatically-with-aws-secrets-manager/>

NEW QUESTION 104

- (Topic 1)

A company uses AWS Organizations to manage multiple AWS accounts for different departments. The management account has an Amazon S3 bucket that contains project reports. The company wants to limit access to this S3 bucket to only users of accounts within the organization in AWS Organizations. Which solution meets these requirements with the LEAST amount of operational overhead?

- A. Add the aws:PrincipalOrgID global condition key with a reference to the organization ID to the S3 bucket policy.
- B. Create an organizational unit (OU) for each department
- C. Add the aws:PrincipalOrgPaths global condition key to the S3 bucket policy.
- D. Use AWS CloudTrail to monitor the CreateAccount, InviteAccountToOrganization, LeaveOrganization, and RemoveAccountFromOrganization event
- E. Update the S3 bucket policy accordingly.
- F. Tag each user that needs access to the S3 bucket
- G. Add the aws:PrincipalTag global condition key to the S3 bucket policy.

Answer: A

Explanation:

<https://aws.amazon.com/blogs/security/control-access-to-aws-resources-by-using-the-aws-organization-of-iam-principals/>

The aws:PrincipalOrgID global key provides an alternative to listing all the account IDs for all AWS accounts in an organization. For example, the following Amazon S3 bucket policy allows members of any account in the XXX organization to add an object into the examtopics bucket.

```
{
  "Version": "2020-09-10",
  "Statement": [
    {
      "Sid": "AllowPutObject",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:PutObject",
      "Resource": "arn:aws:s3:::examtopics/*",
      "Condition": {
        "StringEquals": {
          "aws:PrincipalOrgID": ["XXX"]
        }
      }
    }
  ]
}
```

https://docs.aws.amazon.com/IAM/latest/UserGuide/reference_policies_condition-keys.html

NEW QUESTION 107

- (Topic 1)

A company is running a business-critical web application on Amazon EC2 instances behind an Application Load Balancer. The EC2 instances are in an Auto Scaling group. The application uses an Amazon Aurora PostgreSQL database that is deployed in a single Availability Zone. The company wants the application to be highly available with minimum downtime and minimum loss of data.

Which solution will meet these requirements with the LEAST operational effort?

- A. Place the EC2 instances in different AWS Region
- B. Use Amazon Route 53 health checks to redirect traffic
- C. Use Aurora PostgreSQL Cross-Region Replication.
- D. Configure the Auto Scaling group to use multiple Availability Zone
- E. Configure the database as Multi-AZ
- F. Configure an Amazon RDS Proxy instance for the database.
- G. Configure the Auto Scaling group to use one Availability Zone
- H. Generate hourly snapshots of the database
- I. Recover the database from the snapshots in the event of a failure.
- J. Configure the Auto Scaling group to use multiple AWS Region
- K. Write the data from the application to Amazon S3. Use S3 Event Notifications to launch an AWS Lambda function to write the data to the database.

Answer: B

Explanation:

To achieve high availability with minimum downtime and minimum loss of data, the Auto Scaling group should be configured to use multiple Availability Zones to ensure that there is no single point of failure. The database should be configured as Multi-AZ to enable automatic failover in case of an outage in the primary Availability Zone. Additionally, an Amazon RDS Proxy instance can be used to improve the scalability and availability of the database by reducing connection failures and improving failover times.

NEW QUESTION 110

- (Topic 1)

A company recently launched a variety of new workloads on Amazon EC2 instances in its AWS account. The company needs to create a strategy to access and administer the instances remotely and securely. The company needs to implement a repeatable process that works with native AWS services and follows the AWS Well-Architected Framework.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Use the EC2 serial console to directly access the terminal interface of each instance for administration.
- B. Attach the appropriate IAM role to each existing instance and new instance
- C. Use AWS Systems Manager Session Manager to establish a remote SSH session.
- D. Create an administrative SSH key pair
- E. Load the public key into each EC2 instance
- F. Deploy a bastion host in a public subnet to provide a tunnel for administration of each instance.
- G. Establish an AWS Site-to-Site VPN connection
- H. Instruct administrators to use their local on-premises machines to connect directly to the instances by using SSH keys across the VPN tunnel.

Answer: B

Explanation:

<https://docs.aws.amazon.com/systems-manager/latest/userguide/setup-launch-managed-instance.html>

NEW QUESTION 113

- (Topic 2)

A company hosts a two-tier application on Amazon EC2 instances and Amazon RDS. The application's demand varies based on the time of day. The load is minimal after work hours and on weekends. The EC2 instances run in an EC2 Auto Scaling group that is configured with a minimum of two instances and a maximum of five instances. The application must be available at all times, but the company is concerned about overall cost.

Which solution meets the availability requirement MOST cost-effectively?

- A. Use all EC2 Spot Instance
- B. Stop the RDS database when it is not in use.
- C. Purchase EC2 Instance Savings Plans to cover five EC2 instance
- D. Purchase an RDS Reserved DB Instance
- E. Purchase two EC2 Reserved Instances Use up to three additional EC2 Spot Instances as needed
- F. Stop the RDS database when it is not in use.
- G. Purchase EC2 Instance Savings Plans to cover two EC2 instance
- H. Use up to three additional EC2 On-Demand Instances as needed
- I. Purchase an RDS Reserved DB Instance.

Answer: C

Explanation:

This solution meets the requirements of a two-tier application that has a variable demand based on the time of day and must be available at all times, while minimizing the overall cost. EC2 Reserved Instances can provide significant savings compared to On-Demand Instances for the baseline level of usage, and they can guarantee capacity reservation when needed. EC2 Spot Instances can provide up to 90% savings compared to On-Demand Instances for any additional capacity that the application needs during peak hours. Spot Instances are suitable for stateless applications that can tolerate interruptions and can be replaced by other instances. Stopping the RDS database when it is not in use can reduce the cost of running the database tier.

Option A is incorrect because using all EC2 Spot Instances can affect the availability of the application if there are not enough spare capacity or if the Spot price exceeds the maximum price. Stopping the RDS database when it is not in use can reduce the cost of running the database tier, but it can also affect the availability of the application. Option B is incorrect because purchasing EC2 Instance Savings Plans to cover five EC2 instances can lock in a fixed amount of compute usage per hour, which may not match the actual usage pattern of the application. Purchasing an RDS Reserved DB Instance can provide savings for the database tier, but it does not allow stopping the database when it is not in use. Option D is incorrect because purchasing EC2 Instance Savings Plans to cover two EC2 instances can lock in a fixed amount of compute usage per hour, which may not match the actual usage pattern of the application. Using up to three additional EC2 On-Demand Instances as needed can incur higher costs than using Spot Instances.

References:

? <https://aws.amazon.com/ec2/pricing/reserved-instances/>

? <https://aws.amazon.com/ec2/spot/>

? https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER_StopInstance.html

NEW QUESTION 116

- (Topic 2)

A company has a Windows-based application that must be migrated to AWS. The application requires the use of a shared Windows file system attached to multiple Amazon EC2 Windows instances that are deployed across multiple Availability Zones.

What should a solutions architect do to meet this requirement?

- A. Configure AWS Storage Gateway in volume gateway mode
- B. Mount the volume to each Windows instance.
- C. Configure Amazon FSx for Windows File Server
- D. Mount the Amazon FSx file system to each Windows instance.
- E. Configure a file system by using Amazon Elastic File System (Amazon EFS). Mount the EFS file system to each Windows instance.
- F. Configure an Amazon Elastic Block Store (Amazon EBS) volume with the required size
- G. Attach each EC2 instance to the volume
- H. Mount the file system within the volume to each Windows instance.

Answer: B

Explanation:

This solution meets the requirement of migrating a Windows-based application that requires the use of a shared Windows file system attached to multiple Amazon EC2 Windows instances that are deployed across multiple Availability Zones. Amazon FSx for Windows File Server provides fully managed shared storage built on Windows Server, and delivers a wide range of data access, data management, and administrative capabilities. It supports the Server Message Block (SMB) protocol and can be mounted to EC2 Windows instances across multiple Availability Zones.

Option A is incorrect because AWS Storage Gateway in volume gateway mode provides cloud-backed storage volumes that can be mounted as iSCSI devices from on-premises application servers, but it does not support SMB protocol or EC2 Windows instances. Option C is incorrect because Amazon Elastic File System (Amazon EFS) provides a scalable and elastic NFS file system for Linux-based workloads, but it does not support SMB protocol or EC2 Windows instances.

Option D is incorrect because Amazon Elastic Block Store (Amazon EBS) provides persistent block storage volumes for use with EC2 instances, but it does not support SMB protocol or attaching multiple instances to the same volume.

References:

? <https://aws.amazon.com/fsx/windows/>

? <https://docs.aws.amazon.com/fsx/latest/WindowsGuide/using-file-shares.html>

NEW QUESTION 119

- (Topic 2)

A company wants to migrate its on-premises data center to AWS. According to the company's compliance requirements, the company can use only the ap-northeast-3 Region. Company administrators are not permitted to connect VPCs to the internet.

Which solutions will meet these requirements? (Choose two.)

- A. Use AWS Control Tower to implement data residency guardrails to deny internet access and deny access to all AWS Regions except ap-northeast-3.
- B. Use rules in AWS WAF to prevent internet access
- C. Deny access to all AWS Regions except ap-northeast-3 in the AWS account settings.

- D. Use AWS Organizations to configure service control policies (SCPS) that prevent VPCs from gaining internet access
- E. Deny access to all AWS Regions except ap-northeast-3.
- F. Create an outbound rule for the network ACL in each VPC to deny all traffic from 0.0.0.0/0. Create an IAM policy for each user to prevent the use of any AWS Region other than ap-northeast-3.
- G. Use AWS Config to activate managed rules to detect and alert for internet gateways and to detect and alert for new resources deployed outside of ap-northeast-3.

Answer: AC

Explanation:

https://docs.aws.amazon.com/organizations/latest/userguide/orgs_manage_policies_scps_examples_vpc.html#example_vpc_2

NEW QUESTION 124

- (Topic 2)

A company produces batch data that comes from different databases. The company also produces live stream data from network sensors and application APIs. The company needs to consolidate all the data into one place for business analytics. The company needs to process the incoming data and then stage the data in different Amazon S3 buckets. Teams will later run one-time queries and import the data into a business intelligence tool to show key performance indicators (KPIs).

Which combination of steps will meet these requirements with the LEAST operational overhead? (Choose two.)

- A. Use Amazon Athena for one-time queries Use Amazon QuickSight to create dashboards for KPIs
- B. Use Amazon Kinesis Data Analytics for one-time queries Use Amazon QuickSight to create dashboards for KPIs
- C. Create custom AWS Lambda functions to move the individual records from the databases to an Amazon Redshift cluster
- D. Use an AWS Glue extract, transform, and load (ETL) job to convert the data into JSON format Load the data into multiple Amazon OpenSearch Service (Amazon Elasticsearch Service) clusters
- E. Use blueprints in AWS Lake Formation to identify the data that can be ingested into a data lake Use AWS Glue to crawl the source extract the data and load the data into Amazon S3 in Apache Parquet format

Answer: AE

Explanation:

Amazon Athena is the best choice for running one-time queries on streaming data. Although Amazon Kinesis Data Analytics provides an easy and familiar standard SQL language to analyze streaming data in real-time, it is designed for continuous queries rather than one-time queries[1]. On the other hand, Amazon Athena is a serverless interactive query service that allows querying data in Amazon S3 using SQL. It is optimized for ad-hoc querying and is ideal for running one-time queries on streaming data[2]. AWS Lake Formation uses as a central place to have all your data for analytics purposes (E). Athena integrates perfectly with S3 and can make queries (A).

NEW QUESTION 126

- (Topic 2)

A company is concerned about the security of its public web application due to recent web attacks. The application uses an Application Load Balancer (ALB). A solutions architect must reduce the risk of DDoS attacks against the application.

What should the solutions architect do to meet this requirement?

- A. Add an Amazon Inspector agent to the ALB.
- B. Configure Amazon Macie to prevent attacks.
- C. Enable AWS Shield Advanced to prevent attacks.
- D. Configure Amazon GuardDuty to monitor the ALB.

Answer: C

Explanation:

AWS Shield Advanced provides expanded DDoS attack protection for your Amazon EC2 instances, Elastic Load Balancing load balancers, CloudFront distributions, Route 53 hosted zones, and AWS Global Accelerator standard accelerators. <https://docs.aws.amazon.com/waf/latest/developerguide/what-is-aws-waf.html>

NEW QUESTION 128

- (Topic 2)

A company is planning to build a high performance computing (HPC) workload as a service solution that is hosted on AWS. A group of 16 Amazon EC2 Linux instances requires the lowest possible latency for node-to-node communication. The instances also need a shared block device volume for high-performance storage.

Which solution will meet these requirements?

- A. Use a cluster placement group
- B. Attach a single Provisioned IOPS SSD Amazon Elastic Block Store (Amazon EBS) volume to all the instances by using Amazon EBS Multi-Attach
- C. Use a partition placement group
- D. Create shared file systems across the instances by using Amazon Elastic File System (Amazon EFS)
- E. Use a partition placement group
- F. Create shared file systems across the instances by using Amazon Elastic File System (Amazon EFS).
- G. Use a spread placement group
- H. Attach a single Provisioned IOPS SSD Amazon Elastic Block Store (Amazon EBS) volume to all the instances by using Amazon EBS Multi-Attach

Answer: A

Explanation:

- 1. lowest possible latency + node to node ==> cluster placement (must be within one AZ), so C, D out
 - * 2. For EBS Multi-Attach, up to 16 instances can be attached to a single volume ==> we have 16 Linux instances ==> more close to A
 - * 3. "need a shared block device volume" ==> EBS Multi-attach is Block Storage whereas EFS is File Storage ==> B out
 - * 4. EFS automatically replicates data within and across 3 AZ ==> we use cluster placement
- so all EC2 are within one AZ.

* 5. EBS Multi-attach volumes can be used for clients within a single AZ. <https://repost.aws/questions/QUK2RANw1QTKCwpDUwCCI72A/efs-vs-efs-mult-attach>

NEW QUESTION 132

- (Topic 2)

A company wants to move its application to a serverless solution. The serverless solution needs to analyze existing and new data by using SL. The company stores the data in an Amazon S3 bucket. The data requires encryption and must be replicated to a different AWS Region. Which solution will meet these requirements with the LEAST operational overhead?

- A. Create a new S3 bucket
- B. Load the data into the new S3 bucket
- C. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region
- D. Use server-side encryption with AWS KMS multi-Region keys (SSE-KMS). Use Amazon Athena to query the data.
- E. Create a new S3 bucket
- F. Load the data into the new S3 bucket
- G. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region
- H. Use server-side encryption with AWS KMS multi-Region keys (SSE-KMS). Use Amazon RDS to query the data.
- I. Load the data into the existing S3 bucket
- J. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region
- K. Use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Use Amazon Athena to query the data.
- L. Load the data into the existing S3 bucket
- M. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region
- N. Use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Use Amazon RDS to query the data.

Answer: A

Explanation:

This solution meets the requirements of a serverless solution, encryption, replication, and SQL analysis with the least operational overhead. Amazon Athena is a serverless interactive query service that can analyze data in S3 using standard SQL. S3 Cross-Region Replication (CRR) can replicate encrypted objects to an S3 bucket in another Region automatically. Server-side encryption with AWS KMS multi-Region keys (SSE-KMS) can encrypt the data at rest using keys that are replicated across multiple Regions. Creating a new S3 bucket can avoid potential conflicts with existing data or configurations.

Option B is incorrect because Amazon RDS is not a serverless solution and it cannot query data in S3 directly. Option C is incorrect because server-side encryption with Amazon S3 managed encryption keys (SSE-S3) does not use KMS keys and it does not support multi-Region replication. Option D is incorrect because Amazon RDS is not a serverless solution and it cannot query data in S3 directly. It is also incorrect for the same reason as option C. References:

? <https://docs.aws.amazon.com/AmazonS3/latest/userguide/replication-walkthrough-4.html>

? <https://aws.amazon.com/blogs/storage/considering-four-different-replication-options-for-data-in-amazon-s3/>

? <https://docs.aws.amazon.com/AmazonS3/latest/userguide/UsingEncryption.html>

? <https://aws.amazon.com/athena/>

NEW QUESTION 136

- (Topic 2)

A company runs workloads on AWS. The company needs to connect to a service from an external provider. The service is hosted in the provider's VPC. According to the company's security team, the connectivity must be private and must be restricted to the target service. The connection must be initiated only from the company's VPC. Which solution will meet these requirements?

- A. Create a VPC peering connection between the company's VPC and the provider's VPC
- B. Update the route table to connect to the target service.
- C. Ask the provider to create a virtual private gateway in its VPC
- D. Use AWS PrivateLink to connect to the target service.
- E. Create a NAT gateway in a public subnet of the company's VPC
- F. Update the route table to connect to the target service.
- G. Ask the provider to create a VPC endpoint for the target service
- H. Use AWS PrivateLink to connect to the target service.

Answer: D

Explanation:

AWS PrivateLink provides private connectivity between VPCs, AWS services, and your on-premises networks, without exposing your traffic to the public internet. AWS PrivateLink makes it easy to connect services across different accounts and VPCs to significantly simplify your network architecture. Interface **VPC endpoints**, powered by AWS PrivateLink, connect you to services hosted by AWS Partners and supported solutions available in AWS Marketplace.

<https://aws.amazon.com/privatelink/>

NEW QUESTION 139

- (Topic 2)

A company wants to manage Amazon Machine Images (AMIs). The company currently copies AMIs to the same AWS Region where the AMIs were created. The company needs to design an application that captures AWS API calls and sends alerts whenever the Amazon EC2 CreateImage API operation is called within the company's account.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Create an AWS Lambda function to query AWS CloudTrail logs and to send an alert when a CreateImage API call is detected.
- B. Configure AWS CloudTrail with an Amazon Simple Notification Service (Amazon SNS) notification that occurs when updated logs are sent to Amazon S3. Use Amazon Athena to create a new table and to query on CreateImage when an API call is detected.
- C. Create an Amazon EventBridge (Amazon CloudWatch Events) rule for the CreateImage API call
- D. Configure the target as an Amazon Simple Notification Service (Amazon SNS) topic to send an alert when a CreateImage API call is detected.
- E. Configure an Amazon Simple Queue Service (Amazon SQS) FIFO queue as a target for AWS CloudTrail log
- F. Create an AWS Lambda function to send an alert to an Amazon Simple Notification Service (Amazon SNS) topic when a CreateImage API call is detected.

Answer: C

Explanation:

<https://docs.aws.amazon.com/AWSEC2/latest/WindowsGuide/monitor-ami-events.html#:~:text=For%20example%2C%20you%20can%20create%20an%20EventBridge%20rule%20that%20detects%20when%20the%20AMI%20creation%20process%20has%20completed%20and%20then%20invokes%20an%20Amazon%20SNS%20topic%20to%20send%20an%20email%20notification%20to%20you.>

Creating an Amazon EventBridge (Amazon CloudWatch Events) rule for the CreateImage API call and configuring the target as an Amazon Simple Notification Service (Amazon SNS) topic to send an alert when a CreateImage API call is detected will meet the requirements with the least operational overhead. Amazon EventBridge is a serverless event bus that makes it easy to connect applications together using data from your own applications, integrated Software as a Service (SaaS) applications, and AWS services. By creating an EventBridge rule for the CreateImage API call, the company can set up alerts whenever this operation is called within their account. The alert can be sent to an SNS topic, which can then be configured to send notifications to the company's email or other desired destination.

NEW QUESTION 140

- (Topic 2)

A company runs a web-based portal that provides users with global breaking news, local alerts, and weather updates. The portal delivers each user a personalized view by using mixture of static and dynamic content. Content is served over HTTPS through an API server running on an Amazon EC2 instance behind an Application Load Balancer (ALB). The company wants the portal to provide this content to its users across the world as quickly as possible.

How should a solutions architect design the application to ensure the LEAST amount of latency for all users?

- A. Deploy the application stack in a single AWS Region
- B. Use Amazon CloudFront to serve all static and dynamic content by specifying the ALB as an origin.
- C. Deploy the application stack in two AWS Region
- D. Use an Amazon Route 53 latency routing policy to serve all content from the ALB in the closest Region.
- E. Deploy the application stack in a single AWS Region
- F. Use Amazon CloudFront to serve the static content
- G. Serve the dynamic content directly from the ALB.
- H. Deploy the application stack in two AWS Region
- I. Use an Amazon Route 53 geolocation routing policy to serve all content from the ALB in the closest Region.

Answer: A

Explanation:

<https://aws.amazon.com/blogs/networking-and-content-delivery/deliver-your-apps-dynamic-content-using-amazon-cloudfront-getting-started-template/>

NEW QUESTION 144

- (Topic 2)

An ecommerce company has an order-processing application that uses Amazon API Gateway and an AWS Lambda function. The application stores data in an Amazon Aurora PostgreSQL database. During a recent sales event, a sudden surge in customer orders occurred. Some customers experienced timeouts and the application did not process the orders of those customers. A solutions architect determined that the CPU utilization and memory utilization were high on the database because of a large number of open connections. The solutions architect needs to prevent the timeout errors while making the least possible changes to the application.

Which solution will meet these requirements?

- A. Configure provisioned concurrency for the Lambda function. Modify the database to be a global database in multiple AWS Regions.
- B. Use Amazon RDS Proxy to create a proxy for the database. Modify the Lambda function to use the RDS Proxy endpoint instead of the database endpoint.
- C. Create a read replica for the database in a different AWS Region. Use query string parameters in API Gateway to route traffic to the read replica.
- D. Migrate the data from Aurora PostgreSQL to Amazon DynamoDB by using AWS Database Migration Service (AWS DMS). Modify the Lambda function to use the DynamoDB table.

Answer: B

Explanation:

Many applications, including those built on modern serverless architectures, can have a large number of open connections to the database server and may open and close database connections at a high rate, exhausting database memory and compute resources. Amazon RDS Proxy allows applications to pool and share connections established with the database, improving database efficiency and application scalability. <https://aws.amazon.com/id/rds/proxy/>

NEW QUESTION 149

- (Topic 2)

A company hosts a website analytics application on a single Amazon EC2 On-Demand Instance. The analytics software is written in PHP and uses a MySQL database. The analytics software, the web server that provides PHP, and the database server are all hosted on the EC2 instance. The application is showing signs of performance degradation during busy times and is presenting 5xx errors. The company needs to make the application scale seamlessly.

Which solution will meet these requirements MOST cost-effectively?

- A. Migrate the database to an Amazon RDS for MySQL DB instance.
- B. Create an AMI of the web application.
- C. Use the AMI to launch a second EC2 On-Demand Instance.
- D. Use an Application Load Balancer to distribute the load to each EC2 instance.
- E. Migrate the database to an Amazon RDS for MySQL DB instance.
- F. Create an AMI of the web application.
- G. Use the AMI to launch a second EC2 On-Demand Instance.
- H. Use Amazon Route 53 weighted routing to distribute the load across the two EC2 instances.
- I. Migrate the database to an Amazon Aurora MySQL DB instance.
- J. Create an AWS Lambda function to stop the EC2 instance and change the instance type.
- K. Create an Amazon CloudWatch alarm to invoke the Lambda function when CPU utilization surpasses 75%.
- L. Migrate the database to an Amazon Aurora MySQL DB instance.
- M. Create an AMI of the web application.
- N. Apply the AMI to a launch template.
- O. Create an Auto Scaling group with the launch template. Configure the launch template to use a Spot Fleet.
- P. Attach an Application Load Balancer to the Auto Scaling group.

Answer: D

Explanation:

Migrate the database to Amazon Aurora MySQL - this will let the DB scale on its own; it'll scale automatically without needing adjustment. Create AMI of the web app and using a launch template - this will make the creating of any future instances of the app seamless. They can then be added to the auto scaling group which will save them money as it will scale up and down based on demand. Using a spot fleet to launch instances- This solves the "MOST cost-effective" portion of the question as spot instances come at a huge discount at the cost of being terminated at any time Amazon deems fit. I think this is why there's a bit of disagreement on this. While it's the most cost effective, it would be a terrible choice if Amazon were to terminate that spot instance during a busy period.

NEW QUESTION 154

- (Topic 2)

A company is developing a file-sharing application that will use an Amazon S3 bucket for storage. The company wants to serve all the files through an Amazon CloudFront distribution. The company does not want the files to be accessible through direct navigation to the S3 URL.

What should a solutions architect do to meet these requirements?

- A. Write individual policies for each S3 bucket to grant read permission for only CloudFront access.
- B. Create an IAM user
- C. Grant the user read permission to objects in the S3 bucket
- D. Assign the user to CloudFront.
- E. Write an S3 bucket policy that assigns the CloudFront distribution ID as the Principal and assigns the target S3 bucket as the Amazon Resource Name (ARN).
- F. Create an origin access identity (OAI). Assign the OAI to the CloudFront distribution
- G. Configure the S3 bucket permissions so that only the OAI has read permission.

Answer: D

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/cloudfront-access-to-amazon-s3/>

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/private-content-restricting-access-to-s3.html#private-content-restricting-access-to-s3-overview>

NEW QUESTION 157

- (Topic 2)

A business's backup data totals 700 terabytes (TB) and is kept in network attached storage (NAS) at its data center. This backup data must be available in the event of occasional regulatory inquiries and preserved for a period of seven years. The organization has chosen to relocate its backup data from its on-premises data center to Amazon Web Services (AWS). Within one month, the migration must be completed. The company's public internet connection provides 500 Mbps of dedicated capacity for data transport.

What should a solutions architect do to ensure that data is migrated and stored at the LOWEST possible cost?

- A. Order AWS Snowball devices to transfer the data
- B. Use a lifecycle policy to transition the files to Amazon S3 Glacier Deep Archive.
- C. Deploy a VPN connection between the data center and Amazon VPC
- D. Use the AWS CLI to copy the data from on-premises to Amazon S3 Glacier.
- E. Provision a 500 Mbps AWS Direct Connect connection and transfer the data to Amazon S3. Use a lifecycle policy to transition the files to Amazon S3 Glacier Deep Archive.
- F. Use AWS DataSync to transfer the data and deploy a DataSync agent on-premise
- G. Use the DataSync task to copy files from the on-premises NAS storage to Amazon S3 Glacier.

Answer: A

Explanation:

<https://www.omnicalculator.com/other/data-transfer>

NEW QUESTION 161

- (Topic 2)

A global company is using Amazon API Gateway to design REST APIs for its loyalty club

users in the us-east-1 Region and the ap-southeast-2 Region. A solutions architect must design a solution to protect these API Gateway managed REST APIs across multiple accounts from SQL injection and cross-site scripting attacks.

Which solution will meet these requirements with the LEAST amount of administrative effort?

- A. Set up AWS WAF in both Regions
- B. Associate Regional web ACLs with an API stage.
- C. Set up AWS Firewall Manager in both Regions
- D. Centrally configure AWS WAF rules.
- E. Set up AWS Shield in both Regions
- F. Associate Regional web ACLs with an API stage.
- G. Set up AWS Shield in one of the Regions
- H. Associate Regional web ACLs with an API stage.

Answer: A

Explanation:

Using AWS WAF has several benefits. Additional protection against web attacks using criteria that you specify. You can define criteria using characteristics of web requests such as the following: Presence of SQL code that is likely to be malicious (known as SQL injection). Presence of a script that is likely to be malicious (known as cross-site scripting). AWS Firewall Manager simplifies your administration and maintenance tasks across multiple accounts and resources for a variety of protections. <https://docs.aws.amazon.com/waf/latest/developerguide/what-is-aws-waf.html>

NEW QUESTION 164

- (Topic 2)

A company runs its e-commerce application on AWS. Every new order is published as a message in a RabbitMQ queue that runs on an Amazon EC2 instance in a single Availability Zone. These messages are processed by a different application that runs on a separate EC2 instance. This application stores the details in a PostgreSQL database on another EC2 instance. All the EC2 instances are in the same Availability Zone.

The company needs to redesign its architecture to provide the highest availability with the least operational overhead. What should a solutions architect do to meet these requirements?

- A. Migrate the queue to a redundant pair (active/standby) of RabbitMQ instances on Amazon M
- B. Create a Multi-AZ Auto Scaling group (or EC2 instances that host the applicatio
- C. Create another Multi-AZ Auto Scaling group for EC2 instances that host the PostgreSQL database.
- D. Migrate the queue to a redundant pair (active/standby) of RabbitMQ instances on Amazon M
- E. Create a Multi-AZ Auto Scaling group for EC2 instances that host the applicatio
- F. Migrate the database to run on a Multi-AZ deployment of Amazon RDS for PostgreSQL.
- G. Create a Multi-AZ Auto Scaling group for EC2 instances that host the RabbitMQ queu
- H. Create another Multi-AZ Auto Scaling group for EC2 instances that host the application. Migrate the database to run on a Multi-AZ deployment of Amazon RDS for PostgreSQL.
- I. Create a Multi-AZ Auto Scaling group for EC2 instances that host the RabbitMQ queue. Create another Multi-AZ Auto Scaling group for EC2 instances that host the applicatio
- J. Create a third Multi-AZ Auto Scaling group for EC2 instances that host the PostgreSQL database.

Answer: B

Explanation:

Migrating to Amazon MQ reduces the overhead on the queue management. C and D are dismissed. Deciding between A and B means deciding to go for an AutoScaling group for EC2 or an RDS for Postgress (both multi- AZ). The RDS option has less operational impact, as provide as a service the tools and software required. Consider for instance, the effort to add an additional node like a read replica, to the DB. <https://docs.aws.amazon.com/amazon-mq/latest/developer-guide/active-standby-broker-deployment.html> <https://aws.amazon.com/rds/postgresql/>

NEW QUESTION 167

- (Topic 2)

A company runs a stateless web application in production on a group of Amazon EC2 On- Demand Instances behind an Application Load Balancer. The application experiences heavy usage during an 8-hour period each business day. Application usage is moderate and steady overnight Application usage is low during weekends.

The company wants to minimize its EC2 costs without affecting the availability of the application.

Which solution will meet these requirements?

- A. Use Spot Instances for the entire workload.
- B. Use Reserved instances for the baseline level of usage Use Spot Instances for any additional capacity that the application needs.
- C. Use On-Demand Instances for the baseline level of usag
- D. Use Spot Instances for any additional capacity that the application needs
- E. Use Dedicated Instances for the baseline level of usag
- F. Use On-Demand Instances for any additional capacity that the application needs

Answer: B

Explanation:

Reserved is cheaper than on demand the company has. And it's meet the availability (HA) requirement as to spot instance that can be disrupted at any time. PRICING BELOW. On- Demand: 0% There's no commitment from you. You pay the most with this option. Reserved : 40%-60% 1-year or 3-year commitment from you. You save money from that commitment. Spot 50%-90% Ridiculously inexpensive because there's no commitment from the AWS side.

NEW QUESTION 172

- (Topic 2)

A company needs to retain application logs files for a critical application for 10 years. The application team regularly accesses logs from the past month for troubleshooting, but logs older than 1 month are rarely accessed. The application generates more than 10 TB of logs per month.

Which storage option meets these requirements MOST cost-effectively?

- A. Store the logs in Amazon S3 Use AWS Backup to move logs more than 1 month old to S3 Glacier Deep Archive
- B. Store the logs in Amazon S3 Use S3 Lifecycle policies to move logs more than 1 month old to S3 Glacier Deep Archive
- C. Store the logs in Amazon CloudWatch Logs Use AWS Backup to move logs more then 1 month old to S3 Glacier Deep Archive
- D. Store the logs in Amazon CloudWatch Logs Use Amazon S3 Lifecycle policies to move logs more than 1 month old to S3 Glacier Deep Archive

Answer: B

Explanation:

You need S3 to be able to archive the logs after one month. Cannot do that with CloudWatch Logs.

NEW QUESTION 174

- (Topic 2)

A company runs a high performance computing (HPC) workload on AWS. The workload required low-latency network performance and high network throughput with tightly coupled node-to-node communication. The Amazon EC2 instances are properly sized for compute and storage capacity, and are launched using default options.

What should a solutions architect propose to improve the performance of the workload?

- A. Choose a cluster placement group while launching Amazon EC2 instances.
- B. Choose dedicated instance tenancy while launching Amazon EC2 instances.
- C. Choose an Elastic Inference accelerator while launching Amazon EC2 instances.
- D. Choose the required capacity reservation while launching Amazon EC2 instances.

Answer: A

Explanation:

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/aws-resource-ec2-placementgroup.html>

"A cluster placement group is a logical grouping of instances within a single Availability Zone that benefit from low network latency, high network throughput"

NEW QUESTION 179

- (Topic 2)

A company wants to run applications in containers in the AWS Cloud. These applications are stateless and can tolerate disruptions within the underlying infrastructure. The company needs a solution that minimizes cost and operational overhead. What should a solutions architect do to meet these requirements?

- A. Use Spot Instances in an Amazon EC2 Auto Scaling group to run the application containers.
- B. Use Spot Instances in an Amazon Elastic Kubernetes Service (Amazon EKS) managed node group.
- C. Use On-Demand Instances in an Amazon EC2 Auto Scaling group to run the application containers.
- D. Use On-Demand Instances in an Amazon Elastic Kubernetes Service (Amazon EKS) managed node group.

Answer: A

Explanation:

<https://aws.amazon.com/cn/blogs/compute/cost-optimization-and-resilience-eks-with-spot-instances/>

NEW QUESTION 180

- (Topic 2)

A company wants to migrate its MySQL database from on premises to AWS. The company recently experienced a database outage that significantly impacted the business. To ensure this does not happen again, the company wants a reliable database solution on AWS that minimizes data loss and stores every transaction on at least two nodes.

Which solution meets these requirements?

- A. Create an Amazon RDS DB instance with synchronous replication to three nodes in three Availability Zones.
- B. Create an Amazon RDS MySQL DB instance with Multi-AZ functionality enabled to synchronously replicate the data.
- C. Create an Amazon RDS MySQL DB instance and then create a read replica in a separate AWS Region that synchronously replicates the data.
- D. Create an Amazon EC2 instance with a MySQL engine installed that triggers an AWS Lambda function to synchronously replicate the data to an Amazon RDS MySQL DB instance.

Answer: B

Explanation:

Q: What does Amazon RDS manage on my behalf?

Amazon RDS manages the work involved in setting up a relational database: from provisioning the infrastructure capacity you request to installing the database software. Once your database is up and running, Amazon RDS automates common administrative tasks such as performing backups and patching the software that powers your database. With optional Multi-AZ deployments, Amazon RDS also manages synchronous data replication across Availability Zones with automatic failover. <https://aws.amazon.com/rds/faqs/>

NEW QUESTION 184

- (Topic 2)

A company has implemented a self-managed DNS solution on three Amazon EC2 instances behind a Network Load Balancer (NLB) in the us-west-2 Region. Most of the company's users are located in the United States and Europe. The company wants to improve the performance and availability of the solution. The company launches and configures three EC2 instances in the eu-west-1 Region and adds the EC2 instances as targets for a new NLB.

Which solution can the company use to route traffic to all the EC2 instances?

- A. Create an Amazon Route 53 geolocation routing policy to route requests to one of the two NLB
- B. Create an Amazon CloudFront distributio
- C. Use the Route 53 record as the distribution's origin.
- D. Create a standard accelerator in AWS Global Accelerato
- E. Create endpoint groups in us- west-2 and eu-west-1. Add the two NLBs as endpoints for the endpoint groups.
- F. Attach Elastic IP addresses to the six EC2 instance
- G. Create an Amazon Route 53 geolocation routing policy to route requests to one of the six EC2 instance
- H. Create an Amazon CloudFront distributio
- I. Use the Route 53 record as the distribution's origin.
- J. Replace the two NLBs with two Application Load Balancers (ALBs). Create an Amazon Route 53 latency routing policy to route requests to one of the two ALB
- K. Create an Amazon CloudFront distributio
- L. Use the Route 53 record as the distribution's origin.

Answer: B

Explanation:

For standard accelerators, Global Accelerator uses the AWS global network to route traffic to the optimal regional endpoint based on health, client location, and policies that you configure, which increases the availability of your applications. Endpoints for standard accelerators can be Network Load Balancers, Application Load Balancers, Amazon EC2 instances, or Elastic IP addresses that are located in one AWS Region or multiple Regions.

<https://docs.aws.amazon.com/global-accelerator/latest/dg/what-is-global-accelerator.html>

NEW QUESTION 185

- (Topic 2)

A company is migrating an application from on-premises servers to Amazon EC2 instances. As part of the migration design requirements, a solutions architect must implement infrastructure metric alarms. The company does not need to take action if CPU utilization increases to more than 50% for a short burst of time. However, if the CPU

utilization increases to more than 50% and read IOPS on the disk are high at the same time, the company needs to act as soon as possible. The solutions architect also must reduce false alarms.

What should the solutions architect do to meet these requirements?

- A. Create Amazon CloudWatch composite alarms where possible.
- B. Create Amazon CloudWatch dashboards to visualize the metrics and react to issues quickly.
- C. Create Amazon CloudWatch Synthetics canaries to monitor the application and raise an alarm.
- D. Create single Amazon CloudWatch metric alarms with multiple metric thresholds where possible.

Answer: A

Explanation:

Composite alarms determine their states by monitoring the states of other alarms. You can **use composite alarms to reduce alarm noise**. For example, you can create a composite alarm where the underlying metric alarms go into ALARM when they meet specific conditions. You then can set up your composite alarm to go into ALARM and send you notifications when the underlying metric alarms go into ALARM by configuring the underlying metric alarms never to take actions. Currently, composite alarms can take the following actions: https://docs.aws.amazon.com/AmazonCloudWatch/latest/monitoring/Create_Composite_Alarm.html

NEW QUESTION 190

- (Topic 3)

A company is migrating an old application to AWS. The application runs a batch job every hour and is CPU intensive. The batch job takes 15 minutes on average with an on-premises server. The server has 64 virtual CPU (vCPU) and 512 GiB of memory. Which solution will run the batch job within 15 minutes with the LEAST operational overhead?

- A. Use AWS Lambda with functional scaling
- B. Use Amazon Elastic Container Service (Amazon ECS) with AWS Fargate
- C. Use Amazon Lightsail with AWS Auto Scaling
- D. Use AWS Batch on Amazon EC2

Answer: D

Explanation:

Use AWS Batch on Amazon EC2. AWS Batch is a fully managed batch processing service that can be used to easily run batch jobs on Amazon EC2 instances. It can scale the number of instances to match the workload, allowing the batch job to be completed in the desired time frame with minimal operational overhead. Using AWS Lambda with Amazon API Gateway - AWS Lambda <https://docs.aws.amazon.com/lambda/latest/dg/services-apigateway.html>
AWS Lambda FAQs <https://aws.amazon.com/lambda/faqs/>

NEW QUESTION 194

- (Topic 3)

A company deploys an application on five Amazon EC2 instances. An Application Load Balancer (ALB) distributes traffic to the instances by using a target group. The average CPU usage on each of the instances is below 10% most of the time. With occasional surges to 65%.

A solution architect needs to implement a solution to automate the scalability of the application. The solution must optimize the cost of the architecture and must ensure that the application has enough CPU resources when surges occur. Which solution will meet these requirements?

- A. Create an Amazon CloudWatch alarm that enters the ALARM state when the CPUUtilization metric is less than 20%. Create an AWS Lambda function that the CloudWatch alarm invokes to terminate one of the EC2 instances in the ALB target group.
- B. Create an EC2 Auto Scaling group.
- C. Select the existing ALB as the load balancer and the existing target group as the target group.
- D. Set a target tracking scaling policy that is based on the ASGAverageCPUUtilization metric.
- E. Set the minimum instances to 2, the desired capacity to 3, the maximum instances to 6, and the target value to 50%. Add the EC2 instances to the Auto Scaling group.
- F. Create an EC2 Auto Scaling group.
- G. Select the existing ALB as the load balancer and the existing target group.
- H. Set the minimum instances to 2, the desired capacity to 3, and the maximum instances to 6. Add the EC2 instances to the Scaling group.
- I. Create two Amazon CloudWatch alarms.
- J. Configure the first CloudWatch alarm to enter the ALARM state when the average CPUUtilization metric is below 20%. Configure the second CloudWatch alarm to enter the ALARM state when the average CPUUtilization metric is above 50%. Configure the alarms to publish to an Amazon Simple Notification Service (Amazon SNS) topic to send an email message.
- K. After receiving the message, log in to decrease or increase the number of EC2 instances that are running.

Answer: B

Explanation:

- An Auto Scaling group will automatically scale the EC2 instances to match changes in demand. This optimizes cost by only running as many instances as needed.
- A target tracking scaling policy monitors the ASGAverageCPUUtilization metric and scales to keep the average CPU around the 50% target value. This ensures there are enough resources during CPU surges.
- The ALB and target group are reused, so the application architecture does not change. The Auto Scaling group is associated to the existing load balancer setup.
- A minimum of 2 and maximum of 6 instances provides the ability to scale between 3 and 6 instances as needed based on demand.
- Costs are optimized by starting with only 3 instances (the desired capacity) and scaling up as needed. When CPU usage drops, instances are terminated to match the desired capacity.

NEW QUESTION 198

- (Topic 3)

A company wants to migrate a Windows-based application from on-premises to the AWS Cloud. The application has three tiers, a business tier, and a database tier with Microsoft SQL Server. The company wants to use specific features of SQL Server such as native backups and Data Quality Services. The company also needs to share files for process between the tiers.

How should a solution architect design the architecture to meet these requirements?

- A. Host all three on Amazon instance
- B. Use Amazon FSx File Gateway for file sharing between tiers.
- C. Host all three on Amazon EC2 instance
- D. Use Amazon FSx for Windows file sharing between the tiers.
- E. Host the application tier and the business tier on Amazon EC2 instance
- F. Host the database tier on Amazon RD
- G. Use Amazon Elastic File System (Amazon EFS) for file sharing between the tiers.
- H. Host the application tier and the business tier on Amazon EC2 instance
- I. Host the database tier on Amazon RD
- J. Use a Provisioned IOPS SSD (io2) Amazon Elastic Block Store (Amazon EBS) volume for file sharing between the tiers.

Answer: B

Explanation:

This solution will allow the company to host all three tiers on Amazon EC2 instances while using Amazon FSx for Windows File Server to provide Windows-based file sharing between the tiers. This will allow the company to use specific features of SQL Server, such as native backups and Data Quality Services, while sharing files for processing between the tiers.

NEW QUESTION 200

- (Topic 3)

A company has hundreds of Amazon EC2 Linux-based instances in the AWS Cloud. Systems administrators have used shared SSH keys to manage the instances. After a recent audit, the company's security team is mandating the removal of all shared keys. A solutions architect must design a solution that provides secure access to the EC2 instances.

Which solution will meet this requirement with the LEAST amount of administrative overhead?

- A. Use AWS Systems Manager Session Manager to connect to the EC2 instances.
- B. Use AWS Security Token Service (AWS STS) to generate one-time SSH keys on demand.
- C. Allow shared SSH access to a set of bastion instance
- D. Configure all other instances to allow only SSH access from the bastion instances
- E. Use an Amazon Cognito custom authorizer to authenticate user
- F. Invoke an AWS Lambda function to generate a temporary SSH key.

Answer: A

Explanation:

Session Manager is a fully managed AWS Systems Manager capability. With Session Manager, you can manage your Amazon Elastic Compute Cloud (Amazon EC2) instances, edge devices, on-premises servers, and virtual machines (VMs). You can use either an interactive one-click browser-based shell or the AWS Command Line Interface (AWS CLI). Session Manager provides secure and auditable node management without the need to open inbound ports, maintain bastion hosts, or manage SSH keys. Session Manager also allows you to comply with corporate policies that require controlled access to managed nodes, strict security practices, and fully auditable logs with node access details, while providing end users with simple one-click cross-platform access to your managed nodes.
<https://docs.aws.amazon.com/systems-manager/latest/userguide/session-manager.html>

NEW QUESTION 201

- (Topic 3)

A company is building a new web-based customer relationship management application. The application will use several Amazon EC2 instances that are backed by Amazon Elastic Block Store (Amazon EBS) volumes behind an Application Load Balancer (ALB). The application will also use an Amazon Aurora database. All data for the application must be encrypted at rest and in transit.

Which solution will meet these requirements?

- A. Use AWS Key Management Service (AWS KMS) certificates on the ALB to encrypt data in transit
- B. Use AWS Certificate Manager (ACM) to encrypt the EBS volumes and Aurora database storage at rest.
- C. Use the AWS root account to log in to the AWS Management Console
- D. Upload the company's encryption certificate
- E. While in the root account, select the option to turn on encryption for all data at rest and in transit for the account.
- F. Use a AWS Key Management Service (AWS KMS) to encrypt the EBS volumes and Aurora database storage at rest
- G. Attach an AWS Certificate Manager (ACM) certificate to the ALB to encrypt data in transit.
- H. Use BitLocker to encrypt all data at rest
- I. Import the company's TLS certificate keys to AWS Key Management Service (AWS KMS). Attach the KMS keys to the ALB to encrypt data in transit.

Answer: C

Explanation:

This option is the most efficient because it uses AWS Key Management Service (AWS KMS), which is a service that makes it easy for you to create and manage cryptographic keys and control their use across a wide range of AWS services and with your applications running on AWS. It also uses AWS KMS to encrypt the EBS volumes and Aurora database storage at rest, which provides data protection by encrypting your data with encryption keys that you manage. It also uses AWS Certificate Manager (ACM), which is a service that lets you easily provision, manage, and deploy public and private Secure Sockets Layer/Transport Layer Security (SSL/TLS) certificates for use with AWS services and your internal connected resources. It also attaches an ACM certificate to the ALB to encrypt data in transit, which provides data protection by enabling SSL/TLS encryption for connections between clients and the load balancer. This solution meets the requirement of encrypting all data for the application at rest and in transit. Option A is less efficient because it uses AWS KMS certificates on the ALB to encrypt data in transit, which is not possible as AWS KMS does not provide certificates but only keys. It also uses AWS Certificate Manager (ACM) to encrypt the EBS volumes and Aurora database storage at rest, which is not possible as ACM does not provide encryption but only certificates. Option B is less efficient because it uses the AWS root account to log in to the AWS Management Console, which is not recommended as it has unrestricted access to all resources in your account. It also uploads the company's encryption certificates, which is not necessary as ACM can provide certificates for free. It also selects the option to turn on encryption for all data at rest and in transit for the account, which is not possible as encryption settings are specific to each service and resource. Option D is less efficient because it uses BitLocker to encrypt all data at rest, which is a Windows feature that provides encryption for volumes on Windows servers. However, this does not provide encryption for Aurora database storage at rest, as Aurora runs on Linux servers. It also imports the company's TLS certificate keys to AWS KMS, which is not necessary as ACM can provide certificates for free. It also attaches the KMS keys to the ALB to encrypt data in transit, which is not possible as ALB requires certificates and not keys.

NEW QUESTION 206

- (Topic 3)

A company's facility has badge readers at every entrance throughout the building. When badges are scanned, the readers send a message over HTTPS to indicate who attempted to access that particular entrance.

A solutions architect must design a system to process these messages from the sensors. The solution must be highly available, and the results must be made available for the company's security team to analyze.

Which system architecture should the solutions architect recommend?

- A. Launch an Amazon EC2 instance to serve as the HTTPS endpoint and to process the messages. Configure the EC2 instance to save the results to an Amazon S3 bucket.
- B. Create an HTTPS endpoint in Amazon API Gateway
- C. Configure the API Gateway endpoint to invoke an AWS Lambda function to process the messages and save the results to an Amazon DynamoDB table.

- D. Use Amazon Route 53 to direct incoming sensor messages to an AWS Lambda function
- E. Configure the Lambda function to process the messages and save the results to an Amazon DynamoDB table.
- F. Create a gateway VPC endpoint for Amazon S3. Configure a Site-to-Site VPN connection from the facility network to the VPC so that sensor data can be written directly to an S3 bucket by way of the VPC endpoint.

Answer: B

Explanation:

Deploy Amazon API Gateway as an HTTPS endpoint and AWS Lambda to process and save the messages to an Amazon DynamoDB table. This option provides a highly available and scalable solution that can easily handle large amounts of data. It also integrates with other AWS services, making it easier to analyze and visualize the data for the security team.

NEW QUESTION 211

- (Topic 3)

A company needs to migrate a legacy application from an on-premises data center to the AWS Cloud because of hardware capacity constraints. The application runs 24 hours a day, 7 days a week. The application database storage continues to grow over time. What should a solution architect do to meet these requirements MOST cost-effectively?

- A. Migrate the application layer to Amazon EC2 Spot Instances Migrate the data storage layer to Amazon S3.
- B. Migrate the application layer to Amazon EC2 Reserved Instances Migrate the data storage layer to Amazon RDS On-Demand Instances.
- C. Migrate the application layer to Amazon EC2 Reserved instances Migrate the data storage layer to Amazon Aurora Reserved Instances.
- D. Migrate the application layer to Amazon EC2 On Demand Amazon Migrate the data storage layer to Amazon RDS Reserved instances.

Answer: C

Explanation:

<https://docs.aws.amazon.com/AmazonRDS/latest/AuroraUserGuide/Aurora.AuroraMySQL.html>

NEW QUESTION 213

- (Topic 3)

A company wants to run an in-memory database for a latency-sensitive application that runs on Amazon EC2 instances. The application processes more than 100,000 transactions each minute and requires high network throughput. A solutions architect needs to provide a cost-effective network design that minimizes data transfer charges.

Which solution meets these requirements?

- A. Launch all EC2 instances in the same Availability Zone within the same AWS Region
- B. Specify a placement group with cluster strategy when launching EC2 instances.
- C. Launch all EC2 instances in different Availability Zones within the same AWS Region
- D. Specify a placement group with partition strategy when launching EC2 instances.
- E. Deploy an Auto Scaling group to launch EC2 instances in different Availability Zones based on a network utilization target.
- F. Deploy an Auto Scaling group with a step scaling policy to launch EC2 instances in different Availability Zones.

Answer: A

Explanation:

- Launching instances within a single AZ and using a cluster placement group provides the lowest network latency and highest bandwidth between instances. This maximizes performance for an in-memory database and high-throughput application.
- Communications between instances in the same AZ and placement group are free, minimizing data transfer charges. Inter-AZ and public IP traffic can incur charges.
- A cluster placement group enables the instances to be placed close together within the AZ, allowing the high network throughput required. Partition groups span AZs, reducing bandwidth.
- Auto Scaling across zones could launch instances in AZs that increase data transfer charges. It may reduce network throughput, impacting performance.

NEW QUESTION 214

- (Topic 3)

A company is using Amazon Route 53 latency-based routing to route requests to its UDP-based application for users around the world. The application is hosted on redundant servers in the company's on-premises data centers in the United States, Asia, and Europe. The company's compliance requirements state that the application must be hosted on premises. The company wants to improve the performance and availability of the application.

What should a solutions architect do to meet these requirements?

- A. Configure three Network Load Balancers (NLBs) in the three AWS Regions to address the on-premises endpoints. Create an accelerator by using AWS Global Accelerator, and register the NLBs as its endpoint.
- B. Provide access to the application by using a CNAME that points to the accelerator DNS.
- C. Configure three Application Load Balancers (ALBs) in the three AWS Regions to address the on-premises endpoint.
- D. Create an accelerator by using AWS Global Accelerator and register the ALBs as its endpoints. Provide access to the application by using a CNAME that points to the accelerator DNS.
- E. Configure three Network Load Balancers (NLBs) in the three AWS Regions to address the on-premises endpoints. In Route 53, create a latency-based record that points to the three NLBs.
- F. and use it as an origin for an Amazon CloudFront distribution. Provide access to the application by using a CNAME that points to the CloudFront DNS.
- G. Configure three Application Load Balancers (ALBs) in the three AWS Regions to address the on-premises endpoints. In Route 53, create a latency-based record that points to the three ALBs and use it as an origin for an Amazon CloudFront distribution. Provide access to the application by using a CNAME that points to the CloudFront DNS.

Answer: A

Explanation:

[https://aws.amazon.com/step-functions/#:~:text=AWS%20Step%20Functions%20is%20a,machine%20learning%20\(ML\)%20pipelines.](https://aws.amazon.com/step-functions/#:~:text=AWS%20Step%20Functions%20is%20a,machine%20learning%20(ML)%20pipelines.)

"A common use case for AWS Step Functions is a task that requires human intervention (for example, an approval process). Step Functions makes it easy to coordinate the components of distributed applications as a series of steps in a visual workflow called a state machine. You can quickly build and run state machines to execute the steps of your application in a reliable and scalable fashion. (<https://aws.amazon.com/pt/blogs/compute/implementing-serverless-manual->

approval- steps-in-aws-step-functions-and-amazon-api-gateway/)"

NEW QUESTION 219

- (Topic 3)

An Amazon EC2 instance is located in a private subnet in a new VPC. This subnet does not have outbound internet access, but the EC2 instance needs the ability to download monthly security updates from an outside vendor.

What should a solutions architect do to meet these requirements?

- A. Create an internet gateway, and attach it to the VP
- B. Configure the private subnet route table to use the internet gateway as the default route.
- C. Create a NAT gateway, and place it in a public subne
- D. Configure the private subnet route table to use the NAT gateway as the default route.
- E. Create a NAT instance, and place it in the same subnet where the EC2 instance is locate
- F. Configure the private subnet route table to use the NAT instance as the default route.
- G. Create an internet gateway, and attach it to the VP
- H. Create a NAT instance, and place it in the same subnet where the EC2 instance is locate
- I. Configure the private subnet route table to use the internet gateway as the default route.

Answer: B

Explanation:

This approach will allow the EC2 instance to access the internet and download the monthly security updates while still being located in a private subnet. By creating a NAT gateway and placing it in a public subnet, it will allow the instances in the private subnet to access the internet through the NAT gateway. And then, configure the private subnet route table to use the NAT gateway as the default route. This will ensure that all outbound traffic is directed through the NAT gateway, allowing the EC2 instance to access the internet while still maintaining the security of the private subnet.

NEW QUESTION 224

- (Topic 3)

A company has a multi-tier application deployed on several Amazon EC2 instances in an Auto Scaling group. An Amazon RDS for Oracle instance is the application's data layer that uses Oracle-specific PL/SQL functions. Traffic to the application has been steadily increasing. This is causing the EC2 instances to become overloaded and the RDS instance to run out of storage. The Auto Scaling group does not have any scaling metrics and defines the minimum healthy instance count only. The company predicts that traffic will continue to increase at a steady but unpredictable rate before levelling off.

What should a solutions architect do to ensure the system can automatically scale for the increased traffic? (Select TWO.)

- A. Configure storage Auto Scaling on the RDS for Oracle Instance.
- B. Migrate the database to Amazon Aurora to use Auto Scaling storage.
- C. Configure an alarm on the RDS for Oracle Instance for low free storage space
- D. Configure the Auto Scaling group to use the average CPU as the scaling metric
- E. Configure the Auto Scaling group to use the average free memory as the seeing metric

Answer: AD

Explanation:

Auto scaling storage RDS will ease storage issues and migrating Oracle PI/Sql to Aurora is cumbersome. Also Aurora has auto storage scaling by default.
https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER_PIOPS.StorageTypes.html#USER_PIOPS.Autoscaling

NEW QUESTION 228

- (Topic 3)

A solutions architect must migrate a Windows Internet Information Services (IIS) web application to AWS. The application currently relies on a file share hosted in the user's on-premises network-attached storage (NAS). The solutions architect has proposed migrating the MS web servers to Amazon EC2 instances in multiple Availability Zones that are connected to the storage solution, and configuring an Elastic Load Balancer attached to the instances.

Which replacement to the on-premises file share is MOST resilient and durable?

- A. Migrate the file share to Amazon RDS
- B. Migrate the file share to AWS Storage Gateway
- C. Migrate the file share to Amazon FSx for Windows File Server
- D. Migrate the file share to Amazon Elastic File System (Amazon EFS)

Answer: C

Explanation:

This answer is correct because it provides a resilient and durable replacement for the on-premises file share that is compatible with Windows IIS web servers. Amazon FSx for Windows File Server is a fully managed service that provides shared file storage built on Windows Server. It supports the SMB protocol and integrates with Microsoft Active Directory, which enables seamless access and authentication for Windows-based applications. Amazon FSx for Windows File Server also offers the following benefits:

? Resilience: Amazon FSx for Windows File Server can be deployed in multiple

Availability Zones, which provides high availability and failover protection. It also supports automatic backups and restores, as well as self-healing features that detect and correct issues.

? Durability: Amazon FSx for Windows File Server replicates data within and across

Availability Zones, and stores data on highly durable storage devices. It also supports encryption at rest and in transit, as well as file access auditing and data deduplication.

? Performance: Amazon FSx for Windows File Server delivers consistent sub-

millisecond latencies and high throughput for file operations. It also supports SSD storage, native Windows features such as Distributed File System (DFS)

Namespaces and Replication, and user-driven performance scaling.

References:

? Amazon FSx for Windows File Server

? Using Microsoft Windows file shares

NEW QUESTION 231

.....

Relate Links

100% Pass Your SAA-C03 Exam with Examible Prep Materials

<https://www.exambible.com/SAA-C03-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>