

Exam Questions CAS-004

CompTIA Advanced Security Practitioner (CASP+) Exam

<https://www.2passeasy.com/dumps/CAS-004/>



NEW QUESTION 1

Which of the following are risks associated with vendor lock-in? (Choose two.)

- A. The client can seamlessly move data.
- B. The vendor can change product offerings.
- C. The client receives a sufficient level of service.
- D. The client experiences decreased quality of service.
- E. The client can leverage a multicloud approach.
- F. The client experiences increased interoperability.

Answer: BD

Explanation:

Reference: <https://www.cloudflare.com/learning/cloud/what-is-vendor-lockin/#:~:text=Vendor%20lock%2Din%20can%20become,may%20involve%20reformatting%20the%20data>

NEW QUESTION 2

A security analyst is researching containerization concepts for an organization. The analyst is concerned about potential resource exhaustion scenarios on the Docker host due to a single application that is overconsuming available resources.

Which of the following core Linux concepts BEST reflects the ability to limit resource allocation to containers?

- A. Union filesystem overlay
- B. Cgroups
- C. Linux namespaces
- D. Device mapper

Answer: B

Explanation:

Reference: <https://www.ibm.com/support/pages/deep-dive-yarn-cgroups-hadoop-dev>

NEW QUESTION 3

A company processes data subject to NDAs with partners that define the processing and storage constraints for the covered data. The agreements currently do not permit moving the covered data to the cloud, and the company would like to renegotiate the terms of the agreements.

Which of the following would MOST likely help the company gain consensus to move the data to the cloud?

- A. Designing data protection schemes to mitigate the risk of loss due to multitenancy
- B. Implementing redundant stores and services across diverse CSPs for high availability
- C. Emulating OS and hardware architectures to blur operations from CSP view
- D. Purchasing managed FIM services to alert on detected modifications to covered data

Answer: A

NEW QUESTION 4

An IT administrator is reviewing all the servers in an organization and notices that a server is missing crucial practice against a recent exploit that could gain root access.

Which of the following describes the administrator's discovery?

- A. A vulnerability
- B. A threat
- C. A breach
- D. A risk

Answer: A

Explanation:

Reference: <https://www.beyondtrust.com/blog/entry/privilege-escalation-attack-defense-explained>

NEW QUESTION 5

A threat hunting team receives a report about possible APT activity in the network. Which of the following threat management frameworks should the team implement?

- A. NIST SP 800-53
- B. MITRE ATT&CK
- C. The Cyber Kill Chain
- D. The Diamond Model of Intrusion Analysis

Answer: A

Explanation:

Reference: <https://nvlpubs.nist.gov/nistpubs/legacy/sp/nistspecialpublication800-30r1.pdf>

NEW QUESTION 6

In preparation for the holiday season, a company redesigned the system that manages retail sales and moved it to a cloud service provider. The new infrastructure did not meet the company's availability requirements. During a postmortem analysis, the following issues were highlighted:

- * 1. International users reported latency when images on the web page were initially loading.
- * 2. During times of report processing, users reported issues with inventory when attempting to place orders.
- * 3. Despite the fact that ten new API servers were added, the load across servers was heavy at peak times.

Which of the following infrastructure design changes would be BEST for the organization to implement to avoid these issues in the future?

- A. Serve static content via distributed CDNs, create a read replica of the central database and pull reports from there, and auto-scale API servers based on performance.
- B. Increase the bandwidth for the server that delivers images, use a CDN, change the database to a non-relational database, and split the ten API servers across two load balancers.
- C. Serve images from an object storage bucket with infrequent read times, replicate the database across different regions, and dynamically create API servers based on load.
- D. Serve static-content object storage across different regions, increase the instance size on the managed relational database, and distribute the ten API servers across multiple regions.

Answer: A

NEW QUESTION 7

A security architect is implementing a web application that uses a database back end. Prior to the production, the architect is concerned about the possibility of XSS attacks and wants to identify security controls that could be put in place to prevent these attacks.

Which of the following sources could the architect consult to address this security concern?

- A. SDLC
- B. OVAL
- C. IEEE
- D. OWASP

Answer: B

Explanation:

Reference: <https://dzone.com/articles/what-is-oval-a-community-driven-vulnerability-mana>

NEW QUESTION 8

A company has decided to purchase a license for software that is used to operate a mission-critical process. The third-party developer is new to the industry but is delivering what the company needs at this time.

Which of the following BEST describes the reason why utilizing a source code escrow will reduce the operational risk to the company if the third party stops supporting the application?

- A. The company will have access to the latest version to continue development.
- B. The company will be able to force the third-party developer to continue support.
- C. The company will be able to manage the third-party developer's development process.
- D. The company will be paid by the third-party developer to hire a new development team.

Answer: B

NEW QUESTION 9

A SOC analyst is reviewing malicious activity on an external, exposed web server. During the investigation, the analyst determines specific traffic is not being logged, and there is no visibility from the WAF for the web application.

Which of the following is the MOST likely cause?

- A. The user agent client is not compatible with the WAF.
- B. A certificate on the WAF is expired.
- C. HTTP traffic is not forwarding to HTTPS to decrypt.
- D. Old, vulnerable cipher suites are still being used.

Answer: B

Explanation:

Reference: <https://aws.amazon.com/premiumsupport/knowledge-center/waf-block-http-requests-no-user-agent/>

NEW QUESTION 10

An organization recently started processing, transmitting, and storing its customers' credit card information. Within a week of doing so, the organization suffered a massive breach that resulted in the exposure of the customers' information.

Which of the following provides the BEST guidance for protecting such information while it is at rest and in transit?

- A. NIST
- B. GDPR
- C. PCI DSS
- D. ISO

Answer: C

Explanation:

Reference: https://en.wikipedia.org/wiki/Payment_Card_Industry_Data_Security_Standard

NEW QUESTION 10

During a system penetration test, a security engineer successfully gained access to a shell on a Linux host as a standard user and wants to elevate the privilege levels.

Which of the following is a valid Linux post-exploitation method to use to accomplish this goal?

- A. Spawn a shell using sudo and an escape string such as `sudo vim -c '!sh'`.
- B. Perform ASIC password cracking on the host.
- C. Read the `/etc/passwd` file to extract the usernames.
- D. Initiate unquoted service path exploits.
- E. Use the UNION operator to extract the database schema.

Answer: C

Explanation:

Reference: <https://docs.rapid7.com/insightvm/elevating-permissions/>

NEW QUESTION 11

An organization is referencing NIST best practices for BCP creation while reviewing current internal organizational processes for mission-essential items. Which of the following phases establishes the identification and prioritization of critical systems and functions?

- A. Review a recent gap analysis.
- B. Perform a cost-benefit analysis.
- C. Conduct a business impact analysis.
- D. Develop an exposure factor matrix.

Answer: C

Explanation:

Reference: <https://itsm.ucsf.edu/business-impact-analysis-bia-0>

NEW QUESTION 14

A security analyst notices a number of SIEM events that show the following activity:

Which of the following response actions should the analyst take FIRST?

- A. Disable powershell.exe on all Microsoft Windows endpoints.
- B. Restart Microsoft Windows Defender.
- C. Configure the forward proxy to block 40.90.23.154.
- D. Disable local administrator privileges on the endpoints.

Answer: A

NEW QUESTION 19

During a remodel, a company's computer equipment was moved to a secure storage room with cameras positioned on both sides of the door. The door is locked using a card reader issued by the security team, and only the security team and department managers have access to the room. The company wants to be able to identify any unauthorized individuals who enter the storage room by following an authorized employee.

Which of the following processes would BEST satisfy this requirement?

- A. Monitor camera footage corresponding to a valid access request.
- B. Require both security and management to open the door.
- C. Require department managers to review denied-access requests.
- D. Issue new entry badges on a weekly basis.

Answer: A

Explanation:

Reference: <https://www.getkisi.com/access-control>

NEW QUESTION 21

A security engineer thinks the development team has been hard-coding sensitive environment variables in its code. Which of the following would BEST secure the company's CI/CD pipeline?

- A. Utilizing a trusted secrets manager
- B. Performing DAST on a weekly basis
- C. Introducing the use of container orchestration
- D. Deploying instance tagging

Answer: A

Explanation:

Reference: <https://about.gitlab.com/blog/2021/04/09/demystifying-ci-cd-variables/>

NEW QUESTION 25

A vulnerability analyst identified a zero-day vulnerability in a company's internally developed software. Since the current vulnerability management system does not have any checks for this vulnerability, an engineer has been asked to create one. Which of the following would be BEST suited to meet these requirements?

- A. ARF
- B. ISACs
- C. Node.js
- D. OVAL

Answer: D

NEW QUESTION 28

A junior developer is informed about the impact of new malware on an Advanced RISC Machine (ARM) CPU, and the code must be fixed accordingly. Based on the debug, the malware is able to insert itself in another process memory location. Which of the following technologies can the developer enable on the ARM architecture to prevent this type of malware?

- A. Execute never
- B. No-execute
- C. Total memory encryption
- D. Virtual memory encryption

Answer: A

Explanation:

Reference: <https://developer.arm.com/documentation/102433/0100/Stack-smashing-and-execution-permissions>

NEW QUESTION 33

A developer is creating a new mobile application for a company. The application uses REST API and TLS 1.2 to communicate securely with the external back-end server. Due to this configuration, the company is concerned about HTTPS interception attacks. Which of the following would be the BEST solution against this type of attack?

- A. Cookies
- B. Wildcard certificates
- C. HSTS
- D. Certificate pinning

Answer: C

Explanation:

Reference: <https://cloud.google.com/security/encryption-in-transit>

NEW QUESTION 37

A customer reports being unable to connect to a website at www.test.com to consume services. The customer notices the web application has the following published cipher suite:

Which of the following is the MOST likely cause of the customer's inability to connect?

- A. Weak ciphers are being used.
- B. The public key should be using ECDSA.
- C. The default should be on port 80.
- D. The server name should be test.com.

Answer: B

Explanation:

Reference: <https://security.stackexchange.com/questions/23383/ssh-key-type-rsa-dsa-ecdsa-are-there-easy-answers-forwhich-to-choose-when>

NEW QUESTION 39

A company is migrating from company-owned phones to a BYOD strategy for mobile devices. The pilot program will start with the executive management team and be rolled out to the rest of the staff in phases. The company's Chief Financial Officer loses a phone multiple times a year.

Which of the following will MOST likely secure the data on the lost device?

- A. Require a VPN to be active to access company data.
- B. Set up different profiles based on the person's risk.
- C. Remotely wipe the device.
- D. Require MFA to access company applications.

Answer: D

NEW QUESTION 43

A Chief Information Officer is considering migrating all company data to the cloud to save money on expensive SAN storage. Which of the following is a security concern that will MOST likely need to be addressed during migration?

- A. Latency
- B. Data exposure
- C. Data loss
- D. Data dispersion

Answer: A

NEW QUESTION 44

An organization's hunt team thinks a persistent threats exists and already has a foothold in the enterprise network. Which of the following techniques would be BEST for the hunt team to use to entice the adversary to uncover malicious activity?

- A. Deploy a SOAR tool.
- B. Modify user password history and length requirements.
- C. Apply new isolation and segmentation schemes.
- D. Implement decoy files on adjacent hosts.

Answer: C

Explanation:

Reference: <https://www.cynet.com/network-attacks/network-attacks-and-network-security-threats/>

NEW QUESTION 46

A security analyst is concerned that a malicious piece of code was downloaded on a Linux system. After some research, the analyst determines that the suspected piece of code is performing a lot of input/ output (I/O) on the disk drive.

Based on the output above, from which of the following process IDs can the analyst begin an investigation?

- A. 65
- B. 77
- C. 83
- D. 87

Answer: D

NEW QUESTION 50

All staff at a company have started working remotely due to a global pandemic. To transition to remote work, the company has migrated to SaaS collaboration tools. The human resources department wants to use these tools to process sensitive information but is concerned the data could be:

Leaked to the media via printing of the documents Sent to a personal email address

Accessed and viewed by systems administrators Uploaded to a file storage site Which of the following would mitigate the department's concerns?

- A. Data loss detection, reverse proxy, EDR, and PGP
- B. VDI, proxy, CASB, and DRM
- C. Watermarking, forward proxy, DLP, and MFA
- D. Proxy, secure VPN, endpoint encryption, and AV

Answer: B

NEW QUESTION 55

A security analyst is reviewing network connectivity on a Linux workstation and examining the active TCP connections using the command line. Which of the following commands would be the BEST to run to view only active Internet connections?

- A. `sudo netstat -antu | grep "LISTEN" | awk '{print$5}'`
- B. `sudo netstat -nlt -p | grep "ESTABLISHED"`
- C. `sudo netstat -plntu | grep -v "Foreign Address"`
- D. `sudo netstat -pnut -w | column -t -s '$\w'`
- E. `sudo netstat -pnut | grep -P ^tcp`

Answer: B

Explanation:

Reference: <https://www.codegrepper.com/code-examples/shell/netstat+find+port>

NEW QUESTION 57

A small company recently developed prototype technology for a military program. The company's security engineer is concerned about potential theft of the newly developed, proprietary information.

Which of the following should the security engineer do to BEST manage the threats proactively?

- A. Join an information-sharing community that is relevant to the company.
- B. Leverage the MITRE ATT&CK framework to map the TTR.
- C. Use OSINT techniques to evaluate and analyze the threats.
- D. Update security awareness training to address new threats, such as best practices for data security.

Answer: D

NEW QUESTION 62

A security engineer was auditing an organization's current software development practice and discovered that multiple opensource libraries were Integrated into the organization's software. The organization currently performs SAST and DAST on the software it develops.

Which of the following should the organization incorporate into the SDLC to ensure the security of the open-source libraries?

- A. Perform additional SAST/DAST on the open-source libraries.
- B. Implement the SDLC security guidelines.
- C. Track the library versions and monitor the CVE website for related vulnerabilities.
- D. Perform unit testing of the open-source libraries.

Answer: B

Explanation:

Reference: <https://www.whitesourcesoftware.com/resources/blog/application-security-best-practices/>

NEW QUESTION 63

A company is looking to fortify its cybersecurity defenses and is focusing on its network infrastructure. The solution cannot affect the availability of the company's services to ensure false positives do not drop legitimate traffic.

Which of the following would satisfy the requirement?

- A. NIDS
- B. NIPS
- C. WAF
- D. Reverse proxy

Answer: B

Explanation:

Reference: <https://subscription.packtpub.com/book/networking-and-servers/9781782174905/5/ch05lv1sec38/differentiatingbetween-nids-and-nips>

NEW QUESTION 64

Which of the following is the MOST important security objective when applying cryptography to control messages that tell an ICS how much electrical power to output?

- A. Importing the availability of messages
- B. Ensuring non-repudiation of messages
- C. Enforcing protocol conformance for messages
- D. Assuring the integrity of messages

Answer: D

NEW QUESTION 66

While investigating a security event, an analyst finds evidence that a user opened an email attachment from an unknown source. Shortly after the user opened the attachment, a group of servers experienced a large amount of network and resource activity. Upon investigating the servers, the analyst discovers the servers were encrypted by ransomware that is demanding payment within 48 hours or all data will be destroyed. The company has no response plans for ransomware.

Which of the following is the NEXT step the analyst should take after reporting the incident to the management team?

- A. Pay the ransom within 48 hours.
- B. Isolate the servers to prevent the spread.
- C. Notify law enforcement.
- D. Request that the affected servers be restored immediately.

Answer: C

NEW QUESTION 70

Which of the following allows computation and analysis of data within a ciphertext without knowledge of the plaintext?

- A. Lattice-based cryptography
- B. Quantum computing
- C. Asymmetric cryptography
- D. Homomorphic encryption

Answer: C

Explanation:

Reference: <https://searchsecurity.techtarget.com/definition/cryptanalysis>

NEW QUESTION 72

A security analyst is investigating a possible buffer overflow attack. The following output was found on a user's workstation: `graphic.linux_randomization.prg`
Which of the following technologies would mitigate the manipulation of memory segments?

- A. NX bit
- B. ASLR
- C. DEP
- D. HSM

Answer: B

Explanation:

Reference: <http://webpages.eng.wayne.edu/~fy8421/19sp-csc5290/labs/lab2-instruction.pdf> (3)

NEW QUESTION 76

An application server was recently upgraded to prefer TLS 1.3, and now users are unable to connect their clients to the server. Attempts to reproduce the error are confirmed, and clients are reporting the following:
`ERR_SSL_VERSION_OR_CIPHER_MISMATCH`

Which of the following is MOST likely the root cause?

- A. The client application is testing PFS.
- B. The client application is configured to use ECDHE.
- C. The client application is configured to use RC4.
- D. The client application is configured to use AES-256 in GCM.

Answer: C

Explanation:

Reference: https://kinsta.com/knowledgebase/err_ssl_version_or_cipher_mismatch/

NEW QUESTION 77

A satellite communications ISP frequently experiences outages and degraded modes of operation over one of its legacy satellite links due to the use of deprecated hardware and software. Three days per week, on average, a contracted company must follow a checklist of 16 different high-latency commands that must be run in serial to restore nominal performance. The ISP wants this process to be automated.

Which of the following techniques would be BEST suited for this requirement?

- A. Deploy SOAR utilities and runbooks.
- B. Replace the associated hardware.
- C. Provide the contractors with direct access to satellite telemetry data.
- D. Reduce link latency on the affected ground and satellite segments.

Answer: A

NEW QUESTION 78

A company plans to build an entirely remote workforce that utilizes a cloud-based infrastructure. The Chief Information Security Officer asks the security engineer to design connectivity to meet the following requirements:

Only users with corporate-owned devices can directly access servers hosted by the cloud provider. The company can control what SaaS applications each individual user can access. User browser activity can be monitored.

Which of the following solutions would BEST meet these requirements?

- A. IAM gateway, MDM, and reverse proxy
- B. VPN, CASB, and secure web gateway
- C. SSL tunnel, DLP, and host-based firewall
- D. API gateway, UEM, and forward proxy

Answer: B

NEW QUESTION 79

An organization recently experienced a ransomware attack. The security team leader is concerned about the attack reoccurring. However, no further security measures have been implemented.

Which of the following processes can be used to identify potential prevention recommendations?

- A. Detection
- B. Remediation
- C. Preparation
- D. Recovery

Answer: A

NEW QUESTION 84

An organization is preparing to migrate its production environment systems from an on-premises environment to a cloud service. The lead security architect is concerned that the organization's current methods for addressing risk may not be possible in the cloud environment.

Which of the following BEST describes the reason why traditional methods of addressing risk may not be possible in the cloud?

- A. Migrating operations assumes the acceptance of all risk.
- B. Cloud providers are unable to avoid risk.
- C. Specific risks cannot be transferred to the cloud provider.
- D. Risks to data in the cloud cannot be mitigated.

Answer: C

Explanation:

Reference: <https://arxiv.org/ftp/arxiv/papers/1303/1303.4814.pdf>

NEW QUESTION 89

After a security incident, a network security engineer discovers that a portion of the company's sensitive external traffic has been redirected through a secondary ISP that is not normally used.

Which of the following would BEST secure the routes while allowing the network to function in the event of a single provider failure?

- A. Disable BGP and implement a single static route for each internal network.
- B. Implement a BGP route reflector.
- C. Implement an inbound BGP prefix list.
- D. Disable BGP and implement OSPF.

Answer: B

NEW QUESTION 93

A small business requires a low-cost approach to theft detection for the audio recordings it produces and sells. Which of the following techniques will MOST likely meet the business's needs?

- A. Performing deep-packet inspection of all digital audio files
- B. Adding identifying filesystem metadata to the digital audio files
- C. Implementing steganography
- D. Purchasing and installing a DRM suite

Answer: C

Explanation:

Reference: <https://portswigger.net/daily-swig/what-is-steganography-a-complete-guide-to-the-ancient-art-of-concealingmessages>

NEW QUESTION 96

Over the last 90 days, many storage services has been exposed in the cloud services environments, and the security team does not have the ability to see is creating these instance. Shadow IT is creating data services and instances faster than the small security team can keep up with them. The Chief information security Officer (CIASO) has asked the security officer (CISO) has asked the security lead architect to architect to recommend solutions to this problem.

Which of the following BEST addresses the problem best address the problem with the least amount of administrative effort?

- A. Compile a list of firewall requests and compare than against interesting cloud services.
- B. Implement a CASB solution and track cloud service use cases for greater visibility.
- C. Implement a user-behavior system to associate user events and cloud service creation events.
- D. Capture all log and feed then to a SIEM and then for cloud service events

Answer: C

NEW QUESTION 97

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual CAS-004 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the CAS-004 Product From:

<https://www.2passeasy.com/dumps/CAS-004/>

Money Back Guarantee

CAS-004 Practice Exam Features:

- * CAS-004 Questions and Answers Updated Frequently
- * CAS-004 Practice Questions Verified by Expert Senior Certified Staff
- * CAS-004 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * CAS-004 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year