

Exam Questions VMCE2021

Veeam Certified Engineer 2021

<https://www.2passeasy.com/dumps/VMCE2021/>



NEW QUESTION 1

- (Exam Topic 1)

At 18:00, after a Windows update installation, a VM is stuck in an infinite boot loop. The VM is configured as follows.

Platform	VMware vSphere
Application	SQL Server
Disk 1 (OS)	60 GB, CBT enabled
Disk 2 (DATA)	400 GB, CBT enabled

The last backup was created at 01:00. Choose the recovery approach that provides the lowest RTO with the least data loss.

- A. Instant VM Recovery with quick rollback
- B. Instant VM Recovery
- C. VM disk recovery with quick rollback of Disk 1
- D. Virtual disk restore of Disk 1

Answer: D

Explanation:

https://helpcenter.veeam.com/archive/backup/110/vsphere/incremental_restore.html

NEW QUESTION 2

- (Exam Topic 1)

A director has asked for a quarterly report for capacity planning purposes. Which Veeam component should be used?

- A. Veeam Backup & Replication Console
- B. Enterprise Manager
- C. Business View
- D. Veeam ONE Web Client

Answer: D

NEW QUESTION 3

- (Exam Topic 1)

Which of the following backup types are valid for both Veeam Agent for Microsoft Windows and Veeam Agent for Linux? (Choose two.)

- A. Snapshot-level backup
- B. File-level backup
- C. Personal files backup
- D. Volume-level backup
- E. OS-level backup

Answer: BD

Explanation:

https://helpcenter.veeam.com/docs/agentforwindows/userguide/backup_job_mode.html?ver=60

NEW QUESTION 4

- (Exam Topic 1)

What data sources can be connected to Veeam ONE? (Choose two.)

- A. Veeam Backup & Replication servers
- B. Microsoft Hyper-V servers
- C. Veeam Backup & Replication agents
- D. Microsoft Azure VMs
- E. Amazon Web Services EC2 instances

Answer: AB

Explanation:

https://helpcenter.veeam.com/docs/one/deployment/connect_servers.html?ver=120

NEW QUESTION 5

- (Exam Topic 1)

A planned failover of three VMs has just completed successfully, starting the VMs at the disaster recovery location. What next actions are available for the failover plan?

- A. Undo, Start, Copy, Delete
- B. Cancel, Start, Edit, Delete
- C. Cancel, Start, Copy, Delete
- D. Undo, Start, Edit, Delete

Answer: D

Explanation:

https://helpcenter.veeam.com/archive/backup/110/vsphere/failover_plan_undo.html

According to the Veeam Backup & Replication user guide¹, a failover plan is a set of rules that defines how VMs must be failed over to their replicas¹. You can

create and run failover plans for regular replicas and CDP replicas¹.
After you run a failover plan, you can perform the following actions on it²:

- Undo — reverts VMs in the failover plan back to their original state at the production site^{2e}.
- Start — runs the failover plan again if you need to repeat the failover operation for some reason²ⁿ.
- Edit — modifies the settings of the failover plan, such as adding or removing VMs, changing their order or time delay¹.
- Delete — removes the failover plan from Veeam Backup & Replication. This does not affect the VM replicas that are used by the plan¹.

NEW QUESTION 6

- (Exam Topic 1)

A Windows VM running on Microsoft Hyper-V is protected using the file indexing option. The guest interaction proxy is offline. Which of the following Veeam servers will be used to deploy the runtime during the backup process?

- A. Backup & Replication server
- B. Indexing database server
- C. File proxy server
- D. Virtual lab server

Answer: A

Explanation:

https://helpcenter.veeam.com/archive/backup/110/hyperv/guest_interaction_proxy.html

According to the Veeam Software Help Center¹, Veeam Backup & Replication deploys runtime components on a VM guest OS to perform file indexing. These components can be either non-persistent or persistent depending on whether you have enabled application-aware processing for the VM.

If you have enabled application-aware processing for the VM, Veeam Backup & Replication uses a persistent agent component that is installed on the VM guest OS during backup job session and remains on the VM after that. In this case, if the guest interaction proxy is offline, Veeam Backup & Replication will use another available guest interaction proxy or fail over to the backup server.

If you have not enabled application-aware processing for the VM, Veeam Backup & Replication uses a non-persistent runtime component that is deployed on the fly and removed after indexing is complete. In this case, if the guest interaction proxy is offline, Veeam Backup & Replication will use another available guest interaction proxy or fail over to the backup server.

NEW QUESTION 7

- (Exam Topic 1)

A backup administrator decided to move the Veeam Backup & Replication server and configuration database to new servers. Which configuration restore mode should be used?

- A. Migrate
- B. Planned failover
- C. Restore
- D. Failover plan

Answer: A

Explanation:

https://helpcenter.veeam.com/docs/backup/vsphere/vbr_config_migrate.html?ver=120#step5

NEW QUESTION 8

- (Exam Topic 1)

An administrator has decided to set up a VM backup job covering their Microsoft SQL servers. What feature must be enabled to ensure quiescence of the SQL databases during the backup?

- A. Enable Microsoft SQL server plug-in.
- B. Enable application-aware processing.
- C. Enable Microsoft Windows OS processing.
- D. Enable Microsoft SQL server agent on the VMs

Answer: B

Explanation:

According to the Veeam Agent for Microsoft Windows User Guide¹, you need to enable application-aware processing to ensure quiescence of the SQL databases during the backup. Application-aware processing allows Veeam Agent for Microsoft Windows to create transactionally consistent backups of SQL Server VMs.

NEW QUESTION 9

- (Exam Topic 1)

An administrator needs to configure a backup job that dynamically adds new VMware hosted SQL servers. How can this be accomplished?

- A. Create a dynamic backup job in Enterprise Manager.
- B. Create a job based on vSphere tags.
- C. Create a CSV file that is scanned before the backup job starts.
- D. Enable application aware processing.


Answer: B

NEW QUESTION 10

- (Exam Topic 1)


A Scale-out Backup Repository with one local extent has been configured as follows.

Edit Scale-out Backup Repository X

 **Capacity Tier**
Specify object storage to copy backups to for redundancy and DR purposes. Older backups can be moved to object storage completely to reduce long-term retention costs while preserving the ability to restore directly from offloaded backups.

Name	<input checked="" type="checkbox"/> Extend scale-out backup repository capacity with object storage:
Performance Tier	Amazon S3 Add...
Placement Policy	Define time windows when uploading to capacity tier is allowed Window...
Capacity Tier	<input type="checkbox"/> Copy backups to object storage as soon as they are created Create additional copy of your backups for added redundancy by having all backups copied to the capacity tier as soon as they are created on the performance tier.
Archive Tier	<input checked="" type="checkbox"/> Move backups to object storage as they age out of the operational restore window Reduce your long-term retention costs by moving older backups to object storage completely while preserving the ability to restore directly from offloaded backups.
Summary	Move backup files older than 21 days (your operational restore window) Override...

Edit Scale-out Backup Repository X

 **Archive Tier**
Specify object storage to archive your backup files to. This reduces your long-term retention costs, while increases restore time.

Name	<input type="checkbox"/> Archive GFS full backups to object storage:
Performance Tier	Amazon Glacier Add...
Placement Policy	Archive GFS backups older than 60 days Storage...
Capacity Tier	
Archive Tier	
Summary	

A daily VMware backup job retention is 31 days, keeping weekly GFS full backups for 14 weeks. It is Jan. 20. A file from a backup that occurred on Jan. 1 must be recovered. Where is the data?

- A. The archive tier
- B. The performance tier and the capacity tier
- C. The performance tier
- D. The capacity tier

Answer: C

NEW QUESTION 10

- (Exam Topic 1)

Which feature can be used in Veeam Explorer for Oracle database?

- A. Recover from litigation and in-place hold items
- B. Restore original password for account objects
- C. Restore databases from backups created with Veeam RMAN plug-in
- D. Export to .BAK file

Answer: C

Explanation:

According to the Veeam Backup Explorers Guide¹, Veeam Explorer for Oracle allows you to restore and export Oracle databases and Data Guard from backups created by Veeam Backup & Replication or Veeam Plug-in for Oracle RMAN.

NEW QUESTION 12

- (Exam Topic 1)

A physical Linux server protected by a centrally managed Veeam agent is physically damaged. A VMware vSphere infrastructure is available, and the physical server is eligible for virtualization. Which recovery step provides the lowest possible RTO?

- A. Use Instant VM Recovery to VMware vSphere.
- B. Use Instant Disk Recovery to VMware vSphere.
- C. Use Export Disk Content as Virtual Disk to create a new VM.
- D. Use Bare Metal Restore to VMware vSphere VM.

Answer: A

Explanation:

According to the Veeam Agent for Linux User Guide¹, you can use the Restore volumes option to perform bare metal recovery of your computer. However, this option requires you to boot from the Veeam Recovery Media and may take some time to complete. Another option is to use Instant VM Recovery to VMware vSphere. This option allows you to run your Linux computer directly from a backup file as a VMware VM without restoring any data. This can significantly reduce your RTO and provide immediate access to your applications and data.

NEW QUESTION 16

- (Exam Topic 1)

An administrator is asked to change a backup copy job from periodic mode to immediate mode. How can this be accomplished?

- A. Edit the original job and select immediate copy mode from the job settings.
- B. Enable immediate mode on the repository.
- C. Create a new copy job and delete the original job.
- D. Modify the job settings on the proxy performing the copy job.

Answer: A

Explanation:

According to the Veeam Backup & Replication User Guide¹, you can change the backup copy mode by editing backup copy job settings. However, this is only possible if the backup copy job has true per-machine backup storage format.

NEW QUESTION 18

- (Exam Topic 1)

A Scale-out Backup Repository with one local extent has been configured as follows.

Edit Scale-out Backup Repository

Capacity Tier
Specify object storage to copy backups to for redundancy and DR purposes. Older backups can be moved to object storage completely to reduce long-term retention costs while preserving the ability to restore directly from offloaded backups.

Name

Performance Tier

Placement Policy

Capacity Tier

Archive Tier

Summary

☒ **Extend scale-out backup repository capacity with object storage:**

Amazon S3 Add...

Define time windows when uploading to capacity tier is allowed Window...

☐ **Copy backups to object storage as soon as they are created**
Create additional copy of your backups for added redundancy by having all backups copied to the capacity tier as soon as they are created on the performance tier.

☒ **Move backups to object storage as they age out of the operational restore window**
Reduce your long-term retention costs by moving older backups to object storage completely while preserving the ability to restore directly from offloaded backups.

Move backup files older than **14** days (your operational restore window) Override...

12 VMware VMs are being backed up daily by a forward incremental backup job, which has a 31-day retention, creating synthetic fulls on Saturdays. After running for more than 31 days, which of the following would be accurate?

- A. Both the performance tier and capacity tier will contain all restore points.
- B. The performance tier will contain all restore point
- C. The capacity tier will contain zero restore points.
- D. The performance tier will contain the most recent 15 to 22 days of restore point
- E. The capacity tier will contain the oldest 14 days of restore points.
- F. The performance tier will contain the most recent 14 to 20 days of restore point
- G. The capacity tier will contain all restore points.

Answer: C

NEW QUESTION 22

- (Exam Topic 1)

A backup job is configured as follows.

Mode	Forward incremental with weekly synthetic full
Start time	Every day at 20:00
Active full	Sunday
Restore points to keep	14 restore points
Time to finish job	1 hour
Job created	Friday, 13:00

How many full and incremental restore points will be in a repository on day 16 at 23:00?

- A. 3 full and 14 incremental
- B. 2 full and 12 incremental
- C. 3 full and 15 incremental
- D. 1 full and 13 incremental

Answer: B

NEW QUESTION 24

- (Exam Topic 2)

A backup administrator is planning to install Veeam ONE. Which data collection mode collects the most data per VM?

- A. For vCenter data only
- B. Optimized for advanced scalability deployment
- C. For backup data only
- D. Optimized for typical deployment

Answer: D

Explanation:

Reference: https://helpcenter.veeam.com/docs/one/deployment/data_collection_modes.html?ver=100

NEW QUESTION 29

- (Exam Topic 2)

What is the purpose of scheduling a virtual Synthesized full backup for tape jobs?

- A. To be able to restore files and folders from tape
- B. To be able to create the synthetic full .vbk backup directly on tape
- C. To help save additional disk space on tape
- D. To avoid copying a full .vbk file to tape from the source reverse incremental backup Job

Answer: D

NEW QUESTION 30

- (Exam Topic 2)

The advanced installation scenario requires installing the Veeam ONE Server component (server part) on one machine and installing the Veeam ONE Web UI component (client part) on another machine.

- A. True
- B. False

Answer: A

NEW QUESTION 31

- (Exam Topic 2)

An end user has deleted a business-critical document and they need it back right away. The IT team has been doing hypervisor-level backups of the VM that the document was on. What is the fastest option for this backup administrator to get the user's document back?

- A. Entire VM restore
- B. Guest files restore
- C. Instant VM Recovery
- D. Virtual disks restore

Answer: B

NEW QUESTION 35

- (Exam Topic 2)

A backup administrator has replicated a virtual machine between two Hyper-V hosts and now would like to automatically verify the recoverability of the replica. What would they need to do?

- A. It is not supported to perform SureBackup replica testing for Hyper-V
- B. Create a virtual switch with no uplinks and start the virtual machine connected to the new switch
- C. Create a virtual lab and an application group; create a SureBackup for the replica job and run it once a day
- D. Start the virtual machine manually using the universal application item recovery wizard

Answer: A

NEW QUESTION 36

- (Exam Topic 2)

If you need to run a script to stop a service in order to get an application-consistent backup on a Windows server, where can the script be run?

- A. In the guest processing setting of the job, enable application-aware processing and add a pre-freeze script to the VM
- B. Configure the script to run on the Veeam Backup & Replication server using the Windows Task Scheduler
- C. Copy the script to the VM and schedule the script to run prior to the start of the backup job using the Windows Task Scheduler in the VM
- D. In the virtual machines setting of the job, add a script in the scripts tab under "Run the following script before the job:"

Answer: A

NEW QUESTION 41

- (Exam Topic 2)

Which of the following need to be performed in order to switch from the original VM to a VM Replica and then to use this replica as the original VM?

- A. Change the replication Job to reverse the replication
- B. Failback + commit failback

- C. Undo failover
- D. Permanent failover

Answer: D

NEW QUESTION 43

- (Exam Topic 2)

Which backup method produces a backup chain that consists of the first full backup file (VBK) and a set of incremental backup files (VIB) following it? Additionally, the backup chain contains synthetic full and/or active full backup files that divide the backup chain into shorter series.

- A. Forward incremental backup
- B. Differential incremental backup
- C. Reverse incremental backup
- D. Forever forward incremental backup

Answer: A

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/vsphere/forward_incremental_backup.html?ver=100

NEW QUESTION 45

- (Exam Topic 2)

Which is a prerequisite in order for the CRC check to be executed during a SureBackup Job?

- A. The .vbm file is corrupt.
- B. The Backup file integrity check option was enabled in the SureBackup job setting.
- C. One or more of the SureBackup recovery verification tests failed.
- D. The repository where the backup is stored is a shared folder (CIFS/SMB).

Answer: B

NEW QUESTION 47

- (Exam Topic 2)

Which of the following is a backup mode that can be configured within a Veeam Agent for Windows backup job?

- A. Reverse incremental with periodic active full backups
- B. Forward incremental and reverse incremental, both with optional periodic synthetic and/or active full backups
- C. Forward incremental with optional periodic synthetic and/or active full backups
- D. Reverse incremental with optional periodic synthetic full backups

Answer: C

Explanation:

https://helpcenter.veeam.com/docs/agentforwindows/userguide/backup_chain.html?ver=40

NEW QUESTION 49

- (Exam Topic 2)

A virtual machine in your environment has been hit by a virus. You need to restore the virtual machine as fast as possible. At the same time, you need to make sure that any dormant virus on the backed up virtual machine is detected. What restore method should you use when recovering to a new location?

- A. Instant VM Recovery with “staged restore”
- B. Instant VM Recovery with “secure restore”
- C. SureBackup
- D. Virtual disk restore

Answer: B

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/em/em_disk_restore.html?ver=100

NEW QUESTION 50

- (Exam Topic 2)

A company has been running off replicated, business-critical VMs at their disaster recovery location since an earthquake near the primary data center occurred. Since the threat has passed, they want to stop the replicas and switch to the VMs at the primary data center without losing data. Which of the following actions is the first step they should take?

- A. Failover
- B. Permanent failover
- C. Commit failback
- D. Failback to production
- E. Planned failover
- F. Undo failover

Answer: D

NEW QUESTION 51

- (Exam Topic 2)

What additional metadata is captured when backing up vCloud Director VMs?

- A. vDC metadata
- B. Replica metadata
- C. vApp metadata
- D. Backup metadata

Answer: C

NEW QUESTION 56

- (Exam Topic 2)

Which of the following Veeam Backup & Replication jobs can use integration with secondary arrays as a data source?

- A. Backup
- B. VM copy
- C. Replication
- D. Tape backup

Answer: A

NEW QUESTION 57

- (Exam Topic 2)

If the Backup Administrator has to perform a backup over a high-latency, low bandwidth network link, how can the disruptions to the backup process be avoided?

- A. By making a direct backup using WAN accelerator.
- B. By adding additional WAN accelerators to the target site.
- C. By making a backup locally and utilizing WAN accelerators for a backup copy Job.
- D. By adjusting the compression and deduplication settings for this Job.

Answer: C

NEW QUESTION 60

- (Exam Topic 2)

Veeam is used for replicating VMware VMs. The production environment is comprised of two networks: 192.168.1.0/24 and 172.16.0.0/16. A web application requires a database server (whose IP address is 172.21.1.12) to receive queries from a web client (whose IP address is 192.168.1.32). The replicas are spread over multiple hosts. A backup administrator needs to configure a virtual lab to test a web client to database server query. Which of the following virtual lab types must be configured?

- A. Advanced multi-host
- B. Advanced single-host
- C. All virtual lab configurations would support that
- D. Basic single-host

Answer: B

NEW QUESTION 61

- (Exam Topic 2)

A financial company is looking for a new backup application. One of their main requirements is the ability to have quick access to their backup data. What features in Veeam Backup & Replication support the rapid availability of data, applications and VMs? (Choose three.)

- A. Full VM recovery without quick rollback
- B. Microsoft SQL database, and Oracle database publishing
- C. Instant VM Recovery
- D. Instant VM disk recovery
- E. Bare metal recovery
- F. Restore to Amazon EC2

Answer: BCD

NEW QUESTION 64

- (Exam Topic 2)

Which of the following should be considered when estimating the amount of disk space necessary to store backups? Choose two options.

- A. Retention period for backups
- B. Type of disk (thick or thin)
- C. Hypervisor and host version
- D. RAID configuration of the Backup Repository
- E. Veeam Backup & Replication edition
- F. Total size of used data for the VMs being backed up

Answer: AF

NEW QUESTION 69

- (Exam Topic 2)

When deploying an advanced single-host virtual lab in a VMware environment, what will Veeam create?

- A. A distributed virtual switch with uplink(s)
- B. A standard virtual switch with uplink(s)
- C. A distributed virtual switch without uplink(s)
- D. A standard virtual switch without uplink(s)

Answer: B

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/vsphere/surebackup_advanced_vlab.html?ver=100

NEW QUESTION 70

- (Exam Topic 2)

An Availability engineer has configured Veeam Backup & Replication to replicate a mission critical VM to a DR site on an hourly basis and with 24 restore points. The production site has suffered a storage failure and needs to bring up the mission critical machine as soon as possible. Which step should the Availability engineer do next?

- A. Create a failover plan
- B. Failover to the replica VM
- C. Failback of the replica VM
- D. Planned failover to me replica VM

Answer: B

NEW QUESTION 72

- (Exam Topic 2)

Which of the following can help reduce the amount of traffic that is sent over the network during the second run of a replication job?

- A. Replica seeding
- B. Re-IP rules
- C. Replica mapping
- D. WAN acceleration for replicas

Answer: A

Explanation:

https://helpcenter.veeam.com/docs/backup/vsphere/replica_seeding.html#:~:text=Replica%20seeding%20and%

NEW QUESTION 74

- (Exam Topic 2)

To suppress Veeam ONE alarms under specific conditions or when a specific event occurs, which of these options can be selected? (Choose three.)

- A. High CPU usage
- B. Veeam backup activity
- C. Snapshot creation
- D. Storage snapshot deletion
- E. Storage snapshot creation
- F. Snapshot deletion

Answer: BCF

Explanation:

Reference: https://helpcenter.veeam.com/docs/one/alarms/alarm_suppression.html?ver=100

NEW QUESTION 78

- (Exam Topic 2)

Veeam ONE has been installed in the typical data collection mode and historical data is the installation default. A customer is looking at performance charts in Veeam ONE Monitor.

When troubleshooting a performance event from two days ago, what will they see?

- A. Aggregated data every two hours
- B. Data does not exist
- C. Raw data every 20 seconds
- D. Aggregated data every five minutes

Answer: D

Explanation:

https://helpcenter.veeam.com/docs/one/deployment/data_collection_modes.html?ver=100

NEW QUESTION 79

- (Exam Topic 2)

If your mount server is running Windows Server 2019 and you are performing a secure restore, which statement below is true?

- A. NTFS is the only format supported.
- B. RefS will be skipped.
- C. RefS will be processed and scanned.

D. Storage Spaces disks will be processed and scanned.

Answer: A

NEW QUESTION 80

- (Exam Topic 2)

Which of the following statements regarding the Backup from Storage Snapshots feature when backing up virtual machines from a VMware vSphere environment are true? (Choose two.)

- A. Lower impact on WAN link during off-site backups
- B. Higher transfer speed from production NFS datastores
- C. A virtual machine with one virtual drive on shared storage and another drive on local storage will be processes with Backup from Storage Snapshots transport mode
- D. A virtual machine with one virtual drive on shared storage and another drive on local storage will failover to a different transport mode
- E. Reduce the impact of consolidating VM snapshots

Answer: BE

NEW QUESTION 82

- (Exam Topic 2)

Which of the following Veeam Backup & Replication jobs can utilize storage snapshots on VMware vSphere? Choose two options.

- A. Replication
- B. Backup copy
- C. VeeamZIP
- D. Backup
- E. Tape
- F. VM copy

Answer: AD

NEW QUESTION 86

- (Exam Topic 2)

A company needs to recover a domain controller from a backup file they have on premises which was created by the Veeam Agent for Microsoft Windows. Which of the following would provide the fastest access to the domain controller?

- A. Use the Veeam Explorer for Active Directory to recover the domain controller
- B. Perform an Instant VM Recovery to recover the domain controller to a VM on their VMware host
- C. Perform a bare metal recovery of their domain controller back to the original system
- D. Recover the domain controller to an AWS EC2 instance using the restore to Amazon EC2

Answer: B

Explanation:

Reference: <https://www.veeam.com/blog/how-to-recover-a-domain-controller-best-practices-for-ad-protection.html>

NEW QUESTION 88

- (Exam Topic 2)

A NAS backup job has been configured within Veeam Backup & Replication, and is completing successfully, but restore operations have been failing for the last few days. What is causing the failure?

- A. The backup repository is sealed
- B. The server was added by using an IQN alias which is unable to be resolved
- C. The credentials added to the share are not allowed read-write access to the share, directories or files
- D. The cache repository assigned for this file share is unavailable for restore operations

Answer: C

Explanation:

If you must specify user credentials to access the shared folder, select the This share requires access credentials check box. From the Credentials drop-down list, select a credentials record for a user account that has Full Control permissions on the shared folder. To access the SMB share, you must use an account that meets either of the following requirements: If you only plan to back up the share, you can use an account with read-only permissions. If you plan not only to back up the share, but also to restore files to it, use an account with read/write permissions.

https://helpcenter.veeam.com/docs/backup/vsphere/file_share_backup_smb_share_path_credentials.html?ver=1

NEW QUESTION 92

- (Exam Topic 2)

When planning to back up files and folders from shared sources, that is the correct method to connect to the file share from the Veeam backup server?

- A. Add the file share into the store infrastructure
- B. Add the file share into the physical infrastructure
- C. Add the file share into the inventory
- D. Add the file share into the managed servers

Answer: C

NEW QUESTION 95

- (Exam Topic 2)

You use datastores as the source for your backup jobs. Some VM backups are consuming too much repository disk space. They have backup files created by multiple backup jobs. What could be the reason? (Choose two.)

- A. VMware Storage DRS (Distributed Resource Scheduler) moved VMs to different datastores
- B. Jobs are configured as per VM and these particular VM's need more fulls
- C. VM retention is set to do full backups more often than others in the job
- D. The VM is in a backup chain and trapped inside a single retention file
- E. The VMs were moved to different datastores manually

Answer: BE

NEW QUESTION 100

- (Exam Topic 2)

Which Veeam Backup & Replication functionality allows a VM to be powered on directly from a backup file?

- A. Planned failover
- B. Instant VM Recovery
- C. Item-Level Recovery using Veeam Explorer
- D. Full VM Recovery

Answer: B

NEW QUESTION 103

- (Exam Topic 2)

Which of the following scenarios properly applies the 3-2-1 rule to backup jobs?

- A. Use a backup job to back up to a Scale-out Backup Repository configured with capacity tier using AWS S3 and enable move mode
- B. Use a backup job to back up to a local repository; perform a backup copy job to a repository in another location
- C. Use backup jobs to back up directly to tape; ship the tapes off site
- D. Use a backup job to back up to a local repository; perform a backup copy job to the same repository

Answer: D

NEW QUESTION 108

- (Exam Topic 2)

In the event a VMware VM configuration file (VMX) is missing and a restore is needed, what Veeam restore process is the best choice for this situation?

- A. VM file restore
- B. Instant disk recovery
- C. Instant VM recovery
- D. Virtual disk restore

Answer: A

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/vsphere/vmfile_recovery.html?ver=100

NEW QUESTION 110

- (Exam Topic 2)

which actions can be used to locate the exact extent of a scale-out backup repository containing a particular VM's backup data? Choose two options.

- A. Check scale out backup repository settings
- B. Check the specific VM in the job statistics
- C. Check the inventory view for the specific VM
- D. Open the extent repositories manually
- E. Check backup proxy settings

Answer: AB

NEW QUESTION 113

- (Exam Topic 2)

A company has the following requirements:

Mission-critical VMs: hourly replication to disaster recovery site, daily backups of these VMs should be available at the disaster recovery site when required, the mission critical applications need to be available within 20 minutes.

Business-important VMs: daily backups should be stored at the disaster recovery site. When required, the business-important applications need to be available within four hours.

Define the RPO and RTO for the company's disaster recovery site.

- A. Mission-critical VMs: RPO = 60 minutes, RTO = one hour; business-important VMs: RPO = 60 minutes, RTO = four hours
- B. Mission-critical VMs: RPO = 24 hours, RTO = 20 minutes; business-important VMs: RPO = 24 hours, RTO = four hours
- C. Mission-critical VMs: RPO = 60 minutes, RTO = 20 minutes; business-important VMs: RPO = 24 hours, RTO = four hours
- D. Mission-critical VMs: RPO = 24 hours, RTO = four hours; business-important VMs: RPO = 24 hours, RTO = four hours

Answer: C

NEW QUESTION 114

- (Exam Topic 2)

Is it possible to switch between backup modes in a backup job?

- A. No, if you want to create backups using another mode, you have to create another backup Job.
- B. Yes, but in this case, you will have to specify a new backup repository.
- C. Yes, the new mode leaves existing backups as they are and continues creating backups in the same backup repository.
- D. Yes, the new mode will transform all existing backups in the appropriate way and continue creating backups in the same backup repository.

Answer: C

NEW QUESTION 118

- (Exam Topic 2)

Which of the following services are installed on every Veeam backup proxy server? Choose two options.

- A. Veeam Installer Service
- B. Veeam Backup Service
- C. Veeam Data Mover Service
- D. Veeam Distribution Service
- E. Veeam Backup Catalog Service

Answer: AC

Explanation:

Refer to https://helpcenter.veeam.com/docs/backup/vsphere/backup_proxy.html?ver=100

NEW QUESTION 123

- (Exam Topic 2)

When a replication job is configured to use the replica mapping feature (no seeding), what will happen during the first run of the job?

- A. The replication job creates a clone of the mapped replica to preserve the original state before synchronizing the changes from the source infrastructure
- B. The replication job calculates the differences between the original and mapped VM; only the incremental changes will be synchronized
- C. The replication job will first restore the VM from the most recent restore point and then start to synchronize the incremental changes from the source infrastructure
- D. If a VM within the replication job is not mapped, the job will fail

Answer: B

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/hyperv/replica_seeding_hv.html?ver=100

NEW QUESTION 127

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual VMCE2021 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the VMCE2021 Product From:

<https://www.2passeasy.com/dumps/VMCE2021/>

Money Back Guarantee

VMCE2021 Practice Exam Features:

- * VMCE2021 Questions and Answers Updated Frequently
- * VMCE2021 Practice Questions Verified by Expert Senior Certified Staff
- * VMCE2021 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * VMCE2021 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year