



Microsoft

Exam Questions AZ-104

Microsoft Azure Administrator

About Exambible

Your Partner of IT Exam

Found in 1998

Exambible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, Exambible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

HOTSPOT - (Topic 5)

You have an Azure virtual machine named VM1 that connects to a virtual network named VNet1. VM1 has the following configurations:

? Subnet: 10.0.0.0/24

? Availability set: AVSet

? Network security group (NSG): None

? Private IP address: 10.0.0.4 (dynamic)

? Public IP address: 40.90.219.6 (dynamic)

You deploy a standard, Internet-facing load balancer named slb1. You need to configure slb1 to allow connectivity to VM1.

Which changes should you apply to VM1 as you configure slb1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Before you create a backend pool on slb1, you must:

Create and assign an NSG to VM1
Remove the public IP address from VM1
Change the private IP address of VM1 to static

Before you can connect to VM1 from slb1, you must:

Create and configure an NSG
Remove the public IP address from VM1
Change the private IP address of VM1 to static

Answer:

Before you create a backend pool on slb1, you must:

Create and assign an NSG to VM1
Remove the public IP address from VM1
Change the private IP address of VM1 to static

Before you can connect to VM1 from slb1, you must:

Create and configure an NSG
Remove the public IP address from VM1
Change the private IP address of VM1 to static

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Remove the public IP address from VM1

If the Public IP on VM1 is set to Dynamic, that means it is a Public IP with Basic SKU because Public IPs with Standard SKU have Static assignments by default, that cannot be changed. We cannot associate Basic SKUs IPs with Standard SKUs LBs. One cannot create a backend SLB pool if the VM to be associated has a Public IP. For Private IP it doesn't matter whether it is dynamic or static, still we can add the such VM into the SLB backend pool.

Box 2: Create and configure an NSG

Standard Load Balancer is built on the zero trust network security model at its core. Standard Load Balancer secure by default and is part of your virtual network. The virtual network is a private and isolated network. This means Standard Load Balancers and Standard Public IP addresses are closed to inbound flows unless opened by Network Security Groups. NSGs are used to explicitly permit allowed traffic. If you do not have an NSG on a subnet or NIC of your virtual machine resource, traffic is not allowed to reach this resource. To learn more about NSGs and how to apply them for your scenario, see Network Security Groups. Basic Load Balancer is open to the internet by default.

NEW QUESTION 2

HOTSPOT - (Topic 5)

You have an Azure Storage account named storage1 that contains two containers named container 1 and container2. Blob versioning is enabled for both containers.

You periodically take blob snapshots of critical blobs. You create the following lifecycle management policy:

```
{
  "rules": [
    {
      "enabled": true,
      "name": "rule1",
      "type": "Lifecycle",
      "definition": {
        "actions": {
          "version": {
            "tierToCool": {
              "daysAfterCreationGreaterThan": 15
            },
            "tierToArchive": {
              "daysAfterLastTierChangeGreaterThan": 7,
              "daysAfterCreationGreaterThan": 30
            }
          }
        },
        "filters": {
          "blobTypes": [
            "blockBlob"
          ],
          "prefixMatch": [
            "container1/"
          ]
        }
      }
    }
  ]
}
```

For each of the following statements, select Yes If the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area	Statements	Yes	No
	A blob snapshot automatically moves to the Cool access tier after 15 days.	<input type="radio"/>	<input type="radio"/>
	A blob version in container2 automatically moves to the Archive access tier after 30 days.	<input type="radio"/>	<input type="radio"/>
	A rehydrated version automatically moves to the Archive access tier after 30 days.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area	Statements	Yes	No
	A blob snapshot automatically moves to the Cool access tier after 15 days.	<input checked="" type="radio"/>	<input type="radio"/>
	A blob version in container2 automatically moves to the Archive access tier after 30 days.	<input type="radio"/>	<input checked="" type="radio"/>
	A rehydrated version automatically moves to the Archive access tier after 30 days.	<input type="radio"/>	<input checked="" type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Based on the lifecycle management policy you created and the information from the web search results, here are the answers to your statements:

- ? A blob snapshot automatically moves to the Cool access tier after 15 days. = Yes
- ? A blob version in container2 automatically moves to the Archive access tier after 30 days. = No
- ? A rehydrated version automatically moves to the Archive access tier after 30 days. = No

? The lifecycle management policy you created has two rules: one for container1 and one for container2. The rule for container1 has an action that moves blob snapshots to the Cool access tier if they are older than 15 days. Therefore, a blob snapshot in container1 will automatically move to the Cool access tier after 15 days, regardless of the access tier of the base blob.

? The rule for container2 has an action that moves blob versions to the Archive access tier if they are older than 30 days and have a prefix match of “archive/”. Therefore, a blob version in container2 will only automatically move to the Archive access tier after 30 days if its name starts with “archive/”. Otherwise, it will remain in its current access tier.

? A rehydrated version is a blob version that was previously in the Archive access tier and was restored to an online access tier (Hot or Cool) by using the rehydrate priority option1. A rehydrated version does not automatically move to the Archive access tier after 30 days, unless there is a lifecycle management policy rule that explicitly specifies this action. In your case, neither of the rules applies to rehydrated versions, so they will stay in their online access tiers until you manually change them or delete them.

NEW QUESTION 3

- (Topic 5)

You have an Azure subscription that contains two Log Analytics workspaces named Workspace 1 and Workspace? and 100 virtual machines that run Windows Server.

You need to collect performance data and events from the virtual machines. The solution must meet the following requirements:

- Logs must be sent to Workspace! and Workspace?
- All Windows events must be captured
- All security events must be captured.

What should you install and configure on each virtual machine?

- A. the Azure Monitor agent
- B. the Windows Azure diagnostics extension (WAD)
- C. the Windows VM agent

Answer: A

Explanation:

<https://learn.microsoft.com/en-us/azure/azure-monitor/agents/agents-overview> Azure Monitor Agent (AMA) collects monitoring data from the guest operating system of Azure and hybrid virtual machines and delivers it to Azure Monitor for use by features, insights, and other services, such as Microsoft Sentinel and Microsoft Defender for Cloud. Azure Monitor Agent replaces all of Azure Monitor's legacy monitoring agents.

NEW QUESTION 4

- (Topic 5)

You deploy an Azure Kubernetes Service (AKS) cluster named Cluster1 that uses the IP addresses shown in the following table.

IP address	Assigned to
131.107.2.1	Load balancer front end
192.168.10.2	Kubernetes DNS service
172.17.7.1	Docker bridge address
10.0.10.11	Kubernetes cluster node

You need to provide internet users with access to the applications that run in Cluster1. Which IP address should you include in the DNS record for Ousted?

- A. 172.17.7.1
- B. 131.107.2.1
- C. 192.168.10.2
- D. 10.0.10.11

Answer: B

Explanation:

When any internet user will try to access the cluster which is behind a load balancer, traffic will first hit to load balancer front end IP. So in the DNS configuration you have to provide the IP address of the load balancer.

Reference:

<https://stackoverflow.com/questions/43660490/giving-a-dns-name-to-azure-load-balancer>

NEW QUESTION 5

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named Adatum and an Azure Subscription named Subscription1. Adatum contains a group named Developers. Subscription1 contains a resource group named Dev.

You need to provide the Developers group with the ability to create Azure logic apps in the Dev resource group.

Solution: On Subscription1, you assign the Logic App Operator role to the Developers group.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The Logic App Operator role only grants the ability to read, enable, disable, and run logic apps. It does not grant the ability to create logic apps. To create logic apps, you need to assign the Logic App Contributor role or a higher-level role such as Owner or Contributor. Then, References: [Built-in roles for Azure resources] [Azure Logic Apps permissions and access control]

NEW QUESTION 6

HOTSPOT - (Topic 5)

You have an Azure subscription that contains an Azure Storage account named storage1 and the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group1

You plan to monitor storage1 and to configure email notifications for the signals shown in the following table.

Name	Type	Users to notify
Ingress	Metric	User1 and User3 only
Egress	Metric	User1 only
Delete storage account	Activity log	User1, User2, and User3
Restore blob ranges	Activity log	User1 and User3 only

You need to identify the minimum number of alert rules and action groups required for the planned monitoring.

How many alert rules and action groups should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Alert rules:

▼

1
2
3
4

Action groups:

▼

1
2
3
4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1 : 4

As there are 4 distinct set of resource types (Ingress, Egress, Delete storage account, Restore blob ranges), so you need 4 alert rules. In one alert rule you can't specify different type of resources to monitor. So you need 4 alert rules.




Box 2 : 3

There are 3 distinct set of "Users to notify" as (User 1 and User 3), (User1 only), and (User1, User2, and User3). You can't set the action group based on existing group (Group1 and Group2) as there is no specific group for User1 only. So you need to create 3 action group.

NEW QUESTION 7

HOTSPOT - (Topic 5)

You have an Azure Storage accounts as shown in the following exhibit.

Storage accounts							
Contoso							
<div><div><div>+</div><div>Add</div></div><div><div>≡</div><div>Edit columns</div></div><div><div>↺</div><div>Refresh</div></div><div><div>🏷</div><div>Assign Tags</div></div><div><div>🗑</div><div>Delete</div></div></div>							
<div>Subscriptions: All 2 selected - Don't see a subscription? Switch directories</div> <div><div>Filter by name...</div><div>All subscriptions ▼</div><div>All resource groups ▼</div><div>All types ▼</div><div>All locations ▼</div><div>No grouping ▼</div></div>							
3 items							
<input type="checkbox"/>	NAME ↑	TYPE ↑	KIND ↑	RESOURCE ↑	LOCATION ↑	SUBSCRIPTI... ↑	ACCESS T... REPLICAT...
<input type="checkbox"/>	 storageaccount1	Storage account	Storage	ContosoRG1	EastUS	Subscription 1	- Read-access ge... ***
<input type="checkbox"/>	 storageaccount2	Storage account	StorageV2	ContosoRG1	CentralUS	Subscription 1	Host Geo-redundant... ***
<input type="checkbox"/>	 storageaccount3	Storage account	BlobStorage	ContosoRG1	EastUS	Subscription 1	Host Locally-rebund... ***

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

You can use [answer choice] for Azure Table Storage.

storageaccount1 only

storageaccount2 only

storageaccount3 only

storageaccount1 and storageaccount2 only

storageaccount2 and storageaccount3 only

You can use [answer choice] for Azure Blob storage.

storageaccount3 only

storageaccount2 and storageaccount3 only

storageaccount1 and storageaccount3 only

all the storage accounts

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: storageaccount1 and storageaccount2 only Box 2: All the storage accounts

Note: The three different storage account options are: General-purpose v2 (GPv2) accounts, General-purpose v1 (GPv1) accounts, and Blob storage accounts.
? General-purpose v2 (GPv2) accounts are storage accounts that support all of the latest features for blobs, files, queues, and tables.
? Blob storage accounts support all the same block blob features as GPv2, but are limited to supporting only block blobs.
? General-purpose v1 (GPv1) accounts provide access to all Azure Storage services, but may not have the latest features or the lowest per gigabyte pricing.
References: <https://docs.microsoft.com/en-us/azure/storage/common/storage-account-options>

NEW QUESTION 8

HOTSPOT - (Topic 5)

You have an Azure subscription that contains the container images shown in the following table.

Name	Operating system
Image1	Windows Server
Image2	Linux

You plan to use the following services:

- Azure Container Instances
- Azure Container Apps
- Azure App Service

In which services can you run the images? To answer, select the options in the answer area.

NOTE: Each correct answer is worth one point.

Answer Area

Image1:

Azure Container Instances only

Azure Container Apps only

Azure Container Instances and App Services only

Azure Container Apps and App Services only

Azure Container Instances, Azure Container Apps, and App Services

Image2:

Azure Container Instances only

Azure Container Apps only

Azure Container Instances and App Services only

Azure Container Apps and App Services only

Azure Container Instances, Azure Container Apps, and App Services

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Image 1: Azure Container Apps only.image 2: Azure Container Instances, Azure Container Apps, and App Services.

The images you have in your Azure subscription are different types of container images that can run on different Azure services. A container image is a package of software that includes everything needed to run an application, such as code, libraries, dependencies, and configuration files. Container images are portable and consistent across different environments, such as development, testing, and production.

Azure Container Instances is a service that allows you to run containers directly on the Azure cloud, without having to manage any infrastructure or orchestrators. You can use Azure Container Instances to run any container image that is compatible with the Docker image format and follows the Open Container Initiative (OCI) specification. You can also run Windows or Linux containers on Azure Container Instances.

Azure Container Apps is a service that allows you to build and deploy cloud-native applications and microservices using serverless containers. You can use Azure Container Apps to run any container image that is compatible with the Docker image format and follows the Open Container Initiative (OCI) specification. You can also run Windows or Linux containers on Azure Container Apps.

Azure App Service is a service that allows you to build and host web applications, mobile backends, and RESTful APIs using various languages and frameworks. You can use Azure App Service to run custom container images that are compatible with the Docker image format and follow the App Service Docker image contract. You can also run Windows or Linux containers on Azure App Service.

NEW QUESTION 9

- (Topic 5)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Resource group
VNET1	Virtual network	RG1
VM1	Virtual machine	RG1

The Not allowed resource types Azure policy that has policy enforcement enabled is assigned to RG1 and uses the following parameters:

Microsoft.Network/virtualNetworks Microsoft.Compute/virtualMachines

In RG1, you need to create a new virtual machine named VM2 which is connected to VNET1. What should you do first?

Create an Azure Resource Manager template.

A: Add a subnet to VNET1.

C: Remove Microsoft

D: Network/virtualNetworks from the policy.

E: Remove Microsoft.Compute/virtualMachines from the policy.

Answer: C

Explanation:

To create a new virtual machine named VM2 which is connected to VNET1 in RG1, you need to remove Microsoft.Network/virtualNetworks from the policy. This is because the Not allowed resource types Azure policy denies the deployment of the specified resource types in the scope of the assignment. In this case, the policy is assigned to RG1 and uses the parameters Microsoft.Network/virtualNetworks and Microsoft.Compute/virtualMachines. This means that you cannot create or update any virtual networks or virtual machines in RG1. Therefore, to create VM2 and connect it to VNET1, you need to remove Microsoft.Network/virtualNetworks from the policy parameters. This will allow you to create or update virtual networks in RG1, but still prevent you from creating or updating virtual machines. Alternatively, you can also exclude VNET1 from the policy assignment scope, but this will affect the compliance of the policy for the entire virtual network.

References:

? Not allowed resource types (Deny)

? Create and manage policies to enforce compliance

NEW QUESTION 10

DRAG DROP - (Topic 5)

You have an Azure Active Directory (Azure AD) tenant that has the initial domain name. You have a domain name of contoso.com registered at a third-party registrar.

You need to ensure that you can create Azure AD users that have names containing a suffix of @contoso.com.

Which three actions should you perform in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Actions**Answer Area**

Configure company branding.

Add an Azure AD tenant.

Verify the domain.

Create an Azure DNS zone.

Add a custom domain name.

Add a record to the public contoso.com DNS zone.



A. Mastered

B. Not Mastered

Answer: A

Explanation:

The process is simple:

? Add the custom domain name to your directory

? Add a DNS entry for the domain name at the domain name registrar

? Verify the custom domain name in Azure AD

References: <https://docs.microsoft.com/en-us/azure/dns/dns-web-sites-custom-domain>

NEW QUESTION 10

HOTSPOT - (Topic 5)

Peering for VNET2 is configured as shown in the following exhibit.

VNET2 Peerings				
Virtual network				
Search (Ctrl+ /)				
Add Refresh				
Search peerings				
NAME	PEERING STATUS	PEER	GATEWAY TRANSIT	
Peering1	Connected	VNET1	Disabled	...

Peering for VNET3 is configured as shown in the following exhibit.

VNET3 Peerings				
Virtual network				
Search (Ctrl+ /)				
Add Refresh				
Search peerings				
NAME	PEERING STATUS	PEER	GATEWAY TRANSIT	
Peering1	Connected	VNET1	Disabled	...

How can packets be routed between the virtual networks? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Packets from VNET1 can be routed to:

VNET2 only

VNET3 only

VNET2 and VNET3

Packets from VNET2 can be routed to:

VNET1 only

VNET3 only

VNET1 and VNET3

Answer:

Packets from VNET1 can be routed to:

VNET2 only

VNET3 only

VNET2 and VNET3

Packets from VNET2 can be routed to:

VNET1 only

VNET3 only

VNET1 and VNET3

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1. VNET2 and VNET3 Box 2: VNET1
Gateway transit is disabled.

NEW QUESTION 15

- (Topic 5)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You have a CSV file that contains the names and email addresses of 500 external users. You need to create a guest user account in contoso.com for each of the 500 external users.

Solution: You create a Power Shell script that runs the New-MgUser cmdlet for each user. Does this meet the goal?

- A. Yes
- B. NO

Answer: B


Explanation:

<https://learn.microsoft.com/en-us/azure/active-directory/external-identities/tutorial-bulk-invite?source=recommendations>


NEW QUESTION 19

HOTSPOT - (Topic 5)


You deploy an Azure Kubernetes Service (AKS) cluster that has the network profile shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.



Answer:



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1 : Containers will get the IP address from the virtual network subnet CIDr which is 10.244.0.0/16

Box 2 : Services in the AKS cluster will be assigned an IP address in the service CIDR which is 10.0.0.0/16

NEW QUESTION 22

- (Topic 5)

You have an Azure virtual machine named VM1.

You use Azure Backup to create a backup of VM1 named Backup1. After creating Backup1, you perform the following changes to VM1:

? Modify the size of VM1.

? Copy a file named Budget.xls to a folder named Data.

? Reset the password for the built-in administrator account.

? Add a data disk to VM1.

An administrator uses the Replace existing option to restore VM1 from Backup1. You need to ensure that all the changes to VM1 are restored.

Which change should you perform again?

A. Modify the size of VM1.

B. Add a data disk.

C. Reset the password for the built-in administrator account.

D. Copy Budget.xls to Data.

Answer: D

Explanation:

The scenario mentioned in the question, we are using the replace option. So in this case we would lose the existing data written to the disk after the backup was taken. The file was copied to the disk after the backup was taken. Hence, we would need to copy the file once again.

References:

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-arm-restore-vms#replace-existing-disks>

NEW QUESTION 27

- (Topic 5)

You have an Azure subscription named Subscription 1 and an on-premises deployment of Microsoft System Center Service Manager Subscription! contains a virtual machine named VM1.

You need to ensure that an alert is set in Service Manager when the amount of available memory on VM1 is below 10 percent. What should you do first?

A. Create a notification.

B. Create an automation runbook.

C. Deploy the IT Service Management Connector (ITSM).

D. Deploy a function app

Answer: C

Explanation:

IT Service Management Connector (ITSMC) allows you to connect Azure to

a supported IT Service Management (ITSM) product or service. Azure services like Azure Log Analytics and Azure Monitor provide tools to detect, analyze, and troubleshoot problems with your Azure and non-Azure resources. But the work items related to an issue typically reside in an ITSM product or service. ITSMC provides a bi-directional connection between Azure and ITSM tools to help you resolve issues faster. ITSMC supports connections with the following ITSM tools: ServiceNow, System Center Service Manager, Provance, Cherwell.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/alerts/itsmc-overview>

NEW QUESTION 31

- (Topic 5)

You create an Azure Storage account.

You plan to add 10 blob containers to the storage account.

For one of the containers, you need to use a different key to encrypt data at rest. What should you do before you create the container?

A. Modify the minimum TLS version.

B. Create an encryption scope.

C. Generate a shared access signature (SAS).

D. Rotate the access keys.

Answer: B

Explanation:

<https://learn.microsoft.com/en-us/azure/storage/blobs/encryption-scope-overview#how-encryption-scopes-work>

NEW QUESTION 32

- (Topic 5)

You have an Azure subscription.

You have 100 Azure virtual machines.

You need to quickly identify underutilized virtual machines that can have their service tier changed to a less expensive offering.

Which blade should you use?

A. Metrics

B. Customer insights

C. Monitor

D. Advisor

Answer: D

Explanation:

The Advisor dashboard displays personalized recommendations for all your subscriptions. You can apply filters to display recommendations for specific subscriptions and resource types. The recommendations are divided into five categories:

Reliability (formerly called High Availability): To ensure and improve the continuity of your business-critical applications. For more information, see Advisor Reliability recommendations.

Security: To detect threats and vulnerabilities that might lead to security breaches. For more information, see Advisor Security recommendations.

Performance: To improve the speed of your applications. For more information, see Advisor Performance recommendations.

Cost: To optimize and reduce your overall Azure spending. For more information, see Advisor Cost recommendations.

Operational Excellence: To help you achieve process and workflow efficiency, resource manageability and deployment best practices. . For more information, see

Advisor Operational Excellence recommendations.

NEW QUESTION 34

HOTSPOT - (Topic 5)

You have an Azure subscription named Subscription1 that contains the resources shown in the following table.

Name	Type	Location	Resource group
RG1	Resource group	East US	<i>Not applicable</i>
RG2	Resource group	West US	<i>Not applicable</i>
Vault1	Recovery Services vault	West Europe	RG1
storage1	Storage account	East US	RG2
storage2	Storage account	West US	RG1
storage3	Storage account	West Europe	RG2
Analytics1	Log Analytics workspace	East US	RG1
Analytics2	Log Analytics workspace	West US	RG2
Analytics3	Log Analytics workspace	West Europe	RG1

You plan to configure Azure Backup reports for Vault1.

You are configuring the Diagnostics settings for the AzureBackupReports log.

Which storage accounts and which Log Analytics workspaces can you use for the Azure

Backup reports of Vault1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Storage accounts:

▼

storage1 only

storage2 only

storage3 only

storage1, storage2, and storage3

Log Analytics workspaces:

▼

Analytics1 only

Analytics2 only

Analytics3 only

Analytics1, Analytics2, and Analytics3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: storage3 only

Vault1 and storage3 are both in West Europe. Box 2: Analytics1, Analytics2, Analytics3

<https://docs.microsoft.com/en-us/azure/backup/backup-create-rs-vault> <https://docs.microsoft.com/de-de/azure/backup/configure-reports>

NEW QUESTION 36

HOTSPOT - (Topic 4)

You need to create storage5. The solution must support the planned changes.

Which type of storage account should you use, and which account should you configure as the destination storage account? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Account kind:

BlobStorage

BlockBlobStorage

Storage (general purpose v1)

StorageV2 (general purpose v2)

Destination:

Storage1

Storage2

Storage3

Storage4

Answer:

Account kind:

BlobStorage

BlockBlobStorage

Storage (general purpose v1)

StorageV2 (general purpose v2)

Destination:

Storage1

Storage2

Storage3

Storage4

- A. Mastered
- B. Not Mastered

Answer: A

NEW QUESTION 39

HOTSPOT - (Topic 4)

You need to ensure that User1 can create initiative definitions, and User4 can assign initiatives to RG2. The solution must meet the technical requirements.

Which role should you assign to each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1:

Contributor for RG1

Contributor for Sub1

Security Admin for RG1

Resource Policy Contributor for Sub1

User4:

Contributor for RG2

Contributor for Sub1

Security Admin for Sub1

Resource Policy Contributor for RG2

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1:

Contributor for RG1

Contributor for Sub1

Security Admin for RG1

Resource Policy Contributor for Sub1

User4:

Contributor for RG2

Contributor for Sub1

Security Admin for Sub1

Resource Policy Contributor for RG2

NEW QUESTION 40

- (Topic 4)

You need to ensure that you can grant Group4 Azure RBAC read-only permissions to all the A2zure file shares. What should you do?

- A. On storage1 and storage4, change the Account kind type to StorageV2 (general purpose v2).
- B. Recreate storage2 and set Hierarchical namespace to Enabled.
- C. On storage2, enable identity-based access for the file shares.
- D. Create a shared access signature (SAS) for storage1, storage2, and storage4.

Answer: A

NEW QUESTION 44

DRAG DROP - (Topic 4)

You need to configure the alerts for VM1 and VM2 to meet the technical requirements.

Which three actions should you perform in sequence? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Configure the Diagnostic settings.

Collect Windows performance counters from the Log Analytics agents.

Create an alert rule.

Create an Azure SQL database.

Create a Log Analytics workspace.

Answer Area

Answer:

Actions

Configure the Diagnostic settings.

Collect Windows performance counters from the Log Analytics agents.

Create an alert rule.

Create an Azure SQL database.

Create a Log Analytics workspace.

Answer Area

Create an alert rule.

Create an Azure SQL database.

Create a Log Analytics workspace.

- A. Mastered
- B. Not Mastered

Answer: A



NEW QUESTION 45

HOTSPOT - (Topic 3)

You need to configure the Device settings to meet the technical requirements and the user requirements.

Which two settings should you modify? To answer, select the appropriate settings in the answer area.

Answer Area

 Save  Discard

Users may join devices to Azure AD ⓘ

AllSelectedNone

Selected
No member selected

Additional local administrators on Azure AD joined devices ⓘ

SelectedNone

Selected
No member selected

Users may register their devices with Azure AD ⓘ

AllNone

Require Multi-Factor Auth to join devices ⓘ

YesNo

Maximum number of devices per user ⓘ

50

Users may sync settings and app data across devices ⓘ

AllSelectedNone

Selected
No member selected

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Additional local administrators on Azure AD joined devices ⓘ

Selected

None

Selected

No member selected

Users may register their devices with Azure AD ⓘ

All

None

Require Multi-Factor Auth to join devices ⓘ

Yes

No

Maximum number of devices per user ⓘ

50

Users may sync settings and app data across devices ⓘ

All

Selected

None

Box 1: Selected

Only selected users should be able to join devices

Box 2: Yes

Require Multi-Factor Auth to join devices.

From scenario:

? Ensure that only users who are part of a group named Pilot can join devices to Azure AD

? Ensure that when users join devices to Azure Active Directory (Azure AD), the users use a mobile phone to verify their identity.

NEW QUESTION 48

- (Topic 3)

You need to implement a backup solution for App1 after the application is moved. What should you create first?

- A. a recovery plan
- B. an Azure Backup Server
- C. a backup policy
- D. a Recovery Services vault

Answer: D

Explanation:

A Recovery Services vault is a logical container that stores the backup data for each

protected resource, such as Azure VMs. When the backup job for a protected resource runs, it creates a recovery point inside the Recovery Services vault.

Scenario:

There are three application tiers, each with five virtual machines. Move all the virtual machines for App1 to Azure.

Ensure that all the virtual machines for App1 are protected by backups. References: <https://docs.microsoft.com/en-us/azure/backup/quick-backup-vm-portal>

NEW QUESTION 50

- (Topic 3)

You need to meet the user requirement for Admin1. What should you do?

- A. From the Subscriptions blade, select the subscription, and then modify the Properties.
- B. From the Subscriptions blade, select the subscription, and then modify the Access control (IAM) settings.

- C. From the Azure Active Directory blade, modify the Properties.
- D. From the Azure Active Directory blade, modify the Groups.

Answer: A

Explanation:

Change the Service administrator for an Azure subscription

? Sign in to Account Center as the Account administrator.

? Select a subscription.

? On the right side, select Edit subscription details.

Scenario: Designate a new user named Admin1 as the service administrator of the Azure subscription.

References: <https://docs.microsoft.com/en-us/azure/billing/billing-add-change-azure-subscription-administrator>

NEW QUESTION 52

- (Topic 2)

You need to resolve the Active Directory issue. What should you do?

- A. From Active Directory Users and Computers, select the user accounts, and then modify the User Principal Name value.
- B. Run idfix.exe, and then use the Edit action.
- C. From Active Directory Domains and Trusts, modify the list of UPN suffixes.
- D. From Azure AD Connect, modify the outbound synchronization rule.

Answer: B

Explanation:

IdFix is used to perform discovery and remediation of identity objects and their attributes in an on-premises Active Directory environment in preparation for migration to Azure Active Directory. IdFix is intended for the Active Directory administrators responsible for directory

synchronization

with Azure Active Directory.

Scenario: Active Directory Issue

Several users in humongousinsurance.com have UPNs that contain special characters. You suspect that some of the characters are unsupported in Azure AD.

References: <https://www.microsoft.com/en-us/download/details.aspx?id=36832>

NEW QUESTION 57

- (Topic 2)

Which blade should you instruct the finance department auditors to use?

- A. Partner information
- B. Overview
- C. Payment methods
- D. Invoices

Answer: D

Explanation:

You can opt in and configure additional recipients to receive your Azure invoice in an email. This feature may not be available for certain subscriptions such as support offers, Enterprise Agreements, or Azure in Open.

? Select your subscription from the Subscriptions page. Opt-in for each subscription you own. Click Invoices then Email my invoice.A screenshot of a computer

Description automatically generated

? Click Opt in and accept the terms.

Scenario: During the testing phase, auditors in the finance department must be able to review all Azure costs from the past week.

References: <https://docs.microsoft.com/en-us/azure/billing/billing-download-azure-invoice-daily-usage-date>

NEW QUESTION 58

- (Topic 2)

You need to prepare the environment to meet the authentication requirements.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE Each correct selection is worth one point.

- A. Azure Active Directory (AD) Identity Protection and an Azure policy
- B. a Recovery Services vault and a backup policy
- C. an Azure Key Vault and an access policy
- D. an Azure Storage account and an access policy

Answer: C

Explanation:

D: Seamless SSO works with any method of cloud authentication - Password Hash Synchronization or Pass-through Authentication, and can be enabled via Azure AD Connect.

B: You can gradually roll out Seamless SSO to your users. You start by adding the following Azure AD URL to all or selected users' Intranet zone settings by using Group Policy in Active Directory: <https://autologon.microsoftazuread-sso.com>

NEW QUESTION 60

HOTSPOT - (Topic 2)

You are evaluating the connectivity between the virtual machines after the planned implementation of the Azure networking infrastructure.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
The virtual machines on Subnet1 will be able to connect to the virtual machines on Subnet3.	<input type="radio"/>	<input type="radio"/>
The virtual machines on ClientSubnet will be able to connect to the Internet.	<input type="radio"/>	<input type="radio"/>
The virtual machines on Subnet3 and Subnet4 will be able to connect to the Internet.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Once the VNets are peered, all resources on one VNet can communicate with resources on the other peered VNets. You plan to enable peering between Paris-VNet and AllOffices- VNet. Therefore VMs on Subnet1, which is on Paris-VNet and VMs on Subnet3, which is on AllOffices-VNet will be able to connect to each other.

All Azure resources connected to a VNet have outbound connectivity to the Internet by default. Therefore VMs on ClientSubnet, which is on ClientResources-VNet will have

access to the Internet; and VMs on Subnet3 and Subnet4, which are on AllOffices-VNet will have access to the Internet.

You need to the appropriate sizes for the Azure virtual for Server2.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

From the Azure portal:

<input type="checkbox"/>	Create an Azure Migrate project.
<input type="checkbox"/>	Create a Recovery Services vault.
<input type="checkbox"/>	Upload a management certificate.
<input type="checkbox"/>	Create an Azure Import/Export job.

On Server2:

<input type="checkbox"/>	Enable Hyper-V Replica.
<input type="checkbox"/>	Install the Azure File Sync agent.
<input type="checkbox"/>	Create a collector virtual machine.
<input checked="" type="checkbox"/>	Configure Hyper-V storage migration.
<input checked="" type="checkbox"/>	Install the Azure Site Recovery Provider.

Answer:

From the Azure portal:

<input type="checkbox"/>	Create an Azure Migrate project.
<input checked="" type="checkbox"/>	Create a Recovery Services vault.
<input type="checkbox"/>	Upload a management certificate.
<input type="checkbox"/>	Create an Azure Import/Export job.

On Server2:

<input type="checkbox"/>	Enable Hyper-V Replica.
<input type="checkbox"/>	Install the Azure File Sync agent.
<input type="checkbox"/>	Create a collector virtual machine.
<input checked="" type="checkbox"/>	Configure Hyper-V storage migration.
<input checked="" type="checkbox"/>	Install the Azure Site Recovery Provider.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Create a Recovery Services vault

Create a Recovery Services vault on the Azure Portal.

Box 2: Install the Azure Site Recovery Provider

Azure Site Recovery can be used to manage migration of on-premises machines to Azure.

Scenario: Migrate the virtual machines hosted on Server1 and Server2 to Azure. Server2 has the Hyper-V host role.

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/migrate-tutorial-on-premises-azure>

NEW QUESTION 65

- (Topic 1)

You need to ensure that VM1 can communicate with VM4. The solution must minimize administrative effort.

What should you do?

- A. Create a user-defined route from VNET1 to VNET3.
B. Assign VM4 an IP address of 10.0.1.5/24.

- C. Establish peering between VNET1 and VNET3.
- D. Create an NSG and associate the NSG to VMI and VM4.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/tutorial-site-to-site-portal>

NEW QUESTION 69

- (Topic 2)

You need to prepare the environment to meet the authentication requirements.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Allow inbound TCP port 8080 to the domain controllers in the Miami office.
- B. Add <http://autogon.microsoftazuread-sso.com> to the intranet zone of each client computer in the Miami

office.

- C. Join the client computers in the Miami office to Azure AD.
- D. Install the Active Directory Federation Services (AD FS) role on a domain controller in the Miami office.
- E. Install Azure AD Connect on a server in the Miami office and enable Pass-through Authentication.

Answer: BE

Explanation:

B: You can gradually roll out Seamless SSO to your users. You start by adding the following Azure AD URL to all or selected users' Intranet zone settings by using Group Policy in Active Directory: <https://autologon.microsoftazuread-sso.com>

E: Seamless SSO works with any method of cloud authentication - Password Hash Synchronization or Pass-through Authentication, and can be enabled via Azure AD Connect.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start>

NEW QUESTION 71

HOTSPOT - (Topic 1)

You implement the planned changes for NSG1 and NSG2.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
From VM1, you can establish a Remote Desktop session to VM2.	<input type="radio"/>	<input type="radio"/>
From VM2, you can ping VM3.	<input type="radio"/>	<input type="radio"/>
From VM2, you can establish a Remote Desktop session to VM3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
From VM1, you can establish a Remote Desktop session to VM2.	<input checked="" type="radio"/>	<input type="radio"/>
From VM2, you can ping VM3.	<input type="radio"/>	<input checked="" type="radio"/>
From VM2, you can establish a Remote Desktop session to VM3.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 74

- (Topic 1)

You discover that VM3 does NOT meet the technical requirements. You need to verify whether the issue relates to the NSGs.

What should you use?

- A. Diagram in VNet1
- B. the security recommendations in Azure Advisor
- C. Diagnostic settings in Azure Monitor
- D. Diagnose and solve problems in Traffic Manager Profiles
- E. IP flow verify in Azure Network Watcher

Answer: E

Explanation:

Scenario: Litware must meet technical requirements including:

Ensure that VM3 can establish outbound connections over TCP port 8080 to the applications servers in the Montreal office.

IP flow verify checks if a packet is allowed or denied to or from a virtual machine. The information consists of direction, protocol, local IP, remote IP, local port, and remote port. If the packet is denied by a security group, the name of the rule that denied the packet is returned. While any source or destination IP can be chosen, IP flow verify helps

administrators quickly diagnose connectivity issues from or to the internet and from or to the on-premises environment.

References:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify- overview>

NEW QUESTION 77

- (Topic 1)

You need to meet the technical requirement for VM4. What should you create and configure?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Scenario: Create a workflow to send an email message when the settings of VM4 are modified.
You can start an automated logic app workflow when specific events happen in Azure resources or third-party resources. These resources can publish those events to an Azure event grid. In turn, the event grid pushes those events to subscribers that have queues, webhooks, or event hubs as endpoints. As a subscriber, your logic app can wait for those events from the event grid before running automated workflows to perform tasks - without you writing any code.
References:
<https://docs.microsoft.com/en-us/azure/event-grid/monitor-virtual-machine-changes-event-grid-logic-app>

NEW QUESTION 82

HOTSPOT - (Topic 5)

You have an Azure subscription.

You plan to create a role definition to meet the following requirements:

- Users must be able to view the configuration data of a storage account.
- Users must be able to perform all actions on a virtual network.
- The solution must use the principle of least privilege.

What should you include in the role definition for each requirement? To answer, select the appropriate options in the answer area.

Answer Area

Perform all actions on a virtual network:

"Microsoft.Network/virtualNetworks/*"

"Microsoft.Network/virtualNetworks/delete"

"Microsoft.Network/virtualNetworks/write"

View the configuration data of a storage account:

"Microsoft.Storage/StorageAccounts/*"

"Microsoft.Storage/StorageAccounts/read"

"Microsoft.Storage/StorageAccounts/blobServices/containers/blob/read"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Perform all actions on a virtual network: "Microsoft.Network/virtualNetworks/*"
View the configuration data of a storage account: "Microsoft.Storage/StorageAccounts/read"
To perform all actions on a virtual network, you need to use the wildcard (*) character in the action string, which grants access to all actions that match the string. The action string for virtual networks is "Microsoft.Network/virtualNetworks/". To view the configuration data of a storage account, you need to use the read action substring in the action string, which enables read actions (GET). The action string for storage accounts is "Microsoft.Storage/StorageAccounts/read". References:
? <https://learn.microsoft.com/en-us/azure/role-based-access-control/role-definitions>
? <https://learn.microsoft.com/en-us/azure/role-based-access-control/built-in-roles>

NEW QUESTION 84

DRAG DROP - (Topic 5)

You need to create container1 and share1.

Which storage accounts should you use for each resource? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

container1:

storage2 only

storage2 and storage3 only

storage1, storage2, and storage3 only

storage2, storage3, and storage4 only

storage1, storage2, storage3, and storage4

share1:

storage2 only

storage4 only

storage2 and storage4 only

storage1, storage2, and storage4 only

storage1, storage2, storage3, and storage4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers> <https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview>

NEW QUESTION 88

DRAG DROP - (Topic 5)

You have an Azure subscription that contains a virtual machine name VM1. VM1 has an operating system disk named Disk1 and a data disk named Disk2. You need to back up Disk2 by using Azure Backup.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Configure a managed identity

Create an Azure Backup vault

Create a Recovery Services vault

Delegate permissions for the vault

Create a backup policy and configure the backup

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Configure a managed identity

Create an Azure Backup vault

Create a Recovery Services vault

Delegate permissions for the vault

Create a backup policy and configure the backup

Answer Area

Create an Azure Backup vault

Create a backup policy and configure the backup

Configure a managed identity

NEW QUESTION 89

- (Topic 5)

You have an Azure subscription named Subscription1 that contains the resources shown in the following table.

Name	Type	Region	Resource group
RG1	Resource group	West Europe	<i>Not applicable</i>
RG2	Resource group	North Europe	<i>Not applicable</i>
Vault1	Recovery Services vault	West Europe	RG1

You create virtual machines in Subscription1 as shown in the following table.

Name	Resource group	Region	Operating system
VM1	RG1	West Europe	Windows Server 2016
VM2	RG1	North Europe	Windows Server 2016
VM3	RG2	West Europe	Windows Server 2016
VMA	RG1	West Europe	Ubuntu Server 18.04
VMB	RG1	North Europe	Ubuntu Server 18.04
VMC	RG2	West Europe	Ubuntu Server 18.04

You plan to use Vault1 for the backup of as many virtual machines as possible. Which virtual machines can be backed up to Vault1?

- A. VM1, VM3, VMA, and VMC only
- B. VM1 and VM3 only
- C. VM1, VM2, VM3, VMA, VMB, and VMC

- D. VM1 only
- E. VM3 and VMC only

Answer: A

Explanation:

To create a vault to protect virtual machines, the vault must be in the same region as the virtual machines. If you have virtual machines in several regions, create a Recovery Services vault in each region.

References:

<https://docs.microsoft.com/bs-cyrl-ba/azure/backup/backup-create-rs-vault>

NEW QUESTION 92

HOTSPOT - (Topic 5)

You have an Azure subscription that is linked to an Azure AD tenant. The tenant contains two users named User1 and User2. The subscription contains the resources shown in the following table.

Name	Type	Description
RG1	Resource group	None
VM1	Virtual machine	Created in RG1

The subscription contains the alert rules shown in the following table.

Name	Scope	Condition
Alert1	RG1	All Administrative operations
Alert2	VM1	All Administrative operations

The users perform the following actions:

- User1 creates a new virtual disk and attaches the disk to VM1.
- User2 creates a new resource tag and assigns the tag to RG1 and VM1.

Which alert rules are triggered by each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

User1:

Only Alert2 is triggered.

No alert is triggered.

User2:

Only Alert1 is triggered.

Only Alert2 is triggered.

Alert1 and Alert2 are triggered.

User2:

Alert1 and Alert2 are triggered.

No alert is triggered.

Only Alert1 is triggered.

Only Alert2 is triggered.

Alert1 and Alert2 are triggered.

Answer:

Answer Area

User1:

Only Alert2 is triggered.

No alert is triggered.

User2:

Only Alert1 is triggered.

Only Alert2 is triggered.

Alert1 and Alert2 are triggered.

User2:

Alert1 and Alert2 are triggered.

No alert is triggered.

Only Alert1 is triggered.

Only Alert2 is triggered.

Alert1 and Alert2 are triggered.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

In this case, you have two alert rules: Alert1 and Alert2. Alert1 has a scope of RG1, which means it applies to all the resources in the resource group named RG1. Alert1 has a condition of All Administrative operations, which means it triggers when any administrative operation is performed on the resources in RG1. An administrative operation is any operation that changes the configuration or state of a resource, such as creating, deleting, updating, or restarting. Alert2 has a scope of VM1, which means it applies only to the virtual machine named VM1. Alert2 also has a condition of All Administrative operations, which means it triggers when any administrative operation is performed on VM1.

Now, let's see which alert rules are triggered by each user.

User1 creates a new virtual disk and attaches the disk to VM1. This is an administrative operation on VM1, so it triggers Alert2. However, it does not trigger Alert1, because the new disk is not part of RG1. Therefore, the correct answer for User1 is C. Only Alert2 is triggered.

User2 creates a new resource tag and assigns the tag to RG1 and VM1. This is also an administrative operation on both RG1 and VM1, so it triggers both Alert1 and Alert2. Therefore, the correct answer for User2 is D. Alert1 and Alert2 are triggered.


NEW QUESTION 97

HOTSPOT - (Topic 5)

You have an Azure App Service plan named ASP1. CPU usage for ASP1 is shown in the following exhibit.

Your Partner of IT Exam

visit - <https://www.exambible.com>



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Answer Area

The average CPU percentage is calculated [answer choice] per day.

once
four times
six times
24 times

ASP1 must be [answer choice] to optimize CPU usage.

scaled up
scaled down
scaled out

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? The average CPU percentage is calculated 24 times per day. This is because the exhibit shows the CPU percentage for ASP1 in a 24-hour period, with one data point for each hour. Therefore, the average CPU percentage is calculated once per hour, or 24 times per day1.

? ASP1 must be scaled out to optimize CPU usage. This is because the exhibit shows that the CPU percentage for ASP1 is consistently above 80%, which indicates that the app service plan is under high load and needs more instances to handle the traffic. Scaling out means adding more instances to an app service plan, which can improve the performance and availability of the apps hosted on it2. Scaling up means changing the pricing tier of an app service plan, which can increase the resources available for each instance, but not necessarily reduce the CPU usage3.

NEW QUESTION 99

- (Topic 5)

You have an Azure AD tenant that contains the groups shown in the following table.

Name	Type	Security
Group1	Security	Enabled
Group2	Mail-enabled security	Enabled
Group3	Microsoft 365	Enabled
Group4	Microsoft 365	Disabled

You purchase Azure Active Directory Premium P2 licenses. To which groups can you assign a license?

- A. Group 1 only
- B. Group1 and Group3 only
- C. Group3 and Group4 only
- D. Group1, Group2, and Group3 only
- E. Group1, Group2, Group3, and Group4

Answer: B

Explanation:

To assign a license to a group, the group must be a security group, not an Office 365 group or a mail-enabled security group¹. According to the image, Group1 and Group3 are security groups, while Group2 and Group4 are Office 365 groups. Therefore, only Group1 and Group3 can be assigned a license.

To assign a license to a group, you need to follow these steps²:

- ? Sign in to the Azure portal with a license administrator account.
- ? Go to Azure Active Directory > Licenses and select the product license that you want to assign to groups.
- ? Select Assign at the top of the page and then select Users and groups.
- ? Search for and select the group that you want to assign the license to and then select OK.
- ? Select Assignment options to enable or disable specific services within the product license and then select OK.
- ? Select Assign at the bottom of the page to complete the assignment.

NEW QUESTION 100

HOTSPOT - (Topic 5)

You have an Azure subscription.

You plan to use Azure Resource Manager templates to deploy 50 Azure virtual machines that will be part of the same availability set.

You need to ensure that as many virtual machines as possible are available if the fabric fails or during servicing.

How should you configure the template? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
{
  "$schema": "https://schema.management.azure.com/schemas/2015-01-01/deploymentTemplate.json",
  "contentVersion": "1.0.0.0",
  "parameters": {},
  "resources": [
    {
      "type": "Microsoft.Compute/availabilitySets",
      "name": "ha",
      "apiVersion": "2017-12-01",
      "location": "eastus",
      "properties": {
        "platformFaultDomainCount": 
        "platformUpdateDomainCount": 
      }
    }
  ]
}
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1 = max value Box 2 = 20

Explanation

Use max for platformFaultDomainCount

2 or 3 is max value, depending on which region you are in. Use 20 for platformUpdateDomainCount

Increasing the update domain (platformUpdateDomainCount) helps with capacity and availability planning when the platform reboots nodes. A higher number for the pool (20 is max) means that fewer of their nodes in any given availability set would be rebooted at once.

References:

<https://www.itprotoday.com/microsoft-azure/check-if-azure-region-supports-2-or-3-fault-domains-managed-disks>

<https://github.com/Azure/acs-engine/issues/1030>

NEW QUESTION 101

- (Topic 5)

You have an Azure subscription that contains an Azure Stream Analytics job named Job1.

You need to monitor input events for Job1 to identify the number of events that were NOT processed.

Which metric should you use?

- A. Output Events
- B. Backlogged Input Events
- C. Out-of-Order Events
- D. Late Input Events

Answer: B

Explanation:

Backlogged Input Events is a metric that shows the number of input events that are waiting to be processed by the Stream Analytics job¹. This metric indicates the performance and health of the job, as well as the input data rate and latency. If the Backlogged Input Events metric is high or increasing, it means that the job is not able to keep up with the incoming events and some events are not processed in a timely manner².

Output Events is a metric that shows the number of output events that are emitted by the Stream Analytics job¹. This metric indicates the output data rate and throughput of the job. It does not show how many input events were not processed by the job.

Out-of-Order Events is a metric that shows the number of input events that arrive out of order based on their timestamp¹. This metric indicates the quality and consistency of the input data source. It does not show how many input events were not processed by the job. Late Input Events is a metric that shows the number of input events that arrive after the late arrival window has expired¹. This metric indicates the timeliness and reliability of the input data source. It does not show how many input events were not processed by the job.

NEW QUESTION 106

HOTSPOT - (Topic 5)

You have the App Service plan shown in the following exhibit.

Default

Auto created scale condition

Delete warning

The very last or default recurrence rule cannot be deleted. Instead, you can disable autoscale to turn off autoscale.

Scale mode

☒ Scale based on a metric

☐ Scale to a specific instance count

Scale out

When

homepage

(Maximum) CpuPercentage > 85

Increase count by 1

Scale in

When

homepage

(Average) CpuPercentage < 30

Decrease count by 1

+ Add a rule

Instance limits

Minimum

1

Maximum

5

Default

1

Schedule

This scale condition is executed when none of the other scale condition(s) match

The scale-in settings for the App Service plan are configured as shown in the following exhibit.

Operator *

Less than

Metric threshold to trigger scale action *

30

%

Duration (in minutes) *

5

✓

Time grain (in mins)

1

Time grain statistic *

Average

Action

Operation *

Decrease count by

Instance count *

1

✓

Cool down (minutes) *

5

The scale out rule is configured with the same duration and cool down tile as the scale in rule.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

If CPU usage is 70 percent for one hour and then reaches 90 percent for five minutes, the total number of instances will be [answer choice].

1

2

3

4

5

If the CPU maintains a usage of 90 percent for one hour, and then the average CPU usage is below 25 percent for nine minutes, the number of instances will be [answer choice].

1

2

3

4

5

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If CPU usage is 70 percent for one hour and then reaches 90 percent for five minutes, the total number of instances will be [answer choice].

1

2

3

4

5

1

If the CPU maintains a usage of 90 percent for one hour, and then the average CPU usage is below 25 percent for nine minutes, the number of instances will be [answer choice].

1

2

3

4

5

3

NEW QUESTION 107

HOTSPOT - (Topic 5)

You are managing a Microsoft Azure environment. The following exhibit shows the configuration of an availability set in the following exhibit.

```
PS Azure:\> az vm availability-set list --resource-group RG1
[
  {
    "id": "/subscriptions/8372f433-2dcd-4361-b5ef-5b188fed87d0/resourceGroups/RG1/providers/Microsoft.Compute/availabilitySets/WEBPROD-AS-USE2",
    "location": "eastus2",
    "name": "WEBPROD-AS-USE2",
    "platformFaultDomainCount": 2,
    "platformUpdateDomainCount": 10,
    "proximityPlacementGroup": null,
    "resourceGroup": "RG1",
    "sku": {
      "capacity": null,
      "name": "Aligned",
      "tier": null
    },
    "statuses": null,
    "tags": {},
    "type": "Microsoft.Compute/availabilitySets",
    "virtualMachines": []
  }
]
```

You add 14 virtual machines to WEBPROD-AS-USE2.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

When Microsoft performs planned maintenance in East US 2, the maximum number of unavailable virtual machines will be [answer choice].

2

7

10

14

2

If the server rack in the Azure datacenter that hosts WEBPROD-AS-USE2 experiences a power failure, the maximum number of unavailable virtual machines will be [answer choice].

2

7

10

14

7

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 2

There are 10 update domains. The 14 VMs are shared across the 10 update domains so four update domains will have two VMs and six update domains will have one VM. Only one update domain is rebooted at a time.

Therefore, a maximum of two VMs will be offline. Box 2: 7

There are 2 fault domains. The 14 VMs are shared across the 2 fault domains, so 7 VMs in each fault domain.
A rack failure will affect one fault domain so 7 VMs will be offline.

NEW QUESTION 109

HOTSPOT - (Topic 5)

You have an Azure virtual network named VNet1 that connects to your on-premises network by using a site-to-site VPN. VNet1 contains one subnet named Subnet1.
Subnet1 is associated to a network security group (NSG) named NSG1. Subnet1 contains a basic internal load balancer named ILB1. ILB1 has three Azure virtual machines in the backend pool.
You need to collect data about the IP addresses that connects to ILB1. You must be able to run interactive queries from the Azure portal against the collected data.
What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Resource to create:

An Azure Event Grid

An Azure Log Analytics workspace

An Azure Storage account

Resource on which to enable diagnostics:

ILB1

NSG1

The Azure virtual machines

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: An Azure Log Analytics workspace
In the Azure portal you can set up a Log Analytics workspace, which is a unique Log Analytics environment with its own data repository, data sources, and solutions.

Box 2: NSG1
NSG flow logs allow viewing information about ingress and egress IP traffic through a Network security group. Through this, the IP addresses that connect to the ILB can be monitored when the diagnostics are enabled on a Network Security Group.
We cannot enable diagnostics on an internal load balancer to check for the IP addresses. As for Internal LB, it is basic one. Basic can only connect to storage account. Also, Basic LB has only activity logs, which doesn't include the connectivity workflow. So, we need to use NSG to meet the mentioned requirements.

NEW QUESTION 113

HOTSPOT - (Topic 5)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.
You have two external partner organizations named fabrilcam.com and litwareinc.com. FabtAam.com is configured as a connected organization.
You create an access package as shown in the Access package exhibit. (Click the Access package lab.)

New access package

* Basics

Resource roles

* Requests

Requestor information

* Lifecycle

Review + Create

Summary of access package configuration

Basics

Name

Description

Catalog name

package1

Guest users

General

Resource roles

Resource	Type	Sub Type	Role
Group1	Group and Team	Security Group	Member

Requests

Users who can request access

Require approval

Enabled

All configured connected organizations

No

Yes

Requestor information

Questions

Question	Answer format	Multiple choice optio...	Required
----------	---------------	--------------------------	----------

Attributes (Preview)

Attribute type	Attribute	Default display string	Answer format	Multi
----------------	-----------	------------------------	---------------	-------

Lifecycle

Access package assignments expire

Require access reviews

After 365 days

No

You configure the external user lifecycle settings as shown in the Lifecycle exhibit. (Click the lifecycle tab)

Manage the lifecycle of external users

Select what happens when an external user, who was added to your directory through an access package request, loses their last assignment to any access package.

Block external user from signing in to this directory

Remove external user

Number of days before removing external user from this directory

Yes

No

Yes

No

30

Delegate entitlement management

By default, only Global Administrators and User Administrators can create and manage catalogs, and can manage all catalogs. Users added to entitlement management as Catalog creators can also create catalogs and will become the owner of any catalogs they create.

Catalog creators

0 selected

Add catalog creators

For each of the following statements, select Yes if the statement is true Otherwise, select No
Note: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Litwareinc.com users can be assigned to package1.	<input type="radio"/>	<input type="radio"/>
After 365 days, fabrikam.com users will be removed from Group1.	<input type="radio"/>	<input type="radio"/>
After 395 days, fabrikam.com users will be removed from the contoso.com tenant.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
? Litwareinc.com users can be assigned to package1. = No
? After 365 days, fabrikam.com users will be removed from Group1. = Yes
? After 395 days, fabrikam.com users will be removed from the contoso.com tenant

= No

? Litwareinc.com users cannot be assigned to package1 because they are not a connected organization in the contoso.com tenant. Only users from connected organizations can request access packages that are configured for external users1

? Fabrikam.com users will be removed from Group1 after 365 days because the access package has an expiration policy of 365 days for external users. This means that the access assignments for external users will end after 365 days, unless they are renewed or extended2

? Fabrikam.com users will not be removed from the contoso.com tenant after 395 days because the external user lifecycle settings have a deletion policy of 30 days after blocking. This means that external users will be blocked from signing in after 365 days of inactivity, and then deleted after another 30 days. Therefore, the total time before deletion is 395 days of inactivity, not 395 days from the date of assignment3

NEW QUESTION 114

HOTSPOT - (Topic 5)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type
VM1	Virtual machine
storage1	Storage account
Workspace1	Log Analytics workspace
DB1	Azure SQL database

You plan to create a data collection rule named DCRI in Azure Monitor.

Which resources can you set as data sources in DCRI, and which resources can you set as destinations in DCRI? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Data sources:

VM1 only

VM1 and storage1 only

VM1, storage1, and DB1 only

VM1, storage1, Workspace1, and DB1

Destinations:

storage1 only

Workspace1 only

Workspace1 and storage1 only

Workspace1, storage1, and DB1 only1

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Data Sources: VM1 only Destination: Workspace1 Only

NEW QUESTION 116

HOTSPOT - (Topic 5)

You have the App Service plans shown in the following table.

Name	Operating system	Location
ASP1	Windows	West US
ASP2	Windows	Central US
ASP3	Linux	West US

You plan to create the Azure web apps shown in the following table.

Name	Runtime stack	Location
WebApp1	.NET Core 3.0	West US
WebApp2	ASP.NET 4.7	West US

You need to identify which App Service plans can be used for the web apps.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

WebApp1:

▼

ASP1 only

ASP3 only

ASP1 and ASP2 only

ASP1 and ASP3 only

ASP1, ASP2, and ASP3

WebApp2:

▼

ASP1 only

ASP3 only

ASP1 and ASP2 only

ASP1 and ASP3 only

ASP1, ASP2, and ASP3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: ASP1 ASP3

Asp1, ASP3: ASP.NET Core apps can be hosted both on Windows or Linux.

Not ASP2: The region in which your app runs is the region of the App Service plan it's in.

Box 2: ASP1

ASP.NET apps can be hosted on Windows only.

NEW QUESTION 121

- (Topic 5)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You have a CSV file that contains the names and email addresses of 500 external users. You need to create a guest user account in contoso.com for each of the 500 external users.

Solution: You create a Power Shell script that runs the New-MgUser cmdlet for each user.

Does this meet the goal?

- A. Yes
- B. NO

Answer: B

Explanation:

The New-MgUser cmdlet is part of the Microsoft Graph PowerShell SDK, which is a module that allows you to interact with the Microsoft Graph API. The Microsoft Graph API is a service that provides access to data and insights across Microsoft 365, such as users, groups, mail, calendar, contacts, files, and more¹.

The New-MgUser cmdlet can be used to create new users in your Azure AD tenant, but it has some limitations and requirements. For example, you need to have the Global Administrator or User Administrator role in your tenant, you need to authenticate with the Microsoft Graph API using a certificate or a client secret, and you need to specify the required parameters for the new user, such as userPrincipalName, accountEnabled, displayName, mailNickname, and passwordProfile². However, the New-MgUser cmdlet does not support creating guest user accounts in your Azure AD tenant. Guest user accounts are accounts that belong to external users from other organizations or domains. Guest user accounts have limited access and permissions in your tenant, and they are typically used for collaboration or sharing purposes³.

To create guest user accounts in your Azure AD tenant, you need to use a different cmdlet: New-AzureADMSInvitation. This cmdlet is part of the Azure AD PowerShell module, which is a module that allows you to manage your Azure AD resources and objects. The New- AzureADMSInvitation cmdlet can be used to create and send an invitation email to an external user, which contains a link to join your Azure AD tenant as a guest user. You can also specify some optional parameters for the invitation, such as the invited user display name, message info, redirect URL, or send invitation message.

Therefore, to meet the goal of creating guest user accounts for 500 external users from a CSV file, you need to use a PowerShell script that runs the New-AzureADMSInvitation cmdlet for each user, not the New-MgUser cmdlet.

NEW QUESTION 125

HOTSPOT - (Topic 5)

You have an Azure subscription that contains the resources shown in the following table:

Name	Type	Resource group	Tag
RG6	Resource group	<i>Not applicable</i>	<i>None</i>
VNET1	Virtual network	RG6	Department: D1

You assign a policy to RG6 as shown in the following table:

Section	Setting	Value
Scope	Scope	Subscription1/RG6
	Exclusions	<i>None</i>
Basics	Policy definition	Apply tag and its default value
	Assignment name	Apply tag and its default value
Parameters	Tag name	Label
	Tag value	Value1

To RG6, you apply the tag: RGroup: RG6.

You deploy a virtual network named VNET2 to RG6.

Which tags apply to VNET1 and VNET2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

VNET1:

	▼
None	
Department: D1 only	
Department: D1, and RGroup: RG6 only	
Department: D1, and Label: Value1 only	
Department: D1, RGroup: RG6, and Label: Value1	

VNET2:

	▼
None	
RGroup: RG6 only	
Label: Value1 only	
RGroup: RG6, and Label: Value1	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

<https://learn.microsoft.com/en-us/azure/azure-resource-manager/management/tag-policies>

NEW QUESTION 129

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You manage a virtual network named VNet1 that is hosted in the West US Azure region. VNet1 hosts two virtual machines named VM1 and VM2 that run Windows Server.

You need to inspect all the network traffic from VM1 to VM2 for a period of three hours. Solution: From Performance Monitor, you create a Data Collector Set (DCS).

Does this meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

Correct answer is packet capture in Azure Network Watcher. <https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-packet-capture-overview>

NEW QUESTION 131

- (Topic 5)

You have an Azure subscription that contains a storage account named storage. You have the devices shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Linux
Device3	macOS

From which devices can you use AzCopy to copy data to storage1?

- A. Device1 and Device2 only

- B. Device1, Device2 and Device3
C. Device' only
D. Device and Device3 only

Answer: B

Explanation:

<https://learn.microsoft.com/en-us/azure/storage/common/storage-use-azcopy- v10#download-azcopy>

NEW QUESTION 134

- (Topic 5)

You have an Azure subscription that contains a virtual machine named VM1.

You plan to deploy an Azure Monitor alert rule that will trigger an alert when CPU usage on VM1 exceeds 80 percent.

You need to ensure that the alert rule sends an email message to two users named User1 and User2.

What should you create for Azure Monitor?

- A. an action group
B. a mail-enabled security group
C. a distribution group
D. a Microsoft 365 group

Answer: A

Explanation:

An action group is a collection of notification preferences that can be used by Azure Monitor to send alerts to users or groups when an alert rule is triggered. An action group can include email recipients, SMS recipients, voice call recipients, webhook URLs, Azure functions, Logic Apps, and more. To send an email message to two users named User1 and User2 when CPU usage on VM1 exceeds 80 percent, you need to create an action group that contains their email addresses and associate it with the alert rule. References:

? Create and manage action groups in the Azure portal

? Create, view, and manage Metric alerts using Azure Monitor

NEW QUESTION 137

- (Topic 5)

You have an Azure subscription that contains a virtual network named VNET1. VNET1 contains the subnets shown in the following table.

Name	Connected virtual machines
Subnet1	VM1, VM2
Subnet2	VM3, VM4
Subnet3	VM5, VM6

Each virtual machine uses a static IP address.

You need to create network security groups (NSGs) to meet following requirements:

? Allow web requests from the internet to VM3, VM4, VM5, and VM6.

? Allow all connections between VM1 and VM2.

? Allow Remote Desktop connections to VM1.

? Prevent all other network traffic to VNET1.

What is the minimum number of NSGs you should create?

- A. 1
B. 3
C. 4
D. 12

Answer: C

Explanation:

Note: A network security group (NSG) contains a list of security rules that allow or deny network traffic to resources connected to Azure Virtual Networks (VNet). NSGs can be associated to subnets, individual VMs (classic), or individual network interfaces (NIC) attached to VMs (Resource Manager).

Each network security group also contains default security rules.

References:

<https://docs.microsoft.com/en-us/azure/virtual-network/security-overview#default-security- rules>

NEW QUESTION 142

HOTSPOT - (Topic 5)

You plan to create an Azure Storage account in the Azure region of East US 2. You need to create a storage account that meets the following requirements:

? Replicates synchronously

? Remains available if a single data center in the region fails

How should you configure the storage account? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Replication:

	▼
Geo-redundant storage (GRS)	
Locally-redundant storage (LRS)	
Read-access geo-redundant storage (RA GRS)	
Zone-redundant storage (ZRS)	

Account kind:

	▼
Blob storage	
Storage (general purpose v1)	
StorageV2 (general purpose v2)	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Zone-redundant storage (ZRS)

Zone-redundant storage (ZRS) replicates your data synchronously across three storage clusters in a single region.

LRS would not remain available if a data center in the region fails GRS and RA GRS use asynchronous replication.

Box 2: StorageV2 (general purpose V2) ZRS only support GPv2.

References:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy> <https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy-zrs>

NEW QUESTION 147

HOTSPOT - (Topic 5)

You have an Azure subscription named Subscription1 that contains the virtual networks in the following table.

Name	Subnet
VNet1	Sybn11
VNet2	Subnet12
VNet3	Subnet13

Subscription1 contains the virtual machines in the following table.

Name	IP address	Availability set
VM1	Subnet11	AS1
VM2	Subnet11	AS1
VM3	Subnet11	Not applicable
VM4	Subnet11	Not applicable
VM5	Subnet12	Not applicable
VM6	Subnet12	Not applicable

In Subscription1, you create a load balancer that has the following configurations:

? Name: LB1

? SKU: Basic

? Type: Internal

? Subnet: Subnet12

? Virtual network: VNET1

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 151

HOTSPOT - (Topic 5)

You have an Azure Active Directory (Azure AD) tenant that contains three global administrators named Admin1, Admin2, and Admin3.

The tenant is associated to an Azure subscription. Access control for the subscription is configured as shown in the Access control exhibit. (Click the Exhibit tab.)

You sign in to the Azure portal as Admin1 and configure the tenant as shown in the Tenant exhibit. (Click the Exhibit tab.

Save

Discard

Name

Contoso

Country or region

United States

Location

United States datacenters

Notification language

English

Global admin can manage Azure Subscriptions and Management Groups

Yes

No

Directory ID

a8ccb916-31f3-4582-b9b7-854f413d7177

Technical contact

Global privacy contact

Privacy statement URL

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
Admin1 can add Admin2 as an owner of the subscription.	<input type="radio"/>	<input type="radio"/>
Admin3 can add Admin2 as an owner of the subscription.	<input type="radio"/>	<input type="radio"/>
Admin2 can create a resource group in the subscription.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

They are all Global admins so they can all modify user permission. i.e add self as owner etc.
You can be GA in one of the subscription, it doesn't mean that you can create the resources in all subscription. As a Global Administrator in Azure Active Directory (Azure AD), you might not have access to all subscriptions and management groups in your directory. Azure AD and Azure resources are secured independently from one another. That is, Azure AD role assignments do not grant access to Azure resources, and Azure role assignments do not grant access to Azure AD. However, if you are a Global Administrator in Azure AD, you can assign yourself access to all Azure subscriptions and management groups in your directory

NEW QUESTION 156

HOTSPOT - (Topic 5)

You have an Azure Storage account named storage1 that stores images.
You need to create a new storage account and replicate the images in storage1 to the new account by using object replication.
How should you configure the new account? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Account type:

StorageV2 only

StorageV2 or FileStorage only

StorageV2 or BlobStorage only

StorageV2, BlobStorage, or FileStorage

Object type to create in the new account:

Container

File share

Table

Queue

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 158

- (Topic 5)

You have an Azure subscription that contains an Azure virtual machine named VM1. VM1 runs a financial reporting app named App1 that does not support multiple active instances. At the end of each month, CPU usage for VM1 peaks when App1 runs. You need to create a scheduled runbook to increase the processor performance of VM1 at the end of each month. What task should you include in the runbook?

- A. Add the Azure Performance Diagnostics agent to VM1.
- B. Modify the VM size property of VM1.
- C. Add VM1 to a scale set.
- D. Increase the vCPU quota for the subscription.
- E. Add a Desired State Configuration (DSC) extension to VM1.

Answer: B

Explanation:

To create a scheduled runbook to increase the processor performance of VM1 at the end of each month, you need to modify the VM size property of VM1. This will allow you to scale up the VM to a larger size that has more CPU cores and memory. You can use Azure Automation to create a PowerShell runbook that changes the VM size using the Set-AzVM cmdlet. You can then schedule the runbook to run at the end of each month using the Azure portal or Azure PowerShell. For more information, see [How to resize a virtual machine in Azure using Azure Automation](#)¹.

NEW QUESTION 161

HOTSPOT - (Topic 5)

You have an Azure AD tenant that is linked to the subscriptions shown in the following table.

Name	Management group	Parent management group
Sub1	Tenant Root Group	Not applicable
Sub2	MG1	Tenant Root Group
Sub3	MG2	Tenant Root Group

You have the resource groups shown in the following table.

Name	Subscription	Description
RG1	Sub1	Contains a storage account named storage1
RG2	Sub2	Contains a web app named App1
RG3	Sub3	Contains a virtual machine named VM1

You assign roles to users as shown in the following table.

User	Role	Scope
User1	Contributor	MG2
User2	Storage Account Contributor	storage1
User3	User Access Administrator	Tenant Root Group

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area			
Statements		Yes	No
User1 can resize VM1.		<input type="radio"/>	<input type="radio"/>
User2 can create a new storage account in RG1.		<input type="radio"/>	<input type="radio"/>
User3 can assign User1 the Owner role for RG3.		<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? User1 can resize VM1. Yes, this is correct. According to the tables, User1 is assigned the Contributor role at the subscription level for Sub1. The Contributor role grants full access to manage all resources in the subscription, including the ability to resize virtual machines¹. Therefore, User1 can resize VM1, which is a resource in RG1 under Sub1.
? User2 can create a new storage account in RG1. No, this is not correct. According to the tables, User2 is assigned the Reader role at the resource group level for RG1. The Reader role grants read-only access to view existing resources in the resource group, but not to create, update, or delete any resources². Therefore, User2 cannot create a new storage account in RG1.
? User3 can assign User1 the Owner role for RG3. No, this is not correct. According to the tables, User3 is assigned the Storage Account Contributor role at the

resource group level for RG3. The Storage Account Contributor role grants full access to manage storage accounts and their data in the resource group, but not to assign roles to other users³. To assign roles to other users, User3 would need a role that has Microsoft.Authorization/roleAssignments/write permissions, such as User Access Administrator or Owner⁴. Therefore, User3 cannot assign User1 the Owner role for RG3.

NEW QUESTION 164

- (Topic 5)

You have an Azure subscription that contains an Azure Storage account.

You plan to create an Azure container instance named container1 that will use a Docker image named Image1. Image1 contains a Microsoft SQL Server instance that requires persistent storage.

You need to configure a storage service for Container1. What should you use?

- A. Azure Files
- B. Azure Blob storage
- C. Azure Queue storage
- D. Azure Table storage

Answer: A

Explanation:

<https://azure.microsoft.com/en-us/blog/persistent-docker-volumes-with-azure-file-storage/>

NEW QUESTION 166

- (Topic 5)

You have a Recovery Service vault that you use to test backups. The test backups contain two protected virtual machines.

You need to delete the Recovery Services vault. What should you do first?

- A. From the Recovery Service vault, stop the backup of each backup item.
- B. From the Recovery Service vault, delete the backup data.
- C. Modify the disaster recovery properties of each virtual machine.
- D. Modify the locks of each virtual machine.

Answer: A

Explanation:

You can't delete a Recovery Services vault if it is registered to a server and holds backup data. If you try to delete a vault, but can't, the vault is still configured to receive backup data.

Remove vault dependencies and delete vault

In the vault dashboard menu, scroll down to the Protected Items section, and click Backup Items. In this menu, you can stop and delete Azure File Servers, SQL Servers in Azure VM, and Azure virtual machines.

References: <https://docs.microsoft.com/en-us/azure/backup/backup-azure-delete-vault>

NEW QUESTION 169

- (Topic 5)

You have an Azure virtual machine named VM1 and an Azure key vault named Vault1. On VM1, you plan to configure Azure Disk Encryption to use a key encryption key (KEK). You need to prepare Vault1 for Azure Disk Encryption.

Which two actions should you perform on Vault1? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a new key.
- B. Select Azure Virtual machines for deployment
- C. Configure a key rotation policy.
- D. Create a new secret.
- E. Select Azure Disk Encryption for volume encryption

Answer: AC

Explanation:

To prepare Vault1 for Azure Disk Encryption, you need to perform the following actions on Vault1:

? Create a new key. A key encryption key (KEK) is an encryption key that is used to

encrypt the encryption secrets before they are stored in the key vault. You can create a new KEK by using the Azure CLI, the Azure PowerShell, or the Azure portal¹. You can also import an existing KEK from another source, such as a hardware security module (HSM)². The KEK must be a 2048-bit RSA key or a 256-bit AES key³.

? Select Azure Disk Encryption for volume encryption. This is an advanced access

policy setting that enables Azure Disk Encryption to access the keys and secrets in the key vault. You can select this setting by using the Azure CLI, the Azure PowerShell, or the Azure portal⁴. You must also enable access to Microsoft Trusted Services if you have enabled the firewall on the key vault.

NEW QUESTION 170

- (Topic 5)

You deploy Azure virtual machines to three Azure regions.

Each region contains a virtual network. Each virtual network contains multiple subnets peered in a full mesh topology.

Each subnet contains a network security group (NSG) that has defined rules.

A user reports that he cannot use port 33000 to connect from a virtual machine in one region to a virtual machine in another region.

Which two options can you use to diagnose the issue? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Azure Virtual Network Manager
- B. IP flow verify

- C. Azure Monitor Network Insights
- D. Connection troubleshoot
- E. elective security rules

Answer: BD

Explanation:

<https://learn.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview>

IP flow verify checks if a packet is allowed or denied to or from a virtual machine. The information consists of direction, protocol, local IP, remote IP, local port, and a remote port. If the packet is denied by a security group, the name of the rule that denied the packet is returned. While any source or destination IP can be chosen, IP flow verify helps administrators quickly diagnose connectivity issues from or to the internet and from or to the on-premises environment.

NEW QUESTION 175

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named Adatum and an Azure Subscription named Subscription1. Adatum contains a group named Developers. Subscription1 contains a resource group named Dev.

You need to provide the Developers group with the ability to create Azure logic apps in the Dev resource group.

Solution: On Dev, you assign the Logic App Operator role to the Developers group. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The Logic App Operator role only grants the ability to read, enable, disable, and run logic apps. It does not grant the ability to create logic apps. To create logic apps, you need to assign the Logic App Contributor role or a higher-level role such as Owner or Contributor. Then, References: [Built-in roles for Azure resources] [Azure Logic Apps permissions and access control]

NEW QUESTION 179

- (Topic 5)

You have five Azure virtual machines that run Windows Server 2016. The virtual machines are configured as web servers.

You have an Azure load balancer named LB1 that provides load balancing services for the virtual machines.

You need to ensure that visitors are serviced by the same web server for each request. What should you configure?

- A. Floating IP (direct server return) to Enabled
- B. Idle Time-out (minutes) to 20
- C. Protocol to UDP
- D. Session persistence to Client IP and Protocol

Answer: D

Explanation:

<https://learn.microsoft.com/en-us/azure/load-balancer/distribution-mode-concepts>

Session persistence: Client IP and protocol - Traffic from the same client IP and protocol is routed to the same backend instance

NEW QUESTION 182

- (Topic 5)

You develop the following Azure Resource Manager (ARM) template to create a resource group and deploy an Azure Storage account to the resource group. Which cmdlet should you run to deploy the template?

- A. New-AzTenantDeployment
- B. New-AzResourceGroupDeployment
- C. New-AzResource
- D. New-AzODeployment

Answer: B

Explanation:

The New-AzResourceGroupDeployment cmdlet deploys an Azure Resource Manager template to a resource group. You can use this cmdlet to create a new resource group or update an existing one with the resources defined in the template. The template can be a local file or a URI. Then, References: [New-AzResourceGroupDeployment]

NEW QUESTION 183

- (Topic 5)

You plan to move a distributed on-premises app named App1 to an Azure subscription. After the planned move, App1 will be hosted on several Azure virtual machines.

You need to ensure that App1 always runs on at least eight virtual machines during planned Azure maintenance.

What should you create?

- A. one virtual machine scale set that has 10 virtual machines instances
- B. one Availability Set that has three fault domains and one update domain
- C. one Availability Set that has 10 update domains and one fault domain
- D. one virtual machine scale set that has 12 virtual machines instances

Answer: A

Explanation:

A virtual machine scale set is a group of identical virtual machines that are centrally managed, configured, and updated¹. A virtual machine scale set can automatically increase or decrease the number of virtual machine instances in response to demand or a defined schedule². A virtual machine scale set also provides high availability and fault tolerance by distributing the virtual machine instances across multiple fault domains and update domains³.

A fault domain is a logical group of underlying hardware that share a common power source and network switch. A fault domain can fail due to hardware or software failures, power outages, or network interruptions⁴. A virtual machine scale set can have up to five fault domains in a region.

An update domain is a logical group of underlying hardware that can undergo maintenance or be rebooted at the same time. An update domain can be affected by planned events, such as OS updates, application updates, or configuration changes⁴. A virtual machine scale set can have up to 20 update domains in a region.

By creating a virtual machine scale set that has 10 virtual machine instances, you can ensure that App1 always runs on at least eight virtual machines during planned Azure maintenance. This is because the default configuration of a virtual machine scale set is to have five fault domains and five update domains. This means that at any given time, only one fault domain or one update domain can be unavailable due to maintenance or failure. Therefore, at least eight out of 10 virtual machine instances will be available to run App1. An availability set is another option for providing high availability and fault tolerance for your virtual machines. An availability set is a logical grouping of two or more virtual machines that are deployed across multiple fault domains and update domains. However, an availability set does not provide automatic scaling of resources or load balancing of traffic. You need to manually create and manage the number of virtual machine instances in an availability set.

Therefore, a virtual machine scale set is a better option than an availability set for your scenario. To create a virtual machine scale set, you can follow these steps:

? Sign in to the Azure portal.

? Select Create a resource > Compute > Virtual machine scale set.

? On the Basics tab, enter a name for your scale set, select your subscription and resource group, select Windows Server 2019 as the image type, and enter a username and password for the administrator account.

? On the Instance details tab, select the region where you want to deploy your scale set, select the size of the virtual machine instances, and enter 10 as the initial instance count.

? On the Scaling tab, configure the scaling policy for your scale set based on metrics or schedule.

? On the Load balancing tab, configure the load balancer for your scale set to distribute traffic across the instances.

? On the Management tab, configure the diagnostics settings, automatic OS upgrades, extensions, and backup options for your scale set.

? On the Advanced tab, configure the availability zone, proximity placement group, accelerated networking, host group, and custom script extension options for your scale set.

? On the Tags tab, optionally add tags to your scale set resources.

? On the Review + create tab, review your settings and select Create.

NEW QUESTION 188

HOTSPOT - (Topic 5)

You have an Azure subscription.


You deploy a virtual machine scale set that is configure as shown in the following exhibit.

Create a virtual machine scale set


BasicsDisksNetworkingScalingManagementHealthAdvancedTagsReview + create

An Azure virtual machine scale set can automatically increase or decrease the number of VM instances that run your application. This automated and elastic behavior reduces the management overhead to monitor and optimize the performance of your application. [Learn more about VMSS scaling](#)


Instance


Initial instance count * 

Scaling


Scaling policy 


☐ Manual ☒ Custom


Minimum number of VMs * 

Maximum number of VMs * 


Scale out


CPU threshold (%) * 

Duration in minutes * 


Number of VMs to increase by * 

Scale in

CPU threshold (%) * 

Number of VMs to decrease by * 

Diagnostic logs

Collect diagnostic logs from Autoscale  ☒ Disabled ☐ Enabled

Scale-In policy

Configure the order in which virtual machines are selected for deletion during a scale-in operation. [Learn more about scale-in policies.](#)

Scale-in policy

Use the drop-down menus to select the answer choice that answers each questions based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

At 9:00 AM, the scale set starts and CPU utilization is 90 percent for 15 minutes. How many virtual machine instances will be running at 9:15 AM?

2

3

4

5

At 10:00 AM, the scale set has five virtual machine instances running and CPU utilization falls to less than 15 percent for 60 minutes. How many virtual machine instances will be running at 11:00 AM?

1

2

3

4

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box-1 : 3

Initial starts 2 VM's 15 minutes have passed. at 10 minutes 1 VM was added we now have 3 VM's. Cool down is 5 Minutes before another 10 minute wait cycle starts so the answer is 3.

Box-2: 1

Initial 5 VM's 60 minutes Pass. 1 VM removed every 15 minute cycle. 10 minutes wait timer plus 5 minute cool down equals 15 minutes cycle. Four 15 minute cycles pass equaling 60 minutes removing 4 VM's. We have 1 VM left.

Default Scale in and Out Default Durations are 10 minutes with 5 minute cool down. The default scale set settings in Azure are:

- Minimum number of instances 1
- Maximum number of instances 10
- Scale out CPU threshold (%) 75
- Duration in minutes10
- Number of instances to increase by 1
- Scale in CPU threshold (%) 25
- Number of instances to decrease by -1

<https://learn.microsoft.com/en-us/azure/virtual-machine-scale-sets/virtual-machine-scale-sets-autoscale-portal#create-a-rule-to-automatically-scale-in>

NEW QUESTION 193
HOTSPOT - (Topic 5)

You have an Azure subscription that contains the resource groups shown in the following table.

Name	Lock name	Lock type
RG1	None	None
RG2	Lock	Delete

RG1 contains the resources shown in the following table.

Name	Type	Lock name	Lock type
storage1	Storage account	Lock1	Delete
VNET1	Virtual network	Lock2	Read-only
IP1	Public IP address	None	None

RG2 contains the resources shown in the following table.

Name	Type	Lock name	Lock type
storage2	Storage account	Lock1	Delete
VNET2	Virtual network	Lock2	Read-only
IP2	Public IP address	None	None

You need to identify which resources you can move from RG1 to RG2, and which resources you can move from RG2 to RG1. Which resources should you identify? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Resources that you can move from RG1 to RG2:

IP1, VNET1, and storage1

None

IP1 only

IP1 and storage1 only

IP1 and VNET1 only

IP1, VNET1, and storage1

Resources that you can move from RG2 to RG1:

IP2, VNET2, and storage2

None

IP2 only

IP2 and storage2 only

IP2 and VNET2 only

IP2, VNET2, and storage2

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 197

HOTSPOT - (Topic 5)

You have an Azure subscription.

You create the following file named Deploy.json.

```
{
  "sku": {
    "name": "Premium_LRS"
  },
  "kind": "StorageV2",
  "properties": {},
  "copy": {
    "name": "storagecopy",
    "count": 3
  }
}
```

You connect to the subscription and run the following commands.

```
New-AzResourceGroup -Name RG1 -Location "centralus"
New-AzResourceGroupDeployment -ResourceGroupName RG1 -TemplateFile "deploy.json"
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The commands will create four new resources.	<input type="radio"/>	<input type="radio"/>
The commands will create storage accounts in the West US Azure region.	<input type="radio"/>	<input type="radio"/>
The first storage account that is created will have a prefix of 0.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The commands will create four new resources.	<input checked="" type="radio"/>	<input type="radio"/>
The commands will create storage accounts in the West US Azure region.	<input type="radio"/>	<input checked="" type="radio"/>
The first storage account that is created will have a prefix of 0.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 199

- (Topic 5)

You have an Azure App Service app named App1 that contains two running instances. You have an autoscale rule configured as shown in the following exhibit.

For the Instance limits scale condition setting, you set Maximum to 5. During a 30-minute period, App1 uses 80 percent of the available memory. What is the maximum number of instances for App1 during the 30-minute period?

- A. Mastered
B. Not Mastered

Answer: A

NEW QUESTION 202

- (Topic 5)

You have an Azure subscription that contains a virtual network named VNet1. VNet1 contains four subnets named Gateway, Perimeter, NVA and Production. The NVA subnet contains two network virtual appliances (NVAs) that will perform network traffic inspection between the Perimeter subnet and the Production subnet.

You need to implement an Azure load balancer for the NVAs. The solution must meet the following requirements:

- The NVAs must run in an active-active configuration that uses automatic failover.
 - The load balancer must load balance traffic to two services on the Production subnet. The services have different IP addresses.
- Which three actions should you perform? Each correct answer presents part of the solution.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add two load balancing rules that have HA Ports enabled and Floating IP disabled.
- B. Deploy a basic load balancer.
- C. Add a frontend IP configuration, a backend pool, and a health probe.
- D. Add two load balancing rules that have HA Ports and Floating IP enabled.
- E. Deploy a standard load balancer.
- F. Add a frontend IP configuration, two backend pools, and a health probe.

Answer: DEF

NEW QUESTION 203

HOTSPOT - (Topic 5)

You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Operating system	Connects to
VM1	Windows Server 2019	Subnet1
VM2	Windows Server 2019	Subnet2

VM1 and VM2 use public IP addresses. From Windows Server 2019 on VM1 and VM2, you allow inbound Remote Desktop connections. Subnet1 and Subnet2 are in a virtual network named VNET1.

The subscription contains two network security groups (NSGs) named NSG1 and NSG2. NSG1 uses only the default rules.

NSG2 uses the default rules and the following custom incoming rule;

- Priority: 100
- Name: Rule1
- Port: 3389
- Protocol: TCP
- Source: Any
- Destination: Any
- Action: Allow

NSG1 is associated to Subnet! NSG2 is associated to the network interface of VM2.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
From the internet, you can connect to VM1 by using Remote Desktop.	<input type="radio"/>	<input type="radio"/>
From the internet, you can connect to VM2 by using Remote Desktop.	<input type="radio"/>	<input type="radio"/>
From VM1, you can connect to VM2 by using Remote Desktop.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statements	Yes	No
From the internet, you can connect to VM1 by using Remote Desktop.	<input type="radio"/>	<input checked="" type="radio"/>
From the internet, you can connect to VM2 by using Remote Desktop.	<input checked="" type="radio"/>	<input type="radio"/>
From VM1, you can connect to VM2 by using Remote Desktop.	<input checked="" type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:


No: VM1 has default rules which denies any port open for inbound rules Yes: VM2 has custom rule allowing RDP port

Yes: VM1 and VM2 are in the same Vnet. by default, communication are allowed

NEW QUESTION 205

- (Topic 5)

You have a virtual network named VNet1 as shown in the exhibit. (Click the Exhibit tab.)



No devices are connected to VNet1.

You plan to peer VNet1 to another virtual network named VNet2. VNet2 has an address space of 10.2.0.0/16.

You need to create the peering. What should you do first?

- A. Configure a service endpoint on VNet2.
B. Modify the address space of VNet1.
C. Add a gateway subnet to VNet1.
D. Create a subnet on VNet1 and VNet2.

Answer: B

Explanation:

To create a peering between two virtual networks, the address spaces of the virtual networks must not overlap. VNet1 has an address space of 10.0.0.0/16, which overlaps with VNet2's address space of 10.2.0.0/16. Therefore, you need to modify the address space of VNet1 to a non-overlapping range, such as 10.1.0.0/16, before you can create the peering. You do not need to configure a service endpoint, add a gateway subnet, or create a subnet on either virtual network for the

peering to work. Then, References: [Virtual network peering] [Modify a virtual network’s address space]

NEW QUESTION 207

- (Topic 5)
You have an Azure subscription named Subscription1.
You have 5 TB of data that you need to transfer to Subscription1. You plan to use an Azure Import/Export job.
What can you use as the destination of the imported data?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Azure Import/Export service is used to securely import large amounts of data to Azure Blob storage and Azure Files by shipping disk drives to an Azure datacenter. The maximum size of an Azure Files Resource of a file share is 5 TB. Reference: https://docs.microsoft.com/en-us/azure/storage/common/storage-import-export-service

NEW QUESTION 211

HOTSPOT - (Topic 5)
You have an Azure subscription named Subscription1. Subscription1 contains a virtual machine named VM1.
You install and configure a web server and a DNS server on VM1.
VM1 has the effective network security rules shown in the following exhibit.

Network Interface: vm1441Effective security rulesTopology

Virtual network/subnet: VNET1/defaultNIC Public IP: 52.160.123.200NIC Private IP: 10.0.6.4Accelerated networking: Disabled

Inbound port rulesOutbound port rulesApplication security groupsLoad balancing

Network security group VM1-nsg (attached to network interface: vm1441)

Impacts 0 subnets, 1 network interfaces

Add inbound port rule

Priority	Name	Port	Protocol	Source	Destination	Action	
100	Rule2	50-60	Any	Any	Any	Deny	...
300	RDP	3389	TCP	Any	Any	Allow	...
400	Rule1	50-500	Any	Any	Any	Allow	...
65000	AllowVnetInBound	Any	Any	VirtualNetwork	VirtualNetwork	Allow	...
65001	AllowAzureLoadBalancerInBound	Any	Any	AzureLoadBalancer	Any	Allow	...
65500	DenyAllInBound	Any	Any	Any	Any	Deny	...

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

Internet users [answer choice].

can connect to only the web server on VM1

can connect to only the DNS server on VM1

can connect to only the web server on VM1

can connect to the web server and the DNS server on VM1

cannot connect to the web server and the DNS server on VM1

If you delete Rule2, Internet users [answer choice].

can connect to the web server and the DNS server on VM1

can connect to only the DNS server on VM1

can connect to only the web server on VM1

can connect to the web server and the DNS server on VM1

cannot connect to the web server and the DNS server on VM1

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A number between 100 and 4096. Rules are processed in priority order, with lower numbers processed before higher numbers, because lower numbers have higher priority. Once traffic matches a rule, processing stops. As a result, any rules that exist with lower priorities (higher numbers) that have the same attributes as rules with higher priorities are not processed. https://docs.microsoft.com/en-us/azure/virtual-network/network-security- groups-overview

NEW QUESTION 216

HOTSPOT - (Topic 5)
You have an Azure subscription that contains the storage accounts shown in the following exhibit.

Storage accounts

Default Directory

+ Add

⚙ Manage view

🔄 Refresh

📄 Export to CSV

🏷 Assign tags

🗑 Delete

📧 Feedback

Filter by name...

Subscription == all

Resource group == all

Location == all

+ Add filter

Showing 1 to 4 of 4 records.

<input type="checkbox"/>	Name ↑↓	Type ↑↓	Kind ↑↓	Resource group ↑↓	Location ↑↓
<input type="checkbox"/>	contoso101	Storage account	StorageV2	RG1	East US
<input type="checkbox"/>	contoso102	Storage account	Storage	RG1	East US
<input type="checkbox"/>	contoso103	Storage account	BlobStorage	RG1	East US
<input type="checkbox"/>	contoso104	Storage account	FileStorage	RG1	East US

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

You can create a premium file share in

contoso101 only

contoso104 only

contoso101 or contoso104 only

contoso101, contoso102, or contoso104 only

contoso101, contoso102, contoso103, or contoso104

You can use the Archive access tier in

contoso101 only

contoso101 or contoso103 only

contoso101, contoso102, and contoso103 only

contoso101, contoso102, and contoso104 only

contoso101, contoso102, contoso103, and contoso104

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: contoso104 only

Premium file shares are hosted in a special purpose storage account kind, called a FileStorage account.

Box 2: contoso101, contoso102, and contoso103 only

NEW QUESTION 217

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains 10 virtual networks. The virtual networks are hosted in separate resource groups.

Another administrator plans to create several network security groups (NSGs) in the subscription.

You need to ensure that when an NSG is created, it automatically blocks TCP port 8080 between the virtual networks.

Solution: You create a resource lock, and then you assign the lock to the subscription.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

No, this does not meet the goal. Creating a resource lock and assigning it to the subscription is not enough to ensure that when an NSG is created, it automatically blocks TCP port 8080 between the virtual networks. This is because a resource lock does not affect the configuration or functionality of a resource, but only prevents it from being deleted or modified1. A resource lock does not apply any security rules to an NSG or a virtual network.

To meet the goal, you need to create a custom policy definition that enforces a default security rule for NSGs. A policy definition is a set of rules and actions that Azure performs when evaluating your resources2. You can use a policy definition to specify the required properties and values for NSGs, such as the direction, protocol, source, destination, and port of the security rule. You can then assign the policy definition to the subscription scope, so that it applies to all the resource groups and virtual networks in the subscription.

NEW QUESTION 221

HOTSPOT - (Topic 5)

You have the App Service plans shown in the following table.

Name	Operating system	Location
ASP1	Windows	West US
ASP2	Windows	Central US
ASP3	Linux	West US

You plan to create the Azure web apps shown in the following table.

Name	Runtime stack	Location
WebApp1	.NET Core 3.0	West US
WebApp2	ASP.NET 4.7	West US

You need to identify which App Service plans can be used for the web apps.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

WebApp1:

▼

ASP1 only

ASP3 only

ASP1 and ASP2 only

ASP1 and ASP3 only

ASP1, ASP2, and ASP3

WebApp2:

▼

ASP1 only

ASP3 only

ASP1 and ASP2 only

ASP1 and ASP3 only

ASP1, ASP2, and ASP3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: ASP1 ASP3

Asp1, ASP3: ASP.NET Core apps can be hosted both on Windows or Linux.

Not ASP2: The region in which your app runs is the region of the App Service plan it's in. Box 2: ASP1 ASP.NET apps can be hosted on Windows only.

NEW QUESTION 224

- (Topic 5)

Your on-premises network contains a VPN gateway.

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Description
vgw1	Virtual network gateway	Gateway for Site-to-Site VPN to the on-premises network
storage1	Storage account	Standard performance tier
Vnet1	Virtual network	Enabled forced tunneling
VM1	Virtual machine	Connected to Vnet1

You need to ensure that all the traffic from VM1 to storage1 travels across the Microsoft backbone network.

What should you configure?

- A. private endpoints
- B. Azure Firewall
- C. Azure AD Application Proxy
- D. Azure Peering Service

Answer: B

Explanation:

Per the MS documentation, private endpoint seems to be the proper choice: "You can use private endpoints for your Azure Storage accounts to allow clients on a virtual network (VNet) to securely access data over a Private Link. The private endpoint uses a separate IP address from the VNet address space for each storage account service. Network traffic between the clients on the VNet and the storage account traverses over the VNet and a private link on the Microsoft backbone network, eliminating exposure from the public internet." Link: <https://learn.microsoft.com/en-us/azure/storage/common/storage-private-endpoints>

NEW QUESTION 225

- (Topic 5)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You have a CSV file that contains the names and email addresses of 500 external users. You need to create a guest user account in contoso.com for each of the 500 external users.

Solution: from Azure AD in the Azure portal, you use the Bulk create user operation. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

<https://learn.microsoft.com/en-us/azure/active-directory/external-identities/tutorial-bulk-invite?source=recommendations>

- Use "Bulk invite users" to prepare a comma-separated value (.csv) file with the user information and invitation preferences
- Upload the .csv file to Azure AD
- Verify the users were added to the directory

NEW QUESTION 226

- (Topic 5)

You have an Azure subscription that contains the virtual machines shown in the following table.

javascript:void(0)

Name	Public IP SKU	Connected to	Status
VM1	None	VNET1/Subnet1	Stopped (deallocated)
VM2	Basic	VNET1/Subnet2	Running

You deploy a load balancer that has the following configurations:

- Name: LB1
- Type internal
- SKU: Standard
- Virtual network VNET1

You need to ensure that you can add VM1 and VM2 to the backend pool of LB1.

Solution: You create a Basic SKU public IP address, associate the address to the network interface of VM1, and then start VM1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You can only attach virtual machines that are in the same location and on the same virtual network as the LB. Virtual machines must have a standard SKU public IP or no public IP.

The LB needs to be a standard SKU to accept individual VMs outside an availability set or vmss. VMs do not need to have public IPs but if they do have them they have to be standard SKU. Vms can only be from a single network. When they don't have a public IP they are assigned an ephemeral IP.

Also, when adding them to a backend pool, it doesn't matter in which status are the VMs. Note: Load balancer and the public IP address SKU must match when you use them with public IP addresses.

NEW QUESTION 228

- (Topic 5)

You plan to deploy three Azure virtual machines named VM1, VM2, and VM3. The virtual machines will host a web app named App1.

You need to ensure that at least two virtual machines are available if a single Azure datacenter becomes unavailable.

What should you deploy?

- A. all three virtual machines in a single Availability Zone
- B. all virtual machines in a single Availability Set
- C. each virtual machine in a separate Availability Zone
- D. each virtual machine in a separate Availability Set

Answer: C

Explanation:

An Availability Zone in an Azure region is a combination of a fault domain and an update domain. For example, if you create three or more VMs across three zones in an Azure region, your VMs are effectively distributed across three fault domains and three update domains. The Azure platform recognizes this distribution across update domains to make sure that VMs in different zones are not updated at the same time.

Reference link

<https://learn.microsoft.com/en-us/training/modules/configure-virtual-machine-availability/5-review-availability-zones>

NEW QUESTION 232

- (Topic 5)

You have an Azure subscription named Subscription1 that contains the storage accounts shown in the following table:

Name	Account kind	Azure service that contains data
storage1	Storage	File
storage2	StorageV2 (general purpose v2)	File, Table
storage3	StorageV2 (general purpose v2)	Queue
storage4	BlobStorage	Blob

You plan to use the Azure Import/Export service to export data from Subscription1. Which account can be used to export the data.

What should you identify?

- A. storage1

- B. storage2
- C. storage3
- D. storage4

Answer: D

Explanation:

Azure Import/Export service supports the following of storage accounts:

Standard General Purpose v2 storage accounts (recommended for most scenarios) Blob Storage accounts

General Purpose v1 storage accounts (both Classic or Azure Resource Manager deployments),

Azure Import/Export service supports the following storage types: Import supports Azure Blob storage and Azure File storage Export supports Azure Blob storage. Azure Files not supported.

Only storage4 can be exported.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-import-export-requirements>

NEW QUESTION 236

HOTSPOT - (Topic 5)

You have an Azure Storage account named storage1 that contains a blob container. The blob container has a default access tier of Hot. Storage1 contains a container named container1.

You create lifecycle management rules in storage1 as shown in the following table.

Name	Rule scope	Blob type	Blob subtype	Rule block	Prefix match
Rule1	Limit blobs by using filters.	Block blobs	Base blobs	If base blobs were not modified for two days, move to archive storage. If base blobs were not modified for nine days, delete the blob.	container1/Dep1
Rule2	Apply to all blobs in storage1.	Block blobs	Base blobs	If base blobs were not modified for three days, move to cool storage. If base blobs were not modified for nine days, move to archive storage.	<i>Not applicable</i>

You perform the actions shown in the following table.

Date	Action
October 1	Upload three files named Dep1File1.docx, File2.docx, and File3.docx to container1.
October 2	Edit Dep1File1.docx and File3.docx.
October 5	Edit File2.docx.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
On October 10, you can read Dep1File1.docx without a delay.	<input type="radio"/>	<input type="radio"/>
On October 10, you can read File2.docx without a delay.	<input type="radio"/>	<input type="radio"/>
On October 10, you can read File3.docx without a delay.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

File3.docx is a blob in container1 that was uploaded on October 1 and edited on October 2. According to the lifecycle management rule 2, any blob in container1 that has not been modified for 5 days will be deleted. Therefore, on October 7, File3.docx will be deleted from the storage account. Therefore, on October 10, you cannot read File3.docx because it no longer exists.

NEW QUESTION 241

- (Topic 5)

You have an Azure subscription.

Users access the resources in the subscription from either home or from customer sites. From home, users must establish a point-to-site VPN to access the Azure resources. The users on the customer sites access the Azure resources by using site-to-site VPNs.

You have a line-of-business app named App1 that runs on several Azure virtual machine. The virtual machines run Windows Server 2016.

You need to ensure that the connections to App1 are spread across all the virtual machines.

What are two possible Azure services that you can use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. a public load balancer
- B. Traffic Manager
- C. an Azure Content Delivery Network (CDN)
- D. an internal load balancer

E. an Azure Application Gateway

Answer: DE

Explanation:

Line of Business WebAPP works on VMs need internal load balancer. So D is needed. Then deploy WebAPP on VMs, check the link.
<https://docs.microsoft.com/en-us/azure/application-gateway/quick-create-portal> So B is needed as well. The original answer is not accomplished.

NEW QUESTION 244

HOTSPOT - (Topic 5)

You have an Azure subscription named Subscription1 that contains a virtual network named VNet1. You add the users in the following table.

User	Role
User1	Owner
User2	Security Admin
User3	Network Contributor

Which user can perform each configuration? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Add a subnet to VNet1:

Assign a user the Reader role to VNet1:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1 - The Owner Role lets you manage everything, including access to resources.

User3 - The Network Contributor role lets you manage networks, including creating subnets.

User2 - The Security Admin role can view security policies, view security states, edit security policies, view alerts and recommendations, dismiss alerts and recommendations.

NEW QUESTION 245

- (Topic 5)

You have an Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. The User administrator role is assigned to a user named Admin1.

An external partner has a Microsoft account that uses the user1@outlook.com sign in.

Admin1 attempts to invite the external partner to sign in to the Azure AD tenant and receives the following error message: "Unable to invite user user1@outlook.com – Generic authorization exception." You need to ensure that Admin1 can invite the external partner to sign in to the Azure AD tenant.

What should you do?

- A. From the Roles and administrators blade, assign the Security administrator role to Admin1.
- B. From the Organizational relationships blade, add an identity provider.
- C. From the Custom domain names blade, add a custom domain.
- D. From the Users settings blade, modify the External collaboration settings.

Answer: D

Explanation:

You can adjust the guest user settings, their access, who can invite them from "External collaboration settings" check this link <https://docs.microsoft.com/en-us/azure/active-directory/external-identities/delegate-invitations>

NEW QUESTION 246

HOTSPOT - (Topic 5)

You have an Azure subscription that contains a storage account named storage1.

You need to configure a shared access signature (SAS) to ensure that users can only download blobs securely by name.

Which two settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct answer is worth one point.

Answer Area

Allowed services ⓘ
☒ Blob ☐ File ☐ Queue ☐ Table

Allowed resource types ⓘ
☐ Service ☐ Container ☐ Object

Allowed permissions ⓘ
☒ Read ☐ Write ☐ Delete ☐ List ☐ Add ☐ Create ☐ Update ☐ Process ☐ Immutable storage ☐ Permanent delete

Blob versioning permissions ⓘ
☐ Enables deletion of versions

Allowed blob index permissions ⓘ
☐ Read/Write ☐ Filter

Start and expiry date/time ⓘ
Start 01/01/2023 12:00:00 AM
End 12/31/2024 11:59:59 PM
(UTC) Coordinated Universal Time

Allowed IP addresses ⓘ
For example, 168.1.5.65 or 168.1.5.65-168.1.5.70

Allowed protocols ⓘ
☒ HTTPS only ☐ HTTPS and HT

Answer:

Answer Area

Allowed services ⓘ
☒ Blob ☐ File ☐ Queue ☐ Table

Allowed resource types ⓘ
☐ Service ☐ Container ☒ Object

Allowed permissions ⓘ
☒ Read ☐ Write ☐ Delete ☒ List ☐ Add ☐ Create ☐ Update ☐ Process ☐ Immutable storage ☐ Permanent delete

Blob versioning permissions ⓘ
☐ Enables deletion of versions

Allowed blob index permissions ⓘ
☐ Read/Write ☐ Filter

Start and expiry date/time ⓘ
Start 01/01/2023 12:00:00 AM
End 12/31/2024 11:59:59 PM
(UTC) Coordinated Universal Time

Allowed IP addresses ⓘ
For example, 168.1.5.65 or 168.1.5.65-168.1.5.70

Allowed protocols ⓘ
☒ HTTPS only ☐ HTTPS and HT

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Allowed resources types: Objects (access by name)
Allowed Permissions: Read (you need download) and List (you need to see the object to read it)

NEW QUESTION 250

DRAG DROP - (Topic 5)

You have an Azure subscription that contains virtual machine named VM1.
You need to back up VM. The solution must ensure that backups are stored across three availability zones in the primary region.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Set Replication to **Zone-redundant storage (ZRS)**.

Configure a replication policy.

Set Replication to **Locally-redundant storage (LRS)**.

For VM1, create a backup policy and configure the backup.

Create a Recovery Services vault.

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

According to 1, Availability Zones are unique physical locations within an Azure region that provide high availability and disaster recovery for your virtual machines.
To back up your VM across three availability zones in the primary region, you need to perform the following actions in sequence:
? Create a Recovery Services vault2 that will store your backups and enable geo-redundancy for cross-region protection.
? For VM1, create a backup policy and configure the backup2 to use the Recovery Services vault as the backup destination.

? Configure a replication policy1 that will replicate your VM1 to another availability zone in the same region.

NEW QUESTION 254

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You have a CSV file that contains the names and email addresses of 500 external users. You need to create a guest user account in contoso.com for each of the 500 external users.

Solution: From Azure AD in the Azure portal, you use the Bulk create user operation. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

<https://learn.microsoft.com/en-us/azure/active-directory/external-identities/tutorial-bulk-invite?source=recommendations>

NEW QUESTION 259

HOTSPOT - (Topic 5)

You plan to use Azure Network Watcher to perform the following tasks:

? Task1: Identify a security rule that prevents a network packet from reaching an Azure virtual machine

? Task2: Validate outbound connectivity from an Azure virtual machine to an external host

Which feature should you use for each task? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Task1:

IP flow verify

Next hop

Packet capture

Security group view

Traffic Analytics

Task2:

Connection troubleshoot

IP flow verify

Next hop

NSG flow logs

Traffic Analytics

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Task 1: IP flow verify

The IP flow verify capability enables you to specify a source and destination IPv4 address, port, protocol (TCP or UDP), and traffic direction (inbound or outbound). IP flow verify then tests the communication and informs you if the connection succeeds or fails. If the connection fails, IP flow verify tells you which security rule allowed or denied the communication, so that you can resolve the problem.

Task 2: Connection troubleshoot

The connection troubleshoot capability enables you to test a connection between a VM and another VM, an FQDN, a URI, or an IPv4 address. The test returns similar information returned when using the connection monitor capability, but tests the connection at a point in time, rather than monitoring it over time.

NEW QUESTION 262

- (Topic 5)

You have an Azure subscription. The subscription contains a storage account named storage1 that has the lifecycle management rules shown in the following table.

Name	If base blobs were last modified more than (days)	Then
Rule1	5 days	Move to cool storage
Rule2	5 days	Delete the blob
Rule3	5 days	Move to archive storage

On June 1, you store a blob named File1 in the Hot access tier of storage1. What is the state of File1 on June 7?

- A. stored in the Archive access tier
B. stored in the Hot access tier
C. stored in the Cool access tier
D. deleted

Answer: D

Explanation:

If you define more than one action on the same blob, lifecycle management applies the least expensive action to the blob. For example, action delete is cheaper than action tierToArchive. Action tierToArchive is cheaper than action tierToCool. <https://learn.microsoft.com/en-us/azure/storage/blobs/lifecycle-management-overview>

NEW QUESTION 267

- (Topic 5)

You have two Azure virtual networks named VNet1 and VNet2. VNet1 contains an Azure virtual machine named VM1. VNet2 contains an Azure virtual machine named VM2.

VM1 hosts a frontend application that connects to VM2 to retrieve data.

Users report that the frontend application is slower than usual.

You need to view the average round-trip time (RTT) of the packets from VM1 to VM2. Which Azure Network Watcher feature should you use?

- A. NSG flow logs
B. Connection troubleshoot
C. IP flow verify
D. Connection monitor

Answer: D

Explanation:

<https://learn.microsoft.com/en-us/azure/network-watcher/network-watcher-monitoring-overview#monitoring>

The connection monitor capability monitors communication at a regular interval and informs you of reachability, latency, and network topology changes between the VM and the endpoint.

Connection monitor also provides the minimum, average, and maximum latency observed over time. After learning the latency for a connection, you may find that you can decrease the latency by moving your Azure resources to different Azure regions.

NEW QUESTION 271

HOTSPOT - (Topic 5)

You have a hybrid deployment of Azure AD that contains the users shown in the following table.

Name	User type	On-premises sync enabled
User1	Member	No
User2	Member	Yes
User3	Guest	No

You need to modify the JobTitle and UsageLocation attributes for the users.

For which users can you modify the attributes from Azure AD? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

JobTitle: User1 and User3 only ▼
User1 only
User1 and User2 only
User1 and User3 only
User1, User2, and User3

UsageLocation: User1, User2, and User3 ▼
User1 only
User1 and User2 only
User1 and User3 only
User1, User2, and User3

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1:User1 and User3 only

You must use Windows Server Active Directory to update the identity, contact info, or job info for users whose source of authority is Windows Server Active Directory.

Box 2: User1, User2, and User3

Usage location is an Azure property that can only be modified from Azure AD (for all users including Windows Server AD users synced via Azure AD Connect).

NEW QUESTION 276

.....

Relate Links

100% Pass Your AZ-104 Exam with ExamBible Prep Materials

<https://www.exambible.com/AZ-104-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>