

Exam Questions 202-450

LPIC-2 Exam 202 Part 2 of 2 version 4.5

<https://www.2passeasy.com/dumps/202-450/>



NEW QUESTION 1

What information can be found in the file specified by the status parameter in an OpenVPN server configuration file? (Choose two.)

- A. Errors and warnings generated by the openvpn daemon
- B. Routing information
- C. Statistical information regarding the currently running openvpn daemon
- D. A list of currently connected clients
- E. A history of all clients who have connected at some point

Answer: BD

NEW QUESTION 2

Which of the following lines in the sshd configuration file should, if present, be changed in order to increase the security of the server? (Choose two.)

- A. Protocol 2, 1
- B. PermitEmptyPasswords no
- C. Port 22
- D. PermitRootLogin yes
- E. IgnoreRhosts yes

Answer: AD

NEW QUESTION 3

Which of the following nmap parameters scans a target for open TCP ports? (Choose two.)

- A. -sO
- B. -sZ
- C. -sT
- D. -sU
- E. -sS

Answer: CE

NEW QUESTION 4

What option in the client configuration file would tell OpenVPN to use a dynamic source port when making a connection to a peer?

- A. src-port
- B. remote
- C. source-port
- D. nobind
- E. dynamic-bind

Answer: D

NEW QUESTION 5

CORRECT TEXT

What command creates a SSH key pair? (Specify ONLY the command without any path or parameters)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

ssh-keygen

NEW QUESTION 6

What is the name of the network security scanner project which, at the core, is a server with a set of network vulnerability tests?

- A. NetMap
- B. OpenVAS
- C. Smartscan
- D. Wireshark

Answer: B

NEW QUESTION 7

With fail2ban, what is a 'jail'?

- A. A netfilter rules chain blocking offending IP addresses for a particular service
- B. A group of services on the server which should be monitored for similar attack patterns in the log files
- C. A filter definition and a set of one or more actions to take when the filter is matched
- D. The chroot environment in which fail2ban runs

Answer: C

NEW QUESTION 8

Which of the following Samba configuration parameters is functionally identical to the parameter read only=yes?

- A. browseable=no
- B. read write=no
- C. writeable=no
- D. write only=no
- E. write access=no

Answer: C

NEW QUESTION 9

Which of the following Samba services handles the membership of a file server in an Active Directory domain?

- A. winbindd
- B. nmbd
- C. msadd
- D. admemb
- E. samba

Answer: E

NEW QUESTION 10

Performing a DNS lookup with dig results in this

```
;; QUESTION SECTION:
;5.123.168.192.in-addr.arpa.      IN      PTR

;; ANSWER SECTION:
5.123.168.192.in-addr.arpa.  600     IN      PTR linuxerv.example.net.123.168.192.in-addr.arpa.

;; AUTHORITY SECTION:
123.168.192.in-addr.arpa.  600     IN      NS      linuxerv.example.net.

;; ADDITIONAL SECTION:
linuxerv.example.net.  600     IN      A      192.168.123.5
```

- A. There is no . after linuxerv.example.net in the PTR record in the forward lookup zone file
- B. There is no . after linuxerv in the PTR record in the forward lookup zone file
- C. There is no . after linuxerv.example.net in the PTR record in the reverse lookup zone file
- D. The . in the NS definition in the reverse lookup zone has to be removed

Answer: C

NEW QUESTION 10

Which of the following DNS records could be a glue record?

- A. ns1.labA198.51.100.53
- B. labNS198.51.100.53
- C. ns1.labNS198.51.100.53
- D. ns1.A198.51.100.53
- E. ns1.labGLUE198.51.100.53

Answer: A

NEW QUESTION 11

Which Apache HTTPD directive enables HTTPS protocol support?

- A. HTTPSEngine on
- B. SSLEngine on
- C. SSLEnable on
- D. HTTPSEnable on

E. StartTLS on

Answer: B

NEW QUESTION 15

CORRECT TEXT

Which OpenLDAP client command can be used to change the password for an LDAP entry? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

ldappasswd

NEW QUESTION 18

It has been discovered that the company mail server is configured as an open relay. Which of the following actions would help prevent the mail server from being used as an open relay while maintaining the possibility to receive company mails? (Choose two.)

- A. Restrict Postfix to only accept e-mail for domains hosted on this server
- B. Configure Dovecot to support IMAP connectivity
- C. Configure netfilter to not permit port 25 traffic on the public network
- D. Restrict Postfix to only relay outbound SMTP from the internal network
- E. Upgrade the mailbox format from mbox to maildir

Answer: CD

NEW QUESTION 22

After the installation of Dovecot, it is observed that the dovecot processes are shown in ps ax like this:

```
31248 ?      S      0:00 dovecot/imap
31253 ?      S      0:00 dovecot/imap-login
```

In order to associate the processes with users and peers, the username, IP address of the peer and the connection status, which of the following options must be set?

- A. --with-linux-extprocnames for ./configure when building Dovecot
- B. sys.ps.allow_descriptions = 1 in sysctl.conf or /proc
- C. proc.all.show_status = 1 in sysctl.conf or /proc
- D. verbose_proctitle = yes in the Dovecot configuration
- E. process_format = "%u %l %s" in the Dovecot configuration

Answer: D

NEW QUESTION 23

CORRECT TEXT

Which action in a Sieve filter forwards a message to another email address without changing the message? (Specify ONLY the action's name without any parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

redirect

NEW QUESTION 26

Which of the following actions synchronizes UNIX passwords with the Samba passwords when the encrypted Samba password is changed using smbpasswd?

- A. There are no actions to accomplish this since is not possible.
- B. Run netvamp regularly, to convert the passwords.
- C. Run winbind --sync, to synchronize the passwords.
- D. Add unix password sync = yes to smb.conf
- E. Add smb unix password = sync to smb.conf

Answer: D

NEW QUESTION 28

CORRECT TEXT

In order to export /usr and /bin via NFSv4, /exports was created and contains working bind mounts to /usr and /bin. The following lines are added to /etc/exports on the NFS server:

```
/exports 192.0.1.0/24 (rw, sync, fsid=0, crossmnt, no_subtree_check)
/exports/usr 192.0.2.0/24 (rw, sync, fsid=0, crossmnt, no_subtree_check)
/exports/bin 192.0.2.0/24 (rw, sync, fsid=0, crossmnt, no_subtree_check)
```

After running

mount-tnfsv4 server://mnt

of an NFS-Client, it is observed that /mnt contains the content of the server's /usr directory instead of the content of the NFSv4 root folder.

Which option in /etc/exports has to be changed or removed in order to make the NFSv4 root folder appear when mounting the highest level of the server? (Specify ONLY the option name without any values or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mount

NEW QUESTION 32

The following Apache HTTPD configuration has been set up to create a virtual host available at www.example.com and www2.example.com:

```
<VirtualHost *:80>
    ServerName www.example.com
    ServerName www2.example.com
    ServerAdmin webmaster@example.com
    DocumentRoot /var/www/
    <Directory /srv/www/>
        Require all granted
    </Directory>
</VirtualHost>
```

Even though Apache HTTPD correctly processed the configuration file, requests to both names are not handled correctly. What should be changed in order to ensure correct operations?

- A. The configuration must be split into two VirtualHost sections since each virtual host may only have one name.
- B. The port mentioned in opening VirtualHost tag has to be appended to the ServerName declaration's values.
- C. Both virtual host names have to be placed as comma separated values in one ServerName declaration.
- D. Both virtual host names have to be mentioned in the opening VirtualHost tag.
- E. Only one Server name declaration may exist, but additional names can be declared in ServerAlias options.

Answer: C

NEW QUESTION 37

There is a restricted area in a site hosted by Apache HTTPD, which requires users to authenticate against the file /srv/www/security/sitepasswd.

Which command is used to CHANGE the password of existing users, without losing data, when Basic authentication is being used?

- A. htpasswd -c /srv/www/security/sitepasswd user
- B. htpasswd /srv/www/security/sitepasswd user
- C. htpasswd -n /srv/www/security/sitepasswd user
- D. htpasswd -D /srv/www/security/sitepasswd user

Answer: A

NEW QUESTION 42

With Nginx, which of the following directives is used to proxy requests to a FastCGI application?

- A. fastcgi_pass
- B. fastcgi_proxy
- C. proxy_fastcgi
- D. proxy_fastcgi_pass
- E. fastcgi_forward

Answer: A

NEW QUESTION 44

What is the standard port used by OpenVPN?

- A. 1723
- B. 4500
- C. 500
- D. 1194

Answer: D

NEW QUESTION 49

Using its standard configuration, how does fail2ban block offending SSH clients?

- A. By rejecting connections due to its role as a proxy in front of SSHD.
- B. By modifying and adjusting the SSHD configuration.
- C. By creating and maintaining netfilter rules.
- D. By creating null routes that drop any answer packets sent to the client.
- E. By modifying and adjusting the TCP Wrapper configuration for SSH

Answer: B

NEW QUESTION 52

Which FTP names are recognized as anonymous users in vsftp when the option anonymous_enable is set to yes in the configuration files? (Choose two.)

- A. anonymous
- B. ftp
- C. In the described configuration, any username which neither belongs to an existing user nor has another special meaning is treated as anonymous user.
- D. nobody
- E. guest

Answer: AB

NEW QUESTION 55

A zone file contains the following lines:

```
$ORIGIN example.com  
  
host2.example.org. IN A 198.51.100.102
```

and is included in the BIND configuration using this configuration stanza:

```
zone "example.com" {  
  
    type master;  
  
    file "db.example.com";  
  
};
```

Which problem is contained in this configuration?

- A. The zone statement in the BIND configuration must contain the cross-zone-data yes; statement.
- B. The zone cannot contain records for a name which is outside the zone's hierarchy.
- C. The \$ORIGIN declaration cannot be used in zone files that are included for a specific zone name in the BIND configuration.
- D. An A record cannot contain an IPv4 address because its value is supposed to be a reverse DNS name.
- E. Names of records in a zone file cannot be fully qualified domain name

Answer: C

NEW QUESTION 56

Which of the following statements allow the logical combinations of conditions in Sieve filters? (Choose two.)

- A. allof
- B. anyof
- C. noneof
- D. and
- E. or

Answer: AE

NEW QUESTION 58

CORRECT TEXT

Which attribute of an object in LDAP defines which other attributes can be set for the object? (Specify ONLY the attribute name without any values.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
class

NEW QUESTION 61

Which of the following values can be used in the OpenLDAP attribute olcBackend for any object of the class olcBackendConfig to specify a backend? (Choose three.)

- A. xml
- B. bdb
- C. passwd
- D. ldap
- E. text

Answer: BDE

NEW QUESTION 65

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 202-450 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 202-450 Product From:

<https://www.2passeasy.com/dumps/202-450/>

Money Back Guarantee

202-450 Practice Exam Features:

- * 202-450 Questions and Answers Updated Frequently
- * 202-450 Practice Questions Verified by Expert Senior Certified Staff
- * 202-450 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 202-450 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year