

Microsoft

Exam Questions SC-400

Microsoft Information Protection Administrator



NEW QUESTION 1

- (Topic 1)

You are implementing a data classification solution.

The research department at your company requires that documents containing programming code be labeled as Confidential. The department provides samples of the code from its document library.

The solution must minimize administrative effort. What should you do?

- A. Create a custom classifier.
- B. Create a sensitive info type that uses Exact Data Match (EDM).
- C. Use the source code classifier.
- D. Create a sensitive info type that uses a regular expression.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/classifier-learn-about?view=o365-worldwide>

NEW QUESTION 2

- (Topic 1)

You have a Microsoft 365 tenant.

You have a Microsoft SharePoint Online site that contains employment contracts in a folder named EmploymentContracts. All the files in EmploymentContracts are marked as records.

You need to recommend a process to ensure that when a record is updated, the previous version of the record is kept as a version of the updated record. What should you recommend?

- A. Upload an updated file plan that contains the record definition.
- B. Unlock the record, modify the record, and then lock the record.
- C. Create a copy of the record and enter a version in the file metadata.
- D. Create a new label policy associated to an event that will apply to the record.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/record-versioning?view=o365-worldwide>

NEW QUESTION 3

- (Topic 1)

You create a label that encrypts email data.

Users report that they cannot use the label in Outlook on the web to protect the email messages they send.

You need to ensure that the users can use the new label to protect their email. What should you do?

- A. Wait six hours and ask the users to try again.
- B. Create a label policy.
- C. Create a new sensitive information type.
- D. Modify the priority order of label policies

Answer: D

NEW QUESTION 4

HOTSPOT - (Topic 1)

You have a Microsoft SharePoint Online site named Site1 and a sensitivity label named Sensitivity1. Sensitivity1 adds a watermark and a header to content.

You create a policy to automatically apply Sensitivity1 to emails in Microsoft Exchange Online and Site1.

How will Sensitivity1 mark matching emails and Site1 documents? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Exchange Online emails:	<div><div></div><div>A header only</div><div>A watermark only</div><div>A watermark and a header</div></div>
Site1 documents:	<div><div></div><div>A header only</div><div>A watermark only</div><div>A watermark and a header</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Exchange Online emails:

A header only

A watermark only

A watermark and a header

Site1 documents:

A header only

A watermark only

A watermark and a header

NEW QUESTION 5

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 subscription.

You receive the data loss prevention (DIP) alert shown in the following exhibit.

Contoso Electronics

Microsoft Purview

Sensitive info in email with subject 'Message1'

Details

Sensitive info types

Metadata

Event details

ID

173fe9ac-3a65-41b0-9914-1db451bba639

Location

Exchange

Time of activity

Jun 6, 2022 8:22 PM

Impacted entities

User

M

Megan Bowen

Email recipients

v

victoria@fabrikam.com

Email subject

Message1

Policy details

DLP policy matched

Policy1

Rule matched

Rule1

Sensitive info types detected

Credit Card Number (19, 85%)

Actions taken

GenerateAlert

User override policy

Yes

Override justification text

Manager approved

Sensitive info detected in

Document1.docx

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graph.
NOTE: Each correct selection is worth one point.

Answer Area

The email was [answer choice]..

sent to a manager for approval

delivered immediately

quarantined and undelivered

sent to a manager for approval

The sender's manager [answer choice].

overrode Rule1

approved the email by using a workflow

overrode Rule1

was uninvolved in the override process

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 6

- (Topic 1)

You need to meet the retention requirement for the users' Microsoft 365 data. What is the minimum number of retention policies that you should use?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 6

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

NEW QUESTION 7

- (Topic 1)

You have a Microsoft 365 tenant. You create the following:

? A sensitivity label

? An auto-labeling policy

You need to ensure that the sensitivity label is applied to all the data discovered by the auto-labeling policy.

What should you do first?

- A. Enable insider risk management.
- B. Create a trainable classifier.
- C. Run the Enable-TransportRule cmdlet.
- D. Run the policy in simulation mode.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/apply-sensitivity-label-automatically?view=o365-worldwide>

NEW QUESTION 8

- (Topic 1)

You have a Microsoft 365 tenant that uses Microsoft Teams.

You need to ensure that all internal communication is stored for a minimum of seven years. What should you create first?

- A. a retention label
- B. a Microsoft SharePoint Online site
- C. a Microsoft Exchange Online shared mailbox
- D. a retention label policy

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

NEW QUESTION 9

HOTSPOT - (Topic 1)

You need to recommend an information governance solution that meets the HR requirements for handling employment applications and resumes.

What is the minimum number of information governance solution components that you should create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Minimum number of retention labels:

▼

1
2
3
4

Minimum number of auto-labeling policies:

▼

1
2
3
4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Minimum number of retention labels:

▼

1
2
3
4

Minimum number of auto-labeling policies:

▼

1
2
3
4

NEW QUESTION 10

HOTSPOT - (Topic 1)

You have Microsoft 365 E5 tenant that has a domain name of M365x925027.onmicrosoft.com.
You have a published sensitivity label.

The Encryption settings for the sensitivity label are configured as shown in the exhibit.

Encryption

Control who can access files and email messages that have this label applied. [Learn more about encryption settings](#)

☐

Remove encryption if the file is encrypted

☒

Configure encryption settings

ⓘ

Turning on encryption impacts Office files (Word, PowerPoint, Excel) that have this label applied. Because the files will be encrypted for security reasons, performance will be slow when the files are opened or saved, and some SharePoint and OneDrive features will be limited or unavailable. [Learn more](#)

Assign permissions now or let users decide?

Assign permissions now

The encryption settings you choose will be automatically enforced when the label is applied to email and Office files.

User access to content expires ⓘ

Never




Allow offline access ⓘ

Always

Assign permissions to specific users and groups * ⓘ

[Assign permissions](#)

3 items

Authenticated users:	Viewer	
LegalTeam@M365x925027.OnMicrosoft.com	Co-Author	
USSales@M365x925027.onmicrosoft.com	Reviewer	

Back

Next

Cancel

For each of the following statements, select Yes if statement is true. Otherwise, select No
NOTE: Each correct selection is worth one point.

Statements	Yes	No
Only users at your company can view an email that has the sensitivity label applied.	<input type="radio"/>	<input type="radio"/>
The owner of an email can assign permissions when applying the sensitivity label.	<input type="radio"/>	<input type="radio"/>
USSales@M365x925027.onmicrosoft.com can print an email that has the sensitivity label applied.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

When you create a sensitivity label, you can restrict access to content that the label will be applied to. Only users within your organization can open a confidential document or email.

Box 2: No

Assign permissions now has been selected.

Encryption

Control who can access files and email messages that have this label applied. [Learn more about encryption settings](#)

- ☐ Remove encryption if the file is encrypted
☒ Configure encryption settings

(i) Turning on encryption impacts Office files (Word, PowerPoint, Excel) that have this label applied. Because the files will be encrypted for security reasons, performance will be slow when the files are opened or saved, and some SharePoint and OneDrive features will be limited or unavailable. [Learn more](#)

Assign permissions now or let users decide?

Assign permissions now

The encryption settings you choose will be automatically enforced when the label is applied to email and Office files.

User access to content expires (i)

Never

Allow offline access (i)

Always

Assign permissions to specific users and groups * (i)

[Assign permissions](#)

3 Items

Authenticated users	Viewer	
LegalTeam@M365x925027.OnMicrosoft.com	Co-Author	
USSales@M365x925027.onmicrosoft.com	Reviewer	

Back

Next

Cancel

Box 3: No

Only co-author and co-owner can print.

NEW QUESTION 10

- (Topic 1)

You receive an email that contains a list of words that will be used few a sensitive information type.

You need to create a file that can be used as the source of a keyword dictionary. In which format should you save the list?

- A. an XLSX file that contains one word in each cell of the first row
B. a ISV file that contains words separated by tabs
C. a JSON file that that an element tor each word
D. a text file that has one word on each line

Answer: D

Explanation:

Keyword dictionaries can be created either from a text file or from csv file. Note:

There are several versions of this question in the exam. The question has two possible correct answers:

? a CSV file that contains words separated by commas

? a text file that has one word on each line

Other incorrect answer options you may see on the exam include the following:

? a TSV file that contains words separated by tabs

? a DOCX file that has one word on each line

? an XML file that contains a keyword tag for each word

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-a-keyword-dictionary?view=o365-worldwide>

NEW QUESTION 14

HOTSPOT - (Topic 1)

At the end of a project you upload project documents to a Microsoft SharePoint Online library that contains many fifes. Files that have the following naming format must be labeled

- as Project I
- aei_AA989.docx
 - bd_WSOgadocx
 - cei_DLF112-docx
 - ebc_QQ4S4.docx
 - ecc_BB565.docx

You plan to create an auto-apply retention label policy.

What should you use to identify the files, and which regular expression should you use? To answer, select the appropriate options in the answer area.

Answer Area

To identify the files, use:

A sensitive info type

A retention label

A trainable classifier

Regular expression:

[a-z]{3}[_[A-Z]{2}]{3}.docx

[a-z]{3}[d]{3}[_[a-z]{2}]{3}.docx

[a-z]{3}[_[A-Z]{2}]{3}.docx

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1 = a retention labelBox 2 = [a-z]{3}[_[A-Z]{2}]{3}.docx

NEW QUESTION 16

HOTSPOT - (Topic 1)

You have a Microsoft 365 sensitivity label that is published to all the users in your Azure AD tenant as shown in the following exhibit.

Answer Area

Statements	Yes	No
All the documents stored on each user's computer will include a watermark automatically.	<input type="radio"/>	<input type="radio"/>
If the sensitivity label is applied to a document, the document will have a header that contains the word "INTERNAL".	<input type="radio"/>	<input type="radio"/>
The sensitivity label can be applied only to documents that contain the word rebranding.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
All the documents stored on each user's computer will include a watermark automatically.	<input type="radio"/>	<input checked="" type="radio"/>
If the sensitivity label is applied to a document, the document will have a header that contains the word "INTERNAL".	<input type="radio"/>	<input checked="" type="radio"/>
The sensitivity label can be applied only to documents that contain the word rebranding.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 18

- (Topic 1)

You have a Microsoft 365 E5 subscription.

You plan to use insider risk management to collect and investigate forensic evidence. You need to enable forensic evidence capturing.

What should you do first?

- A. Enable Adaptive Protection.
- B. Configure the information protection scanner.
- C. Create priority user groups.
- D. Claim capacity.

Answer: D

NEW QUESTION 22

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant and 500 computers that run Windows 10. The computers are onboarded to the Microsoft 365 compliance center.

You discover that a third-party application named Tailspin_scanner.exe accessed protected

sensitive information on multiple computers. Tailspin_scanner.exe is installed locally on the computers. You need to block Tailspin_scanner.exe from accessing sensitive documents without preventing the application from accessing other documents. Solution: From the Cloud App Security portal, you create an app discovery policy. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You can create app discovery policies to alert you when new apps are detected within your organization.

Use the unallowed apps list instead.

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/cloud-discovery-policies>

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-using?view=o365-worldwide>

NEW QUESTION 25

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You have a user named User1. Several users have full access to the mailbox of User1. Some email messages sent to User1 appear to have been read and deleted before the user viewed them.

When you search the audit log in the Microsoft Purview compliance portal to identify who signed in to the mailbox of User1, the results are blank.

You need to ensure that you can view future sign-ins to the mailbox of User1. Solution: You run the Set-AuditConfig -Workload Exchange command.

Does that meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 29

- (Topic 1)

You plan to implement sensitivity labels for Microsoft Teams.

You need to ensure that you can view and apply sensitivity labels to new Microsoft Teams sites.

What should you do first?

- A. Run the Set-sposite cmdlet.
- B. Configure the EnableMTPLabels Azure Active Directory (Azure AD) setting.
- C. Create a new sensitivity label scoped to Groups & sites.
- D. Run the Execute-AzureAdLabelSync cmdtet.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels-teams-groups-sites?view=o365-worldwide>

NEW QUESTION 30

- (Topic 1)

You have a Microsoft 365 tenant that uses the following sensitivity labels:

- * Confidential
- * Internal
- * External

The labels are published by using a label policy named Policy1.

Users report that Microsoft Office for the web apps do not display the Sensitivity button. The Sensitivity button appears in Microsoft 365 Apps that are installed locally.

You need to ensure that the users can apply sensitivity labels to content when they use Office for the web apps.

Solution: You modify the publishing settings of Policy1. Does the meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 31

- (Topic 1)

You are configuring a retention label named Label1 as shown in the following exhibit.

Define retention settings

When this label is applied to items, the content is retained and/or deleted based on the settings you choose here.

☒ **Retain items for a specific period**
 Labeled items will be retained for the period you choose. During the retention period, Users will be able to edit items and change or remove the label. If they delete items, we'll keep copies in a secure location. [Learn more](#)

Retention period of years months days

Start the retention period based on

+ Create new event type

At the end of the retention period

☒ **Delete items automatically**
 We'll delete items from where they're currently stored.

☐ **Trigger a disposition review**

☐ **Do nothing**
 Items will be left in place. You'll have to manually delete them if you want them gone.

☐ **Retain items forever**
 Labeled items will be retained forever, even if users delete them. Users will be able to edit items and change or remove the label. If they delete items, we'll keep copies in a secure location. [Learn more](#)

☐ **Only delete items when they reach a certain age**
 Labeled items won't be retained, but when they reach the age you choose, we'll delete them from where they're stored.

You need to ensure that documents that have Label1 applied are deleted three years after the end of your company's fiscal year. What should you do?

- A. Create a new event type.
- B. Select Only delete items when they reach a certain age.
- C. Modify the Retention period setting.
- D. Set At the ends of the retention period to Trigger a disposition review.

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/event-driven-retention?view=o365-worldwide>

NEW QUESTION 33

- (Topic 1)

You have a Microsoft 365 tenant.

You have a database that stores customer details. Each customer has a unique 13-digit identifier that consists of a fixed pattern of numbers and letters.

You need to implement a data loss prevention (DLP) solution that meets the following requirements:

- Email messages that contain a single customer identifier can be sent outside your company,
- Email messages that contain two or more customer identifiers must be approved by the company's data privacy team.

Which two components should you include in the solution? Each correct answer presents part of the solution. NOTE Each correct selection is worth one point.

- A. a sensitive information type
- B. a DLP policy
- C. a mail flow rule
- D. a sensitivity label
- E. a retention label

Answer: AC

NEW QUESTION 34

HOTSPOT - (Topic 1)

You have the retention label policy shown in the Policy exhibit. (Click the Policy tab.)

Define retention settings

When this label is applied to items, the content is retained and/or deleted based on the settings you choose here.

☒ **Retain items for a specific period**

Labeled items will be retained for the period you choose. During the retention period, Users will be able to edit items and change or remove the label. If they delete items, we'll keep copies in a secure location. [Learn more](#)

Retention period

7 years

Start the retention period based on

Fiscal Year End

+ Create new event type

At the end of the retention period

☒ **Delete items automatically**

We'll delete items from where they're currently stored.

☐ **Trigger a disposition review**
☐ **Do nothing**

This option isn't available for event-based labels

☐ **Retain items forever**

Labeled items will be retained forever, even if users delete them. Users will be able to edit items and change or remove the label, if they delete items, we'll keep copies in a secure location. [Learn more](#)

☐ **Only delete items when they reach a certain age**

Labeled items won't be retained, but when they reach that age you choose, we'll delete them from where they're stored.

Back

Next

Cancel

Need help?

Give feedback

Users apply the retention label policy to files and set the asset ID as shown in the following table.

File name	Creation date	Asset ID
Doc1.docx	September 1, 2020	FY20
Doc2.docx	September 20, 2020	FY20
Doc3.docx	October 15, 2020	FY21

On December 1, 2020, you create the event shown in the Event exhibit. (Click the Event tab.)

Events > New Event

✓ Name the Event

✓ Event Settings

Review your Settings

Review your Settings

Event Name

Name FY 2020

Description

Edit

Event Settings

Event type Fiscal Year End

Event Labels

Edit

More Event Settings

Applies to Exchange items with these keywords

Applies to SharePoint/OneDrive items with these asset IDs

Event date Wed Sep 30 2020 00:00:00 GMT-0400 (Eastern-Daylight Time)

Edit

Back

Submit

Cancel

Need help? Give feedback

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
Doc1.docx will be retained until December 30, 2027.	<input type="radio"/>	<input type="radio"/>
Doc2.docx will be retained until September 30, 2027.	<input type="radio"/>	<input type="radio"/>
Doc3.docx will be retained until September 30, 2027.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Doc1.docx will be retained until December 30, 2027.	<input type="radio"/>	<input checked="" type="radio"/>
Doc2.docx will be retained until September 30, 2027.	<input checked="" type="radio"/>	<input type="radio"/>
Doc3.docx will be retained until September 30, 2027.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 35

- (Topic 1)

You have a Microsoft 365 E5 subscription that uses Microsoft Teams and contains a user named User1. You configure Microsoft Purview Information Barriers. You need to identify which information barrier policies apply to User1. Which cmdlet should you use?

- A. Get-OrganizationSeagent
B. Get-InformationBarrierPoliciesApplicationStatus
C. Get-InformationBarrierPolicy
D. Get-InformationBarrierRecipientStatus

Answer: D

NEW QUESTION 39

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 tenant.

Data loss prevention (DLP) policies are applied to Exchange email, SharePoint sites, and OneDrive accounts locations.

You need to use PowerShell to retrieve a summary of the DLP rule matches from the last seven days.

Which PowerShell module and cmdlet should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Module:

- Azure Active Directory (Azure AD)
- Exchange Online
- SharePoint Online

Cmdlet:

- Get-DlpDetailReport
- Get-DlpDetectionsReport
- Get-DlpPolicy
- Get-DlpSiDetectionsReport

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Module:

- Azure Active Directory (Azure AD)
- Exchange Online
- SharePoint Online

Cmdlet:

- Get-DlpDetailReport
- Get-DlpDetectionsReport
- Get-DlpPolicy
- Get-DlpSiDetectionsReport

NEW QUESTION 41

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You have computers that run Windows 10 and have Microsoft 365 Apps installed. The computers are joined to Azure Active Directory (Azure AD).

You need to ensure that Endpoint DLP policies can protect content on the computers. Solution: You deploy the Endpoint DLP configuration package to the computers. Does this meet the goal?

- A. Yes
 B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-getting-started?view=o365-worldwide>

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/configure-endpoints?view=o365-worldwide>

NEW QUESTION 42

- (Topic 1)

You have a Microsoft 365 E5 subscription.

You plan to implement retention policies for Microsoft Teams. Which item types can be retained?

- A. voice memos from the Teams mobile client
- B. embedded images
- C. code snippets

Answer: A

NEW QUESTION 47

HOTSPOT - (Topic 1)

You enable archive mailboxes for all the users at your company. The Default MRM Policy is shown in the MRM exhibit.

Default MRM Policy

This policy contains the following retention tags

- 1 Month Delete
- 1 Week Delete
- 1 Year Delete
- 5 Year Delete
- 6 Month Delete
- Default 2 year move to archive
- Junk Email
- Never Delete
- Personal 1 year move to archive
- Personal 5 year move to archive
- Personal never move to archive
- Recoverable items 14 days move to archive

A Microsoft 365 retention label policy is shown in the Label Policy exhibit.

Exchange Label Policy

Status

Enabled (Pending)

Policy name

Exchange Label Policy

Description

Label policy for Exchange

Applies to content in these locations

Exchange email

Settings

Publish labels for your users

- 10 Year – Do not Delete
- 2 Year Delete

Preservation lock

No

You need to identify the following:

? How many years until an email is archived?

? What should you modify to change the retention period for archiving?

What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

By default, email is:

	▼
Deleted after two years	
Deleted after one month	
Retained in the mailbox for 10 years	
Moved to the archive mailbox after two years	

To change the retention period for archiving, modify:

	▼
The Default MRM Policy	
The Exchange Label Policy	
The properties of the archive mailbox	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

By default, email is:

	▼
Deleted after two years	
Deleted after one month	
Retained in the mailbox for 10 years	
Moved to the archive mailbox after two years	

To change the retention period for archiving, modify:

	▼
The Default MRM Policy	
The Exchange Label Policy	
The properties of the archive mailbox	

NEW QUESTION 51
HOTSPOT - (Topic 1)
You create a retention policy as shown in the following exhibit.

Retention Policy 1

Status

Enabled (Pending)

Policy name

Retention Policy 1

Description

Retention Policy for SharePoint Site1 and Exchange

Applies to content in these locations

Exchange email

SharePoint sites

Settings

Retention period

Keep content, and delete it if it's older than 10 years

Preservation lock

No data available

A user named User1 deletes a file named File1.docx from a Microsoft SharePoint Online site named Site1.

A user named User2 deletes an email and empties the Deleted Items folder in Microsoft Outlook.

Where is the content retained one year after deletion? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

File.docx:

▼

Preservation Hold

Recoverable Items

SubstrateHolds

The first-stage Recycle Bin

Email:

▼

Preservation Hold

Recoverable Items

SubstrateHolds

The first-stage Recycle Bin

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

File.docx:

Preservation Hold

Recoverable Items

SubstrateHolds

The first-stage Recycle Bin

Email:

Preservation Hold

Recoverable Items

SubstrateHolds

The first-stage Recycle Bin

NEW QUESTION 53

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 subscription that contains the devices shown in the following table.

Name	Platform	Microsoft Intune
Device1	Windows 11	Not enrolled
Device2	macOS	Enrolled

You need to onboard the devices to Microsoft Purview. The solution must ensure that you can apply Endpoint data loss prevention (Endpoint DLP) policies to the devices. What can you use to onboard each device? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Device1:

The Company Portal app only

Microsoft Endpoint Manager only

A local script and Group Policy only

The Company Portal app and Microsoft Endpoint Manager only

A local script, Group Policy, and Microsoft Endpoint Manager

Device2:

The Company Portal app only

A local script only

Microsoft Endpoint Manager only

A local script and Microsoft Endpoint Manager only

The Company Portal app and Microsoft Endpoint Manager only

The Company Portal app, a local script, and Microsoft Endpoint Manager

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Device1:

The Company Portal app only

Microsoft Endpoint Manager only

A local script and Group Policy only

The Company Portal app and Microsoft Endpoint Manager only

A local script, Group Policy, and Microsoft Endpoint Manager

Device2:

The Company Portal app only

A local script only

Microsoft Endpoint Manager only

A local script and Microsoft Endpoint Manager only

The Company Portal app and Microsoft Endpoint Manager only

The Company Portal app, a local script, and Microsoft Endpoint Manager

NEW QUESTION 55

- (Topic 1)

You have a Microsoft 365 E5 subscription. You need to create a subject rights request What can be configured as a search location?

- A. Microsoft Exchange Online and Teams only
- B. Microsoft Exchange Online, SharePoint Online, and Teams
- C. Microsoft Exchange Online only
- D. Microsoft Exchange Online and SharePoint Online only

E. Microsoft SharePoint Online only

Answer: B

NEW QUESTION 56

- (Topic 1)

You have a Microsoft 365 tenant.

All Microsoft OneDrive for Business content is retained for five years.

A user named User1 left your company a year ago, after which the account of User 1 was deleted from Azure Active Directory (Azure AD).

You need to recover an important file that was stored in the OneDrive of User1. What should you use?

- A. the Restore-SPODeletedSite PowerShell cmdlet
- B. the OneDrive recycle bin
- C. the Restore-ADObject PowerShell cmdlet
- D. Deleted users in the Microsoft 365 admin center

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/onedrive/set-retention> <https://docs.microsoft.com/en-us/onedrive/retention-and-deletion>

NEW QUESTION 60

HOTSPOT - (Topic 1)

You have a Microsoft 365 tenant named contoso.com that contains two users named User1 and User2. The tenant uses Microsoft Office 365 Message Encryption (OME).

User1 plans to send emails that contain attachments as shown in the following table.

Subject	To	Attachment type	Message size
Mail1	User2@contoso.com	.docx	40 MB
Mail2	User4@outlook.com	.doc	3 MB
Mail3	User3@gmail.com	.xlsx	7 MB

User2 plans to send emails that contain attachments as shown in the following table.

Subject	To	Attachment type	Message size
Mail4	User1@contoso.com	.pptx	4 MB
Mail5	User4@outlook.com	.jpg	6 MB
Mail6	User3@gmail.com	.docx	3 MB

For which emails will the attachments be protected? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1:

▼

Mail1 only

Mail3 only

Mail1 and Mail2 only

Mail2 and Mail3 only

Mail1, Mail2, and Mail3

User2:

▼

Mail5 only

Mail6 only

Mail4 and Mail5 only

Mail4 and Mail6 only

Mail1, Mail2, and Mail3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1:

▼

Mail1 only

Mail3 only

Mail1 and Mail2 only

Mail2 and Mail3 only

Mail1, Mail2, and Mail3

User2:

▼

Mail5 only

Mail6 only

Mail4 and Mail5 only

Mail4 and Mail6 only

Mail1, Mail2, and Mail3

NEW QUESTION 65

- (Topic 1)
You need to ensure that documents in a Microsoft SharePoint Online site that contain a reference to Project Alpha are retained for two years, and then deleted.
Which two objects should you create? Each correct answer presents part of the solution. (Choose two.)
NOTE: Each correct selection is worth one point.

- A. a retention policy
- B. an auto-apply label policy
- C. a sensitive info type
- D. a retention label
- E. a sensitivity label
- F. a publishing label policy

Answer: BD

Explanation:
Reference:
<https://docs.microsoft.com/en-us/microsoft-365/compliance/apply-retention-labels-automatically?view=o365Worldwide>

NEW QUESTION 69

HOTSPOT - (Topic 1)
You use project codes that have a format of three alphabetical characters that represent the project type, followed by three digits, for example Abc123.
You need to create a new sensitive info type for the project codes.
How should you configure the regular expression to detect the content? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

(\s)(

▼

 \

▼

) (\s)

[aA]{3}

[abc]{3}

[alpha]{3}

[a-zA-Z]{3}

d{000-999}

d{123}

d{3}

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

(\s)(

[aA]{3}

[abc]{3}

[alpha]{3}

[a-zA-Z]{3}

)\s)(\s)(

d{000-999}

d{123}

d{3}

)\s)

NEW QUESTION 71

HOTSPOT - (Topic 1)

You have a Microsoft 365 subscription that contains two groups named Group1 and Group2.
You have the compliance assessments shown in the following table.

Name	Group
Ca1	Group1
Ca2	Group1
Ca3	Group2

You have the improvement actions shown in the following table.

Action	Compliance assessment	Improvement action	Points	Action type
Action1	Ca1	Create and publish a retention label	5	Technical
Action2	Ca2	Create and publish a retention label	5	Technical
Action3	Ca3	Enable Windows 10 Security baseline	5	Technical
Action4	Ca1	Restrict access to privileged accounts	10	Operational
Action5	Ca2	Update security awareness training	10	Operational
Action6	Ca3	Update security awareness training	10	Operational

You perform the following actions:

- Create and publish a retention label.
- Implement security awareness training for all users.
- For Action4, change Implementation status to Implemented

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The compliance score for Ca1 will increase by 15 points.	<input type="radio"/>	<input type="radio"/>
The compliance score for Ca2 will increase by 15 points.	<input type="radio"/>	<input type="radio"/>
The compliance score for Ca3 will increase by 10 points.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The compliance score for Ca1 will increase by 15 points.	<input checked="" type="radio"/>	<input type="radio"/>
The compliance score for Ca2 will increase by 15 points.	<input type="radio"/>	<input checked="" type="radio"/>
The compliance score for Ca3 will increase by 10 points.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 72

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 tenant.

You need to create a custom trainable classifier that will detect product order forms. The solution must use the principle of least privilege.

What should you do first? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 76

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 tenant.

You create sensitivity labels as shown in the Sensitivity Labels exhibit.

+ Create a label Publish labels Refresh

Name	Order	Scope
Public	0 – lowest	File, Email
General	1	File, Email
Confidential	2	File, Email
Internal	3	File, Email
External	4 – highest	File, Email

The Confidential/External sensitivity label is configured to encrypt files and emails when applied to content.
The sensitivity labels are published as shown in the Published exhibit.

Sensitivity Policy1

Edit policy

Delete policy

Name

Sensitivity Policy1

Description

Published labels

- Public
- General
- External/External
- Internal/Internal
- Confidential

Published to

All

Policy settings

Users must provide justification to remove a label or lower its classification

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
The Internal sensitivity label inherits all the settings from the Confidential label.	<input type="radio"/>	<input type="radio"/>
Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External.	<input type="radio"/>	<input type="radio"/>
Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
The Internal sensitivity label inherits all the settings from the Confidential label.	<input type="radio"/>	<input checked="" type="radio"/>
Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External.	<input type="radio"/>	<input checked="" type="radio"/>
Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 79

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You recently discovered that the developers at your company emailed Azure Storage keys in plain text to third parties.

You need to ensure that when Azure Storage keys are emailed, the emails are encrypted. Solution: You configure a mail flow rule that matches the text patterns.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/mail-flow-rules/conditions-and-exceptions?view=exchserver-2019>

NEW QUESTION 82

HOTSPOT - (Topic 1)

You create a retention label policy named Contoso_policy that contains the following labels.

? 10 years then delete

? 5 years then delete

? Do not retain

Contoso_Policy is applied to content In Microsoft Sharepoint Online sites.

After a couple of days, yon discover the following messages on the Properties page of the label policy.

* Statue Off (Error)

* It's taking longer than expected to deploy the policy You need to reinitiate the policy.

How should you complete the command? To answer, select the appropriate options in the; answer area.

NOTE: Each correct selection is worth one point.

	-id Contoso_Policy	
Set-RetentionCompliancePolicy		-ForceFullSync
Set-RetentionPolicy		-FullCrawl
Start-EdgeSynchronization		-RetryDistribution
Start-RetentionAutoTagLearning		-Train

A. Mastered

B. Not Mastered

Answer: A

Explanation:

	-id Contoso_Policy	
Set-RetentionCompliancePolicy		-ForceFullSync
Set-RetentionPolicy		-FullCrawl
Start-EdgeSynchronization		-RetryDistribution
Start-RetentionAutoTagLearning		-Train

NEW QUESTION 85

- (Topic 1)

You have a Microsoft 365 subscription.

You have a user named User1. Several users have full access to the mailbox of User1. Some email messages sent to User1 appear to have been read and deleted before the user viewed them.

When you search the audit log in the Microsoft Purview compliance portal to identify who signed in to the mailbox of User1, the results are blank.

You need to ensure that you can view future sign-ins to the mailbox of User1.

YOU run the Set-MailboxFolderPernission -Identity "User1" -User UserIfcontoso.com - AccessRights Owner command.

Does that meet the goal?

A. Yes

B. No

Answer: B

NEW QUESTION 90

- (Topic 1)

You have a Microsoft 365 tenant that uses Microsoft Exchange Online. You need to recover deleted email messages from a user's mailbox.

Which two PowerShell cmdlets should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Restore-RecoverableItems
- B. Get-MailboxRestoreRequest
- C. Restore-Mailbox
- D. Get-RecoverableItems
- E. Set-MailboxRestoreRequest

Answer: AD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients-in-exchange-online/manage-user-mailboxes/recover-deleted-messages>

NEW QUESTION 94

HOTSPOT - (Topic 1)


You have a Microsoft 365 E5 subscription.


You are evaluating Data Protection Baseline compliance by using Compliance Manager. You need to identify improvement actions that meet the following requirements:

- Provide data loss prevention (DLP) policy recommendations.
- Provide Data Protection Baseline recommendations.

Which filter should you use for each requirement? To answer, select the appropriate options in the answer area.

Answer Area

DLP policy recommendations: 


Data Protection Baseline recommendations: 


- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area


DLP policy recommendations: 

Data Protection Baseline recommendations: 

NEW QUESTION 95

- (Topic 1)

You have a data loss prevention (DLP) policy configured for endpoints as shown in the following exhibit.



Create rule

^ Actions

Use actions to protect content when the conditions are met.

^ Audit or restrict activities on Windows devices

☒ Audit or restrict activities on Windows devices

When the activities below are detected on Windows devices for supported files containing sensitive info that matches this policy's conditions, you can choose to only audit the activity, block it entirely, or block it but allow users to override the restriction. [Learn more](#)

<input checked="" type="checkbox"/> Upload to cloud services or access by unallowed browsers	<input type="text" value="Block"/>
<input checked="" type="checkbox"/> Copy to clipboard	<input type="text" value="Audit only"/>
<input checked="" type="checkbox"/> Copy to a USB removable media	<input type="text" value="Audit only"/>
<input checked="" type="checkbox"/> Copy to a network share	<input type="text" value="Audit only"/>
<input checked="" type="checkbox"/> Access by unallowed apps	<input type="text" value="Audit only"/>
<input checked="" type="checkbox"/> Print	<input type="text" value="Audit only"/>

+ Add an action

^ User notifications

Use notifications to inform your users and help educate them on the proper use of sensitive info.

☒ On

Save Cancel

Need help? Give feedback

From a computer named Computer1, 3 user can sometimes upload files to cloud services and sometimes cannot. Other users experience the same issue. What are two possible causes of the issue? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. The Access by unallowed apps action is set to Audit only.
- B. The computers are NOT onboarded to the Microsoft 365 compliance center.
- C. The Copy to clipboard action is set to Audit only.
- D. There are file path exclusions in the Microsoft 365 Endpoint data loss prevention (Endpoint DIP) settings.
- E. The unallowed browsers in the Microsoft 365 Endpoint data loss prevention (Endpoint DLP) settings are NOT configured.

Answer: DE

NEW QUESTION 96

- (Topic 1)

You need to create a retention policy to retain all the files from Microsoft Teams channel conversations and private chats.

Which two locations should you select in the retention policy? Each correct answer present part of the solution.

NOTE: Each correct selection is worth one point.

- A. Team channel messages
- B. OneDrive accounts
- C. SharePoint sites
- D. Exchange email
- E. Office 365 groups
- F. Team chats

Answer: BC

Explanation:

Reference:

<https://support.microsoft.com/en-us/office/file-storage-in-teams-df5cc0a5-d1bb-414c-8870-46c6eb76686a>

NEW QUESTION 100

- (Topic 1)

You have a Microsoft 365 tenant that has a retention label policy. You need to configure the policy to meet the following requirements:

- Prevent the disabling or deletion of the policy.
- Ensure that new labels can be added.
- Prevent the removal of labels.

What should you do?

- A. Import a file plan.
- B. Enable insider risk management.
- C. Enable the regulatory record options.
- D. Create a preservation lock.

Answer: D

NEW QUESTION 101

- (Topic 1)

You create three sensitivity labels named Sensitivity1, Sensitivity2, and Sensitivity3 and perform the following actions:

? Publish Sensitivity1.

? Create an auto-labeling policy for Sensitivity2.

You plan to create a file policy named Policy1 in Microsoft Cloud App Security. Which sensitivity labels can you apply to Microsoft SharePoint Online in Policy1?

- A. Sensitivity1 only
- B. Sensitivity1, Sensitivity2, and Sensitivity3
- C. Sensitivity2 only
- D. Sensitivity1 and Sensitivity2 only

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/apply-sensitivity-label-automatically?view=o365-worldwide>

<https://docs.microsoft.com/en-us/cloud-app-security/azip-integration>

NEW QUESTION 106

- (Topic 1)

You have a Microsoft 365 E5 tenant that contains the policies shown in the following table.

Name	Type	Retention period	Start the retention period based on	At the end of the retention period
Label1	Label	5 years	When items were created	Delete items automatically
Label2	Retention	7 years	When items were created	Delete items automatically
Label3	Retention	10 years	When items were created	Do nothing

A file named File1 has all the policies applied.

How long will File1 be retained?

- A. File1 will be deleted automatically after seven years.
- B. File1 will be deleted automatically after five years.
- C. File1 will be retained until the file is deleted manually.
- D. File1 will be deleted automatically after 10 years.

Answer: D

NEW QUESTION 108

DRAG DROP - (Topic 1)

You need to create a trainable classifier that can be used as a condition in an auto-apply retention label policy.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Retrain the trainable classifier.

Create a terms of use (ToU) policy.

Create the trainable classifier.

Test the trainable classifier.

Publish the trainable classifier.

>

<

Answer Area

<

>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Retrain the trainable classifier.

Create a terms of use (ToU) policy.

Create the trainable classifier.

Test the trainable classifier.

Publish the trainable classifier.

>

<

Answer Area

Create the trainable classifier.

Test the trainable classifier.

Publish the trainable classifier.

<

>

NEW QUESTION 113

- (Topic 1)

You have a Microsoft SharePoint Online site named Site1 that contains a document library. The library contains more than 1,000 documents. Some of the documents are job applicant resumes. All the documents are in the English language.

You plan to apply a sensitivity label automatically to any document identified as a resume. Only documents that contain work experience, education, and accomplishments must be labeled automatically.

You need to identify and categorize the resumes. The solution must minimize administrative effort.

What should you include in the solution?

- A. a trainable classifier
- B. a keyword dictionary OC.
- C. a function
- D. an exact data match (EDM) classifier

Answer: A

NEW QUESTION 116

- (Topic 1)

You have a Microsoft SharePoint Online site that contains employee contracts in a document library named Contracts.

The contracts must be treated as records in accordance with your company's records management policy.

You need to implement a solution to automatically mark all the contracts as records when they are uploaded to Contracts.

Which two actions should you perform? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. Create a sensitivity label.
- B. Create a retention label.
- C. Configure a default label on the Contracts document library.
- D. Create a retention policy.
- E. Create a SharePoint Records Center.
- F. Create a retention lock.

Answer: BC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-apply-retention-labels?view=o365-worldwide>


NEW QUESTION 118

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Microsoft 365 role	Role group
Admin1	Global Administrator	None
Admin2	Compliance Administrator	None
User3	User	Compliance Manager Contributors
User4	User	Compliance Manager Administrators
User5	User	None

You create an assessment named Assesment1 as shown in the following exhibit.



Which users can update the title of Assessment1, and which users can add User5 to the Compliance Manager Readers role group? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Can update the Assessment1 title:

Admin2 and User4 only

User4 only

Admin2 and User4 only

Admin1, Admin2, and User4 only

Admin1, Admin2, User3, and User4 only

Can add User5 to the Compliance Manager Readers role group:

Admin1 and User4 only

Admin1 only

Admin1 and Admin2 only

Admin1 and User4 only

Admin1, Admin2, and User4 only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Can update the Assessment1 title:

Admin2 and User4 only

User4 only

Admin2 and User4 only

Admin1, Admin2, and User4 only

Admin1, Admin2, User3, and User4 only

Can add User5 to the Compliance Manager Readers role group:

Admin1 and User4 only

Admin1 only

Admin1 and Admin2 only

Admin1 and User4 only

Admin1, Admin2, and User4 only

NEW QUESTION 122

HOTSPOT - (Topic 1)

You have a Microsoft SharePoint Online site that contains the following files.

Name	Modified by	Data loss prevention (DLP) status
File1.docx	Manager1	None
File2.docx	Manager1	Matched by DLP
File3.docx	Manager1	Blocked by DLP

Users are assigned roles for the site as shown in the following table.

Name	Role
User1	Site owner
User2	Site member

Which files can User1 and User2 view? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

User1:

File1.docx only

File1.docx and File2.docx only

File1.docx, File2.docx, and File3.docx

User2:

File1.docx only

File1.docx and File2.docx only

File1.docx, File2.docx, and File3.docx

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1:

File1.docx only

File1.docx and File2.docx only

File1.docx, File2.docx, and File3.docx

User2:

File1.docx only

File1.docx and File2.docx only

File1.docx, File2.docx, and File3.docx

NEW QUESTION 123

- (Topic 1)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it as a result, these questions will not appear in the review screen.
You are configuring a file policy in Microsoft Defender for Cloud Apps.
You need to configure the policy to apply to all files. Alerts must be sent to every file owner who is affected by the policy. The policy must scan for credit card numbers, and alerts must be sent to the Microsoft Teams site of the affected department.
Solution: You use the Built-in DLP inspection method and send alerts to Microsoft Power Automate.
Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 128

- (Topic 1)
You have a Microsoft 365 ES tenant that uses Microsoft Teams and contains two users named User1 and User2.
You create a data loss prevention (DLP) policy that is applied to the Teams chat and channel messages location for user1 and user2.
Which Teams entities will have DLP protection? Purview compliance portal?

- A. 1:1/n chats and general channels only
- B. 1:1/chats and private channels only
- C. 1:1/ chats, general channels, and private channels
- D. DLP policy matches

Answer: BD

NEW QUESTION 131

- (Topic 1)

You have a Microsoft 365 subscription.

You have a user named User1. Several users have full access to the mailbox of User1. Some email messages sent to User1 appear to have been read and deleted before the user viewed them.

When you search the audit log in the Microsoft Purview compliance portal to identify who signed in to the mailbox of User1, the results are blank.

You need to ensure that you can view future sign-ins to the mailbox of User1. YOU run the Set-AdminAuditLogConfig -AdminAuditLogEnabled \$true

-AdminiAuditLogCmdlets "Mailbox*" command.

Does that meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 134

- (Topic 1)

You have a Microsoft 365 tenant that uses records management.

You use a retention label to mark legal files stored in a Microsoft SharePoint Online document library as regulatory records.

What can you do to the legal files?

- A. Remove the retention label of the files.
- B. Edit the properties of the files.
- C. Move the files to a different folder within the document library.
- D. Delete the content from the files.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/records-management?view=o365-worldwide#records>

NEW QUESTION 136

- (Topic 1)

You have a data loss prevention (DLP) policy that applies to the Devices location. The policy protects documents that contain States passport numbers.

Users reports that they cannot upload documents to a travel management website because of the policy.

You need to ensure that the users can upload the documents to the travel management website. The solution must prevent the protected content from being uploaded to other locations.

Which Microsoft 365 Endpoint data loss prevention (Endpoint DLP) setting should you configure?

- A. Unallowed apps
- B. File path exclusions
- C. Service domains
- D. Unallowed browsers

Answer: C

Explanation:

You can control whether sensitive files protected by your policies can be uploaded to specific service domains from Microsoft Edge.

? If the list mode is set to Block, then user will not be able to upload sensitive items to those domains. When an upload action is blocked because an item matches a DLP policy, DLP will either generate a warning or block the upload of the sensitive item.

? If the list mode is set to Allow, then users will be able to upload sensitive items only to those domains, and upload access to all other domains is not allowed.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-using?view=o365-worldwide>

NEW QUESTION 141

- (Topic 1)

You implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You have computers that run Windows 10 and have Microsoft 365 Apps installed. The computers are joined to Azure Active Directory (Azure AD).

You need to ensure that Endpoint DLP policies can protect content on the computers. Solution: You enroll the computers in Microsoft intune.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-getting-started?view=o365-worldwide>

NEW QUESTION 142

- (Topic 1)

Each product group at your company must show a distinct product logo in encrypted emails instead of the standard Microsoft Office 365 logo.

What should you do to create the branding templates?

- A. Create a Transport rule.
- B. Create an RMS template.
- C. Run the Set-IRMConfiguration cmdlet.
- D. Run the New-OMEConfiguration cmdlet.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/add-your-organization-brand-to-encryptedmessages?view=o365-worldwide>

NEW QUESTION 143

- (Topic 1)

You are planning a data loss prevention (DLP) solution that will apply to computers that run Windows 10.

You need to ensure that when users attempt to copy a file that contains sensitive information to a USB storage device, the following requirements are met:

* If the users are members of a group named Group1, the users must be allowed to copy the file, and an event must be recorded in the audit log.

* All other users must be blocked from copying the file. What should you create?

- A. one DLP policy that contains one DLP rule
- B. two DLP policies that each contains one DLP rule
- C. one DLP policy that contains two DLP rules

Answer: B

NEW QUESTION 145

- (Topic 1)

You need to provide a user with the ability to view data loss prevention (DLP) alerts in the Microsoft 365 compliance center. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A. Compliance data administrator
- B. Security operator
- C. Security reader
- D. Compliance administrator

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/dlp-configure-view-alerts-policies?view=o365-worldwide>

NEW QUESTION 147

HOTSPOT - (Topic 2)

You are reviewing policies for the SharePoint Online environment.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If a user creates a file in Site4 on January 1, 2021, users will be able to access the file on January 15, 2023.	<input type="radio"/>	<input type="radio"/>
If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2023.	<input type="radio"/>	<input type="radio"/>
If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2026.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Statements	Yes	No
If a user creates a file in Site4 on January 1, 2021, users will be able to access the file on January 15, 2023.	<input checked="" type="radio"/>	<input type="radio"/>
If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2023.	<input checked="" type="radio"/>	<input type="radio"/>
If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2026.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 149

HOTSPOT - (Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.


NOTE: Each correct selection is worth is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 150

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

SC-400 Practice Exam Features:

- * SC-400 Questions and Answers Updated Frequently
- * SC-400 Practice Questions Verified by Expert Senior Certified Staff
- * SC-400 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * SC-400 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The SC-400 Practice Test Here](#)