

Cisco

Exam Questions 300-730

Implementing Secure Solutions with Virtual Private Networks (SVPN)



NEW QUESTION 1

DRAG DROP

Drag and drop the correct commands from the right onto the blanks within the code on the left to implement a design that allow for dynamic spoke-to-spoke communication. Not all comments are used.

Select and Place:

Answer Area

<pre> Router A interface Tunnell ip address 10.0.0.1 255.255.255.0 ip nhrp mp multicast dynamic ip nhrp network-id 1 ip nhrp <input type="text"/> no ip split-horizon eigrp 10 tunnel source GigabitEthernet1 tunnel mode gre multipoint interface GigabitEthernet1 ip address 1.1.1.1 255.255.255.0 router eigrp 10 network 10.0.0.0 0.0.0.255 Router B interface Tunnell ip address 10.0.0.2 255.255.255.0 ip nhrp nhs <input type="text"/> nbma <input type="text"/> multicast ip nhrp network-id 1 ip nhrp <input type="text"/> tunnel source GigabitEthernet1 tunnel mode gre multipoint interface GigabitEthernet1 ip address 2.2.2.2 255.255.255.0 router eigrp 10 network 10.0.0.0 0.0.0.255 </pre>	<div style="border: 1px solid black; padding: 5px; width: 100px; margin: 5px auto;">1.1.1.1</div> <div style="border: 1px solid black; padding: 5px; width: 100px; margin: 5px auto;">10.0.0.1</div> <div style="border: 1px solid black; padding: 5px; width: 100px; margin: 5px auto;">redirect</div> <div style="border: 1px solid black; padding: 5px; width: 100px; margin: 5px auto;">shortcut</div> <div style="border: 1px solid black; padding: 5px; width: 100px; margin: 5px auto;">server-only</div>
---	--

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_dmvpn/configuration/x-16/sec-conn-dmvpn-xe-16-book/sec-conn-dmvpn-summaps.html

NEW QUESTION 2

A second set of traffic selectors is negotiated between two peers using IKEv2. Which IKEv2 packet will contain details of the exchange?

- A. IKEv2 IKE_SA_INIT
- B. IKEv2 INFORMATIONAL
- C. IKEv2 CREATE_CHILD_SA
- D. IKEv2 IKE_AUTH

Answer: B

NEW QUESTION 3

Which statement about GETVPN is true?

- A. The configuration that defines which traffic to encrypt originates from the key server.

- B. TEK rekeys can be load-balanced between two key servers operating in COOP.
- C. The pseudotime that is used for replay checking is synchronized via NTP.
- D. Group members must acknowledge all KEK and TEK rekeys, regardless of configuration.

Answer: A

NEW QUESTION 4

Which method dynamically installs the network routes for remote tunnel endpoints?

- A. policy-based routing
- B. CEF
- C. reverse route injection
- D. route filtering

Answer: C

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_vpnav/configuration/12-4t/sec-vpn-availability-12-4t-book/sec-rev-rte-inject.html

NEW QUESTION 5

Which command identifies a Cisco AnyConnect profile that was uploaded to the flash of an IOS router?

- A. svc import profile SSL_profile flash:simos-profile.xml
- B. anyconnect profile SSL_profile flash:simos-profile.xml
- C. crypto vpn anyconnect profile SSL_profile flash:simos-profile.xml
- D. webvpn import profile SSL_profile flash:simos-profile.xml

Answer: C

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/anyconnect-secure-mobility-client/200533-AnyConnect-Configure-Basic-SSLVPN-for-I.html>

NEW QUESTION 6

Which feature allows the ASA to handle nonstandard applications and web resources so that they display correctly over a clientless SSL VPN connection?

- A. single sign-on
- B. Smart Tunnel
- C. WebType ACL
- D. plug-ins

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/asa/asa90/configuration/guide/asa_90_cli_config/vpn_clientless_ssl.html#29951

NEW QUESTION 7

Which command automatically initiates a smart tunnel when a user logs in to the WebVPN portal page?

- A. auto-upgrade
- B. auto-connect
- C. auto-start
- D. auto-run

Answer: C

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/asa/asa91/configuration/vpn/asa_91_vpn_config/webvpn-configure-policy-group.html

NEW QUESTION 8

Which command is used to troubleshoot an IPv6 FlexVPN spoke-to-hub connectivity failure?

- A. show crypto ikev2 sa
- B. show crypto isakmp sa
- C. show crypto gkm
- D. show crypto identity

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/flexvpn/116413-configure-flexvpn-00.pdf>

NEW QUESTION 9

Refer to the exhibit.

```
tunnel-group IKEV2 type remote-access
tunnel-group IKEV2 general-attributes
  address-pool split
  default-group-policy GroupPolicy1
tunnel-group IKEV2 webvpn-attributes
  group-alias ikev2 enable
```

```
-<HostEntry>
<HostName>ikev2</HostName>
<HostAddress>10.106.45.221</HostAddress>
<UserGroup>ikev2</UserGroup>
<PrimaryProtocol>IPsec</PrimaryProtocol>
</HostEntry>
```

The customer can establish a Cisco AnyConnect connection without using an XML profile. When the host "ikev2" is selected in the AnyConnect drop down, the connection fails. What is the cause of this issue?

- A. The HostName is incorrect.
- B. The IP address is incorrect.
- C. Primary protocol should be SSL.
- D. UserGroup must match connection profile.

Answer: D

Explanation:

Reference: <https://community.cisco.com/t5/security-documents/anyconnect-xml-settings/ta-p/3157891>

NEW QUESTION 10

Refer to the exhibit.

```
ISAKMP: (0):beginning Main Mode exchange
ISAKMP-PAK: (0):sending packet to 192.168.0.8 my_port 500 peer_port 500 (I) MM_NO_STATE
ISAKMP-PAK: (0):received packet from 192.168.0.8 dport 500 sport 500 Global (I) MM_NO_STATE
ISAKMP: (0):Old State = IKE_I_MM1 New State = IKE_I_MM2
ISAKMP: (0):found peer pre-shared key matching 192.168.0.8
ISAKMP: (0):local preshared key found
ISAKMP: (0):Checking ISAKMP transform 1 against priority 10 policy
ISAKMP: (0):      encryption AES-CBC
ISAKMP: (0):      keylength of 256
ISAKMP: (0):      hash SHA256
ISAKMP: (0):      default group 14
ISAKMP: (0):      auth pre-share
ISAKMP: (0):      life type in seconds
ISAKMP: (0):      life duration (basic) of 1200
ISAKMP: (0):atts are acceptable. Next payload is 0
ISAKMP-PAK: (0):sending packet to 192.168.0.8 my_port 500 peer_port 500 (I) MM_SA_SETUP
ISAKMP: (0):Old State = IKE_I_MM2 New State = IKE_I_MM3
ISAKMP-PAK: (0):received packet from 192.168.0.8 dport 500 sport 500 Global (I) MM_SA_SETUP
ISAKMP: (0):Old State = IKE_I_MM3 New State = IKE_I_MM4
ISAKMP: (0):found peer pre-shared key matching 192.168.0.8
ISAKMP: (1005):Old State = IKE_I_MM4 New State = IKE_I_MM4
ISAKMP: (1005):pre-shared key authentication using id type ID_IPV4_ADDR
ISAKMP-PAK: (1005):sending packet to 192.168.0.8 my_port 4500 peer_port 4500 (I) MM_KEY_EXCH
ISAKMP: (1005):Old State = IKE_I_MM4 New State = IKE_I_MM5
ISAKMP-PAK: (1005):received packet from 192.168.0.8 dport 500 sport 500 Global (I) MM_KEY_EXCH
ISAKMP: (1005):phase 1 packet is a duplicate of a previous packet.
ISAKMP: (1005):retransmitting due to retransmit phase 1
ISAKMP: (1005):retransmitting phase 1 MM_KEY_EXCH...
ISAKMP: (1005):: incrementing error counter on sa, attempt 1 of 5: retransmit phase 1
ISAKMP-PAK: (1005):sending packet to 192.168.0.8 my_port 4500 peer_port 4500 (I) MM_KEY_EXCH
ISAKMP-PAK: (1005):received packet from 192.168.0.8 dport 500 sport 500 Global (I) MM_KEY_EXCH
ISAKMP: (1005):phase 1 packet is a duplicate of a previous packet.
ISAKMP: (1005):retransmitting due to retransmit phase 1
```

A site-to-site tunnel between two sites is not coming up. Based on the debugs, what is the cause of this issue?

- A. An authentication failure occurs on the remote peer.
- B. A certificate fragmentation issue occurs between both sides.
- C. UDP 4500 traffic from the peer does not reach the router.
- D. An authentication failure occurs on the router.

Answer: C

NEW QUESTION 10

Refer to the exhibit.

```
*Jul 16 20:21:25.317: ISAKMP (1004): received packet from 192.168.0.2 dport
 500 sport 500 Global (R) MM_KEY_EXCH
*Jul 16 20:21:25.317: ISAKMP: reserved not zero on ID payload!
*Jul 16 20:21:25.317: %CRYPTO-4-IKMP_BAD_MESSAGE: IKE message from 192.168.0.2
  failed its sanity check or is malformed
```

Which type of mismatch is causing the problem with the IPsec VPN tunnel?

- A. crypto access list
- B. Phase 1 policy
- C. transform set
- D. preshared key

Answer: D

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security-vpn/ipsec-negotiation-ike-protocols/5409-ipsec-debug-00.html#ike>

NEW QUESTION 14

Refer to the exhibit.

```
HUB configuration:

crypto ikev2 profile default
 match identity remote fqdn domain cisco.com
 identity local fqdn hub.cisco.com
 authentication local rsa-sig
 authentication remote pre-shared-key cisco
 pki trustpoint CA
 aaa authorization group cert list default default
 virtual-template 1

---

SPOKE 1 configuration:

crypto ikev2 profile default
 match identity remote fqdn domain cisco.com
 identity local fqdn spoke.cisco.com
 authentication local rsa-sig
 authentication remote pre-shared-key cisco
 pki trustpoint CA
 aaa authorization group cert list default default
 virtual-template 1

---

SPOKE 2 configuration:

crypto ikev2 profile default
 match identity remote fqdn domain cisco.com
 identity local fqdn spoke2.cisco.com
 authentication local pre-shared-key flexvpn
 authentication remote rsa-sig
 pki trustpoint CA
 aaa authorization group cert list default default
 virtual-template 1
```

What is a result of this configuration?

- A. Spoke 1 fails the authentication because the authentication methods are incorrect.
- B. Spoke 2 passes the authentication to the hub and successfully proceeds to phase 2.
- C. Spoke 2 fails the authentication because the remote authentication method is incorrect.
- D. Spoke 1 passes the authentication to the hub and successfully proceeds to phase 2.

Answer: A

NEW QUESTION 16

Refer to the exhibit.

An SSL client is connecting to an ASA headend. The session fails with the message "Connection attempt has timed out. Please verify Internet connectivity."
Based on how the packet is processed, which phase is causing the failure?

- A. phase 9: rpf-check
- B. phase 5: NAT
- C. phase 4: ACCESS-LIST
- D. phase 3: UN-NAT

Answer: D

NEW QUESTION 21

Which redundancy protocol must be implemented for IPsec stateless failover to work?

- A. SSO
- B. GLBP
- C. HSRP
- D. VRRP

Answer: C

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security-vpn/ipsec-negotiation-ike-protocols/17826-ipsec-feat.html>

NEW QUESTION 26

Which technology works with IPsec stateful failover?

- A. GLBR
- B. HSRP
- C. GRE
- D. VRRP

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios/12_2/12_2y/12_2yx11/feature/guide/ft_vpnha.html#wp1122512

NEW QUESTION 29

Which two commands help determine why the NHRP registration process is not being completed even after the IPsec tunnel is up? (Choose two.)

- A. show crypto isakmp sa
- B. show ip traffic
- C. show crypto ipsec sa
- D. show ip nhrp traffic
- E. show dmvpn detail

Answer: AD

NEW QUESTION 34

Which VPN does VPN load balancing on the ASA support?

- A. VTI
- B. IPsec site-to-site tunnels
- C. L2TP over IPsec
- D. Cisco AnyConnect

Answer: D

NEW QUESTION 38

Which benefit of FlexVPN is a limitation of DMVPN using IKEv1?

- A. GRE encapsulation allows for forwarding of non-IP traffic.
- B. IKE implementation can install routes in routing table.
- C. NHRP authentication provides enhanced security.
- D. Dynamic routing protocols can be configured.

Answer: B

NEW QUESTION 43

What is a requirement for smart tunnels to function properly?

- A. Java or ActiveX must be enabled on the client machine.

- B. Applications must be UDP.
- C. Stateful failover must not be configured.
- D. The user on the client machine must have admin access.

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/asa-5500-x-series-next-generation-firewalls/111007-smart-tunnel-asa-00.html>

NEW QUESTION 44

Refer to the exhibit.

```
ip access-list extended CCNP
 permit 192.168.0.10
 permit 192.168.0.11

webvpn gateway SSL_Gateway
 ip address 172.16.0.25 port 443
 ssl trustpoint AnyConnect_Cert
 inservice

webvpn context SSL_Context
 gateway SSL_Gateway

 ssl authenticate verify all
 inservice

policy group SSL_Policy
 functions svc-enabled
 svc address-pool "ACPool" netmask 255.255.255.0
 svc dns-server primary 192.168.0.100
 svc default-domain cisco.com
 default-group-policy SSL_Policy
```

Cisco AnyConnect must be set up on a router to allow users to access internal servers 192.168.0.10 and 192.168.0.11. All other traffic should go out of the client's local NIC. Which command accomplishes this configuration?

- A. svc split include 192.168.0.0 255.255.255.0
- B. svc split exclude 192.168.0.0 255.255.255.0
- C. svc split include acl CCNP
- D. svc split exclude acl CCNP

Answer: C

NEW QUESTION 49

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

300-730 Practice Exam Features:

- * 300-730 Questions and Answers Updated Frequently
- * 300-730 Practice Questions Verified by Expert Senior Certified Staff
- * 300-730 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 300-730 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 300-730 Practice Test Here](#)