

## SOA-C02 Dumps

### AWS Certified SysOps Administrator - Associate (SOA-C02)

<https://www.certleader.com/SOA-C02-dumps.html>



**NEW QUESTION 1**

- (Exam Topic 1)

A SysOps administrator has used AWS Cloud Formation to deploy a sereness application into a production VPC. The application consists of an AWS Lambda function, an Amazon DynamoDB table, and an Amazon API Gateway API. The SysOps administrator must delete the AWS Cloud Formation stack without deleting the DynamoDB table.

Which action should the SysOps administrator take before deleting the AWS Cloud Formation stack?

- A. Add a Retain deletion policy to the DynamoDB resource in the AWS CloudFormation stack.
- B. Add a Snapshot deletion policy to the DynamoDB resource In the AWS CloudFormation stack.
- C. Enable termination protection on the AWS Cloud Formation stack.
- D. Update the application's IAM policy with a Deny statement for the dynamodb:DeleteTable action.

**Answer:** A

**NEW QUESTION 2**

- (Exam Topic 1)

A SysOps administrator receives an alert from Amazon GuardDuty about suspicious network activity on an Amazon EC2 instance. The GuardDuty finding lists a new external IP address as a traffic destination. The SysOps administrator does not recognize the external IP address. The SysOps administrator must block traffic to the external IP address that GuardDuty identified.

Which solution will meet this requirement?

- A. Create a new security group to block traffic to the external IP address
- B. Assign the new security group to the EC2 instance.
- C. Use VPC flow logs with Amazon Athena to block traffic to the external IP address.
- D. Create a network ACL
- E. Add an outbound deny rule for traffic to the external IP address.
- F. Create a new security group to block traffic to the external IP address
- G. Assign the new security group to the entire VPC.

**Answer:** C

**Explanation:**

<https://docs.aws.amazon.com/vpc/latest/userguide/vpc-network-acls.html>

**NEW QUESTION 3**

- (Exam Topic 1)

A company applies user-defined tags to resources that are associated with the company's AWS workloads. Twenty days after applying the tags, the company notices that it cannot use the tags to filter views in the AWS Cost Explorer console.

What is the reason for this issue?

- A. It takes at least 30 days to be able to use tags to filter views in Cost Explorer.
- B. The company has not activated the user-defined tags for cost allocation.
- C. The company has not created an AWS Cost and Usage Report
- D. The company has not created a usage budget in AWS Budgets

**Answer:** B

**NEW QUESTION 4**

- (Exam Topic 1)

A SysOps administrator must set up notifications for whenever combined billing exceeds a certain threshold for all AWS accounts within a company. The administrator has set up AWS Organizations and enabled Consolidated Billing.

Which additional steps must the administrator perform to set up the billing alerts?

- A. In the payer account: Enable billing alerts in the Billing and Cost Management console; publish an Amazon SNS message when the billing alert triggers.
- B. In each account: Enable billing alerts in the Billing and Cost Management console; set up a billing alarm in Amazon CloudWatch; publish an SNS message when the alarm triggers.
- C. In the payer account: Enable billing alerts in the Billing and Cost Management console; set up a billing alarm in the Billing and Cost Management console to publish an SNS message when the alarm triggers.
- D. In the payer account: Enable billing alerts in the Billing and Cost Management console; set up a billing alarm in Amazon CloudWatch; publish an SNS message when the alarm triggers.

**Answer:** D

**NEW QUESTION 5**

- (Exam Topic 1)

A company has a policy that requires all Amazon EC2 instances to have a specific set of tags. If an EC2 instance does not have the required tags, the noncompliant instance should be terminated.

What is the MOST operationally efficient solution that meets these requirements?

- A. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to send all EC2 instance state changes to an AWS Lambda function to determine if each instance is compliant
- B. Terminate any noncompliant instances.
- C. Create an IAM policy that enforces all EC2 instance tag requirement
- D. If the required tags are not in place for an instance, the policy will terminate noncompliant instance.
- E. Create an AWS Lambda function to determine if each EC2 instance is compliant and terminate an instance if it is noncompliant
- F. Schedule the Lambda function to invoke every 5 minutes.
- G. Create an AWS Config rule to check if the required tags are present

H. If an EC2 instance is noncompliant, invoke an AWS Systems Manager Automation document to terminate the instance.

**Answer:** D

**Explanation:**

<https://docs.aws.amazon.com/systems-manager/latest/userguide/systems-manager-automation.html>

#### NEW QUESTION 6

- (Exam Topic 1)

A database is running on an Amazon RDS Multi-AZ DB instance. A recent security audit found the database to be out of compliance because it was not encrypted. Which approach will resolve the encryption requirement?

- A. Log in to the RDS console and select the encryption box to encrypt the database
- B. Create a new encrypted Amazon EBS volume and attach it to the instance
- C. Encrypt the standby replica in the secondary Availability Zone and promote it to the primary instance.
- D. Take a snapshot of the RDS instance, copy and encrypt the snapshot and then restore to the new RDS instance

**Answer:** D

#### NEW QUESTION 7

- (Exam Topic 1)

A company wants to build a solution for its business-critical Amazon RDS for MySQL database. The database requires high availability across different geographic locations. A SysOps administrator must build a solution to handle a disaster recovery (DR) scenario with the lowest recovery time objective (RTO) and recovery point objective (RPO).

Which solution meets these requirements?

- A. Create automated snapshots of the database on a schedule
- B. Copy the snapshots to the DR Region.
- C. Create a cross-Region read replica for the database.
- D. Create a Multi-AZ read replica for the database.
- E. Schedule AWS Lambda functions to create snapshots of the source database and to copy the snapshots to a DR Region.

**Answer:** B

#### NEW QUESTION 8

- (Exam Topic 1)

A company with multiple AWS accounts needs to obtain recommendations for AWS Lambda functions and identify optimal resource configurations for each Lambda function. How should a SysOps administrator provide these recommendations?

- A. Create an AWS Serverless Application Repository and export the Lambda function recommendations.
- B. Enable AWS Compute Optimizer and export the Lambda function recommendations
- C. Enable all features of AWS Organization and export the recommendations from AWS CloudTrail Insights.
- D. Run AWS Trusted Advisor and export the Lambda function recommendations

**Answer:** B

#### NEW QUESTION 9

- (Exam Topic 1)

A company's financial department needs to view the cost details of each project in an AWS account. A SysOps administrator must perform the initial configuration that is required to view cost for each project in Cost Explorer.

Which solution will meet this requirement?

- A. Activate cost allocation tags. Add a project tag to the appropriate resources.
- B. Configure consolidated billing. Create AWS Cost and Usage Reports.
- C. Use AWS Budgets. Create AWS Budgets reports.
- D. Use cost categories to define custom groups that are based on AWS cost and usage dimensions.

**Answer:** A

#### NEW QUESTION 10

- (Exam Topic 1)

A SysOps administrator is troubleshooting connection timeouts to an Amazon EC2 instance that has a public IP address. The instance has a private IP address of 172.31.16.139. When the SysOps administrator tries to ping the instance's public IP address from the remote IP address 203.0.113.12, the response is "request timed out." The flow logs contain the following information:

```
2 123456789010 eni-1235b8ca123456789 203.0.113.12 172.31.16.139 0 0 1 4 336 1432917027 1432917142 ACCEPT OK
2 123456789010 eni-1235b8ca123456789 172.31.16.139 203.0.113.12 0 0 1 4 336 1432917094 1432917142 REJECT OK
```

What is one cause of the problem?

- A. Inbound security group deny rule
- B. Outbound security group deny rule
- C. Network ACL inbound rules
- D. Network ACL outbound rules

**Answer:** D

**NEW QUESTION 10**

- (Exam Topic 1)

A company needs to upload gigabytes of files every day. The company need to achieve higher throughput and upload speeds to Amazon S3 Which action should a SysOps administrator take to meet this requirement?

- A. Create an Amazon CloudFront distribution with the GET HTTP method allowed and the S3 bucket as an origin.
- B. Create an Amazon ElastiCache duster and enable caching for the S3 bucket
- C. Set up AWS Global Accelerator and configure it with the S3 bucket
- D. Enable S3 Transfer Acceleration and use the acceleration endpoint when uploading files

**Answer: D**

**Explanation:**

Enable Amazon S3 Transfer Acceleration Amazon S3 Transfer Acceleration can provide fast and secure transfers over long distances between your client and Amazon S3. Transfer Acceleration uses Amazon CloudFront's globally distributed edge locations.

<https://aws.amazon.com/premiumsupport/knowledge-center/s3-upload-large-files/>

**NEW QUESTION 15**

- (Exam Topic 1)

A SysOps administrator is setting up an automated process to recover an Amazon EC2 instance In the event of an underlying hardware failure. The recovered instance must have the same private IP address and the same Elastic IP address that the original instance had. The SysOps team must receive an email notification when the recovery process is initiated.

Which solution will meet these requirements?

- A. Create an Amazon CloudWatch alarm for the EC2 instance, and specify the SiatusCheckFailedjinstance metri
- B. Add an EC2 action to the alarm to recover the instanc
- C. Add an alarm notification to publish a message to an Amazon Simple Notification Service (Amazon SNS> topi
- D. Subscribe the SysOps team email address to the SNS topic.
- E. Create an Amazon CloudWatch alarm for the EC2 Instance, and specify the StatusCheckFailed\_System metri
- F. Add an EC2 action to the alarm to recover the instanc
- G. Add an alarm notification to publish a message to an Amazon Simple Notification Service (Amazon SNS) topi
- H. Subscribe the SysOps team email address to the SNS topic.
- I. Create an Auto Scaling group across three different subnets in the same Availability Zone with a minimum, maximum, and desired size of 1. Configure the Auto Seating group to use a launch template that specifies the private IP address and the Elastic IP addres
- J. Add an activity notification for the Auto Scaling group to send an email message to the SysOps team through Amazon Simple Email Service (Amazon SES).
- K. Create an Auto Scaling group across three Availability Zones with a minimum, maximum, and desired size of 1. Configure the Auto Scaling group to use a launch template that specifies the private IP addressand the Elastic IP addres
- L. Add an activity notification for the Auto Scaling group to publish a message to an Amazon Simple Notification Service (Amazon SNS) topi
- M. Subscribe the SysOps team email address to the SNS topic.

**Answer: B**

**Explanation:**

You can create an Amazon CloudWatch alarm that monitors an Amazon EC2 instance and automatically recovers the instance if it becomes impaired due to an underlying hardware failure or a problem that requires AWS involvement to repair. Terminated instances cannot be recovered. A recovered instance is identical to the original instance, including the instance ID, private IP addresses, Elastic IP addresses, and all instance metadata. If the impaired instance has a public IPv4 address, the instance retains the public IPv4 address after recovery. If the impaired instance is in a placement group, the recovered instance runs in the placement group. When the StatusCheckFailed\_System alarm is triggered, and the recover action is initiated, you will be notified by the Amazon SNS topic that you selected when you created the alarm and associated the recover action. <https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ec2-instance-recover.html>

**NEW QUESTION 19**

- (Exam Topic 1)

A SysOos administrator s tasked with analyzing database performance. The database runs on a single Amazon RDS D6 instance. The SysOps administrator finds that, during times of peak traffic, resources on the database are over utilized due to the amount of read traffic.

Which actions should the SysOps administrator take to improve RDS performance? (Select TWO.)

- A. Add a read replica.
- B. Modify the application to use Amazon ElastiCache for Memcached.
- C. Migrate the database from RDS to Amazon DynamoDB.
- D. Migrate the database to Amazon EC2 with enhanced networking enabled
- E. Upgrade the database to a Multi-AZ deployment.

**Answer: AB**

**NEW QUESTION 24**

- (Exam Topic 1)

A SysOps administrator launches an Amazon EC2 Linux instance in a public subnet. When the instance is running, the SysOps administrator obtains the public IP address and attempts to remotely connect to the instance multiple times. However, the SysOps administrator always receives a timeout error.

Which action will allow the SysOps administrator to remotely connect to the instance?

- A. Add a route table entry in the public subnet for the SysOps administrator's IP address.
- B. Add an outbound network ACL rule to allow TCP port 22 for the SysOps administrator's IP address.
- C. Modify the instance security group to allow inbound SSH traffic from the SysOps administrator's IP address.
- D. Modify the instance security group to allow outbound SSH traffic to the SysOps administrator's IP address.

**Answer: C**

**NEW QUESTION 29**

- (Exam Topic 1)



A software company runs a workload on Amazon EC2 instances behind an Application Load Balancer (ALB). A SysOps administrator needs to define a custom health check for the EC2 instances. What is the MOST operationally efficient solution?

- A. Set up each EC2 Instance so that it writes its healthy/unhealthy status into a shared Amazon S3 bucket for the ALB to read
- B. Configure the health check on the ALB and ensure that the HealthCheckPath setting is correct
- C. Set up Amazon ElasticCache to track the EC2 instances as they scale in and out
- D. Configure an Amazon API Gateway health check to ensure custom checks on availability of the EC2 instances

**Answer: B**

#### NEW QUESTION 32

- (Exam Topic 1)

A company is using an Amazon Aurora MySQL DB cluster that has point-in-time recovery, backtracking, and automatic backup enabled. A SysOps administrator needs to be able to roll back the DB cluster to a specific recovery point within the previous 72 hours. Restores must be completed in the same production DB cluster.

Which solution will meet these requirements?

- A. Create an Aurora Replic
- B. Promote the replica to replace the primary DB instance.
- C. Create an AWS Lambda function to restore an automatic backup to the existing DB cluster.
- D. Use backtracking to rewind the existing DB cluster to the desired recovery point.
- E. Use point-in-time recovery to restore the existing DB cluster to the desired recovery point.

**Answer: C**

#### Explanation:

"The limit for a backtrack window is 72 hours.....Backtracking is only available for DB clusters that were created with the Backtrack feature enabled....Backtracking "rewinds" the DB cluster to the time you specify. Backtracking is not a replacement for backing up your DB cluster so that you can restore it to a point in time....You can backtrack a DB cluster quickly. Restoring a DB cluster to a point in time launches a new DB cluster and restores it from backup data or a DB cluster snapshot, which can take hours."

<https://docs.aws.amazon.com/AmazonRDS/latest/AuroraUserGuide/AuroraMySQL.Managing.Backtrack.html>

#### NEW QUESTION 35

- (Exam Topic 1)

A company has a stateless application that is hosted on a fleet of 10 Amazon EC2 On-Demand Instances in an Auto Scaling group. A minimum of 6 instances are needed to meet service requirements.

Which action will maintain uptime for the application MOST cost-effectively?

- A. Use a Spot Fleet with an On-Demand capacity of 6 instances.
- B. Update the Auto Scaling group with a minimum of 6 On-Demand Instances and a maximum of 10 On-Demand Instances.
- C. Update the Auto Scaling group with a minimum of 1 On-Demand Instance and a maximum of 6 On-Demand Instances.
- D. Use a Spot Fleet with a target capacity of 6 instances.

**Answer: A**

#### NEW QUESTION 38

- (Exam Topic 1)

A SysOps administrator is troubleshooting an AWS CloudFormation template whereby multiple Amazon EC2 instances are being created. The template is working in us-east-1, but it is failing in us-west-2 with the error code:

```
AMI [ami-12345678] does not exist
```

How should the administrator ensure that the AWS CloudFormation template is working in every region?

- A. Copy the source region's Amazon Machine Image (AMI) to the destination region and assign it the same ID.
- B. Edit the AWS CloudFormation template to specify the region code as part of the fully qualified AMI ID.
- C. Edit the AWS CloudFormation template to offer a drop-down list of all AMIs to the user by using the `aws::EC2::ami::imageId` control.
- D. Modify the AWS CloudFormation template by including the AMI IDs in the "Mappings" section.
- E. Refer to the proper mapping within the template for the proper AMI ID.

**Answer: A**

#### NEW QUESTION 43

- (Exam Topic 1)

A large company is using AWS Organizations to manage its multi-account AWS environment. According to company policy, all users should have read-level access to a particular Amazon S3 bucket in a central account. The S3 bucket data should not be available outside the organization. A SysOps administrator must set up the permissions and add a bucket policy to the S3 bucket.

Which parameters should be specified to accomplish this in the MOST efficient manner?

- A. Specify `"` as the principal and `PrincipalOrgId` as a condition.
- B. Specify all account numbers as the principal.
- C. Specify `PrincipalOrgId` as the principal.
- D. Specify the organization's management account as the principal.

**Answer: A**

#### Explanation:

<https://aws.amazon.com/blogs/security/control-access-to-aws-resources-by-using-the-aws-organization-of-iam-p>

**NEW QUESTION 48**

- (Exam Topic 1)

A SysOps administrator is creating an Amazon EC2 Auto Scaling group in a new AWS account. After adding some instances, the SysOps administrator notices that the group has not reached the minimum number of instances. The SysOps administrator receives the following error message:

```
Launching a new EC2 instance. Status Reason: Your quota allows for 0 more running instance(s).  
You requested at least 1. Launching EC2 instance failed.
```

Which action will resolve this issue?

- A. Adjust the account spending limits for Amazon EC2 on the AWS Billing and Cost Management console
- B. Modify the EC2 quota for that AWS Region in the EC2 Settings section of the EC2 console.
- C. Request a quota Increase for the Instance type family by using Service Quotas on the AWS Management Console.
- D. Use the Rebalance action In the Auto Scaling group on the AWS Management Console.

**Answer:** C

**NEW QUESTION 53**

- (Exam Topic 1)

A company has multiple Amazon EC2 instances that run a resource-intensive application in a development environment. A SysOps administrator is implementing a solution to stop these EC2 instances when they are not in use.

Which solution will meet this requirement?

- A. Assess AWS CloudTrail logs to verify that there is no EC2 API activit
- B. Invoke an AWS Lambda function to stop the EC2 instances.
- C. Create an Amazon CloudWatch alarm to stop the EC2 instances when the average CPU utilization is lower than 5% for a 30-minute period.
- D. Create an Amazon CloudWatch metric to stop the EC2 instances when the VolumeReadBytes metric is lower than 500 for a 30-minute period.
- E. Use AWS Config to invoke an AWS Lambda function to stop the EC2 instances based on resource configuration changes.

**Answer:** B

**Explanation:**

<https://docs.aws.amazon.com/AmazonCloudWatch/latest/monitoring/UsingAlarmActions.html#AddingStopActi>

**NEW QUESTION 56**

- (Exam Topic 1)

A company runs several workloads on AWS. The company identifies five AWS Trusted Advisor service quota metrics to monitor in a specific AWS Region. The company wants to receive email notification each time resource usage exceeds 60% of one of the service quotas.

Which solution will meet these requirements?

- A. Create five Amazon CloudWatch alarms, one for each Trusted Advisor service quota metri
- B. Configure an Amazon Simple Notification Service (Amazon SNS) topic for email notification each time that usage exceeds 60% of one of the service quotas.
- C. Create five Amazon CloudWatch alarms, one for each Trusted Advisor service quota metri
- D. Configure an Amazon Simple Queue Service (Amazon SQS) queue for email notification each time that usage exceeds 60% of one of the service quotas.
- E. Use the AWS Service Health Dashboard to monitor each Trusted Advisor service quota metric. Configure an Amazon Simple Queue Service (Amazon SQS) queue for email notification each time that usage exceeds 60% of one of the service quotas.
- F. Use the AWS Service Health Dashboard to monitor each Trusted Advisor service quota metric. Configure an Amazon Simple Notification Service (Amazon SNS) topic for email notification each time that usage exceeds 60% of one of the service quotas.

**Answer:** A

**Explanation:**

CloudWatch alarms allow you to monitor AWS resources, and you can configure an SNS topic to send an email notification each time one of the alarms is triggered. This will ensure that the company receives email notifications each time one of the service quotas is exceeded, allowing the company to take action as needed.

**NEW QUESTION 60**

- (Exam Topic 1)

A company recently acquired another corporation and all of that corporation's AWS accounts. A financial analyst needs the cost data from these accounts. A SysOps administrator uses Cost Explorer to generate cost and usage reports. The SysOps administrator notices that "No Tagkey" represents 20% of the monthly cost.

What should the SysOps administrator do to tag the "No Tagkey" resources?

- A. Add the accounts to AWS Organization
- B. Use a service control policy (SCP) to tag all the untagged resources.
- C. Use an AWS Config rule to find the untagged resource
- D. Set the remediation action to terminate the resources.
- E. Use Cost Explorer to find and tag all the untagged resources.
- F. Use Tag Editor to find and tag all the untagged resources.

**Answer:** D

**Explanation:**

"You can add tags to resources when you create the resource. You can use the resource's service console or API to add, change, or remove those tags one resource at a time. To add tags to—or edit or delete tags of—multiple resources at once, use Tag Editor. With Tag Editor, you search for the resources that you want to tag, and then manage tags for the resources in your search results." <https://docs.aws.amazon.com/ARG/latest/userguide/tag-editor.html>

**NEW QUESTION 63**

- (Exam Topic 1)

A user working in the Amazon EC2 console increased the size of an Amazon Elastic Block Store (Amazon EBS) volume attached to an Amazon EC2 Windows instance. The change is not reflected in the file system.

What should a SysOps administrator do to resolve this issue?

- A. Extend the file system with operating system-level tools to use the new storage capacity.
- B. Reattach the EBS volume to the EC2 instance.
- C. Reboot the EC2 instance that is attached to the EBS volume.
- D. Take a snapshot of the EBS volum
- E. Replace the original volume with a volume that is created from the snapshot.

**Answer: B**

#### NEW QUESTION 64

- (Exam Topic 1)

An organization is running multiple applications for their customers. Each application is deployed by running a base AWS CloudFormation template that configures a new VPC. All applications are run in the same AWS account and AWS Region. A SysOps administrator has noticed that when trying to deploy the same AWS CloudFormation stack, it fails to deploy. What is likely to be the problem?

- A. The Amazon Machine image used is not available in that region.
- B. The AWS CloudFormation template needs to be updated to the latest version.
- C. The VPC configuration parameters have changed and must be updated in the template.
- D. The account has reached the default limit for VPCs allowed.

**Answer: D**

#### NEW QUESTION 69

- (Exam Topic 1)

A company is managing multiple AWS accounts in AWS Organizations. The company is reviewing internal security of its AWS environment. The company's security administrator has their own AWS account and wants to review the VPC configuration of developer AWS accounts.

Which solution will meet these requirements in the MOST secure manner?

- A. Create an IAM policy in each developer account that has read-only access related to VPC resources Assign the policy to an IAM use
- B. Share the user credentials with the security administrator.
- C. Create an IAM policy in each developer account that has administrator access to all Amazon EC2 actions, including VPC action
- D. Assign the policy to an IAMuse
- E. Share the user credentials with the security administrator.
- F. Create an IAM policy in each developer account that has administrator access related to VPC resources.Assign the policy to a cross-account IAM rol
- G. Ask the security administrator to assume the role from their account.
- H. Create an IAM policy in each developer account that has read-only access related to VPC resources Assign the policy to a cross-account IAM role Ask the security administrator to assume the role from their account.

**Answer: D**

#### NEW QUESTION 73

- (Exam Topic 1)

A company has a critical serverless application that uses multiple AWS Lambda functions. Each Lambda function generates 1 GB of log data daily in its own Amazon CloudWatch Logs log group. The company's security team asks for a count of application errors, grouped by type, across all of the log groups.

What should a SysOps administrator do to meet this requirement?

- A. Perform a CloudWatch Logs Insights query that uses the stats command and count function.
- B. Perform a CloudWatch Logs search that uses the groupby keyword and count function.
- C. Perform an Amazon Athena query that uses the SELECT and GROUP BY keywords.
- D. Perform an Amazon RDS query that uses the SELECT and GROUP BY keywords.

**Answer: A**

#### NEW QUESTION 74

- (Exam Topic 1)

A SysOps administrator is maintaining a web application using an Amazon CloudFront web distribution, an Application Load Balancer (ALB), Amazon RDS, and Amazon EC2 in a VPC. All services have logging enabled. The administrator needs to investigate HTTP

Layer 7 status codes from the web application.

Which log sources contain the status codes? (Choose two.)

- A. VPC Flow Logs
- B. AWS CloudTrail logs
- C. ALB access logs
- D. CloudFront access logs
- E. RDS logs

**Answer: CD**

#### Explanation:

"C" because Elastic Load Balancing provides access logs that capture detailed information about requests sent to your load balancer

<https://docs.aws.amazon.com/elasticloadbalancing/latest/application/load-balancer-access-logs.html>

"D" because "you can configure CloudFront to create log files that contain detailed information about every user request that CloudFront receives"

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/AccessLogs.html>

**NEW QUESTION 77**

- (Exam Topic 1)

A company's IT department noticed an increase in the spend of their developer AWS account. There are over 50 developers using the account, and the finance team wants to determine the service costs incurred by each developer.

What should a SysOps administrator do to collect this information? (Select TWO.)

- A. Activate the createdBy tag in the account.
- B. Analyze the usage with Amazon CloudWatch dashboards.
- C. Analyze the usage with Cost Explorer.
- D. Configure AWS Trusted Advisor to track resource usage.
- E. Create a billing alarm in AWS Budgets.

**Answer:** AC

**NEW QUESTION 80**

- (Exam Topic 1)

A company needs to deploy a new workload on AWS. The company must encrypt all data at rest and must rotate the encryption keys once each year. The workload uses an Amazon RDS for MySQL Multi-AZ database for data storage.

Which configuration approach will meet these requirements?

- A. Enable Transparent Data Encryption (TDE) in the MySQL configuration file
- B. Manually rotate the key every 12 months.
- C. Enable RDS encryption on the database at creation time by using the AWS managed key for Amazon RDS.
- D. Create a new AWS Key Management Service (AWS KMS) customer managed key
- E. Enable automatic key rotation
- F. Enable RDS encryption on the database at creation time by using the KMS key.
- G. Create a new AWS Key Management Service (AWS KMS) customer managed key
- H. Enable automatic key rotation
- I. Enable encryption on the Amazon Elastic Block Store (Amazon EBS) volumes that are attached to the RDS DB instance.

**Answer:** C

**Explanation:**

This configuration approach will meet the requirement of encrypting all data at rest and rotating the encryption keys once each year. By creating a new AWS KMS customer managed key and enabling automatic key rotation, the encryption keys will be rotated automatically every year. By enabling RDS encryption on the database at creation time using the KMS key, all data stored in the RDS for MySQL Multi-AZ database will be encrypted at rest. This approach provides more control over key management and rotation and provides additional security benefits.

**NEW QUESTION 82**

- (Exam Topic 1)

An application runs on multiple Amazon EC2 instances in an Auto Scaling group. The Auto Scaling group is configured to use the latest version of a launch template. A SysOps administrator must devise a solution that centrally manages the application logs and retains the logs for no more than 90 days.

Which solution will meet these requirements?

- A. Launch an Amazon Machine Image (AMI) that is preconfigured with the Amazon CloudWatch Logs agent to send logs to an Amazon S3 bucket. Apply a 90-day S3 Lifecycle policy on the S3 bucket to expire the application logs.
- B. Launch an Amazon Machine Image (AMI) that is preconfigured with the Amazon CloudWatch Logs agent to send logs to a log group. Create an Amazon EventBridge (Amazon CloudWatch Events) scheduled rule to perform an instance refresh every 90 days.
- C. Update the launch template user data to install and configure the Amazon CloudWatch Logs agent to send logs to a log group. Configure the retention period on the log group to be 90 days.
- D. Update the launch template user data to install and configure the Amazon CloudWatch Logs agent to send logs to a log group. Set the log rotation configuration of the EC2 instances to 90 days.

**Answer:** C

**NEW QUESTION 86**

- (Exam Topic 1)

A SysOps administrator is building a process for sharing Amazon RDS database snapshots between different accounts associated with different business units within the same company. All data must be encrypted at rest.

How should the administrator implement this process?

- A. Write a script to download the encrypted snapshot, decrypt it using the AWS KMS encryption key used to encrypt the snapshot, then create a new volume in each account.
- B. Update the key policy to grant permission to the AWS KMS encryption key used to encrypt the snapshot with all relevant accounts, then share the snapshot with those accounts.
- C. Create an Amazon EC2 instance based on the snapshot, then save the instance's Amazon EBS volume as a snapshot and share it with the other account.
- D. Require each account owner to create a new volume from that snapshot and encrypt it.
- E. Create a new unencrypted RDS instance from the encrypted snapshot, connect to the instance using SSH/RDP.
- F. Export the database contents into a file, then share this file with the other accounts.

**Answer:** B

**NEW QUESTION 87**

- (Exam Topic 1)

A company has launched a social media website that gives users the ability to upload images directly to a centralized Amazon S3 bucket. The website is popular in areas that are geographically distant from the AWS Region where the S3 bucket is located. Users are reporting that uploads are slow. A SysOps administrator must improve the upload speed.

What should the SysOps administrator do to meet these requirements?



- A. Create S3 access points in Regions that are closer to the users.
- B. Create an accelerator in AWS Global Accelerator for the S3 bucket.
- C. Enable S3 Transfer Acceleration on the S3 bucket.
- D. Enable cross-origin resource sharing (CORS) on the S3 bucket.

**Answer:** C

**Explanation:**

You might want to use Transfer Acceleration on a bucket for various reasons: ->Your customers upload to a centralized bucket from all over the world. ->You transfer gigabytes to terabytes of data on a regular basis across continents. ->You can't use all of your available bandwidth over the internet when uploading to Amazon S3." <https://docs.aws.amazon.com/AmazonS3/latest/userguide/transfer-acceleration.html>

**NEW QUESTION 91**

- (Exam Topic 1)

A company uses Amazon S3 to aggregate raw video footage from various media teams across the US. The company recently expanded into new geographies in Europe and Australia. The technical teams located in Europe and Australia reported delays when uploading large video tiles into the destination S3 bucket in the United States.

What are the MOST cost-effective ways to increase upload speeds into the S3 bucket? (Select TWO.)

- A. Create multiple AWS Direct Connect connections between AWS and branch offices in Europe and Australia for uploads into the destination S3 bucket
- B. Create multiple AWS Site-to-Site VPN connections between AWS and branch offices in Europe and Australia for file uploads into the destination S3 bucket.
- C. Use Amazon S3 Transfer Acceleration for file uploads into the destination S3 bucket.
- D. Use AWS Global Accelerator for file uploads into the destination S3 bucket from the branch offices in Europe and Australia.
- E. Use multipart uploads for file uploads into the destination S3 bucket from the branch offices in Europe and Australia.

**Answer:** CE

**NEW QUESTION 94**

- (Exam Topic 1)

A company has a public website that recently experienced problems. Some links led to missing webpages, and other links rendered incorrect webpages. The application infrastructure was running properly, and all the provisioned resources were healthy. Application logs and dashboards did not show any errors, and no monitoring alarms were raised. Systems administrators were not aware of any problems until end users reported the issues.

The company needs to proactively monitor the website for such issues in the future and must implement a solution as soon as possible.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Rewrite the application to surface a custom error to the application log when issues occur. Automatically parse logs for error
- B. Create an Amazon CloudWatch alarm to provide alerts when issues are detected.
- C. Create an AWS Lambda function to test the website
- D. Configure the Lambda function to emit an Amazon CloudWatch custom metric when errors are detected
- E. Configure a CloudWatch alarm to provide alerts when issues are detected.
- F. Create an Amazon CloudWatch Synthetic canary
- G. Use the CloudWatch Synthetic Recorder plugin to generate the script for the canary run
- H. Configure the canary in line with requirements
- I. Create an alarm to provide alerts when issues are detected.

**Answer:** A

**NEW QUESTION 99**

- (Exam Topic 1)

A company's public website is hosted in an Amazon S3 bucket in the us-east-1 Region behind an Amazon CloudFront distribution. The company wants to ensure that the website is protected from DDoS attacks. A SysOps administrator needs to deploy a solution that gives the company the ability to maintain control over the rate limit at which DDoS protections are applied.

Which solution will meet these requirements?

- A. Deploy a global-scoped AWS WAF web ACL with an allow default action
- B. Configure an AWS WAF rate-based rule to block matching traffic
- C. Associate the web ACL with the CloudFront distribution.
- D. Deploy an AWS WAF web ACL with an allow default action in us-east-1. Configure an AWS WAF rate-based rule to block matching traffic
- E. Associate the web ACL with the S3 bucket.
- F. Deploy a global-scoped AWS WAF web ACL with a block default action
- G. Configure an AWS WAF rate-based rule to allow matching traffic
- H. Associate the web ACL with the CloudFront distribution.
- I. Deploy an AWS WAF web ACL with a block default action in us-east-1. Configure an AWS WAF rate-based rule to allow matching traffic
- J. Associate the web ACL with the S3 bucket.

**Answer:** B

**NEW QUESTION 100**

- (Exam Topic 1)

A company uses Amazon Route 53 to manage the public DNS records for the domain example.com. The company deploys an Amazon CloudFront distribution to deliver static assets for a new corporate website. The company wants to create a subdomain that is named "static" and must route traffic for the subdomain to the CloudFront distribution.

How should a SysOps administrator create a new record for the subdomain in Route 53?

- A. Create a CNAME record
- B. Enter static.cloudfront.net as the record name
- C. Enter the CloudFront distribution's public IP address as the value.
- D. Create a CNAME record
- E. Enter static.example.com as the record name

- F. Enter the CloudFront distribution's private IP address as the value.
- G. Create an A recor
- H. Enter static.cloudfront.net as the record nam
- I. Enter the CloudFront distribution's ID as an alias target.
- J. Create an A recor
- K. Enter static.example.com as the record nam
- L. Enter the CloudFront distribution's domain name as an alias target.

**Answer:** D

**Explanation:**

<https://docs.aws.amazon.com/Route53/latest/DeveloperGuide/routing-to-cloudfront-distribution.html>

**NEW QUESTION 103**

- (Exam Topic 1)

A company's backend infrastructure contains an Amazon EC2 instance in a private subnet. The private subnet has a route to the internet through a NAT gateway in a public subnet. The instance must allow connectivity to a secure web server on the internet to retrieve data at regular intervals. The client software times out with an error message that indicates that the client software could not establish the TCP connection. What should a SysOps administrator do to resolve this error?

- A. Add an inbound rule to the security group for the EC2 instance with the following parameters: Type - HTTP, Source - 0.0.0.0/0.
- B. Add an inbound rule to the security group for the EC2 instance with the following parameters: Type - HTTPS, Source - 0.0.0.0/0.
- C. Add an outbound rule to the security group for the EC2 instance with the following parameters: Type - HTTP, Destination - 0.0.0.0/0.
- D. Add an outbound rule to the security group for the EC2 instance with the following parameters: Type - HTTP
- E. Destination - 0.0.0.0/0.

**Answer:** D

**NEW QUESTION 105**

- (Exam Topic 1)

A SysOps Administrator runs a web application that is using a microservices approach whereby different responsibilities of the application have been divided in a separate microservice running on a different Amazon EC2 instance. The administrator has been tasked with reconfiguring the infrastructure to support this approach. How can the administrator accomplish this with the LEAST administrative overhead?

- A. Use Amazon CloudFront to log the URL and forward the request.
- B. Use Amazon CloudFront to rewrite the header based on the microservice and forward the request.
- C. Use an Application Load Balancer (ALB) and do path-based routing.
- D. Use a Network Load Balancer (NLB) and do path-based routing.

**Answer:** C

**Explanation:**

<https://aws.amazon.com/premiumsupport/knowledge-center/elb-achieve-path-based-routing-alb/>

**NEW QUESTION 108**

- (Exam Topic 1)

A SysOps administrator is investigating why a user has been unable to use RDP to connect over the internet from their home computer to a bastion server running on an Amazon EC2 Windows instance. Which of the following are possible causes of this issue? (Choose two.)

- A. A network ACL associated with the bastion's subnet is blocking the network traffic.
- B. The instance does not have a private IP address.
- C. The route table associated with the bastion's subnet does not have a route to the internet gateway.
- D. The security group for the instance does not have an inbound rule on port 22.
- E. The security group for the instance does not have an outbound rule on port 3389.

**Answer:** AC

**NEW QUESTION 110**

- (Exam Topic 1)

A company hosts its website on Amazon EC2 instances behind an Application Load Balancer. The company manages its DNS with Amazon Route 53. and wants to point its domain's zone apex to the website. Which type of record should be used to meet these requirements?

- A. A CNAME record for the domain's zone apex
- B. An A record for the domain's zone apex
- C. An AAAA record for the domain's zone apex
- D. An alias record for the domain's zone apex

**Answer:** D

**Explanation:**

<https://docs.aws.amazon.com/Route53/latest/DeveloperGuide/resource-record-sets-choosing-alias-non-alias.htm>

<https://docs.aws.amazon.com/Route53/latest/DeveloperGuide/routing-to-elb-load-balancer.html>

**NEW QUESTION 114**

- (Exam Topic 1)

A large company is using AWS Organizations to manage its multi-account AWS environment. According to company policy, all users should have read-level access to a particular Amazon S3 bucket in a central account. The S3 bucket data should not be available outside the organization. A SysOps administrator must set up the permissions and add a bucket policy to the S3 bucket.

Which parameters should be specified to accomplish this in the MOST efficient manner?

- A. Specify '\*' as the principal and PrincipalOrgId as a condition.
- B. Specify all account numbers as the principal.
- C. Specify PrincipalOrgId as the principal.
- D. Specify the organization's management account as the principal.

**Answer: C**

#### NEW QUESTION 118

- (Exam Topic 1)

A company has a stateless application that runs on four Amazon EC2 instances. The application requires four instances at all times to support all traffic. A SysOps administrator must design a highly available, fault-tolerant architecture that continually supports all traffic if one Availability Zone becomes unavailable.

Which configuration meets these requirements?

- A. Deploy two Auto Scaling groups in two Availability Zones with a minimum capacity of two instances in each group.
- B. Deploy an Auto Scaling group across two Availability Zones with a minimum capacity of four instances.
- C. Deploy an Auto Scaling group across three Availability Zones with a minimum capacity of four instances.
- D. Deploy an Auto Scaling group across three Availability Zones with a minimum capacity of six instances.

**Answer: C**

#### NEW QUESTION 123

- (Exam Topic 1)

Application A runs on Amazon EC2 instances behind a Network Load Balancer (NLB). The EC2 instances are in an Auto Scaling group and are in the same subnet that is associated with the NLB. Other applications from an on-premises environment cannot communicate with Application A on port 8080.

To troubleshoot the issue, a SysOps administrator analyzes the flow logs. The flow logs include the following records:

```
2 123456789010 eni-1235b8ca123456789 192.168.0.13 172.31.16.139 59003 8080 1 4 336 1432917027 1432917142 ACCEPT OK
2 123456789010 eni-1235b8ca123456789 172.31.16.139 192.168.0.13 8080 59003 1 4 336 1432917094 1432917142 REJECT OK
```

What is the reason for the rejected traffic?

- A. The security group of the EC2 instances has no Allow rule for the traffic from the NLB.
- B. The security group of the NLB has no Allow rule for the traffic from the on-premises environment.
- C. The ACL of the on-premises environment does not allow traffic to the AWS environment.
- D. The network ACL that is associated with the subnet does not allow outbound traffic for the ephemeral port range.

**Answer: A**

#### NEW QUESTION 125

- (Exam Topic 1)

A SysOps administrator has enabled AWS CloudTrail in an AWS account. If CloudTrail is disabled, it must be re-enabled immediately. What should the SysOps administrator do to meet these requirements WITHOUT writing custom code?

- A. Add the AWS account to AWS Organization
- B. Enable CloudTrail in the management account.
- C. Create an AWS Config rule that is invoked when CloudTrail configuration change
- D. Apply the AWS-ConfigureCloudTrailLogging automatic remediation action.
- E. Create an AWS Config rule that is invoked when CloudTrail configuration change
- F. Configure the rule to invoke an AWS Lambda function to enable CloudTrail.
- G. Create an Amazon EventBridge (Amazon CloudWatch Events) hourly rule with a schedule pattern to run an AWS Systems Manager Automation document to enable CloudTrail.

**Answer: D**

#### NEW QUESTION 129

- (Exam Topic 1)

A new website will run on Amazon EC2 instances behind an Application Load Balancer. Amazon Route 53 will be used to manage DNS records.

What type of record should be set in Route 53 to point the website's apex domain name (for example company.com) to the Application Load Balancer?

- A. CNAME
- B. SOA
- C. TXT
- D. ALIAS

**Answer: D**

#### NEW QUESTION 131

- (Exam Topic 1)

A company is running a website on Amazon EC2 instances that are in an Auto Scaling group. When the website traffic increases, additional instances take several minutes to become available because of a

long-running user data script that installs software. A SysOps administrator must decrease the time that is required (or new instances to become available).

Which action should the SysOps administrator take to meet this requirement?

- A. Reduce the scaling thresholds so that instances are added before traffic increases
- B. Purchase Reserved Instances to cover 100% of the maximum capacity of the Auto Scaling group
- C. Update the Auto Scaling group to launch instances that have a storage optimized instance type
- D. Use EC2 Image Builder to prepare an Amazon Machine Image (AMI) that has pre-installed software

**Answer:** D

**Explanation:**

automated way to update your image. Have a pipeline to update your image. When you boot from your AMI updates = scripts are already pre-installed, so no need to complete boot scripts in boot process. <https://aws.amazon.com/image-builder/>

**NEW QUESTION 136**

- (Exam Topic 1)

A company has an application that runs only on Amazon EC2 Spot Instances. The instances run in an Amazon EC2 Auto Scaling group with scheduled scaling actions.

However, the capacity does not always increase at the scheduled times, and instances terminate many times a day. A Sysops administrator must ensure that the instances launch on time and have fewer interruptions.

Which action will meet these requirements?

- A. Specify the capacity-optimized allocation strategy for Spot Instance
- B. Add more instance types to the Auto Scaling group.
- C. Specify the capacity-optimized allocation strategy for Spot Instance
- D. Increase the size of the instances in the Auto Scaling group.
- E. Specify the lowest-price allocation strategy for Spot Instance
- F. Add more instance types to the Auto Scaling group.
- G. Specify the lowest-price allocation strategy for Spot Instance
- H. Increase the size of the instances in the Auto Scaling group.

**Answer:** A

**Explanation:**

Specifying the capacity-optimized allocation strategy for Spot Instances and adding more instance types to the Auto Scaling group is the best action to meet the requirements. Increasing the size of the instances in the Auto Scaling group will not necessarily help with the launch time or reduce interruptions, as the Spot Instances could still be interrupted even with larger instance sizes.

**NEW QUESTION 139**

- (Exam Topic 1)

A SysOps administrator is evaluating Amazon Route 53 DNS options to address concerns about high availability for an on-premises website. The website consists of two servers: a primary active server and a secondary passive server. Route 53 should route traffic to the primary server if the associated health check returns 2xx or 3xx HTTP codes. All other traffic should be directed to the secondary passive server. The failover record type, set ID, and routing policy have been set appropriately for both primary and secondary servers.

Which next step should be taken to configure Route 53?

- A. Create an A record for each serve
- B. Associate the records with the Route 53 HTTP health check.
- C. Create an A record for each serve
- D. Associate the records with the Route 53 TCP health check.
- E. Create an alias record for each server with evaluate target health set to ye
- F. Associate the records with the Route 53 HTTP health check.
- G. Create an alias record for each server with evaluate target health set to ye
- H. Associate the records with the Route 53 TCP health check.

**Answer:** A

**NEW QUESTION 144**

- (Exam Topic 1)

A company needs to ensure strict adherence to a budget for 25 applications deployed on AWS. Separate teams are responsible for storage, compute, and database costs. A SysOps administrator must implement an automated solution to alert each team when their projected spend will exceed a quarterly amount that has been set by the finance department. The solution cannot add additional compute, storage, or database costs.

- A. Configure AWS Cost and Usage Reports to send a daily report to an Amazon S3 bucket
- B. Create an AWS Lambda function that will evaluate spend by service and notify each team by using Amazon Simple Notification Service (Amazon SNS) notification
- C. Invoke the Lambda function when a report is placed in the S3 bucket
- D. Configure AWS Cost and Usage Reports to send a daily report to an Amazon S3 bucket
- E. Create a rule in Amazon EventBridge (Amazon CloudWatch Events) to evaluate the spend by service and notify each team by using Amazon Simple Queue Service (Amazon SQS) when the cost threshold is exceeded.
- F. Use AWS Budgets to create one cost budget and select each of the services in use. Specify the budget amount defined by the finance department along with the forecasted cost threshold. Enter the appropriate email recipients for the budget.
- G. Use AWS Budgets to create a cost budget for each team, filtering by the services they own
- H. Specify the budget amount defined by the finance department along with a forecasted cost threshold. Enter the appropriate email recipients for each budget.

**Answer:** D

**NEW QUESTION 149**

- (Exam Topic 1)

A company is expanding its use of AWS services across its portfolios. The company wants to provision AWS accounts for each team to ensure a separation of business processes for security compliance and billing. Account creation and bootstrapping should be completed in a scalable and efficient way so new accounts are created with a defined baseline and governance guardrails in place. A SysOps administrator needs to design a provisioning process that saves time and



resources

Which action should be taken to meet these requirements?

- A. Automate using AWS Elastic Beanstalk to provision the AWS accounts set up infrastructure and integrate with AWS Organizations
- B. Create bootstrapping scripts in AWS OpsWorks and combine them with AWS CloudFormation templates to provision accounts and infrastructure
- C. Use AWS Config to provision accounts and deploy instances using AWS Service Catalog
- D. Use AWS Control Tower to create a template in Account Factory and use the template to provision new accounts

**Answer:** D

#### NEW QUESTION 151

- (Exam Topic 1)

A compliance team requires all administrator passwords for Amazon RDS DB instances to be changed at least annually

Which solution meets this requirement in the MOST operationally efficient manner?

- A. Store the database credentials in AWS Secrets Manager. Configure automatic rotation for the secret every 365 days.
- B. Store the database credentials as a parameter in the RDS parameter group. Create a database trigger to rotate the password every 365 days.
- C. Store the database credentials in a private Amazon S3 bucket. Schedule an AWS Lambda function to generate a new set of credentials every 365 days.
- D. Store the database credentials in AWS Systems Manager Parameter Store as a secure string parameter. Configure automatic rotation for the parameter every 365 days.

**Answer:** A

#### NEW QUESTION 153

- (Exam Topic 1)

A SysOps Administrator is managing a web application that runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The instances run in an EC2 Auto Scaling group. The administrator wants to set an alarm for when all target instances associated with the ALB are unhealthy.

Which condition should be used with the alarm?

- A. AWS/ApplicationELB HealthyHostCount <= 0
- B. AWS/ApplicationELB UnhealthyHostCount >= 1
- C. AWS/EC2 StatusCheckFailed <= 0
- D. AWS/EC2 StatusCheckFailed >= 1

**Answer:** A

#### Explanation:

<https://docs.aws.amazon.com/elasticloadbalancing/latest/application/load-balancer-cloudwatch-metrics.html>

#### NEW QUESTION 155

- (Exam Topic 1)

A company updates its security policy to clarify cloud hosting arrangements for regulated workloads. Workloads that are identified as sensitive must run on hardware that is not shared with other customers or with other AWS accounts within the company.

Which solution will ensure compliance with this policy?

- A. Deploy workloads only to Dedicated Hosts.
- B. Deploy workloads only to Dedicated Instances.
- C. Deploy workloads only to Reserved Instances.
- D. Place all instances in a dedicated placement group.

**Answer:** A

#### Explanation:

Dedicated Hosts are physical servers that are dedicated to a single customer, ensuring that the customer's workloads are not shared with other customers or with other AWS accounts within the company. This will ensure that the company's security policy is followed and that sensitive workloads are running on hardware that is not shared with other customers or with other AWS accounts within the company.

#### NEW QUESTION 160

- (Exam Topic 1)

A company uses an Amazon Elastic File System (Amazon EFS) file system to share files across many Linux Amazon EC2 instances. A SysOps administrator notices that the file system's PercentIOLimit metric is consistently at 100% for 15 minutes or longer. The SysOps administrator also notices that the application that reads and writes to that file system is performing poorly. The application requires high throughput and IOPS while accessing the file system.

What should the SysOps administrator do to remediate the consistently high PercentIOLimit metric?

- A. Create a new EFS file system that uses Max I/O performance mode.
- B. Use AWS DataSync to migrate data to the new EFS file system.
- C. Create an EFS lifecycle policy to transition future files to the Infrequent Access (IA) storage class to improve performance.
- D. Use AWS DataSync to migrate existing data to IA storage.
- E. Modify the existing EFS file system and activate Max I/O performance mode.
- F. Modify the existing EFS file system and activate Provisioned Throughput mode.

**Answer:** A

#### Explanation:

To support a wide variety of cloud storage workloads, Amazon EFS offers two performance modes, General Purpose mode and Max I/O mode. You choose a file system's performance mode when you create it, and it cannot be changed. If the PercentIOLimit percentage returned was at or near 100 percent for a significant amount of time during the test, your application should use the Max I/O performance mode. <https://docs.aws.amazon.com/efs/latest/ug/performance.html>

**NEW QUESTION 163**

- (Exam Topic 1)

A company's VPC has connectivity to an on-premises data center through an AWS Site-to-Site VPN. The company needs Amazon EC2 instances in the VPC to send DNS queries for example.com to the DNS servers in the data center.

Which solution will meet these requirements?

- A. Create an Amazon Route 53 Resolver inbound endpoint Create a conditional forwarding rule on the on-premises DNS servers to forward DNS requests for example.com to the inbound endpoints.
- B. Create an Amazon Route 53 Resolver inbound endpoint Create a forwarding rule on the resolver that sends all queries for example.com to the on-premises DNS server
- C. Associate this rule with the VPC.
- D. Create an Amazon Route 53 Resolver outbound endpoint Create a conditional forwarding rule on the on-premises DNS servers to forward DNS requests for example.com to the outbound endpoints
- E. Create an Amazon Route 53 Resolver outbound endpoint
- F. Create a forwarding rule on the resolver that sends all queries for example.com to the on-premises DNS servers Associate this rule with the VPC.

**Answer:** C

**NEW QUESTION 166**

- (Exam Topic 1)

A manufacturing company uses an Amazon RDS DB instance to store inventory of all stock items. The company maintains several AWS Lambda functions that interact with the database to add, update, and delete items. The Lambda functions use hardcoded credentials to connect to the database.

A SysOps administrator must ensure that the database credentials are never stored in plaintext and that the password is rotated every 30 days.

Which solution will meet these requirements in the MOST operationally efficient manner?

- A. Store the database password as an environment variable for each Lambda function
- B. Create a new Lambda function that is named PasswordRotate
- C. Use Amazon EventBridge (Amazon CloudWatch Events) to schedule the PasswordRotate function every 30 days to change the database password and update the environment variable for each Lambda function.
- D. Use AWS Key Management Service (AWS KMS) to encrypt the database password and to store the encrypted password as an environment variable for each Lambda function
- E. Grant each Lambda function access to the KMS key so that the database password can be decrypted when required
- F. Create a new Lambda function that is named PasswordRotate to change the password every 30 days.
- G. Use AWS Secrets Manager to store credentials for the database
- H. Create a Secrets Manager secret, and select the database so that Secrets Manager will use a Lambda function to update the database password automatically
- I. Specify an automatic rotation schedule of 30 days
- J. Update each Lambda function to access the database password from SecretsManager.
- K. Use AWS Systems Manager Parameter Store to create a secure string to store credentials for the database
- L. Create a new Lambda function called PasswordRotate
- M. Use Amazon EventBridge (Amazon CloudWatch Events) to schedule the PasswordRotate function every 30 days to change the database password and to update the secret within Parameter Store
- N. Update each Lambda function to access the database password from Parameter Store.

**Answer:** C

**Explanation:**

When you choose to enable rotation, Secrets Manager supports the following Amazon Relational Database Service (Amazon RDS) databases with AWS written and tested Lambda rotation function templates, and full configuration of the rotation process:

Amazon Aurora on Amazon RDS MySQL on Amazon RDS PostgreSQL on Amazon RDS Oracle on Amazon RDS MariaDB on Amazon RDS

Microsoft SQL Server on Amazon RDS <https://docs.aws.amazon.com/secretsmanager/latest/userguide/intro.html>

**NEW QUESTION 167**

- (Exam Topic 1)

A company uses AWS Organizations. A SysOps administrator wants to use AWS Compute Optimizer and AWS tag policies in the management account to govern all member accounts in the billing family. The SysOps administrator navigates to the AWS Organizations console but cannot activate tag policies through the management account.

What could be the reason for this issue?

- A. All features have not been enabled in the organization.
- B. Consolidated billing has not been enabled.
- C. The member accounts do not have tags enabled for cost allocation.
- D. The member accounts have not manually enabled trusted access for Compute Optimizer.

**Answer:** C

**NEW QUESTION 169**

- (Exam Topic 1)

A company needs to view a list of security groups that are open to the internet on port 3389. What should a SysOps administrator do to meet this requirement?

- A. Configure Amazon GuardDuty to scan security groups and report unrestricted access on port 3389.
- B. Configure a service control policy (SCP) to identify security groups that allow unrestricted access on port 3389
- C. Use AWS Identity and Access Management Access Analyzer to find any instances that have unrestricted access on port 3389.
- D. Use AWS Trusted Advisor to find security groups that allow unrestricted access on port 3389.

**Answer:** D

**NEW QUESTION 173**

- (Exam Topic 1)

A company has a memory-intensive application that runs on a fleet of Amazon EC2 instances behind an Elastic Load Balancer (ELB). The instances run in an Auto

Scaling group. A Sysops administrator must ensure that the application can scale based on the number of users that connect to the application. Which solution will meet these requirements?

- A. Create a scaling policy that will scale the application based on the ActiveConnectionCount Amazon CloudWatch metric that is generated from the ELB.
- B. Create a scaling policy that will scale the application based on the mem used Amazon CloudWatch metric that is generated from the ELB.
- C. Create a scheduled scaling policy to increase the number of EC2 instances in the Auto Scaling group to support additional connections.
- D. Create and deploy a script on the ELB to expose the number of connected users as a custom Amazon CloudWatch metri
- E. Create a scaling policy that uses the metric.

**Answer: D**

**Explanation:**

This solution will allow the application to scale based on the number of users that connect to the application. The other solutions (creating a scaling policy that uses the ActiveConnectionCount Amazon CloudWatch metric generated from the ELB, creating a scaling policy that uses the mem used Amazon CloudWatch metric generated from the ELB, or creating a scheduled scaling policy to increase the number of EC2 instances in the Auto Scaling group to support additional connections) will not meet the requirements, as they do not allow the application to scale based on the number of users that connect to the application.

**NEW QUESTION 174**

- (Exam Topic 1)

A company has an Auto Scaling group of Amazon EC2 instances that scale based on average CPU utilization. The Auto Scaling group events log indicates an InsufficientInstanceCapacity error.

Which actions should a SysOps administrator take to remediate this issue? (Select TWO.)

- A. Change the instance type that the company is using.
- B. Configure the Auto Scaling group in different Availability Zones.
- C. Configure the Auto Scaling group to use different Amazon Elastic Block Store (Amazon EBS) volume sizes.
- D. Increase the maximum size of the Auto Scaling group.
- E. Request an increase in the instance service quota.

**Answer: AB**

**NEW QUESTION 179**

- (Exam Topic 1)

A SysOps administrator needs to give users the ability to upload objects to an Amazon S3 bucket. The SysOps administrator creates a presigned URL and provides the URL to a user, but the user cannot upload an object to the S3 bucket. The presigned URL has not expired, and no bucket policy is applied to the S3 bucket.

Which of the following could be the cause of this problem?

- A. The user has not properly configured the AWS CLI with their access key and secret access key.
- B. The SysOps administrator does not have the necessary permissions to upload the object to the S3 bucket.
- C. The SysOps administrator must apply a bucket policy to the S3 bucket to allow the user to upload the object.
- D. The object already has been uploaded through the use of the presigned URL, so the presigned URL is no longer valid.

**Answer: B**

**NEW QUESTION 182**

- (Exam Topic 1)

A company needs to restrict access to an Amazon S3 bucket to Amazon EC2 instances in a VPC only. All traffic must be over the AWS private network.

What actions should the SysOps administrator take to meet these requirements?

- A. Create a VPC endpoint for the S3 bucket, and create an IAM policy that conditionally limits all S3 actions on the bucket to the VPC endpoint as the source.
- B. Create a VPC endpoint for the S3 bucket, and create an S3 bucket policy that conditionally limits all S3 actions on the bucket to the VPC endpoint as the source.
- C. Create a service-linked role for Amazon EC2 that allows the EC2 instances to interact directly with Amazon S3, and attach an IAM policy to the role that allows the EC2 instances full access to the S3 bucket.
- D. Create a NAT gateway in the VPC, and modify the VPC route table to route all traffic destined for Amazon S3 through the NAT gateway.

**Answer: B**

**Explanation:**

While IAM policy (letter A) also can be used, it does not enforce everyone. The only option that enforces everyone is policy configured directly in the bucket S3.

**NEW QUESTION 185**

- (Exam Topic 1)

A company hosts an application on an Amazon EC2 instance in a single AWS Region. The application requires support for non-HTTP TCP traffic and HTTP traffic. The company wants to deliver content with low latency by leveraging the AWS network. The company also wants to implement an Auto Scaling group with an Elastic Load Balancer.

How should a SysOps administrator meet these requirements?

- A. Create an Auto Scaling group with an Application Load Balancer (ALB). Add an Amazon CloudFront distribution with the ALB as the origin.
- B. Create an Auto Scaling group with an Application Load Balancer (ALB). Add an accelerator with AWS Global Accelerator with the ALB as an endpoint.
- C. Create an Auto Scaling group with a Network Load Balancer (NLB). Add an Amazon CloudFront distribution with the NLB as the origin.
- D. Create an Auto Scaling group with a Network Load Balancer (NLB). Add an accelerator with AWS Global Accelerator with the NLB as an endpoint.

**Answer: D**

**Explanation:**

AWS Global Accelerator and Amazon CloudFront are separate services that use the AWS global network and its edge locations around the world. CloudFront improves performance for both cacheable content (such as images and videos) and dynamic content (such as API acceleration and dynamic site delivery). Global

Accelerator improves performance for a wide range of applications over TCP or UDP by proxying packets at the edge to applications running in one or more AWS Regions. Global Accelerator is a good fit for non-HTTP use cases, such as gaming (UDP), IoT (MQTT), or Voice over IP, as well as for HTTP use cases that specifically require static IP addresses or deterministic, fast regional failover. Both services integrate with AWS Shield for DDoS protection.  
<https://medium.com/awesome-cloud/aws-difference-between-application-load-balancer-and-network-load-balan> [https://aws.amazon.com/global-accelerator/faqs/?nc1=h\\_ls](https://aws.amazon.com/global-accelerator/faqs/?nc1=h_ls)

#### NEW QUESTION 190

.....



## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your SOA-C02 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/SOA-C02-dumps.html>