



# **Network-Appliance**

## **Exam Questions NS0-184**

NetApp Certified Storage Installation Engineer - ONTAP

**NEW QUESTION 1**

Click the Exhibit button.

The screenshot shows the NetApp Support Dashboard. At the top left is the NetApp logo and 'Support' text. To the right is a search bar with the placeholder text 'I need support on'. Below the search bar is a navigation menu with items: PRODUCTS, SYSTEMS, DOCS & KNOWLEDGEBASE, COMMUNITY, and MORE. The main heading is 'Dashboard'. On the right side of the dashboard, there are two dropdown menus and a '2' indicator, along with links for 'Manage Widgets' and 'Manage Favorites'. The dashboard contains two columns of widgets, each with a dropdown arrow:

- Left Column: System Inventory, Active IQ, Contracts and Warranties, Order Status, Product Support, Cases with Related RMAs & FSOs (with an information icon).
- Right Column: Recent Cases, Part Requests, Guide Me (with a question mark icon), ASE Corner, Systems.

During an ONTAP cluster handover procedure, your customer asks how to identify and solve issues that might occur on the newly deployed array.

Referring to the exhibit, which two widgets would the customer use to help with these issues?


(Choose two.)

- A. Guide Me
- B. Active IQ
- C. Contracts and Warranties
- D. ASE Corner

**Answer: AC**

**NEW QUESTION 2**

Click the Exhibit button.



You want to add an AFF A400 system to an existing 4-node cluster.


Referring to the exhibit, which number points to the ports that are used to cable the new nodes to the cluster interconnect switches.

- A. 4
- B. 2
- C. 3
- D. 1

**Answer: B**

**NEW QUESTION 3**

Click the Exhibit button.



While you are introducing the customer to the NetApp Support website, they ask you to ensure that the new ONTAP storage array is covered by support before you complete the knowledge transfer procedure. Referring to the exhibit, which two widgets would you select to accomplish this task? (Choose two.)

- A. Active IQ
- B. Product Support
- C. Systems
- D. Contracts and Warranties

**Answer:** CD

**NEW QUESTION 4**

You are adding new nodes to a 2-node switchless cluster. According to NetApp, what must you do before adding the nodes?

- A. You must configure cluster peering.
- B. must install interconnect switches.
- C. You must configure vserver peering.
- D. You must enable a cluster HA

**Answer:** B

**NEW QUESTION 5**

A host cannot connect to the namespace configured on an NVMe-enabled SVM. In this scenario, what are two reasons for this problem? (Choose two.)

- A. The namespace has not been added to the subsystem.
- B. The namespace has not be added to the igroup.
- C. The igroup has an incorrect NQN.
- D. The subsystem has an incorrect NQN.

**Answer:** AD

**NEW QUESTION 6**

You are deploying a new AFF All SAN Array A250 into a customer's existing data fabric. In this scenario, which two tools would give insight into their existing Cisco MDS fabric configuration? (Choose two.)

- A. Brocade SAN Health
- B. Cisco Data Center Network Manager (DCNM)
- C. Active IQ
- D. Active IQ Config Advisor

**Answer:** BC

**Explanation:**

Explanation\:

Reference: <https://www.cisco.com/c/en/us/products/collateral/storage-networking/mds-9700-seriesmultilayerdirectors/cisco-ucs-mds.html>

<https://www.cisco.com/c/en/us/products/collateral/servers-unified-computing/ucs-x-series-modularsystem/flexpod-datacenter-ucs-intersight.html>

**NEW QUESTION 7**

You want to create a data volume on aggr0 and you receive a message with the following warning:  
 "Warning: You are about to create a volume on a root aggregate.  
 This may cause severe performance or stability problems and therefore is not recommended. Do you want to proceed?"  
 What is the reason for this severe performance or stability problem?

- A. Controller failover and storage failover are separate processes that must occur in parallel, otherwise problems will arise.
- B. The performance load generated by the data volume can be very strong, so it should not be shared with vol0 on aggr0, requiring a separate aggregate for it.
- C. The performance load generated by the vol0 cannot be shared with any other volume on aggr0, requiring a dedicated aggregate for it.
- D. Controller failover and storage failover are separate processes that must occur at different times, otherwise problems will arise.

**Answer: B**

**NEW QUESTION 8**

Upon finishing the Installation of a new system for a customer, they request that you train them on how to administer the system. In this scenario, which two responses are appropriate? (Choose two.)

- A. Visit the NetApp MySupport Site and look for the Express Guides, they will guide you through the daily tasks and provide input and output examples.
- B. If you have a specific issue, you can visit the Knowledge Base Web site (<https://kb.netapp.com>).
- C. The answers to any of your questions can be found on the NetApp SmartSolve site (<http://smartsolve.netapp.com>).
- D. You should open a case with NetApp Support for all future questions with low priority and include the keyword "Training" in the title.

**Answer: AC**

**NEW QUESTION 9**

A customer is asked to install a new AFF ASA A700 system. During the installation, the customer asks if ONTAP 9.8 is supported with their host's OS version running Windows 2016.  
 In this scenario, which NetApp tool would verify supportability?

- A. ONTAP System Manager
- B. Active IQ Unified Manager
- C. Active IQ OneCollect
- D. Interoperability Matrix Tool


**Answer: A**

**Explanation:**

Reference: [https://docs.netapp.com/us-en/ontapsystems/pdfs/sidebar/AFF\\_A700\\_and\\_FAS9000\\_Install\\_and\\_Setup.pdf](https://docs.netapp.com/us-en/ontapsystems/pdfs/sidebar/AFF_A700_and_FAS9000_Install_and_Setup.pdf)

**NEW QUESTION 10**

Click the Exhibit button.



What are two functions of the four Ethernet switches in the supported configuration that is shown in the exhibit? (Choose two.)

- A. to provide a direct connection for the SnapMirror Synchronous (SM-S)
- B. to install cross-site cluster management switches
- C. to provide connectivity for NVRAM over iWARP
- D. to enable SyncMirror replication

**Answer: AC**

**NEW QUESTION 10**

You are preparing to add a 2-node AFF A250 system to an existing 4-node AFF A800 cluster with Cisco Nexus 3232C switches. The cluster switches are currently running the Cluster-HA RCF.  
 In this scenario, which two steps are required to install the AFF A250 system? (Choose two.)

- A. Load the Storage RCF.
- B. Cable the AFF A250 nodes to the next free ports on the switch.
- C. Cable the AFF A250 nodes to the breakout ports on the switch.
- D. Load the Cluster-HA-Breakout RCF.

**Answer: CD**

**NEW QUESTION 14**

You are setting up a peer relationship between two ONTAP clusters.  
In this scenario, which two statements are true regarding authentication?

- A. Peering authentication status can be verified with the cluster peer show command.
- B. Peering authentication can be configured using LDAP users and groups.
- C. Peering authentication is required before enabling peering encryption.
- D. Peering authentication can use an ONTAP generated passphrase.

**Answer:** AD

#### NEW QUESTION 15

You want to use the NetAppDocs tool to collect information on a newly configured ONTAP 9.8 cluster and to generate a Word document with the details of the cluster configuration.

Which two data sources would you use to collect the necessary data? (Choose two.)

- A. Active IQ Digital Advisor
- B. Active IQ Unified Manager
- C. ONTAP Cluster
- D. AutoSupport packages

**Answer:** BC

#### NEW QUESTION 20

An administrator issued the cluster setup command and configured a 2-node ONTAP 9.8 cluster.

In this scenario, which tool would the administrator use to validate the configuration?

- A. Active IQ Upgrade Advisor
- B. Interoperability Matrix Tool
- C. NetAppDocs
- D. Active IQ Config Advisor

**Answer:** C

#### NEW QUESTION 24

A customer is creating a new SVM to host iSCSI LUNs for a Hyper-V cluster. You need to successfully map the new LUNs and make them visible to the Hyper-V cluster.

In this scenario, which host information is required to accomplish this task?

- A. IQNs
- B. WWNNs
- C. WWPNS
- D. host names

**Answer:** D

#### NEW QUESTION 29

You are installing an AFFA700 system with two disk shelves using ADPv2. After setting up the cluster, you realize that one drive shelf was powered off and that the drives have not been assigned to any of the nodes.

In this scenario, which two resources will help you find a solution? (Choose two.)

- A. Active IQ Config Advisor
- B. NetApp Documentation Center
- C. NetApp Knowledge Base
- D. Active IQ Digital Advisor

**Answer:** AC

#### Explanation:

Reference: <https://docs.netapp.com/us-en/ontap-systems/fas9000/install-detailedguide.html#option-1-cable-the-controllers-to-ds212c-or-ds224c-drive-shelves>

#### NEW QUESTION 32

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### NS0-184 Practice Exam Features:

- \* NS0-184 Questions and Answers Updated Frequently
- \* NS0-184 Practice Questions Verified by Expert Senior Certified Staff
- \* NS0-184 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* NS0-184 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
[Order The NS0-184 Practice Test Here](#)