

## OmniStudio-Developer Dumps

### Salesforce Certified OmniStudio Developer (SU21)

<https://www.certleader.com/OmniStudio-Developer-dumps.html>



### NEW QUESTION 1

A developer needs to display read-only contact information in a OmniScript. The developer will format the information as a table, using merge codes to dynamically include first name, last name, street address, state, postal, code, and country from the data JSON.

Which OmniScript element should the developer use to meet this requirement?

- A. Rich text Area
- B. Text area
- C. Text Block
- D. Edit Block

**Answer: C**

### NEW QUESTION 2

A developer writes an OmniScript that includes a DataRaptor that updates the Account statue based on information provided from the OmniScript. The information must be updated only if the Account record already exists. Otherwise, a new account must be created.

How should the developer accomplish this task?

- A. Populate the Lookup object and Lookup fields
- B. Check the Upset key and is required for Upsert checkboxes on the Account id field
- C. Check the Upsert key checkbox on the Account Status field
- D. Check Overwrite Target for all Null input checkbox on the Account id field

**Answer: B**

### NEW QUESTION 3

A developer need to use the CONTIF function to process data entered by the user in an OmniScript. The output of the function needs to be displayed to the user immediately in the current step.

Based on best practice, what element should the developer use this function in?

- A. A Calculation Action element
- B. A Set Valueselement
- C. A formula element
- D. A Range element

**Answer: C**

### NEW QUESTION 4

An OmniScript updates data from one Salesforce record, but when it completes, only some of the data is updated in Salesforce. A DataRaptor Load saves the data. What error could cause this behavior?

Choose 2 answers

- A. The fields that are not updated are read only in Salesforce.
- B. In the DataRaptor Load, in the Preview tab, the Record is from the wrong record type.
- C. The input JSON paths In the DataRaptor Load do not match the JSON from the OmniScript.
- D. ContextId is misspelled in the merge code thatpasses the RecordId to the DataRaptor

**Answer: AC**


### NEW QUESTION 5

A customer sets up to LWC Omniscripts, one embedded into another. Account is set in a Set Values element in the parent Omniscript.

The AccountId set in the parent Omniscript is used to another Set Values elementContextAccountId in the embedded OmniScript. The embedded OmniScript is activated.

While previewing the OmniScript flow from the parent, it is found that Account is set correctly in the parent OmniScript. However. ContextAccountId in the embedded OmniScript is not set with the AccountId from parent Omniscript. On previewing the embedded OmniScript individually, it is found that ContextAccountId is set correctly.

What is the reason for this? Refer to the exhibit below.





- A. Both parent and embedded OmniScripts have the same element name for the Set values element.
- B. A developer failed to include a Navigation Element to pass data from the parent OmniScript.
- C. The LWC PubSub Message flag in the Set Values action of the parent has not been set.
- D. The flagpassDataJSON in the parent OmniScript in not configured correctly.

Answer: C

NEW QUESTION 6

A developer has a requirement to create a child FlexCard that contains all of its parent FlexCard’s records In a Datable How should the developer configure the parent FlexCard’s Node?

- A. {Records{0}}
- B. {Records}
- C. {Params, records}
- D. {Recorded}

Answer: C

NEW QUESTION 7

A developer needs to build a multi-step intake form. Each step must allow the user tocancel the intake at any time. The developer is using an LWC OmniScript to build the form.

How should the developer implement the cancel functionality for all steps using the LWC OmniScript Designer?

- A. Check the Enable Cancel checkbox in the Setup tab under Cancel Options.
- B. Add a navigation Action inside each step and set the Component name to “Cancel”.
- C. Add a navigation Action outside each step and set the Element Name to “Cancel”.
- D. Add a navigation Action inside each step and set the ElementName to “Cancel”.

Answer: A

NEW QUESTION 8

Refer to the exhibit.



The card layout uses an integration Procedure as a data source. Thecards use the layout data source. Which JSON data structure supports this card layout and follows best practices?

A)

```
{
  "Contact": [
    {
      "cellphone": "(212) 154-8562",
      "Name": "Edward Stamos"
    },
    {
      "CellPhone": "(650) 150-1102",
      "Name": "Howard Jones"
    }
  ],
  "Account": {
    "phone": "(222) 154-6450",
    "Name": "Acme"
  }
}
```

B)

```
{
  "contact": [
    {
      "CellPhone": "(212) 154-8562",
      "Name": "Edward Stamos"
    },
    {
      "cellPhone": "(650) 156-1182",
      "Name": "Howard Jones"
    }
  ],
  "AccountPhone": "2221546450",
  "AccountName": "Acme"
}
```

C)


```
{
  {
    "Account": {
      "Phone": "2221546450",
      "Name": "Acme"
    },
    "ContactCellPhone": "(212) 154-8562",
    "ContactName": "Edward Stamos"
  },
  {
    "Account": {
      "Phone": "2221546450",
      "Name": "Acme"
    },
    "ContactCellPhone": "(650) 156-1182",
    "ContactName": "Howard Jones"
  }
}
```

- A. Option A
- B. Option B
- C. Option C

**Answer: C**

#### NEW QUESTION 9

Refer to the exhibit below.



What is the reason that the fields fail to display the fetched data?

- A. Lookup Mode is selected in the properties of the Type Ahead Block.
- B. FirstName, LastName, and BirthDate are not placed inside the Type Ahead Block.
- C. The typeHead key is not in the correct format.
- D. Use Data JSON is Not selected in the properties of the Type Ahead Block.

**Answer: B**

#### NEW QUESTION 10

..... configure Additional input to send exactly the same data?  
Assume that the developer checked Send Only Additional input.

#### ▼ SEND/RESPONSE TRANSFORMATIONS

Send JSON Path ①	Send JSON Node ①
DRExtractAction:Account	SecondaryAccount
Response JSON Path ①	Response JSON Node

A)

Key	Value
SecondaryAccount	%DRExtractAction:Account%

B)

Key	Value
DRExtractAction:Account	SecondaryAccount

C)

Key	Value
%DRExtractAction:Account%	SecondaryAccount

D)

Key	Value
SecondaryAccount	DRExtractAction:Account

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: D**

#### NEW QUESTION 10

When launching an OmniScript from an action on a FlexCard, the OmniScript displays, but no Salesforce data is populated:  
Which two errors could cause this behavior? Choose 2 answers  
Choose 2 answers

- A. The Id Field for Actions in the FlexCard is blank.
- B. There is no active version of the Data Raptor Extract.
- C. There is no active version of the OmniScript
- D. In the DataRaptor Extract Action, the Input Parameters Filter Value is misspelled.

**Answer: AD**

#### NEW QUESTION 14

An integration procedure contains a Remote Action element that calls a method of an APEX class. The method requires two fields are input: AccountId and ProductId. The integration Procedure data JSON contains the following nodes:  
How should the Remote Action element be configured to pass the data correctly to the method?

A. Check the Send Only Additional Input checkbox, and the following/ value pairs to Additional input:

```
* AccountId: %AccountId%
* ProductId: %Details:ProductId%
```

B. Set Return Only AdditionalOutput to true, and add the following Key/Value pairs to additional input.

```
* AccountId: %AccountId%
* ProductId: %Details:ProductId%
```

C. Check the DataRaptor Transform checkbox, and add the following Key/Value pairs to Output JSON Path:

```
* AccountId: %AccountId%
* ProductId: %Details:ProductId%
```

D. Add the following to Send JSON Path: accountId: %Accountd% ProductId%Details Products%

**Answer: B**

#### NEW QUESTION 19

A developer creates a Flexcard that displays a contact's mailing address and passes the contact's postal code to a child FlexCard.



When configuration textelements in the child FlexCard, what syntax should a developer use to refer to the contact's postal code?

- A. {Postalcode}
- B. {Parent.postalcode}
- C. {Records.postalcode}
- D. {Params.postalcode}

**Answer: D**

#### NEW QUESTION 23

In a calculation procedure, what is required for the output of a calculation step to be used in an aggregation step?

- A. It must be included in constants.
- B. It must be amatrix lookup step.
- C. It must be a calculation step.
- D. It must be included m the calculation output.

**Answer: D**

#### NEW QUESTION 28

A developer is creating a FlexCard for a new Community page. The FlexCard will display case information along with action to close the case and update the case. And it will be styled using the Community's theme.

What must be developer do to configure the FlexCard for deployment in a Community?

- A. Add the FlexCard's API name to FlexCard Player component
- B. Set the Target property in publish Options to Communitypage"
- C. Configure the Component visibility in the custom Component.
- D. Set the Developer property in Card Configuration to "Community"

**Answer: B**

#### NEW QUESTION 31

Refer to the exhibit.



A)

```
"Step1": {
  "Block1": {
    "Text1": "Text",
    "Block2": {
      "Telephone1": "1234567890",
      "Checkbox1": false
    }
  },
  "Block3": {
    "Multi-select1": "Value A;Value B"
  }
}
```

B)

```
"Step1": {
  "Block1": {
    "Text1": "Text",
    "Telephone1": "1234567890",
    "Block2": {
      "Checkbox1": false
    }
  },
  "Block3": {
    "Multi-select1": "Value A;Value B"
  }
}
```

- A. Option A
- B. Option B

**Answer: A**

#### NEW QUESTION 36

What two advantages does a DataRaptor Turbo Extract have over a standard DataRaptor Extract? Choose 2 answers

- A. It populates data in PDF and DocuSign format
- B. It is easier to configure
- C. It has better performance at runtime
- D. It supports complex field mappings

**Answer:** BC

#### NEW QUESTION 37

A developer is configuring the API URL in an HTTP Action element within an Integration procedure. What is the merge code syntax for passing a Date node from an element named SetValues in the URL?

- A. x%SetValues.Date%
- B. (' Setvalues') [ 'Date']
- C. %SetValues Date
- D. {(SetValue
- E. Date)}

**Answer:** C

#### NEW QUESTION 39

A developer is creating a FlexCard and needs to display additional information using a Flyout. Which two types of components can the developer embed in the flyout?

Choose 2 answer

- A. An OmniScript
- B. An Integration Procedure
- C. A DataRaptor
- D. A Child FlexCard

**Answer:** BD

#### NEW QUESTION 43

A developer has a requirement to create a child FlexCard that contains all of its parent FlexCard's records in a Datatable.

- A. {Records[0]}
- B. {Records}
- C. {Params records}
- D. {recordId}

**Answer:** B

#### NEW QUESTION 46

A developer creates a DataRaptor Extract to retrieve data to pass to an external service. The external service expects the field value to be integer. However, the DataRaptor is sending it as a string.

Which action can the developer take to fix this?

- A. In the DataRaptor Output tab, select the Output Data Type of that field to Integer.
- B. In the DataRaptor Output tab, enter the default value as 0 on the field.
- C. In the DataRaptor Extract tab, set the Input Data Type field to Integer.
- D. In the DataRaptor Formula tab, define a formula using the function TOINTEGER and use the formula as output.

**Answer:** A

#### NEW QUESTION 50

The OmniScript must retrieve device details stored in the Asset object and then call an external system to send troubleshooting commands via REST API to the device.


Which two OmniScript elements should the developer use to configure this functionality?

- A. DataRaptor Extract Action
- B. REST API Action
- C. Navigation Action
- D. SOQL Action
- E. HTTP Action

**Answer:** AE

#### NEW QUESTION 53

Refer to the exhibit below.



What is the merge code needed for this integration procedure structure to pass a CaseNumber node from the DRReadCase DataRaptor Extract Action to the HTTP Action's HTTP URL?

- A. %DRReadCase: CaseNumber%
- B. ((DRRCase,CaseNumber))
- C. MTTOPDetCaseDetail: CaseNumber%
- D. ((CaseNumber))

**Answer:** A

#### NEW QUESTION 56

.....



## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your OmniStudio-Developer Exam with Our Prep Materials Via below:**

<https://www.certleader.com/OmniStudio-Developer-dumps.html>