

# Google

## Exam Questions Professional-Cloud-Security-Engineer

Google Cloud Certified - Professional Cloud Security Engineer



**NEW QUESTION 1**

While migrating your organization's infrastructure to GCP, a large number of users will need to access GCP Console. The Identity Management team already has a well-established way to manage your users and want to keep using your existing Active Directory or LDAP server along with the existing SSO password. What should you do?

- A. Manually synchronize the data in Google domain with your existing Active Directory or LDAP server.
- B. Use Google Cloud Directory Sync to synchronize the data in Google domain with your existing Active Directory or LDAP server.
- C. Users sign in directly to the GCP Console using the credentials from your on-premises Kerberoscompliant identity provider.
- D. Users sign in using OpenID (OIDC) compatible IdP, receive an authentication token, then use that token to log in to the GCP Console.

**Answer: B**

**NEW QUESTION 2**

You are the security admin of your company. You have 3,000 objects in your Cloud Storage bucket. You do not want to manage access to each object individually. You also do not want the uploader of an object to always have full control of the object. However, you want to use Cloud Audit Logs to manage access to your bucket. What should you do?

- A. Set up an ACL with OWNER permission to a scope of allUsers.
- B. Set up an ACL with READER permission to a scope of allUsers.
- C. Set up a default bucket ACL and manage access for users using IAM.
- D. Set up Uniform bucket-level access on the Cloud Storage bucket and manage access for users using IAM.

**Answer: A**

**NEW QUESTION 3**

A website design company recently migrated all customer sites to App Engine. Some sites are still in progress and should only be visible to customers and company employees from any location. Which solution will restrict access to the in-progress sites?

- A. Upload an .htaccess file containing the customer and employee user accounts to App Engine.
- B. Create an App Engine firewall rule that allows access from the customer and employee networks and denies all other traffic.
- C. Enable Cloud Identity-Aware Proxy (IAP), and allow access to a Google Group that contains the customer and employee user accounts.
- D. Use Cloud VPN to create a VPN connection between the relevant on-premises networks and the company's GCP Virtual Private Cloud (VPC) network.

**Answer: C**

**NEW QUESTION 4**

Your team sets up a Shared VPC Network where project co-vpc-prod is the host project. Your team has configured the firewall rules, subnets, and VPN gateway on the host project. They need to enable Engineering Group A to attach a Compute Engine instance to only the 10.1.1.0/24 subnet. What should your team grant to Engineering Group A to meet this requirement?

- A. Compute Network User Role at the host project level.
- B. Compute Network User Role at the subnet level.
- C. Compute Shared VPC Admin Role at the host project level.
- D. Compute Shared VPC Admin Role at the service project level.

**Answer: C**

**NEW QUESTION 5**

Your team needs to configure their Google Cloud Platform (GCP) environment so they can centralize the control over networking resources like firewall rules, subnets, and routes. They also have an on-premises environment where resources need access back to the GCP resources through a private VPN connection. The networking resources will need to be controlled by the network security team. Which type of networking design should your team use to meet these requirements?

- A. Shared VPC Network with a host project and service projects
- B. Grant Compute Admin role to the networking team for each engineering project
- C. VPC peering between all engineering projects using a hub and spoke model
- D. Cloud VPN Gateway between all engineering projects using a hub and spoke model

**Answer: A**

**NEW QUESTION 6**

A customer wants to move their sensitive workloads to a Compute Engine-based cluster using Managed Instance Groups (MIGs). The jobs are bursty and must be completed quickly. They have a requirement to be able to manage and rotate the encryption keys. Which boot disk encryption solution should you use on the cluster to meet this customer's requirements?

- A. Customer-supplied encryption keys (CSEK)
- B. Customer-managed encryption keys (CMEK) using Cloud Key Management Service (KMS)
- C. Encryption by default
- D. Pre-encrypting files before transferring to Google Cloud Platform (GCP) for analysis

**Answer: B**

**Explanation:**

Reference <https://cloud.google.com/kubernetes-engine/docs/how-to/dynamic-provisioning-cmek>

**NEW QUESTION 7**

You will create a new Service Account that should be able to list the Compute Engine instances in the project. You want to follow Google-recommended practices. What should you do?

- A. Create an Instance Template, and allow the Service Account Read Only access for the Compute Engine Access Scope.
- B. Create a custom role with the permission compute.instances.list and grant the Service Account this role.
- C. Give the Service Account the role of Compute Viewer, and use the new Service Account for all instances.
- D. Give the Service Account the role of Project Viewer, and use the new Service Account for all instances.

**Answer:** A

**NEW QUESTION 8**

A company is running workloads in a dedicated server room. They must only be accessed from within the private company network. You need to connect to these workloads from Compute Engine instances within a Google Cloud Platform project.

Which two approaches can you take to meet the requirements? (Choose two.)

- A. Configure the project with Cloud VPN.
- B. Configure the project with Shared VPC.
- C. Configure the project with Cloud Interconnect.
- D. Configure the project with VPC peering.
- E. Configure all Compute Engine instances with Private Access.

**Answer:** DE

**NEW QUESTION 9**

In order to meet PCI DSS requirements, a customer wants to ensure that all outbound traffic is authorized. Which two cloud offerings meet this requirement without additional compensating controls? (Choose two.)

- A. App Engine
- B. Cloud Functions
- C. Compute Engine
- D. Google Kubernetes Engine
- E. Cloud Storage

**Answer:** AC

**NEW QUESTION 10**

A customer has 300 engineers. The company wants to grant different levels of access and efficiently manage IAM permissions between users in the development and production environment projects.

Which two steps should the company take to meet these requirements? (Choose two.)

- A. Create a project with multiple VPC networks for each environment.
- B. Create a folder for each development and production environment.
- C. Create a Google Group for the Engineering team, and assign permissions at the folder level.
- D. Create an Organizational Policy constraint for each folder environment.
- E. Create projects for each environment, and grant IAM rights to each engineering user.

**Answer:** BD

**NEW QUESTION 10**

A patch for a vulnerability has been released, and a DevOps team needs to update their running containers in Google Kubernetes Engine (GKE).

How should the DevOps team accomplish this?

- A. Use Puppet or Chef to push out the patch to the running container.
- B. Verify that auto upgrade is enabled; if so, Google will upgrade the nodes in a GKE cluster.
- C. Update the application code or apply a patch, build a new image, and redeploy it.
- D. Configure containers to automatically upgrade when the base image is available in Container Registry.

**Answer:** B

**NEW QUESTION 12**

For compliance reasons, an organization needs to ensure that in-scope PCI Kubernetes Pods reside on “in- scope” Nodes only. These Nodes can only contain the “in-scope” Pods.

How should the organization achieve this objective?

- A. Add a nodeSelector field to the pod configuration to only use the Nodes labeled inscope: true.
- B. Create a node pool with the label inscope: true and a Pod Security Policy that only allows the Pods to run on Nodes with that label.
- C. Place a taint on the Nodes with the label inscope: true and effect NoSchedule and a toleration to match in the Pod configuration.
- D. Run all in-scope Pods in the namespace “in-scope-pci”.

**Answer:** C

**NEW QUESTION 16**

A customer wants to make it convenient for their mobile workforce to access a CRM web interface that is hosted on Google Cloud Platform (GCP). The CRM can only be accessed by someone on the corporate network. The customer wants to make it available over the internet. Your team requires an authentication layer in front of the application that supports two-factor authentication

Which GCP product should the customer implement to meet these requirements?

- A. Cloud Identity-Aware Proxy
- B. Cloud Armor
- C. Cloud Endpoints
- D. Cloud VPN

**Answer:** D

#### NEW QUESTION 21

Your company runs a website that will store PII on Google Cloud Platform. To comply with data privacy regulations, this data can only be stored for a specific amount of time and must be fully deleted after this specific period. Data that has not yet reached the time period should not be deleted. You want to automate the process of complying with this regulation.

What should you do?

- A. Store the data in a single Persistent Disk, and delete the disk at expiration time.
- B. Store the data in a single BigQuery table and set the appropriate table expiration time.
- C. Store the data in a single Cloud Storage bucket and configure the bucket's Time to Live.
- D. Store the data in a single BigTable table and set an expiration time on the column families.

**Answer:** B

#### NEW QUESTION 26

A large e-retailer is moving to Google Cloud Platform with its ecommerce website. The company wants to ensure payment information is encrypted between the customer's browser and GCP when the customers checkout online.

What should they do?

- A. Configure an SSL Certificate on an L7 Load Balancer and require encryption.
- B. Configure an SSL Certificate on a Network TCP Load Balancer and require encryption.
- C. Configure the firewall to allow inbound traffic on port 443, and block all other inbound traffic.
- D. Configure the firewall to allow outbound traffic on port 443, and block all other outbound traffic.

**Answer:** A

#### NEW QUESTION 30

You are in charge of migrating a legacy application from your company datacenters to GCP before the current maintenance contract expires. You do not know what ports the application is using and no documentation is available for you to check. You want to complete the migration without putting your environment at risk. What should you do?

- A. Migrate the application into an isolated project using a "Lift & Shift" approach
- B. Enable all internal TCP traffic using VPC Firewall rule
- C. Use VPC Flow logs to determine what traffic should be allowed for the application to work properly.
- D. Migrate the application into an isolated project using a "Lift & Shift" approach in a custom network. Disable all traffic within the VPC and look at the Firewall logs to determine what traffic should be allowed for the application to work properly.
- E. Refactor the application into a micro-services architecture in a GKE cluster
- F. Disable all traffic from outside the cluster using Firewall Rule
- G. Use VPC Flow logs to determine what traffic should be allowed for the application to work properly.
- H. Refactor the application into a micro-services architecture hosted in Cloud Functions in an isolated project. Disable all traffic from outside your project using Firewall Rule
- I. Use VPC Flow logs to determine what traffic should be allowed for the application to work properly.

**Answer:** C

#### NEW QUESTION 35

In an effort for your company messaging app to comply with FIPS 140-2, a decision was made to use GCP compute and network services. The messaging app architecture includes a Managed Instance Group (MIG) that controls a cluster of Compute Engine instances. The instances use Local SSDs for data caching and UDP for instance-to-instance communications. The app development team is willing to make any changes necessary to comply with the standard

Which options should you recommend to meet the requirements?

- A. Encrypt all cache storage and VM-to-VM communication using the BoringCrypto module.
- B. Set Disk Encryption on the Instance Template used by the MIG to customer-managed key and use BoringSSL for all data transit between instances.
- C. Change the app instance-to-instance communications from UDP to TCP and enable BoringSSL on clients' TLS connections.
- D. Set Disk Encryption on the Instance Template used by the MIG to Google-managed Key and use BoringSSL library on all instance-to-instance communications.

**Answer:** D

#### NEW QUESTION 36

A customer's data science group wants to use Google Cloud Platform (GCP) for their analytics workloads. Company policy dictates that all data must be company-owned and all user authentications must go through their own Security Assertion Markup Language (SAML) 2.0 Identity Provider (IdP). The Infrastructure Operations Systems Engineer was trying to set up Cloud Identity for the customer and realized that their domain was already being used by G Suite.

How should you best advise the Systems Engineer to proceed with the least disruption?

- A. Contact Google Support and initiate the Domain Contestation Process to use the domain name in your new Cloud Identity domain.
- B. Register a new domain name, and use that for the new Cloud Identity domain.
- C. Ask Google to provision the data science manager's account as a Super Administrator in the existing domain.
- D. Ask customer's management to discover any other uses of Google managed services, and work with the existing Super Administrator.

**Answer:** C

**NEW QUESTION 39**

You need to provide a corporate user account in Google Cloud for each of your developers and operational staff who need direct access to GCP resources. Corporate policy requires you to maintain the user identity in a third-party identity management provider and leverage single sign-on. You learn that a significant number of users are using their corporate domain email addresses for personal Google accounts, and you need to follow Google recommended practices to convert existing unmanaged users to managed accounts.

Which two actions should you take? (Choose two.)

- A. Use Google Cloud Directory Sync to synchronize your local identity management system to Cloud Identity.
- B. Use the Google Admin console to view which managed users are using a personal account for their recovery email.
- C. Add users to your managed Google account and force users to change the email addresses associated with their personal accounts.
- D. Use the Transfer Tool for Unmanaged Users (TTUU) to find users with conflicting accounts and ask them to transfer their personal Google accounts.
- E. Send an email to all of your employees and ask those users with corporate email addresses for personal Google accounts to delete the personal accounts immediately.

**Answer:** BE

**NEW QUESTION 41**

A customer needs to prevent attackers from hijacking their domain/IP and redirecting users to a malicious site through a man-in-the-middle attack. Which solution should this customer use?

- A. VPC Flow Logs
- B. Cloud Armor
- C. DNS Security Extensions
- D. Cloud Identity-Aware Proxy

**Answer:** C

**NEW QUESTION 45**

You are creating an internal App Engine application that needs to access a user's Google Drive on the user's behalf. Your company does not want to rely on the current user's credentials. It also wants to follow Google recommended practices. What should you do?

- A. Create a new Service account, and give all application users the role of Service Account User.
- B. Create a new Service account, and add all application users to a Google Group.
- C. Give this group the role of Service Account User.
- D. Use a dedicated G Suite Admin account, and authenticate the application's operations with these G Suite credentials.
- E. Create a new service account, and grant it G Suite domain-wide delegation.
- F. Have the application use it to impersonate the user.

**Answer:** A

**NEW QUESTION 48**

Your team uses a service account to authenticate data transfers from a given Compute Engine virtual machine instance to a specified Cloud Storage bucket. An engineer accidentally deletes the service account, which breaks application functionality. You want to recover the application as quickly as possible without compromising security. What should you do?

- A. Temporarily disable authentication on the Cloud Storage bucket.
- B. Use the undelete command to recover the deleted service account.
- C. Create a new service account with the same name as the deleted service account.
- D. Update the permissions of another existing service account and supply those credentials to the applications.

**Answer:** B

**NEW QUESTION 50**

An organization's typical network and security review consists of analyzing application transit routes, request handling, and firewall rules. They want to enable their developer teams to deploy new applications without the overhead of this full review. How should you advise this organization?

- A. Use Forseti with Firewall filters to catch any unwanted configurations in production.
- B. Mandate use of infrastructure as code and provide static analysis in the CI/CD pipelines to enforce policies.
- C. Route all VPC traffic through customer-managed routers to detect malicious patterns in production.
- D. All production applications will run on-premise.
- E. Allow developers free rein in GCP as their dev and QA platforms.

**Answer:** B

**NEW QUESTION 53**

Your team wants to centrally manage GCP IAM permissions from their on-premises Active Directory Service. Your team wants to manage permissions by AD group membership. What should your team do to meet these requirements?

- A. Set up Cloud Directory Sync to sync groups, and set IAM permissions on the groups.
- B. Set up SAML 2.0 Single Sign-On (SSO), and assign IAM permissions to the groups.
- C. Use the Cloud Identity and Access Management API to create groups and IAM permissions from Active Directory.
- D. Use the Admin SDK to create groups and assign IAM permissions from Active Directory.

**Answer:** B

#### NEW QUESTION 56

A company allows every employee to use Google Cloud Platform. Each department has a Google Group, with all department members as group members. If a department member creates a new project, all members of that department should automatically have read-only access to all new project resources. Members of any other department should not have access to the project. You need to configure this behavior. What should you do to meet these requirements?

- A. Create a Folder per department under the Organizatio
- B. For each department's Folder, assign the Project Viewer role to the Google Group related to that department.
- C. Create a Folder per department under the Organizatio
- D. For each department's Folder, assign the Project Browser role to the Google Group related to that department.
- E. Create a Project per department under the Organizatio
- F. For each department's Project, assign the Project Viewer role to the Google Group related to that department.
- G. Create a Project per department under the Organizatio
- H. For each department's Project, assign the Project Browser role to the Google Group related to that department.

**Answer: C**

#### NEW QUESTION 58

An application running on a Compute Engine instance needs to read data from a Cloud Storage bucket. Your team does not allow Cloud Storage buckets to be globally readable and wants to ensure the principle of least privilege.

Which option meets the requirement of your team?

- A. Create a Cloud Storage ACL that allows read-only access from the Compute Engine instance's IP address and allows the application to read from the bucket without credentials.
- B. Use a service account with read-only access to the Cloud Storage bucket, and store the credentials to the service account in the config of the application on the Compute Engine instance.
- C. Use a service account with read-only access to the Cloud Storage bucket to retrieve the credentials from the instance metadata.
- D. Encrypt the data in the Cloud Storage bucket using Cloud KMS, and allow the application to decrypt the data with the KMS key.

**Answer: C**

#### NEW QUESTION 60

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### Professional-Cloud-Security-Engineer Practice Exam Features:

- \* Professional-Cloud-Security-Engineer Questions and Answers Updated Frequently
- \* Professional-Cloud-Security-Engineer Practice Questions Verified by Expert Senior Certified Staff
- \* Professional-Cloud-Security-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* Professional-Cloud-Security-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The Professional-Cloud-Security-Engineer Practice Test Here](#)**