

MB6-894 Dumps

Development, Extensions and Deployment for Microsoft Dynamics 365 for Finance and Operations

<https://www.certleader.com/MB6-894-dumps.html>



NEW QUESTION 1

You create a new class named NewClass1 in a model. NewClass1 manipulates the CustTable table in the protected method modifyCustTable. NewClass1 has the following code: class NewClass1

```
{
public static MainClass1 construct()
{
return new MainClass1();
}
protected void modifyCustTable()
{
...
}
}
```

In the same model as NewClass1, you create a new class named NewClass2. You want to run the code in the modifyCustTable method from the callModifyCustTable method in NewClass2. What is a correct example of calling the modifyCustTable method from NewClass2?

- A. {public static NewClass2 construct(){return new NewClass2();}public void callModifyCustTable(){NewClass1 newClass1 = NewClass1::construct(); newClass1.modifyCustTable();}}
- B. class NewClass2{public static NewClass2 construct(){return new NewClass2();}public void classModifyCustTable(){newClass1.modifyCustTable();}}
- C. class NewClass2 extends NewClass1{public static NewClass2 construct(){return new NewClass2();}public void callModifyCustTable(){this construct().modifyCustTable();}}
- D. class NewClass2 extends NewClass1{public static NewClass2 construct(){return new NewClass2();}public void callModifyCustTable(){this.modifyCustTable();}}

Answer: D

Explanation:

Section: Read and Write Basic X++ (20-25%)

NEW QUESTION 2

You are working for a client in a new Microsoft Dynamics 365 for Finance and Operations developer virtual machine (VM). The client has existing models and solutions checked into version control with Visual Studio Team Services.

You connect to the Visual Studio Team Services site and want to access the client's existing models to view X++ source code in the Application Object Tree (AOT).

To achieve this goal, which two directories do you need to map to your local VM? Each correct answer presents part of the solution.

- A. Metadata
- B. BuildProcessTemplates
- C. Main
- D. Projects

Answer: AD

Explanation:

Section: Understand the architecture and development environment (20- 25%)

NEW QUESTION 3

You are working for a client who has a cloud-hosted production system on Microsoft Dynamics 365 for Finance and Operations.

The client requests for you to apply to a package to the Production environment. What should you do?

- A. Log onto each Production AOS cloud-hosted server, and use ModelUtil.exe to import the package into the Production model store.
- B. Generate a runbook for the package by using AXUpdateInstaller.exe, and execute the runbook on each Production AOS cloud-hosted server.
- C. Log into Lifecycle Services (LCS) for the client's project, view the details for the Production environment, click on Maintain, and then Apply updates.
- D. Log into Lifecycle Services (LCS) for the client's project, click on Service requests, and, then create a service request to apply the package.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/dynamics365/unified-operations/dev-itpro/deployment/apply-deployablepackage-system>

NEW QUESTION 4

What are two benefits of applying a form pattern to a form? Each correct answer presents part of the solution.

- A. ensures data consistency by enforcing common relationship patterns between datasources
- B. provides default values for many properties on controls
- C. enforces a consistent style so that the forms a user encounters are immediately recognizable
- D. allows a developer to create many delivered forms from a base form

Answer: BC

Explanation:

Section: Manage the User Interface and Security for Developers (20-25%) Explanation

Explanation/Reference:

Microsoft Dynamics 365 for Finance and Operations, Enterprise Edition, makes development easier by providing a guided experience for applying patterns to forms to ensure they are correct and consistent.

They help validate forms and control structures and the use of controls in certain places. Using patterns also ensures that each new form encountered by a user is immediately recognizable in appearance and function. Form patterns can provide many default control properties, which leads to a more guided development experience.

NEW QUESTION 5

You are in a product meeting with a new client.

The client asks about the key components for the commerce data exchange for retail development.

Which two features should you describe to the client? Each correct answer presents part of the solution.

- A. Data Access
- B. API
- C. Retail Schedule
- D. Master Data

Answer: CD

NEW QUESTION 6

You need to explain to a team member the difference between TempDB and InMemory table types.

In which three ways do TempDB table types differ from InMemory table types for reporting? Each correct answer presents part of the solution.

- A. TempDB tables have a persistent database schema, and the data is deleted when the table goes out of scope.
- B. TempDB tables are created and destroyed upon use, which not take any database schema space.
- C. TempDB tables are for the storage of large data sets and do not allow exchanging between RAM and disk space.
- D. TempDB tables are used for small data sets that are under 128 KB in size.
- E. TempDB tables are used when you are unsure of the size of the data set returned.

Answer: ACE

Explanation:

Section: Develop new elements by using Application Explorer (20-25%) Explanation

Explanation/Reference:

Temp DB tables have a persistent schema in the database, but they are configured to delete table data when references to the table go out of scope.

An important thing to remember about in-memory tables is that once the table size exceeds 128 kilobytes, the system begins to allocate additional space between the RAM and disk space, which can cause performance to suffer. Because of this, it is recommended to use temp DB tables to handle larger temporary datasets.

Temp DB tables are often used to store data from reports, as report data is usually temporary and that it is not needed after the report is closed.

NEW QUESTION 7

You manage a Microsoft Dynamics 365 for Retail environment. You are preparing to deploy packages.

Which two types of items can you deploy as a package? Each correct answer presents a complete solution.

- A. a binary hotfix to the Application Object Server (AOS) runtime components
- B. an updated Dynamics 365 for Retail customization package
- C. a Microsoft Dynamics 365 Language Pack
- D. a Retail Software Development Kit (SDK)

Answer: AB

Explanation:

Section: Develop and extend retail components (15-20%)

Explanation/Reference:

A deployable package is a unit of deployment that can be applied in any Microsoft Dynamics 365 for Retail environment. A deployable package can be a binary hotfix to the Application Object Server (AOS) runtime components, an updated Dynamics 365 for Retail customization package, or a new Microsoft Dynamics 365 for Retail customization/application module package.

NEW QUESTION 8

Which of the Microsoft Dynamics 365 for Finance and Operations application stack provides financial and human resources management functionality?

- A. Application Suite
- B. Application Object
- C. Application Foundation
- D. Application Platform

Answer: A

Explanation:

Section: Understand the architecture and development environment (20- 25%)

Explanation/Reference:

Most of the functionality we associate with Dynamics 365 for Finance and Operations is added in the Application Suite. Specific examples include the financial management, inventory or warehouse management, human resources management or the fleet management scenario.

NEW QUESTION 9

You are adding a relationship to a table.

Which two best practices should you follow? Each correct answer presents part of the solution.

- A. Define a navigational relationship; the validate property on the relation should be set to "Yes" for easier navigation.
- B. Set the validate property to No when you are using navigational relationships so that the application is easy to navigate.

- C. Name the relationship with an "_rel" suffix in order to differentiate it from the index that is appended with "_idx".
- D. Define the relationship to a foreign key on the child table by setting the validate property on the relation to Yes.

Answer: BD

Explanation:

Section: Develop new elements by using Application Explorer (20-25%)

Explanation/Reference:

Name

The name of a relation should be postfixed with the name of the table it relates to. For example, CustBankAccounts could be a relation on the BankAccounts table.

If there is only one relation for a table, you can just use the table name for the relation instead.

Relations in the Data Model

A relation should be defined on the table that is holding the foreign key to the relating table.

The Validate

property must be set to Yes.

The system guarantees that data entered in the database fulfills the specified relations. The Self Relation

If a table has a key, the key must be defined by using relations. Such a relation is called the 'self relation'.

The self relation should not be set up in situations where the fields in the key are all foreign keys (such as relations to other tables) - or more specifically, where the last field in the self relation is a foreign key.

Navigational Relations

Navigational relations are definitions of relations that exist among data in tables where there are no integrity constraints.

Defining a navigational relation benefits the system's Auto Join system when one form is opened from within another form.

Define navigational relations to make it easy to navigate in the application by using related information.

A navigational relation has the Validate property set to No.

The Auto Join system uses relations that are defined at both the involved tables, which means that you only have to define a navigational relation on the one table to the other to make the Auto Join system work both ways.

Configuration Keys

The configuration key that is specified for the field in a relation must be the same key, or in the same tree of keys, as the key used for the related field. If the external field in a relationship can be removed, due to configuration key settings, and the field on which the relation is set is not also removed, you will get a best practices warning.

NEW QUESTION 10

You work in a Microsoft Dynamics 365 for Finance and Operations development environment.

You need to debug X++ source code in Microsoft Visual Studio.

To achieve this goal, which process should be attached to the Visual Studio Remote Debugger?

- A. w3wp.exe
- B. Ax32Serv.exe
- C. iexplorer.exe
- D. msvsmon.exe

Answer: B

Explanation:

References:

<https://msdn.microsoft.com/en-us/library/gg860898.aspx>

NEW QUESTION 10

You are installing Microsoft Dynamics 365 for Retail in a store location that has limited Internet connectivity.

You need to implement a solution that supports multiple point-of-sale (POS) devices that have shared shifts.

Which component should you install to achieve this goal?

- A. Retail Headquarters
- B. Retail Store Scale Unit
- C. Commerce Runtime (CRT)
- D. Retail Software Development Kit (SDK)

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/dynamics365/unified-operations/retail/retail-components>

NEW QUESTION 12

A team member who is not familiar with IntelliMorph needs to understand what field groups are and the primary advantage of using them.

What should you tell the team member?

- A. They are groups of fields referenced directly on forms and reports; however, you need to update and refresh the field groups on the forms or reports if there are additions or deletions from the table.
- B. They are groupings of fields by data type; field groups allow for the update or data by using indexes to quickly access key columns and rows.
- C. They are groupings of fields on the table; they are used for speeding up the entity of information based on the form for which they are designed.
- D. They are groupings of physical database fields by logical choice; field groups can be referenced directly on forms and reports, and, upon modification, related references are automatically updated.

Answer: D

Explanation:

Section: Develop new elements by using Application Explorer (20-25%) Explanation

Explanation/Reference:

Field groups: These are logical groupings of physical database fields. So field groups can be referenced directly on forms and reports so that when a modification is made to a field group, related references are automatically updated to reference the new content of the group.

NEW QUESTION 13

You manage package deployments for a Microsoft Dynamics 365 Retail environment, and you need to determine if a package rebuild is necessary. Which scenario requires a package rebuild?

- A. You want to re-run a build due to warnings that appear in the Error List pane concerning best practices.
- B. You want to force a build of all objects, regardless of whether they have changed.
- C. You want to build dependent and reference models at the same time.
- D. You cannot set the Synchronize database on the Build Property to True.

Answer: B

Explanation:

Section: Develop and extend retail components (15-20%) Explanation

Explanation/Reference:

The rebuild will perform a full compile, which will take a bit longer. The rebuild option combines the clean and build steps so we don't have to separately run clean and build.

NEW QUESTION 16

You are the programmer on a project and are asked to develop an item that is flexible, allows the user to modify ranges, changes parameter criteria at run time, and allows for sorting.

Which key object meets these requirements?

- A. View
- B. Query
- C. Table
- D. Map

Answer: B

NEW QUESTION 19

What are the three types of menu items used in Microsoft Dynamics 365 for Finance and Operations?

Each correct answer presents part of the solution.

- A. Form
- B. Output
- C. Action
- D. Display
- E. Report

Answer: BCD

Explanation:

Section: Manage the User Interface and Security for Developers (20-25%) Explanation

Explanation

Display Menu item: This folder is used to contain menu items that reference runnable objects which are primarily for presenting data to the user such as forms and dialog's.

Output Menu item: An output menu item should have the soul purpose to print a result, mostly used for referencing classes.

Action Menu item: As the name says it, you should create a menu item under this folder if your runnable object has an action to perform, for example creating or updating data.

NEW QUESTION 22

You are reviewing the basic set of primitive data types in Microsoft Dynamics 365 for Finance and Operations with a client.

The client wants to know the best data type to use for a set of literals, such as states of nature or key reporting structures.

Which type should you tell the client?

- A. Strings
- B. Anytype
- C. Containers
- D. Enumerations

Answer: D

Explanation:

Section: Develop new elements by using Application Explorer (20-25%) Explanation

Explanation/Reference:

Enums: An abbreviation for enumerated text - a set of literals.

NEW QUESTION 24

You want to provide single login access for all of your Microsoft cloud-based applications, such as Microsoft Office 365 and Enterprise Resource Planning (ERP).

Which component of the cloud architecture provides this functionality?

- A. UI Interaction Layer

- B. Fleet Management
- C. Shared Services
- D. Lifecycle Services (LCS)

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/dynamics365/unified-operations/dev-itpro/dev-tools/application-stack-serverarchitecture>

NEW QUESTION 25

You are working for a client in a new Microsoft Dynamics 365 for Finance and Operations environment.

The client requests that custom fields be added to the SalesTable table. You need to add them in a way to minimize the cost of maintenance and upgrading. What should you do to add the custom fields?

- A. Create a new package in the ApplicationSuite model.
- B. Create a new model that overlays the ApplicationSuite model.
- C. Create a new extension model that references the ApplicationSuite model.
- D. Create a new project in the ApplicationSuite model.

Answer: C

Explanation:

Section: Understand the architecture and development environment (20-25%) Explanation

Explanation/Reference:

Microsoft's best practice recommendation is to use extension objects and models wherever we can.

NEW QUESTION 27

Which two components of the server architecture of Microsoft Dynamics 365 for Finance and Operations work in conjunction with one another to present web page accessibility through a supported web browser?

Each correct answer presents part of the solution.

- A. Forms Engine
- B. Cache
- C. Data Access Layer
- D. Interaction Layer

Answer: AD

Explanation:

Section: Understand the architecture and development environment (20-25%) Explanation

Explanation/Reference:

We can also connect through the user interface interaction layer, and we also have the forms engine. It's important to note that there's no longer a hard client involved in the server architecture as the form engines and interaction layer are designed to generate Web pages accessible on any Internet browser.

NEW QUESTION 28

According to best practices for Microsoft Dynamics 365 for Finance and Operations, in which two situations should you use labels? Each correct answer presents a complete solution.

- A. when accessing external resources such as web servers
- B. when specifying user interface text for menu items, forms and reports
- C. when programming for all external strings
- D. when specifying the resource for a form image control

Answer: BC

Explanation:

References:

<https://msdn.microsoft.com/en-us/library/aa620083.aspx>

NEW QUESTION 30

You are an Independent Software Vendor (ISV) developer and are creating a new form for an existing solution.

Business requirements state that the form must always open in a grid view. What should you modify to fulfill this requirement?

- A. the Open Mode property on the form's menu item
- B. the Window Type property on the form's design
- C. the Form View Option property on the form's menu item
- D. the View Edit Mode property on the form's design

Answer: C

NEW QUESTION 33

You are working in a Microsoft Dynamics 365 for Retail environment and are troubleshooting a scanner that is not able to scan a bar code on an item.

You review the event logs on the Retail Server and find several recent events in which the AppSessionId is a non-empty GUID and the UserSessionId contains an empty GUID.

What is the main cause of the events in the event log?

- A. The scanner does not have power.
- B. The scanner is in offline mode.
- C. The scanner has not been signed into by a user.
- D. The scanner cannot make a call to the retail server.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/dynamics365/unified-operations/retail/dev-itpro/retail-component-eventsdiagnostics-troubleshooting>

NEW QUESTION 38

In a product meeting with a new client, you are asked to describe the key components of the Commerce Runtime (CRT) for retail development.

What are two of these key components? Each correct answer presents a complete solution.

- A. Data Access
- B. Retail Scheduler
- C. Master Data
- D. API

Answer: AD

Explanation:

<https://technet.microsoft.com/en-us/library/jj916620.aspx>

NEW QUESTION 43

You are an Independent Software Vendor (ISV) developer.

You are working on a new solution that will support multiple languages and regions, and you need to use labels.

Which two best practices should you follow when using the labels? Each correct answer presents a complete solution.

- A. Use descriptive text for the label file ID.
- B. Use labels for elements and artifacts.
- C. Use the name of the model for of the label file name.
- D. Use a new label ID for every element or artifact.

Answer: BC

Explanation:

Section: Develop new elements by using Application Explorer (20-25%)

Explanation/Reference:

You should use labels for every user-facing element or artifact in Dynamics 365 for Finance and Operations.

For multi-language label files, you should ensure that labels contain appropriate translations of the activity or item that they describe.

You should also use labels when programming for all external strings.

You should create a label file with the same name as the associated model.

NEW QUESTION 45

You want to create an extension package that references the Application Foundation package.

Which two models are included within the Application Foundation package? Each correct answer presents part of the solution.


- A. Workflow Framework
- B. Organization Model
- C. Fleet Management
- D. Number Sequences

Answer: BD

Explanation:

Section: Understand the architecture and development environment (20- 25%)

Explanation/Reference:



NEW QUESTION 50

You need to troubleshoot an issue by using the Async sync library. Where should you go to access this library?

- A. Real Time Service
- B. Retail Server
- C. Retail Modern POS
- D. Channel Database

Answer: C

Explanation:

Section: Develop and extend retail components (15-20%)

Explanation/Reference:

Retail modern POS includes the Async library which downloads any available data packages and inserts them into the offline database.

NEW QUESTION 53

You are a developer and want to create an extension of an existing Extended Data Type (EDT) that is a string primitive data type. Which two EDT properties are extendable? Each correct answer presents a complete solution.

- A. String Size
- B. Presence Method
- C. Display Length
- D. Form Help

Answer: AD

Explanation:

References:

<https://docs.microsoft.com/en-us/dynamics365/unified-operations/dev-itpro/extensibility/modify-edt>

NEW QUESTION 55

You create a new form to allow users to edit records in the Customer table. You need to prevent users from deleting any customer records. What should you do to achieve this goal?

- A. On the CustTable data source on the form, set the Allow Delete property to No.
- B. Remove the Delete command button from the form.
- C. On the form design, set the View Edit Mode property to View.
- D. Implement an OnDeleted event handler to prevent the deletion.

Answer: A

NEW QUESTION 57

You are writing a method to create a new Customer group. You begin by writing the following code:

```

class ExampleClass
{
    /// <summary>
    /// Create a new customer group
    /// </summary>
    /// <param name = "_custGroup">
    /// Customer group to create
    /// </param>
    ///<param name = "_name">
    /// Description for customer group
    /// </param>
    Public static void createCustGroup (CustGroupId _custGroup, Description _name)
    {
        CustGroup custGroup;

        ttsbegin;
        custGroup.CustGroup=_custGroup;
        custGroup.Name=_name;

        ///TODO: save custgroup record to database

        ttscommit ;
    }
}

```

You need to complete the method.
With which statement should you replace the TODO comment line to accomplish this goal?

- A. custGroup.insert();
- B. RecordInsertList.add(custGroup);
- C. insert_recordset custGroup (CustGroup,Name);
- D. custGroup.merge();

Answer: A

NEW QUESTION 60

You are writing a JSON-based custom service to consume a new data entity. You need to expose the data entity to the OData service.
What should you do on the data entity to achieve this goal?

- A. Set the PrimaryKey to EntityKey.
- B. Set the Visible property to Yes.
- C. Set the IsPublic property to Yes.
- D. Set the DataManagementEnabled to Yes.

Answer: C

Explanation:

Section: Manage the User Interface and Security for Developers (20-25%) Explanation

Explanation/Reference:

OData entities in Dynamics 365 for Finance and Operations are based on the concept of an updatable view. When the public property for an updatable view is set to true, this view is exposed as a top level OData entity.

NEW QUESTION 61

You are debugging in X++ and review the following method:

```
public boolean bestPracticeCheck(Integr _param)
{
    Integr var1, var2;

    var1 = 10;
    _param += var1;

    if (_param > 0)
    {
        return true;
    }
    else
    {
        return false;
    }
}
```

Which three best practices does this method violate? Each correct answer presents part of the solution.

- A. The method does not assign a value to the variable var2.
- B. The If and Else statements should not use braces because each statement is only one line.
- C. The parameter _param should be assigned using the format _param = _param + var1.
- D. The method manipulated the parameter _param.
- E. The return keyword is used in both the If and the Else statements.

Answer: ADE

NEW QUESTION 66

You are working for a client in Microsoft Dynamics 365 for Finance and Operations. You design and build a custom package, and upload it to the Asset library in Lifecycle Services (LCS).

You need to apply the custom package to the client's Tier 2 environment for testing by generating a runbook.

Which two files are required to generate the runbook? Each correct answer presents part of the solution.

- A. the topology data file
- B. the development installation service model data file
- C. the hotfix installation information file
- D. the service model file

Answer: AD

Explanation:

Section: Understand the architecture and development environment (20-25%) Explanation

Explanation/Reference:

Runbook – The deployment runbook is a series of steps that is generated and used to apply the deployable package to the target environment. Some of the steps are automated, and some are manual.

AXUpdateInstaller enables these steps to be run one at a time and in the correct order. AXUpdateInstaller.exe generate -runbookid=[runbookID] -topologyfile=[topologyFile] -servicemodelfile=[serviceModelFile] -runbook

Here is an explanation of the parameters that are used in this command:

[runbookID] – A parameter that is specified by the developer who applies the deployable package.

[topologyFile] – The path of the DefaultTopologyData.xml file. [serviceModelFile] – The path of the DefaultServiceModelData.xml file.

[runbookFile] – The name of the runbook file to generate (for example, AOSRunbook.xml).

NEW QUESTION 68

You are working in a Microsoft Dynamics 365 for Finance and Operations environment that has a Dock site and a Plant site. The Dock site contains one warehouse, and the Plant site contains three warehouses.

You want to create a new security role. When users assigned to this security role view the InventLocation form, they should only be able to view the warehouse that is in the Dock site.

Which security framework should you use to accomplish this goal?

- A. OAuth 2.0 Authorization
- B. Table Permissions Framework
- C. Record-Level Security Framework
- D. Extensible Data Security Framework

Answer: D

Explanation:

Section: Manage the User Interface and Security for Developers (20-25%)

Explanation/Reference: Data security

Authorization is used to grant access to elements of the program. By contrast, data security is used to deny access to tables, fields, and rows in the database. Use the extensible data security framework to control access to transactional data by assigning data security policies to security roles. Data security policies can restrict access to data, based on either the effective date or user data, such as the sales territory or organization. Record-level security, which was a mechanism for securing data in Dynamics AX 2012 and earlier versions, is obsolete. Extensible data security is the recommended mechanism for securing or filtering data in the program. Additionally, the Table Permissions Framework helps protect some data. Data security for specific tables is enforced by Application Object Server (AOS).

NEW QUESTION 70

You have previously written a PurchOrderActivation class with the following logic: class PurchOrderActivation

```
{
private static PurchOrderActivation construct()
{
return new PurchOrderActivation();
}
...
}
```

You need to instantiate PurchOrderActivation from a new class named PurchOrderActivationExtended, which extends PurchOrderActivation.

What are two possible ways to instantiate the PurchOrderActivation class in the initialize method of the PurchOrderActivationExtended class? Each correct answer presents a complete solution.

- A. class PurchOrderActivationExtended extends PurchOrderActivation{public void initialize(){PurchOrderActivation purchOrderActivation = PurchOrderActivation::construct();}}
- B. class PurchOrderActivationExtended extends PurchOrderActivation{public void initialize(){var purchOrderActivation = new PurchOrderActivation();}}
- C. class PurchOrderActivationExtended extends PurchOrderActivation{public void initialize(){var purchOrderActivation = PurchOrderActivation::construct();}}
- D. class PurchOrderActivationExtended extends PurchOrderActivation{public void initialize(){PurchOrderActivation purchOrderActivation = new PurchOrderActivation ();}}

Answer: BD

Explanation:

Section: Read and Write Basic X++ (20-25%)

The construct method is private, so you can not call it from another class.

NEW QUESTION 72

You are creating a table and need to use relationships.

What are three examples of relationship types you can use? Each correct answer presents a complete solution.

- A. related field fixed relation
- B. restricted relation
- C. field fixed relation
- D. foreign key relation
- E. referential relation

Answer: ACD

Explanation:

References:

<https://msdn.microsoft.com/en-us/library/aa556809.aspx>

NEW QUESTION 76

You are developing a Fleet management module for Microsoft Dynamics 365 Finance and Operations.

You create an FMVehicle table to store information that is specific to each vehicle in your fleet.

Now, you need to create a form that allows users to view and edit all of the information related to a vehicle.

Which form pattern should you use to accomplish this goal?

- A. Workspace Operational
- B. List Page
- C. Dialog - Basic
- D. Details Master

Answer: D

Explanation:

Section: Manage the User Interface and Security for Developers (20-25%) Explanation

Explanation/Reference:

Operational workspace: This is the standard pattern currently used for workspace development. Because of the set of components that are permitted in it, this pattern has superior performance over the deprecated "workspace" pattern. For this reason and to ensure visual and behavioral consistency with the other workspaces in the system, we recommend that you use this pattern.

List Page: A list page presents a set of data on a user interface that is optimized so that you can browse records, find the right record, and then take an action upon that record. The list page lets the user search, filter, and sort the data. FactBoxes on the right side of the grid show related data for the active record.

Actions that are relevant to the record are located on the ActionPane at the top of the page. The use of this pattern is now discouraged when there is a 1:1 correspondence between the List Page and Details page.

Current guidance is to use this pattern only in other situations, such as when list pages have no backing details pages or have multiple backing details page (for example, when project quotations and sales quotations are shown together in the same List Page). Detail Master: A details form is the primary method for entering data. These forms let the user view, edit, and act upon data. All content on these form types is structured into FastTabs that can be expanded and collapsed, so that multiple FastTabs can be open at the same time. The FastTabs can contain fields or a grid, and each FastTab can have a local toolbar. This is the basic Detail Master pattern. This is the pattern that you should use by default.

NEW QUESTION 81

You are an Independent Software Vendor (ISV) developer working on a new solution, and you need to use a custom icon. What should you create to add this icon to the solution?

- A. a reference to the icon in the project
- B. an Image folder, and then add the icon
- C. a tile item in the model
- D. a resource item in the model

Answer: D

Explanation:

Section: Develop new elements by using Application Explorer (20-25%)

Resources enable management of the pictures, icons, and other visual representations for elements that are used within the user interface.

NEW QUESTION 82

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your MB6-894 Exam with Our Prep Materials Via below:

<https://www.certleader.com/MB6-894-dumps.html>