

Microsoft

Exam Questions AZ-303

Microsoft Azure Architect Technologies (beta)



NEW QUESTION 1

- (Exam Topic 2)

You have an Azure SQL database named Db1 that runs on an Azure SQL server named SQLserver1. You need to ensure that you can use the query editor on the Azure portal to query Db1.

What should you do?

- A. Modify the Advanced Data Security settings of Db1
- B. Configure the Firewalls and virtual networks settings for SQLserver1
- C. Copy the ADO.NET connection string of Db1 and paste the string to the query editor
- D. Approve private endpoint connections for SQLserver1

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-connect-query-portal>

NEW QUESTION 2

- (Exam Topic 2)

You have an Azure Resource Manager template for a virtual machine named Template1. Template1 has the following parameters section.

```
"parameters": {
  "adminUsername": {
    "type": "string"
  },
  "adminPassword": {
    "type": "securestring"
  },
  "dnsLabelPrefix": {
    "type": "string"
  },
  "windowsOSVersion": {
    "type": "string",
    "defaultValue": "2016-Datacenter",
    "allowedValues": [
      "2016-Datacenter",
      "2019-Datacenter"
    ]
  },
  "location": {
    "type": "String",
    "allowedValues": [
      "eastus",
      "centralus",
      "westus" ]
  }
},
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When you deploy Template1, you are prompted for a resource group.	<input type="radio"/>	<input type="radio"/>
When you deploy Template1, you are prompted for the Windows operating system version.	<input type="radio"/>	<input type="radio"/>
When you deploy Template1, you are prompted for a location.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The Resource group is not specified.

Box 2: No

The default value for the operating system is Windows 2016 Datacenter.

Box 3: Yes

Location is no default value. References:

<https://docs.microsoft.com/bs-latn-ba/azure/virtual-machines/windows/ps-template>

NEW QUESTION 3

- (Exam Topic 2)

You have an Azure subscription named Subscription1 that is used by several departments at your company. Subscription1 contains the resources in the following table.

Name	Type
Storage1	Storage account
RG1	Resource group
Container1	Blob container
Share1	File share

Another administrator deploys a virtual machine named VM1 and an Azure Storage account named Storage2 by using a single Azure Resource Manager template. You need to view the template used for the deployment.

From which blade can you view the template that was used for the deployment?

- A. Container1
- B. VM1
- C. Storage2
- D. RG1

Answer: D

NEW QUESTION 4

- (Exam Topic 2)

You have 10 Azure virtual machines on a subnet named Subnet1. Subnet1 is on a virtual network named VNet1.

You plan to deploy a public Azure Standard Load Balancer named LB1 to the same Azure region as the 10 virtual machines.

You need to ensure that traffic from all the virtual machines to the internet flows through LB1. The solution must prevent the virtual machines from being accessible on the internet.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add health probes to LB1.
- B. Add the network interfaces of the virtual machines to the backend pool of LB1.
- C. Add an inbound rule to LB1.
- D. Add an outbound rule to LB1.
- E. Associate a network security group (NSG) to Subnet1.
- F. Associate a user-defined route to Subnet1.

Answer: ABD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/load-balancer/tutorial-load-balancer-standard-manage-portal2>

NEW QUESTION 5

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host. You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image. Solution: You add the following line to the Dockerfile.

ADD File1.txt C:/Folder1/

You then build the container image. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Copy is the correct command to copy a file to the container image. The ADD command can also be used. However, the root directory is specified as '/' and not as 'C:/'.

Reference:

https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy <https://docs.docker.com/engine/reference/builder/>

NEW QUESTION 6

- (Exam Topic 2)

You have an Azure App Service app.

You need to implement tracing for the app. The tracing information must include the following:

- > Usage trends
- > AJAX call responses

- > Page load speed by browser
- > Server and browser exceptions

What should you do?

- A. Configure IIS logging in Azure Log Analytics.
- B. Configure a connection monitor in Azure Network Watcher.
- C. Configure custom logs in Azure Log Analytics.
- D. Enable the Azure Application Insights site extension.

Answer: D

Explanation:

For web pages, Application Insights JavaScript SDK automatically collects AJAX calls as dependencies. Note: Some of the things you can track or collect are: What are the most popular webpages in your application, at what time of day and where is that traffic coming from? Dependency rates or response times and failure rates to find out if there's an external service that's causing performance issues on your app, maybe a user is using a portal to get through to your application and there are response time issues going through there for instance. Exceptions for both server and browser information, as well as page views and load performance from the end users' side.
 Reference:
<https://azure.microsoft.com/en-us/blog/ajax-collection-in-application-insights/> <https://blog.prismaticworks.com/what-is-application-insights>

NEW QUESTION 7

- (Exam Topic 2)

An administrator plans to create a function app in Azure that will have the following settings:

- > Runtime stack: .NET Core
- > Operating System: Linux
- > Plan type: Consumption
- > Enable Application Insights: Yes

You need to ensure that you can back up the function app.

Which settings should you recommend changing before creating the function app? D18912E1457D5D1DDCBD40AB3BF70D5D

- A. Runtime stack
- B. Enable Application Insights
- C. Operating System
- D. Plan type

Answer: D

Explanation:

The Backup and Restore feature requires the App Service plan to be in the Standard, Premium or Isolated tier. Reference:
<https://docs.microsoft.com/en-us/azure/app-service/manage-backup#requirements-and-restrictions>

NEW QUESTION 8

- (Exam Topic 2)

You have Azure virtual machines that have Update Management enabled. The virtual machines are configured as shown in the following table.

Name	Operating system	Resource group	Location
VM1	Windows Server 2012 R2	RG1	East US
VM2	Windows Server 2016	RG1	West US
VM3	Windows Server 2019	RG2	West US
VM4	Red Hat Enterprise Linux 7.7	RG2	West US
VM5	Ubuntu Server 18.04 LTS	RG1	East US
VM6	CentOS-based 7.7	RG1	East US

You need to ensure that all critical and security updates are applied to each virtual machine every month. What is the minimum number of update deployments you should create?

- A. 4
- B. 6
- C. 1
- D. 2

Answer: A

NEW QUESTION 9

- (Exam Topic 2)

You plan to create an Azure Storage account named storage1 that will store blobs and be accessed by Azure Databricks. You need to ensure that you can set permissions for individual blobs by using Azure Active Directory (Azure AD) authentication. Which Advanced setting should you enable for storage1?

- A. Hierarchical namespace
- B. Large file shares

- C. Blob soft delete
- D. NFSv3

Answer: C

NEW QUESTION 10

- (Exam Topic 2)

You have an Azure Active Directory (Azure AD) tenant linked to an Azure subscription. The tenant contains a group named Admins. You need to prevent users, except for the members of Admins, from using the Azure portal and Azure PowerShell to access the subscription. What should you do?

- A. From Azure AD, configure the User settings.
- B. From the Azure subscription, assign an Azure policy.
- C. From Azure AD, create a conditional access policy.
- D. From the Azure subscription, configure Access control (IAM).

Answer: D

NEW QUESTION 10

- (Exam Topic 2)

You have an Azure subscription named Subscription1. Subscription1 contains the resources in the following table:

Name	Type
RG1	Resource group
RG2	Resource group
VNet1	Virtual network
VNet2	Virtual network

VNet1 is in RG1. VNet2 is in RG2. There is no connectivity between VNet1 and VNet2. An administrator named Admin1 creates an Azure virtual machine VM1 in RG1. VM1 uses a disk named Disk1 and connects to VNet1. Admin1 then installs a custom application in VM1. You need to move the custom application to VNet2. The solution must minimize administrative effort. Which two actions should you perform? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

First action:

	v
Create a network interface in RG2.	
Detach a network interface.	
Delete VM1.	
Move a network interface to RG2.	

Second action:

	v
Attach a network interface.	
Create a network interface in RG2.	
Create a new virtual machine.	
Move VM1 to RG2.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

We cannot just move a virtual machine between networks. What we need to do is identify the disk used by the VM, delete the VM itself while retaining the disk, and recreate the VM in the target virtual network and then attach the original disk to it.

Reference:

- <https://blogs.technet.microsoft.com/canitpro/2014/06/16/step-by-step-move-a-vm-to-a-different-vnet-on-azure/>
- <https://4sysops.com/archives/move-an-azure-vm-to-another-virtual-network-vnet/#migrate-an-azure-vm-between-virtual-networks>

NEW QUESTION 14

- (Exam Topic 2)

You have an Azure Container Registry and an Azure container instance. You pull an image from the registry, and then update the local copy of the image. You need to ensure that the updated image can be deployed to the container instance. The solution must ensure that you can deploy the updated image or the previous version of the image. What should you do?

- A. Run the docker image push command and specify the tag parameter.
- B. Run the az image copy command and specify the tag parameter.

- C. Run the az aks update command and specify the attach-acr parameter.
- D. Run the kubectl apply command and specify the dry-run parameter.

Answer: B

NEW QUESTION 17

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company is deploying an on-premises application named Appl. Users will access App1 by using a URL of https://app1.contoso.com. You register App1 in Azure Active Directory (Azure AD) and publish Appl by using the Azure AD Application Proxy. You need to ensure that Appl appears in the My Apps portal for all the users.

Solution: You create an offer for App1 and publish the offer to Azure Marketplace.

- A. Yes
- B. No

Answer: A

NEW QUESTION 18

- (Exam Topic 2)

: 292 HOTSPOT

From Azure Cosmos DB, you create the containers shown in the following table.

Container ID	Partition key	Unique key
Container1	/category	None
Container2	/id	/importance

You add the following item to Container1.

```
{
  "id": "1",
  "category": "personal",
  "name": "Name1",
  "description": "Description1"
}
```

You plan to add items to Azure Cosmos DB as shown in the following table.

Name	Content
Item1	{ "id": "1", "category": "personal", "name": "Name1", "description": "Description1" }
Item2	{ "category": "business", "name": "Name2", "description": "Description2", "importance": "High" }
Item3	{ "id": "3", "name": "Name3", "description": "Description3" }
Item4	{ "id": "4", "importance": "Low" }

You need to identify which items can be added successfully to Container1 and Container2.

What should you identify for each container? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Container1:

	▼
Item2 only	
Item1 and Item2 only	
Item3 and Item4 only	
Item2, Item3, and Item4 only	
Item1, Item2, Item3, and Item4	

Container2:

	▼
Item4 only	
Item2 and Item4 only	
Item1, Item3, and Item4 only	
Item1, Item2, Item3, and Item4	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Container1:

	▼
Item2 only	
Item1 and Item2 only	
Item3 and Item4 only	
Item2, Item3, and Item4 only	
Item1, Item2, Item3, and Item4	


Container2:

	▼
Item4 only	
Item2 and Item4 only	
Item1, Item3, and Item4 only	
Item1, Item2, Item3, and Item4	

NEW QUESTION 22

- (Exam Topic 2)

You have a hierarchy of management groups and Azure subscriptions as shown in the following table.



You create the Azure resources shown in the following table.

Name	Type	Created in
RG1	Resource group	Subscription1
RG2	Resource group	Subscription2
VM2	Virtual machine	RG2

You assign roles to users as shown in the following table.

User name	Role	On resource
User1	Contributor	ManagementGroup1
User2	Contributor	ManagementGroup2
User3	Reader	Tenant Root Group

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point

Statements	Yes	No
You can remove User1 from the Contributor role for RG1.	<input type="radio"/>	<input type="radio"/>
User2 can delete VM2.	<input type="radio"/>	<input type="radio"/>
You can add User3 as a Contributor for RG1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
You can remove User1 from the Contributor role for RG1.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can delete VM2.	<input checked="" type="radio"/>	<input type="radio"/>
You can add User3 as a Contributor for RG1.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 27

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host. You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image. Solution: You add the following line to the Dockerfile.

`COPY File1.txt C:/Folder1/`

You then build the container image. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Copy is the correct command to copy a file to the container image but the root directory is specified as '/' and not as 'C:/'.

References:

https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy <https://docs.docker.com/engine/reference/builder/>

NEW QUESTION 31

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant that contains a group named Group1. You need to enable multi-factor authentication (MFA) for the users in Group1 only.

Solution: From Multi-Factor Authentication, you select Bulk update, and you provide a CSV file that contains the members of Group1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

We should use a Conditional Access policy.

Note: There are two ways to secure user sign-in events by requiring multi-factor authentication in Azure AD. The first, and preferred, option is to set up a Conditional Access policy that requires multi-factor authentication under certain conditions. The second option is to enable each user for Azure Multi-Factor Authentication. When users are enabled individually, they perform multi-factor authentication each time they sign in (with some exceptions, such as when they sign in from trusted IP addresses or when the remembered devices feature is turned on).

Enabling Azure Multi-Factor Authentication using Conditional Access policies is the recommended approach. Changing user states is no longer recommended unless your licenses don't include Conditional Access as it requires users to perform MFA every time they sign in.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-userstates>

NEW QUESTION 36

- (Exam Topic 2)

You create a container image named Image1 on a developer workstation.

You plan to create an Azure Web App for Containers named WebAppContainer that will use Image1. You need to upload Image1 to Azure. The solution must ensure that WebAppContainer can use Image1. To which storage type should you upload Image1?

- A. Azure Container Registry
- B. an Azure Storage account that contains a blob container
- C. an Azure Storage account that contains a file share
- D. Azure Container Instances

Answer: A

Explanation:

Configure registry credentials in web app.

App Service needs information about your registry and image to pull the private image. In the Azure portal, go to Container settings from the web app and update the Image source, Registry and save.

References:

<https://docs.microsoft.com/en-us/azure/devops/pipelines/targets/webapp-on-container-linux>

NEW QUESTION 38

- (Exam Topic 2)

Your company plans to develop an application that will use a NoSQL database. The database will be used to store transactions and customer information by using JSON documents. Which two Azure Cosmos DB APIs can developers use for the application? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Cassandra
- B. Gremlin (graph)
- C. MongoDB
- D. Azure Table
- E. Core (SQL)

Answer: DE

NEW QUESTION 41

- (Exam Topic 2)

You have an Azure subscription.

You plan to deploy an app that has a web front end and an application tier.

You need to recommend a load balancing solution that meets the following requirements:

➤ Internet to web tier:

- Provides URL-based routing
- Supports connection draining
- Prevents SQL injection attacks

➤ Web tier to application tier:

- Provides port forwarding
- Supports HTTPS health probes
- Supports an availability set as a backend pool

Which load balancing solution should you recommend for each tier? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Internet to web tier:

	▼
An Azure Application Gateway that has a web application firewall (WAF)	
An internal Azure Standard Load Balancer	
A public Azure Basic Load Balancer	

Web tier to application tier:

	▼
An Azure Application Gateway that has a web application firewall (WAF)	
An internal Azure Standard Load Balancer	
A public Azure Basic Load Balancer	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: An Azure Application Gateway that has a web application firewall (WAF)

Azure Application Gateway offers a web application firewall (WAF) that provides centralized protection of your web applications from common exploits and vulnerabilities. Web applications are increasingly targeted by malicious attacks that exploit commonly known vulnerabilities. SQL injection and cross-site scripting are among the most common attacks.

Application Gateway operates as an application delivery controller (ADC). It offers Secure Sockets Layer (SSL) termination, cookie-based session affinity, round-robin load distribution, content-based routing, ability to host multiple websites, and security enhancements.

Box 2: An internal Azure Standard Load Balancer

The internet to web tier is the public interface, while the web tier to application tier should be internal. Note: When using load-balancing rules with Azure Load Balancer, you need to specify a health probes to allow Load Balancer to detect the backend endpoint status.

Health probes support the TCP, HTTP, HTTPS protocols. References:

<https://docs.microsoft.com/en-us/azure/application-gateway/waf-overview> <https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-custom-probe-overview>

NEW QUESTION 43

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company is deploying an on-premises application named App1. Users will access App1 by using a URL of <https://app1.contoso.com>. You register App1 in Azure Active Directory (Azure AD) and publish App1 by using the Azure AD Application Proxy. You need to ensure that App1 appears in the My Apps portal for all the users.

Solution: You create a conditional access policy for App1.

- A. Yes
- B. No

Answer: B

NEW QUESTION 45

- (Exam Topic 2)

The developers at your company request that you create databases in Azure Cosmos DB as shown in the following table.

Name	Requirement
CosmosDB1	<ul style="list-style-type: none"> • Provides a throughput of 1,200 RU/s • Has multiple write regions • Uses the Core (SQL) API
CosmosDB2	<ul style="list-style-type: none"> • Provides a throughput of 800 RU/s • Uses the MongoDB API
CosmosDB3	<ul style="list-style-type: none"> • Provides a throughput of 1,200 RU/s • Has only one write region • Uses the Core (SQL) API
CosmosDB4	<ul style="list-style-type: none"> • Provides a throughput of 2,000 RU/s • Uses the MongoDB API

You need to create the Azure Cosmos DB databases to meet the developer request. The solution must minimize costs.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Create three Azure Cosmos DB accounts, one for the databases that use the Core (SQL) API, one for CosmosDB2, and one for CosmosDB4.
- B. Create two Azure Cosmos DB accounts, one for CosmosDB2 and CosmosDB4 and one for CosmosDB1 and CosmosDB3.
- C. Create one Azure Cosmos DB account for each database.
- D. Create three Azure Cosmos DB accounts, one for the databases that use the MongoDB API, one for CosmosDB1, and one for CosmosDB3.

Answer: BD

Explanation:

Note:

Microsoft recommends using the same API for all access to the data in a given account.

One throughput provisioned container per subscription for SQL, Gremlin API, and Table accounts. Up to three throughput provisioned collections per subscription for MongoDB accounts.

The throughput provisioned on an Azure Cosmos container is exclusively reserved for that container. The container receives the provisioned throughput all the time.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/set-throughput#set-throughput-on-a-container>

NEW QUESTION 47

- (Exam Topic 2)

A company plans to use third-party application software to perform complex data analysis processes. The software will use up to 500 identical virtual machines (VMs) based on an Azure Marketplace VM image.

You need to design the infrastructure for the third-party application server. The solution must meet the following requirements:

- > The number of VMs that are running at any given point in time must change when the user workload changes.
- > When a new version of the application is available in Azure Marketplace it must be deployed without causing application downtime.
- > Use VM scale sets.
- > Minimize the need for ongoing maintenance.

Which two technologies should you recommend? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. single storage account
- B. autoscale
- C. single placement group
- D. managed disks

Answer: BD

Explanation:

Introduction to Azure managed disks

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/managed-disks-overview> "Using managed disks, you can create up to 50,000 VM disks of a type in a subscription per region, allowing you to create thousands of VMs in a single subscription. This feature also further increases the scalability of virtual machine scale sets by allowing you to create up to 1,000 VMs in a virtual machine scale set using a Marketplace image."

NEW QUESTION 50

- (Exam Topic 2)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Region	Resource group
RG1	Resource group	Central US	<i>Not applicable</i>
RG2	Resource group	West US	<i>Not applicable</i>
VM1	Virtual machine	East US	RG2
VNET1	Virtual network	East US	RG1

In RG2, you need to create a new virtual machine named VM2 that will connect to VNET1. VM2 will use a network interface named VM2_Interface.

In which region should you create VM2 and VM2_Interface? To answer, drag the appropriate regions to the correct targets. Each region may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Regions

Central US
East US
West US

Answer Area

VM2:	
VM2_Interface:	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

VM2: West US

In RG2, which is in West US, you need to create a new virtual machine named VM2. VM2_interface: East US
 VM2 will use a network interface named VM2_Interface to connect to VNET1, which is in East US. References:
<https://docs.microsoft.com/en-us/azure/virtual-network/associate-public-ip-address-vm>

NEW QUESTION 54

- (Exam Topic 2)

You have SQL Server on an Azure virtual machine named SQL1.

You need to automate the backup of the databases on SQL1 by using Automated Backup v2 for the virtual machines. The backups must meet the following requirements:

- Meet a recovery point objective (RPO) of 15 minutes.
- Retain the backups for 30 days.
- Encrypt the backups at rest.

What should you provision as part of the backup solution?

- A. Azure Key Vault
- B. an Azure Storage account
- C. a Recovery Services vault
- D. Elastic Database jobs

Answer: B

Explanation:

An Azure storage account is used for storing Automated Backup files in blob storage. A container is created at this location to store all backup files. The backup file naming convention includes the date, time, and database GUID.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/virtual-machines/windows/automated-backup>

NEW QUESTION 57

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-303 Practice Exam Features:

- * AZ-303 Questions and Answers Updated Frequently
- * AZ-303 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-303 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-303 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-303 Practice Test Here](#)